

CORRECTION

Open Access



Correction to: Stem cell membrane-coated isotretinoin for acne treatment

Shiyi Wang¹, Rihua Jiang¹, Tianqi Meng¹, Fuqiang Zhang², Jing Li², Yongri Jin³, JeungHoon Lee⁴, Mingji Zhu^{1*} and Jinlan Jiang^{2*}

Correction to: *J Nanobiotechnol* (2020) 18:106

<https://doi.org/10.1186/s12951-020-00664-9>

Following publication of our article [1] the authors found that some of the images in the publication had been misused, so that three images presented at high magnification did not correspond to those at low magnification. The correct images for Figure 3b, Figure 4 (Treatment efficiency on hyper keratinization model by H&E staining—Group Blank H&E × 40) and Figure 7a are shown below. These errors do not affect the conclusions of the work. The authors apologize for these errors and any inconvenience caused.

The original article can be found online at <https://doi.org/10.1186/s12951-020-00664-9>.

*Correspondence: zmj@jlu.edu.cn; jiangjinlan@jlu.edu.cn

¹ Department of Dermatology, China-Japan Union Hospital of Jilin University, Changchun, Jilin, China

² Scientific Research Center, China-Japan Union Hospital of Jilin University, Changchun, Jilin, China


Full list of author information is available at the end of the article



© The Author(s) 2021. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.



Original image




Original image




Change to

Figure 4 Treatment efficiency on hyper keratinization model by H&E staining.—Group Blank H&E × 40




Change to

Figure 7 Morphology of the skin Horney layer.—7a Skin treated with PBS



Original image



Change to
Figure 3 Skin irritation—3b Skin application of STCM
The original article has been revised.

Author details

¹Department of Dermatology, China-Japan Union Hospital of Jilin University, Changchun, Jilin, China. ²Scientific Research Center, China-Japan Union Hospital of Jilin University, Changchun, Jilin, China. ³College of Chemistry, Jilin University, Changchun, Jilin, China. ⁴Department of Dermatology, School of Medicine, Chungnam National University, Daejeon, Republic of Korea.

Published online: 06 August 2021

Reference

1. Wang S, Jiang R, Meng T, Zhang F, Li J, Jin Y, Lee J, Zhu M, Jiang J. Stem cell membrane-coated isotretinoin for acne treatment. *J Nanobiotechnol*. 2020;18:106. <https://doi.org/10.1186/s12951-020-00664-9>.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

