

CURRENT AWARENESS

Pharmacoepidemiology and drug safety

1 REVIEWS

- Alkadi HO. Sana'a Univ, Fac Med, PO Box 13276, Sana'a, Yemen. Antimalarial drug toxicity: A review. *Chemotherapy* 2007; **53**: (6) 385
- Arca M. Dept Clin & Therapeut Med, Viale Policlin 155, IT-00161 Rome, Italy. Atorvastatin - A safety and tolerability profile. *Drugs* 2007; **67**: (Suppl 1) 63
- Armitage J. Univ Oxford, Clin Trial Serv Unit, Old Rd Campus, Oxford, OX3 7LF, England. The safety of statins in clinical practice. *Lancet* 2007; **370**: (9601) 1781
- Barry M, Cooper C*. *Div Infect Dis, Smyth Rd, Ottawa, Ontario, Canada K1H 8L6. Review of hepatitis B surface antigen-1018 ISS adjuvant-containing vaccine safety and efficacy. *Expert Opin Biol Ther* 2007; **7**: (11) 1731
- Biglia N, Mariani L, Sgro L, Mininanni P, Moggio G, Sismondi P. Dept Gynaecol Oncol, Largo Turati 62, IT-10129 Turin, Italy. Increased incidence of lobular breast cancer in women treated with hormone replacement therapy: Implications for diagnosis, surgical and medical treatment. *Endocr Relat Cancer* 2007; **14**: (3) 549
- Bortoli R, Santiago M*. *HSI, Serv Rheumatol, Praca Almeida Couto 500, BR-40000-000 Salvador, Bahia Brazil. Chloroquine ototoxicity. *Clin Rheumatol* 2007; **26**: (11) 1809
- Brophy DF, Sica DA. Virginia Commonwealth Univ, Med Coll Virginia Campus, PO Box 980533, Richmond, Va 23298, USA. Use of enoxaparin in patients with chronic kidney disease - Safety considerations. *Drug Saf* 2007; **30**: (11) 991
- Byerly M, Suppes T, Tran QV, Baker RA. UTSWMC, Dept Psychiat, 6363 Forest Pk Rd, Dallas, Tx 75235, USA. Clinical implications of anti psychotic-induced hyperprolactinemia in patients with schizophrenia spectrum or bipolar spectrum disorders - Recent developments and current perspectives. *J Clin Psychopharmacol* 2007; **27**: (6) 639
- Dahri K, Loewen P*. *VCH-PHC, 865 West 10th Ave, Vancouver, Brit Columbia, Canada V5Z 1M9. The risk of bleeding with warfarin: A systematic review and performance analysis of clinical prediction rules. *Thromb Haemost* 2007; **98**: (5) 980
- De Backer D. Dept Intensive Care, Route de Lennik 808, BE-1070 Brussels, Belgium. Benefit-risk assessment of drotrecogin α (activated) in the treatment of sepsis. *Drug Saf* 2007; **30**: (11) 995
- Demoly P. Hop Arnaud de Villeneuve, CHU Montpellier, INSERM, Unite Exploration Allergies Maladies Respiratoire, FR-34295 Montpellier 5, France. Non-steroidal anti-inflammatory drug hypersensitivities: Old or new concepts. Some exploring? (French). *Rev Fr Allergol Immunol Clin* 2007; **47**: (Suppl 2) S60
- Drolet B, Simard C, Poirier P*. *Inst Univ Cardiol & Pneumol, 2725 Chemin St Foy, Quebec City, Quebec, Canada G1V 4G5. Impact of weight-loss medications on the cardiovascular system - Focus on current and future anti-obesity drugs. *Am J Cardiovasc Drugs* 2007; **7**: (4) 273
- Eisenhofer G, Rivers G, Rosas AL, Quezado Z, Manger WM, Pacak K. Dept Med, Fetscherstr 74, DE-01307 Dresden, Germany. Adverse drug reactions in patients with pheochromocytoma - Incidence, prevention and management. *Drug Saf* 2007; **30**: (11) 1031
- Emmelkamp JM, Rockstroh JK*. *Univ Clin Bonn, Dept Med I, Bonn, Germany. CCR5 antagonists: Comparison of efficacy, side effects, pharmacokinetics and interactions - Review of the literature. *Eur J Med Res* 2007; **12**: (9) 409
- Flanagan RJ, Dunk L. KCL Hosp NHS Fdn Trust, Dept Clin Biochem, Toxicol Unit, Denmark Hill, London SE5 9RS, England. Haematological toxicity of drugs used in psychiatry. *Hum Psychopharmacol Clin Exp* 2008; **23**: (S1) 27
- Flanagan RJ. Address as above. Fatal toxicity of drugs used in psychiatry. *Hum Psychopharmacol Clin Exp* 2008; **23**: (S1) 43
- Galvao D, Taaffe D, Spry N, Newton R. Vario Hlth Inst, 100 Joon-dalup Dr, Joondalup, WA 6027, Australia. Exercise can prevent and even reverse adverse effects of androgen suppression treatment in men with prostate cancer. *Prostate Cancer Prostatic Dis* 2007; **10**: (4) 340
- Ganesh A, Maxwell LG*. *Dept Anesthesiol & Crit Care Med, 34th St & Civic Ctr Blvd, Philadelphia, Pa 19104, USA. Pathophysiology and management of opioid-induced pruritus. *Drugs* 2007; **67**: (16) 2323
- Haberfellner EM. Rehabil Ctr Psychosocial Hlth, Parkstr 5, AT-4540 Bad Hall, Austria. A review of the assessment of antidepressant-induced sexual dysfunction used in randomized controlled clinical trials. *Pharmacopsychiatry* 2007; **40**: (5) 173
- Haddad PM, Dursun SM. Bolton Salford & Trafford Mental Hlth NHS Trust, Cromwell House, Manchester M30 0GT, England. Neurological complications of psychiatric drugs: Clinical features and management. *Hum Psychopharmacol Clin Exp* 2008; **23**: (S1) 15
- Haddad PM, Sharma SG. Address as above. Adverse effects of atypical antipsychotics: Differential risk and clinical implications. *CNS Drugs* 2007; **21**: (11) 911
- Hartford CM, Dolan ME*. *Dept Pediat, 5841 Sth Maryland Ave, Chicago, Il 60637, USA. Identifying genetic variants that contribute to chemotherapy-induced cytotoxicity. *Pharmacogenomics* 2007; **8**: (9) 1159
- Hassan Y, Awaisu A, Aziz NA, Aziz NHKA, Ismail O. Univ Sains Malaysia, Dept Clin Pharm, MY-11800 Penang, Malaysia. Heparin-induced thrombocytopenia and recent advances in its therapy. *J Clin Pharm Ther* 2007; **32**: (6) 535
- Holmes GL, Harden C, Liporace J, Gordon J. Dartmouth Hitchcock Med Ctr, 1 Med Ctr Dr, Lebanon, NH 03756, USA. Postnatal concerns in children born to women with epilepsy. *Epilepsy Behav* 2007; **11**: (3) 270
- Kaplan PW, Norwitz ER, Ben-Menachem E, Pennell PB, Druzin M, Robinson JN, Gordon JC. Dept Neurol, 4940 Eastern Ave, Baltimore, Md 21224, USA. Obstetric risks for women with epilepsy during pregnancy. *Epilepsy Behav* 2007; **11**: (3) 283

In order to keep subscribers up-to-date with the latest developments in their field, John Wiley & Sons are providing a current awareness service in each issue of the journal. The bibliography contains newly published material in the field of pharmacoepidemiology and drug safety. Each bibliography is divided into 20 sections: 1 Reviews; 2 General; 3 Anti-infective Agents; 4 Cardiovascular System Agents; 5 CNS Depressive Agents; 6 Non-steroidal Anti-inflammatory Agents; 7 CNS Agents; 8 Anti-neoplastic Agents; 9 Haematological Agents; 10 Neuroregulator-Blocking Agents; 11 Dermatological Agents; 12 Immunosuppressive Agents; 13 Autonomic Agents; 14 Respiratory System Agents; 15 Neuromuscular Agents; 16 Reproductive System Agents; 17 Gastrointestinal System Agents; 18 Anti-inflammatory Agents - Steroidal; 19 Teratogens/Fetal Exposure; 20 Others. Within each section, articles are listed in alphabetical order with respect to author. If, in the preceding period, no publications are located relevant to any one of these headings, that section will be omitted.

- Kiortsis DN, Filippatos TD, Mikhailidis DP, Elisaf MS*, Liberopoulos EN. *Univ Ioannina, Physiol Lab, GR-45110 Ioannina, Greece. Statin-associated adverse effects beyond muscle and liver toxicity. *Atherosclerosis* 2007; **195**: (1) 7
- Kowey PR, Malik M. Main Line Health Heart Ctr, 100 Lancaster Ave, Wynnewood, Pa 19096, USA. The QT interval as it relates to the safety of non-cardiac drugs. *Eur Heart J Suppl* 2007; **9**: (G) G3
- Luo XM, Doherty J, Cappelleri JC, Frush K. Pfizer Inc, 50 Pequot Ave, New London, Ct 06320, USA. Role of pharmacoepidemiology in evaluating prescription drug safety in pediatrics. *Curr Med Res Opin* 2007; **23**: (11) 2607
- Mackin P. Newcastle Univ, Royal Victoria Infirm, Sch Neurol Neurobiol & Psychiat, Leazes Wing, Newcastle upon Tyne NE1 4LP, England. Cardiac side effects of psychiatric drugs. *Hum Psychopharmacol Clin Exp* 2008; **23**: (S1) 3
- Meador KJ, Baker G, Cohen MJ, Gaily E, Westerveld M. Univ Florida, Dept Neurol, Gainesville, FL 32611, USA. Cognitive/behavioral teratogenic effects of antiepileptic drugs. *Epilepsy Behav* 2007; **11**: (3) 292
- Mehhorn AJ, Brown DA. Palm Beach Atlantic Univ, Dept Pharm Practice & Admin, West Palm Beach, FL 33416, USA. Safety concerns with fluoroquinolones. *Ann Pharmacother* 2007; **41**: (11) 1859
- Murphy CE, Rodgers PT*. *DUMC 3089, Durham, NC 27710, USA. Effects of thiazolidinediones on bone loss and fracture. *Ann Pharmacother* 2007; **41**: (12) 2014
- Nakato H, Vivancos R, Hunter PR*. *UEA, Sch Med Hlth Policy & Practice, Norwich NR4 7TJ, England. A systematic review and meta-analysis of the effectiveness and safety of atovaquone-proguanil (Malarone) for chemoprophylaxis against malaria. *J Antimicrob Chemother* 2007; **60**: (5) 929
- OHagan DT. Novartis Vaccine & Diagn, Via Fiorentina 1, IT-53100 Siena, Italy. MF59 is a safe and potent vaccine adjuvant that enhances protection against influenza virus infection. *Expert Rev Vaccines* 2007; **6**: (5) 699
- Olanow CW, Watkins PB. Dept Neurol, 1 Gustave Levy Pl, New York, NY 10029, USA. Tolcapone: An efficacy and safety review (2007). *Clin Neuropharmacol* 2007; **30**: (5) 287
- Penfield JG, Reilly RF. VA Nth Texas Hlth Care Syst, 4500 Sth Lancaster Rd, Dallas, Tx 75216, USA. What nephrologists need to know about gadolinium. *Nat Clin Pract Nephrol* 2007; **3**: (12) 654
- Pennell PB, Gidal BE, Sabers A, Gordon J, Perucca E. Emory Univ Sch Med, Emory Epilepsy Prog, Atlanta, Ga 30322, USA. Pharmacology of antiepileptic drugs during pregnancy and lactation. *Epilepsy Behav* 2007; **11**: (3) 263
- Perez EA. Mayo Clin, 4500 San Pablo Rd, Jacksonville, FL 32224, USA. Safety of aromatase inhibitors in the adjuvant setting. *Breast Cancer Res Treat* 2007; **105**: (Suppl 1) 75
- Pfeifer JC, Kowatch RA*, DelBello MP. *Cincinnati Childrens Hosp Med Ctr, Dept Psychiat, POB 670559, Cincinnati, Oh 45267, USA. The use of antipsychotics in children and adolescents. *Expert Opin Pharmacother* 2007; **8**: (16) 2673
- Raison-Peyron N. St Eloi Hosp, Dermatol-Allergol Unit, 80 Ave Augustin Fliche, FR-34295 Montpellier, France. Hypersensitivity/intolerance to NSAID: Multiple clinical features? (French). *Rev Fr Allergol Immunol Clin* 2007; **47**: (Suppl 2) S55
- Robert C. Inst Gustave Roussy, 39 rue Camille Desmoulins, FR-94800 Villejuif, France. Cutaneous side effects of antiangiogenic agents (French, English Abstract). *Bull Cancer* 2007; **94**: S260
- Ross SD, Allen IE, Probst CA, Sercus B, Crean SM, Ranganathan G. United Biosource Corp, Stn Landing 101, Medford, Ma 02155, USA. Efficacy and safety of erythropoiesis-stimulating proteins in myelodysplastic syndrome: A systematic review and meta-analysis. *Oncologist* 2007; **12**: (10) 1264
- Ruggiero SL, Drew SJ. Department Oral & Maxillofacial Surg, Long Isl Jewish Med Ctr, New Hyde Park, NY, USA. Osteonecrosis of the jaws and bisphosphonate therapy. *J Dent Res* 2007; **86**: (11) 1013
- Silva H, Martinez JC. Clin Psiquiatr Univ, Av Paz 1003, Santiago, Chile. Do antidepressants really increase suicide rates in childhood and adolescence? (Spanish, English Abstract). *Rev Med Chil* 2007; **135**: (9) 1195
- Skalli S, Zaid A, Soulaymani R. Moroccan Pharmacovigilance Ctr, rue Lamfedel Cherkaoui, MA-6671 Rabat, Morocco. Drug interactions with herbal medicines. *Ther Drug Monit* 2007; **29**: (6) 679
- Strand V. 306 Ramona Rd, Portola Valley, Ca 94028, USA. Are COX-2 inhibitors preferable to non-selective non-steroidal anti-inflammatory drugs in patients with risk of cardiovascular events taking low-dose aspirin? *Lancet* 2007; **370**: (9605) 2138
- Tarr PE, Telenti A. Kantonsspital Bruderholz, Infect Dis Serv, Binningen, Switzerland. Toxicogenetics of antiretroviral therapy: Genetic factors that contribute to metabolic complications. *Antivir Ther* 2007; **12**: (7) 999
- Tomson T, Battino D, French J, Harden C, Holmes L, Morrow J, Robert-Gnansia E, Scheuerle A, Vajda F, Wide K, Gordon J. Karolinska Univ Hosp, Dept Neurol, SE-17176 Stockholm, Sweden. Antiepileptic drug exposure and major congenital malformations: The role of pregnancy registries. *Epilepsy Behav* 2007; **11**: (3) 277
- Toprak O. Ataturk Training & Res Hosp, Dept Nephrol, TR-35360 Izmir, Turkey. Conflicting and new risk factors for contrast induced nephropathy. *J Urol* 2007; **178**: (6) 2277
- Tribout B, Colin-Mercier F. Hop Sud, Vasc Med Unit, FR-80054 Amiens, France. New versus established drugs in venous thromboprophylaxis - Efficacy and safety considerations related to timing of administration. *Am J Cardiovasc Drugs* 2007; **7**: (1) 1
- Trotti A, Colevas AD, Setser A, Basch E, H Lee Moffitt Canc Ctr & Res Inst, 12902 Magnolia Dr, Tampa, FL 33612, USA. Patient-reported outcomes and the evolution of adverse event reporting in oncology. *J Clin Oncol* 2007; **25**: (32) 5121
- Valeyrie-Allanore L, Sassolas B, Roujeau JC*. *Hop Henri Mondor, Serv Dermatol, FR-94010 Creteil, France. Drug-induced skin, nail and hair disorders. *Drug Saf* 2007; **30**: (11) 1011
- Wilke RA, Lin DW, Roden DM, Watkins PB, Flockhart D, Zineh I, Giacomini KM, Krauss RM*. *Childrens Hosp Oakland, 5700 Martin Luther King Jr Way, Oakland, Ca 94609, USA. Identifying genetic risk factors for serious adverse drug reactions: Current progress and challenges. *Nat Rev Drug Discov* 2007; **6**: (11) 904

2 GENERAL

- Avorn J. Harvard Med Sch, Boston, Ma 02115, USA. In defense of pharmacoepidemiology - Embracing the yin and yang of drug research. *N Engl J Med* 2007; **357**: (22) 2219
- Badalov N, Tenner S. Maimonides Hosp, Div Gastroenterol, Brooklyn, NY 11219, USA. Drug-induced acute pancreatitis: Time for a uniform classification system (Reply). *Clin Gastroenterol Hepatol* 2007; **5**: (12) 1494
- Brandt-Christensen M, Kvist K, Nilsson FM, Andersen PK, Kessing LV. Dept Psychiat, Blegdamsvej 9, DK-2100 Copenhagen, Denmark. Treatment with antiparkinson and antidepressant drugs: A register-based, pharmacoepidemiological study. *Mov Disord* 2007; **22**: (14) 2037
- Buurma H, Schalekamp T, Egberts AC, De Smet PAGM. Utrecht Inst Pharmaceut Sci, POB 80.082, NL-3508 TB Utrecht, The Netherlands. Compliance with national guidelines for the management of drug-drug interactions in Dutch community pharmacies. *Ann Pharmacother* 2007; **41**: (12) 2024
- Chan A, Isbister GK*, Kirkpatrick CMJ, Dufful SB. *Dept Clin Toxicol, Edith St, Waratah, NSW 2298, Australia. Drug-induced QT prolongation and torsades de pointes: Evaluation of a QT nomogram. *Q J Med* 2007; **100**: (10) 609
- Cornelissen L, Van Puijbroek E, Van Grootheest K*. *Netherlands Pharmacovigilance Ctr Lareb, Goudsbloemvallei 7, NL-5237 MH 's-Hertogenbosch, The Netherlands. Expectations of general practitioners and specialist doctors regarding the feedback received after reporting an adverse drug reaction. *Pharmacoepidemiol Drug Saf* 2008; **17**: (1) 76

- Cresswell KM, Fernando B, McKinstry B, Sheikh A*. *Div Community Hlth Sci, 20 West Richmond St, Edinburgh EH8 9DX, Scotland. Adverse drug events in the elderly. *Br Med Bull* 2007; **83**: (1) 259
- Dallenbach MF, Bovier PA*, Desmeules J. *Div Primary Care Med, 24 Micheli du Crest, CH-1211 Geneva 14, Switzerland. Detecting drug interactions using personal digital assistants in an out-patient clinic. *Q J Med* 2007; **100**: (11) 691
- Fanikos J, Cina JL, Baroletti S, Fiumara K, Matta L, Goldhaber SZ*. *Dept Med, 75 Francis St, Boston, Ma 02115, USA. Adverse drug events in hospitalized cardiac patients. *Am J Cardiol* 2007; **100**: (9) 1465
- Grenouillet-Delacore M, Verdoux H, Moore N, Haramburu F, Miremont-Salame G, Etienne G, Robinson P, Gruson D, Hilbert G, Gabinski C, Begaud B, Molimard M*. *Univ Victor Segalen, Dept Pharmacol, 146 rue Leo Saignat, FR-33076 Bordeaux, France. Life-threatening adverse drug reactions at admission to medical intensive care: A prospective study in a teaching hospital. *Intensive Care Med* 2007; **33**: (12) 2150
- Gutierrez LP, Koltowska-Haggstrom M*, Jonsson PJ, Mattsson AF, Svensson D, Westberg B, Luger A. *KIMS Med Outcomes, Pfizer Endocrine Care, Vetenskapsvagen 10, SE-19190 Sollentuna, Sweden. Registries as a tool in evidence-based medicine: Example of KIMS (Pfizer International Metabolic Database). *Pharmacoepidemiol Drug Saf* 2008; **17**: (1) 90
- Hammerlein A, Griese N, Schulz M. Ctr Drug Informat & Pharm Practice, Jaegerstr 49-50, DE-10117 Berlin, Germany. Survey of drug related problems identified by community pharmacies. *Ann Pharmacother* 2007; **41**: (11) 1825
- Holdsworth MT, Fichtl RE, Raisch DW, Hewryk A, Behta M, Mendez-Rico E, Wong CL, Cohen J, Bostwick S, Greenwald BM. Univ New Mexico, Coll Pharm, MSC09 5360, Albuquerque, NM 87131, USA. Impact of computerized prescriber order entry on the incidence of adverse drug events in pediatric inpatients. *Pediatrics* 2007; **120**: (5) 1058
- Humphries TL, Carroll N, Chester EA*, Magid D, Rocho B. *Dept Pharm, 16601 East Centretech Pkwy, Aurora, Co 80011, USA. Evaluation of an electronic critical drug interaction program coupled with active pharmacist intervention. *Ann Pharmacother* 2007; **41**: (12) 1979
- Irujo M, Beitia G, Bes-Rastrollo M, Figueras A, Hernandez-Diaz S, Lasheras B*. *Unit Docente Farm Pract, C/ Irunlarrea 1, ES-31008 Pamplona, Spain. Factors that influence under-reporting of suspected adverse drug reactions among community pharmacists in a Spanish region. *Drug Saf* 2007; **30**: (11) 1073
- Lewis JD, Schinnar R, Bilker WB, Wang X, Strom BL. 720 Blockley Hall, 423 Guardian Dr, Philadelphia, Pa, USA. Response to van Staa and Parkinson (Letter). *Pharmacoepidemiol Drug Saf* 2008; **17**: (1) 104
- Magee CL. Milton Keynes Dist Gen Hosp, Fdn Year 2, Milton Keynes, England. The use of herbal and other dietary supplements and the potential for drug interactions in palliative care. *Palliat Med* 2007; **21**: (6) 547
- Makar GA, Weiner MG, Kimmel SE, Bennett D, Burke A, Yang YX, Han X, Sellers K, Nessel L, Lewis JD. Hosp Univ Pennsylvania, Div Gastroenterol, 3rd Floor Ravdin, 3400 Spruce St, Philadelphia, Pa 19104, USA. Incidence and prevalence of abnormal liver associated enzymes in patients with atrial fibrillation in a routine clinical care population. *Pharmacoepidemiol Drug Saf* 2008; **17**: (1) 43
- Martens EP, De Boer A, Pestman WR, Belitser SV, Stricker BHC, Klungel OH*. *Utrecht Univ, Utrecht Inst Pharmaceut Sci, Dept Pharmacoepidemiol & Pharmacother, Sorbonnelaan 16, NL-3584 CA Utrecht, The Netherlands. Comparing treatment effects after adjustment with multivariable Cox proportional hazards regression and propensity score methods. *Pharmacoepidemiol Drug Saf* 2008; **17**: (1) 1
- Mockenhaupt M. University Freiburg, Dept Dermatol, Hauptstr 7, DE-79104 Freiburg, Germany. Fixed drug eruption and visceral organ disease: Is there a link? *Acta Derm Venereol* 2007; **87**: (6) 484
- Nwokeji ED, Rascati KL, Moczygemba LR, Wilson JP. Univ Texas, 1 University Station A1930, Austin, Tx 78712, USA. Pharmacoepidemiology education in US colleges and schools of pharmacy. *Am J Pharm Educ* 2007; **71**: (4) 80
- Ozkaya E. Istanbul Univ, Dept Dermatol, TR-34093 Istanbul, Turkey. Fixed drug eruption: Primary site involvement on maximal points of head's zones. *Acta Derm Venereol* 2007; **87**: (6) 517
- Ping CC, Bahari MB, Hassali MA*. *Univ Sains Malaysia, Sch Pharmaceut Sci, Discipline Soc & Admin Pharm, MY-11800 Minden, Penang, Malaysia. A pilot study on generic medicine substitution practices among community pharmacists in the State of Penang, Malaysia. *Pharmacoepidemiol Drug Saf* 2008; **17**: (1) 82
- Raboud J, Lesosky M, Sterling S, Phillips E, Walmsley S, Bayoumi A, Samuel Lunefeld Res Inst, 60 Murray St, Toronto, ON, Canada. An estimate of the proportion of symptoms reported in self-administered questionnaires that are captured as adverse drug events in an observational database. *HIV Clin Trials* 2007; **8**: (5) 311
- Roumie CL, Mitchel E, Gideon PS, Varas-Lorenzo C, Castellsague J, Griffin MR. Nashville VA Med Ctr, GRECC, 1310 24th Ave Sth, Nashville, Tn 37212, USA. Validation of ICD-9 codes with a high positive predictive value for incident strokes resulting in hospitalization using Medicaid health data. *Pharmacoepidemiol Drug Saf* 2008; **17**: (1) 20
- Schultz WB. Zuckerman Spaeder LLP, Washington, DC, USA. Bolstering the FDA's drug-safety authority. *N Engl J Med* 2007; **357**: (22) 2217
- Spanier BMW, Bruno MJ. Dept Gastroenterol & Hepatol, Meibergdreef 9, NL-1105 AZ Amsterdam, The Netherlands. Drug-induced acute pancreatitis: Time for a uniform classification system (Letter). *Clin Gastroenterol Hepatol* 2007; **5**: (12) 1493
- Van Staa TP, Parkinson J. Med & Healthcare Prod Regulation Agcy, Gen Pract Res Database, Market Towers, London, England. Response to: Validation studies of the health improvement network (THIN) database for pharmacoepidemiology research by Lewis *et al.* (Letter). *Pharmacoepidemiol Drug Saf* 2008; **17**: (1) 103
- Vessey M. Univ Oxford, Unit Hlth Care Epidemiol, Oxford OX3 7LF, England. Learning how to control biases in studies to identify adverse effects of drugs. *J R Soc Med* 2007; **100**: (11) 526
- Waller DG. Div Unscheduled Care, Tremona Rd, Southampton SO16 6YD, England. Drugs and the kidney: More than a question of dose (Editorial). *Br J Clin Pharmacol* 2007; **64**: (6) 719

3 ANTI-INFECTIVE AGENTS

- Arrizabalaga J, Arazo P, Aguirrebengoa K, Garcia-Palomo D, Chocarro A, Labarga P, Munoz-Sanchez MJ, Echevarria S, Oteo JA, Uriz J, Letona S, Farinas MC, Peralta G, Pinilla J, Ferrer P, Alvarez ML, Iribarren JA. Infect Dis Unit, Paseo Dr Beguiristain 115, ES-20014 Donostia, Spain. Effectiveness and safety of simplification therapy with once-daily tenofovir, lamivudine, and efavirenz in HIV-1-infected patients with undetectable plasma viral load on HAART. *HIV Clin Trials* 2007; **8**: (5) 328
- Berthouex E, Berard F, Guillot I, Bienvenu J, Rozières A, Nicolas JF*. *Ctr Hosp Lyon Sud, Unite Immunol Clin & Allergol, FR-69495 Pierre Benite, France. Serum sickness to ofloxacin (French, English Abstract). *Rev Fr Allergol Immunol Clin* 2007; **47**: (6) 418
- Breen RAM, Miller RF, Lipman MCI. Royal Free Hosp, Pond St, London NW3 2QG, England. HIV-related TB and adverse drug events (Reply). *Thorax* 2007; **62**: (10) 924
- Capuron L, Pagnoni G, Demetrasvili MF, Lawson DH, Fornwalt FB, Woolwine B, Berns GS, Nemeroff CB, Miller AH*. *Dept Psychiat & Behav Sci, Clifton Rd, Atlanta, Ga 30322, USA. Basal ganglia hypermetabolism and symptoms of fatigue during interferon- α therapy. *Neuropsychopharmacology* 2007; **32**: (11) 2384
- Caumo A, Guffanti M, Persegghin G, Galli L, Lazzarin A, Luzi L, Castagna A. Ist Sci San Raffaele, Nutr & Metab Unit, IT-20132 Milan, Italy. Effects of atazanavir/ritonavir and lopinavir/ritonavir on glucose uptake and insulin sensitivity (Letter). *AIDS* 2007; **21**: (17) 2366

- Chou VB, Omer SB*, Hussain H, Mugasha C, Musisi M, Mmiro F, Musoke P, Jackson JB, Guay LA. *Dept International Hlth, 615 Nth West St, Baltimore, Md 21205, USA. The costs associated with adverse event procedures for an international HIV clinical trial determined by activity-based costing. *J Acquir Immune Defic Syndr Hum Retrovirol* 2007; **46**: (4) 426
- Christodoulou D, Christou L, Zervou E, Katsanos K, Kitsanou M, Tsianos EV*. *Univ Ioannina Sch Med, Hepatogastroenterol Unit, GR-45110 Ioannina, Greece. Antiplatelet antibodies in patients with chronic viral hepatitis receiving interferon- α . *Hepatogastroenterology* 2007; **54**: (78) 1761
- Costa WA, Cunha RS, Bolzan VL, Silva ADCR, Caporale GMM, Chaves LB, Oselka GW, Junqueira DA, Panachdo MRI, Dias RA, Takaoka NY. Inst Pasteur, Av Paulista 393, BR-01311 Sao Paulo, Brazil. Immunogenicity and safety of a new Vero cell rabies vaccine produced using serum-free medium. *Vaccine* 2007; **25**: (48) 8140
- Couch RB, Winokur P, Brady R, Belshe R, Chen WH, Cate TR, Sigurdardottir B, Hoepfer A, Graham IL, Edelman R, He F, Nino D, Capellan J, Ruben FL. Dept Mol Virol & Microbiol, One Baylor Plaza, Houston, Tx 77030, USA. Safety and immunogenicity of a high dosage trivalent influenza vaccine among elderly subjects. *Vaccine* 2007; **25**: (44) 7656
- Crowcroft NS, Elliman D. Hlth Protect Agcy Ctr Infections, 61 Colindale Ave, London NW9 5EQ, England. Vaccination and anaesthesia: The precautionary principle is to vaccinate (Letter). *Pediatr Anaesth* 2007; **17**: (12) 1216
- Cuxart M, Picazo M, Sans R, Muntane MJ. Hosp Figueres, Serv Nefrol, Rda Parroco Aroles s/n, ES-17600 Figueres, Girona, Spain. Acute interstitial nephritis by norflaxacin (Spanish, English Abstract). *Nefrologia* 2007; **27**: (5) 649
- De Perio MA, Gomez FJ, Frame PT, Fichtenbaum CJ. Univ Cincinnati, Div Infect Dis, Cincinnati, Oh 45221, USA. A truvada hypersensitivity reaction simulating abacavir hypersensitivity (Letter). *AIDS* 2007; **21**: (16) 2252
- Deps PD, Nasser S, Guerra P, Simon M, Birshner RDC, Rodrigues LC. Ctr Ciencias Saude, Av Marechal Campos 1468, BR-29040-090 Vitoria, ES, Brazil. Adverse effects from multi-drug therapy in leprosy: A Brazilian study. *Lepr Rev* 2007; **78**: (3) 216
- Elliman D, Bedford H. Great Ormond St Hosp Sick Children, Great Ormond St, London WC1N 3JH, England. MMR: Where are we now? *Arch Dis Child* 2007; **92**: (12) 1055
- Garcia JT, Gonzalez PR, Hernandez-Mora MG, Novoa SR, Quintana FB, Lahoz JG, Vazquez VS. Hosp Carlos III, Infect Dis Serv, Madrid, Spain. Large lymphadenopathies complicating the abacavir hypersensitivity reaction (Letter). *AIDS* 2007; **21**: (16) 2254
- Goveia MG, Rodriguez ZM, Dallas MJ, Itzler RF, Boslego JW, Heaton PM, DiNubile MJ*. *Merck Res Labs, POB 1000, UG3C-06, Nth Wales, Pa 19454, USA. Safety and efficacy of the pentavalent human-bovine (WC3) reassortant vaccine in healthy premature infants. *Pediatr Infect Dis J* 2007; **26**: (12) 1099
- Hall DB, MacGregor TR*. *Boehringer Ingelheim, Dept Drug Metab & Pharmacokinetics, 900 Ridgebury Rd, Ridgefield, Ct 06877, USA. Case-control exploration of relationships between early rash or liver toxicity and plasma concentrations of nevirapine and primary metabolites. *HIV Clin Trials* 2007; **8**: (6) 391
- Harpurtluoglu MMM, Demirel U, Karadag N, Karahan N, Aladag M, Karincaoglu M, Hilmioğlu E. Inonu Univ, Dept Gastroenterol, TR-44069 Malatya, Turkey. Severe hepatitis with prolonged cholestasis and bile duct injury due to the long-term use of ornidazole. *Acta Gastroenterol Belg* 2007; **70**: (3) 293
- Hawker JI, Olowokure B*, Wood AL, Wilson RC, Johnson R. *Hlth Protect Agcy, 45 Stephenson St, Birmingham B2 4DY, England. Widening inequalities in MMR vaccine uptake rates among ethnic groups in an urban area of the UK during a period of vaccine controversy (1994-2000). *Vaccine* 2007; **25**: (43) 7516
- Hickey JR, Dunnill GS, Sansom JE. Bristol Royal Infirmary & Gen Hosp, Bristol Dermatol Ctr, Bristol BS2 8HW, England. Photoallergic reaction to systemic quinine sulphate. *Contact Dermatitis* 2007; **57**: (6) 384
- Higuchi N, Tahara N, Yanagihara K, Fukushima K, Suyama N, Inoue Y, Miyazaki Y, Kobayashi T, Yoshiura K, Niikawa N, Wen CY, Isomoto H, Shikuwa S, Omagari K, Mizuta Y, Kohno S, Tsukamoto K*. *Dept Pharmacotherapy, 1-14 Bunkyo-machi, Nagasaki 852 8521, Japan. NAT2*6A, a haplotype of the *N*-acetyltransferase 2 gene, is an important biomarker for risk of anti-tuberculosis drug-induced hepatotoxicity in Japanese patients with tuberculosis. *World J Gastroenterol* 2007; **13**: (45) 6003
- Ho EC, Alaani A*, Irving R. *59 Spiceland Rd, Birmingham B31 1NL, England. Topical antibiotic ototoxicity: Does it influence our practice? *J Laryngol Otol* 2007; **121**: (4) 333
- Huang BH, Wu CH, Hsia CP, Chen CY*. *Div Cardiol, 117 Sha Tien Rd, Taichung, Taiwan. Azithromycin-induced torsade de pointes. *Pacing Clin Electrophysiol* 2007; **30**: (12) 1579
- Izzedine H, Ben M'rad M, Bardier A, Daudon M, Salmon D. Hop Pitie-Salpetriere, Dept Nephrol, Paris, France. Atazanavir crystal nephropathy (Letter). *AIDS* 2007; **21**: (17) 2357
- Jonas MM, Little NR, Gardner SD. Div Gastroenterol, 300 Longwood Ave, Boston, Ma 02115, USA. Long-term lamivudine treatment of children with chronic hepatitis B: Durability of therapeutic responses and safety. *J Viral Hepat* 2008; **15**: (1) 20
- Lee P, Shanson D. Med & Healthcare Prod Regulatory Agcy, 1 Nine Elms Lane, London SW5 8NQ, England. Results of a UK survey of fatal anaphylaxis after oral amoxicillin (Letter). *J Antimicrob Chemother* 2007; **60**: (5) 1172
- Leung CC, Chan CK, Tam CM. Dept Hlth, TB & Chest Serv, Ctr Hlth Protect, Hong Kong, Peoples Rep China. HIV-related TB and adverse drug events (Letter). *Thorax* 2007; **62**: (10) 923
- Lin JT, Zhong JS, Su N, Xu JG, Wang N, Chen JT, Chen X, Liu YX, Gao H, Jia YP, Liu Y, Sun RH, Wang X, Yu DZ, Hai R, Gao Q, Ning Y, Wang HX, Li MC, Kan B, Dong GM, An Q, Wang YQ, Han J, Qin C, Yin WD, Dongs XP. Chinese Ctr Dis Control & Prevent, Inst Community Dis Control & Prevent, Beijing, Peoples Rep China. Safety and immunogenicity from a phase I trial of inactivated severe acute respiratory syndrome coronavirus vaccine. *Antivir Ther* 2007; **12**: (7) 1107
- Manosuthi W, Sungkanuparph S, Tansuphaswadikul S, Inthong Y, Prasithsirikul W, Chottanapund S, Mankatitham W, Chimsuntorn S, Sittibusaya C, Moolasart V, Chumpathat N, Termvises P, Chaovavanich A. Bamrasnaradura Infect Dis Inst, Tiwanon Rd, TH-11000 Nonthaburi, Thailand. Incidence and risk factors of nevirapine-associated skin rashes among HIV-infected patients with CD4 cell counts <250 cells/ μ L. *Int J STD AIDS* 2007; **18**: (11) 782
- Marcus LC, Froeschle JE*, Hill DR, Wolfe MS, Maus D, Connor B, Acosta AM, Rensimer ER, Roberts A, Dardick K. *Judith Olsommer Sci & Med Affairs, 1 Discovery Dr, Swiftwater, Pa 18370, USA. Safety of Typhim Vi vaccine in a postmarketing observational study. *J Travel Med* 2007; **14**: (6) 386
- Marra F, Marra CA*, Bruchet N, Richardson K, Moadebi S, Elwood RK, Fitzgerald JM. *St Pauls Hosp, Ctr Hlth Evaluat & Outcome Sci, Vancouver, Brit Columbia, Canada V6Z 1Y6. Adverse drug reactions associated with first-line anti-tuberculosis drug regimens. *Int J Tuberc Lung Dis* 2007; **11**: (8) 868
- McMahon DK, DiNubile MJ*, Meibohm AR, Marino DR, Robertson MN. *Merck Research Labs, POB 1000, UG3C-06, North Wales, Pa 19454, USA. Efficacy, safety, and tolerability of long-term combination antiretroviral therapy in asymptomatic treatment-naïve adults with early HIV infection. *HIV Clin Trials* 2007; **8**: (5) 269
- Mick P, Westerberg BD*. *St Pauls Rotary Hearing Clin, 1081 Burrard St, Vancouver, Brit Columbia, Canada V6Z 1Y6. Sensorineural hearing loss as a probable serious adverse drug reaction associated with low-dose oral azithromycin. *J Otolaryngol* 2007; **36**: (5) 257
- Mikaeloff Y, Caridade G, Rossier M, Suissa S, Tardieu M. Serv Neurol Pediat, 78 Ave Gen Leclerc, FR-94275 Le Kremlin Bicetre, France. Hepatitis B vaccination and the risk of childhood-onset multiple sclerosis. *Arch Pediatr Adolesc Med* 2007; **161**: (12) 1176

- Murphy D, Hull L, Horn O, Jones M, Theresa M, Matthew H, Roberto JR, Wessely S. KCL, Inst Psychiat, Cutcombe Rd, London SE5 9RJ, England. Anthrax vaccination in a military population before the war in Iraq: Side effects and informed choice. *Vaccine* 2007; **25**: (44) 7641
- Nafiu OO, Lewis I. Div Pediat Anesthesiol, 1500 East Med Ctr Dr, Ann Arbor, Mi 48109, USA. Vaccination and anesthesia: More questions than answers (Letter). *Pediatr Anaesth* 2007; **17**: (12) 1215
- Nisly SA, Ray SM*, Moye RA. *Dept Clin Pharm, 1924 Alcoa Hwy, Box 117, Knoxville, Tn 37920, USA. Tobramycin-induced hepatotoxicity. *Ann Pharmacother* 2007; **41**: (12) 2061
- O'Donnell E, Shephard C, Neff A. Vanderbilt Univ Med Ctr, Sch Med, 221 Kirkland Hall, Nashville, Tn 37203, USA. Immune thrombocytopenia from vancomycin in orthopedic cement (Letter). *Am J Hematol* 2007; **82**: (12) 1122
- Patel SJ, Samo TC, Suki WN. Dept Pharm, 6565 Fannin St, Houston, Tx 77030, USA. Early-onset rhabdomyolysis related to daptomycin use (Letter). *Int J Antimicrob Agents* 2007; **30**: (5) 472
- Philbrick AM, Ernst ME*. *Dept Family Med, 200 Hawkins Dr, Iowa City, Ia 52242, USA. Amoxicillin-associated hemorrhagic colitis in the presence of *Klebsiella oxytoca*. *Pharmacotherapy* 2007; **27**: (11) 1603
- Reinert P, Benkerrou M, De Montalembert M, Lesprit E, Abadie I, Bernaudin F, Doit C, Bingen E, Tetelboum R, Bonnet E. Ctr Hosp Intercommunal, Serv Pediat, 40 Ave Verdun, FR-94010 Creteil, France. Immunogenicity and safety of a pneumococcal conjugate 7-valent vaccine in infants with sickle cell disease. *Pediatr Infect Dis J* 2007; **26**: (12) 1105
- Short JA, Van der Walt JH, Zoanetti DC. Childrens Hosp, Dept Pediat Anesthesia, Sheffield, England. Vaccination and anesthesia: More questions than answers (Reply). *Pediatr Anaesth* 2007; **17**: (12) 1215
- Siebert J, Posfay-Barbe KM, Habre W, Siegrist CA. Univ Geneva, WHO Collaborating Ctr Neonatal Vaccinol, CH-1211 Geneva 4, Switzerland. Vaccination and anesthesia: The precautionary principle is to vaccinate (Reply). *Pediatr Anaesth* 2007; **17**: (12) 1218
- Siegrist CA, Lewis EM, Eskola J, Evans SJW, Black SB. Ctr Vaccinol & Neonatal Immunol, 1 rue Michel Servet, CH-1211 Geneva, Switzerland. Human papilloma virus immunization in adolescent and young adults - A cohort study to illustrate what events might be mistaken for adverse reactions. *Pediatr Infect Dis J* 2007; **26**: (11) 979
- Silva N, Pittman Z, Fernando DJS*. *Sherwood Forest Hosp NHS Trust, Univ Sheffield, Sheffield S10 2TN, England. Tendinopathy with quinolone use: An uncommon adverse effect of a commonly used drug (Letter). *Eur J Intern Med* 2007; **18**: (7) 557
- Tauber E, Kollaritsch H, Korinek M, Rendi-Wagner P, Jilma B*, Firbas C, Schranz S, Jong E, Klingler A, Dewasthaly S, Klade CS. *Med Univ, Dept Clin Pharmacol, AT-1090 Vienna, Austria. Safety and immunogenicity of a Vero-cell-derived, inactivated Japanese encephalitis vaccine: A non-inferiority, phase III, randomised controlled trial. *Lancet* 2007; **370**: (9602) 1847
- Urban MF, Chersich MF. Univ Cape Town, Div Human Genet, ZA-7700 Rondebosch, Rep Sth Africa. Dandy-Walker variant in an infant prenatally exposed to antiretroviral medication. *S Afr Med J* 2007; **97**: (10) 947
- Valdez JR, Cassetti I, Suleiman JMAH, Etzel A, Zhong L, Holmes CB*, Cheng AK, Enejosa J. *Gilead Sci Inc, 300 Lakeside Dr, Foster City, Ca 94404, USA. The safety and efficacy of switching stavudine to tenofovir DF in combination with lamivudine and efavirenz in HIV-1-infected patients: Three-year follow-up after switching therapy. *HIV Clin Trials* 2007; **8**: (6) 381
- Van der Straten A, Napierala S, Cheng H, Mauck C, Depineres T, Dhlakama P, Thompson M, Chipato T. UCSF, Department Ob/Gyn, San Francisco, Ca 94105, USA. A randomized controlled safety trial of the diaphragm and cellulose sulfate microbicide gel in sexually active women in Zimbabwe. *Contraception* 2007; **76**: (5) 389
- Wieczorek D, Kapp A, Wedi B. Med Hochschule, Zentrum Allergol & Umweltmed, Hannover, Germany. Anaphylactic reaction to cefazolin with good tolerance to penicillin, amoxicillin and single cephalosporins (German). *Allergologie* 2007; **30**: (11) 431
- Zagolski O. ul Dunin Wasowicza 20-11-9, PL-30112 Krakow, Poland. Vestibular system in infants after systemic aminoglycoside therapy. *Int J Pediatr Otorhinolaryngol* 2007; **71**: (11) 1797
- Zhou WZ, Koo HW, Wang XY, Zhang J, Park JK, Zhu F, Deen J, Acosta CJ, Chen Y, Wang H, Galindo CM, Ochial L, Park T, Von Seidlein L, Xu ZY, Clemens JD*. *Int Vaccine Inst, Kwanak POB 14, Seoul 151 600, South Korea. Revaccination with locally-produced Vi typhoid polysaccharide vaccine among Chinese school-aged children - Safety and immunogenicity findings. *Pediatr Infect Dis J* 2007; **26**: (11) 1001

4 CARDIOVASCULAR SYSTEM AGENTS

- Campbell G, Jayakumar U, McCracken S, Bene J. Royal Bolton Hosp, Minerva Rd, Bolton BL4 0JR, England. A cautionary tale: Delayed onset rhabdomyolysis due to erythromycin/simvastatin interaction. *Age Ageing* 2007; **36**: (5) 597
- Carrio ML, Fortia C, Javierre C, Rodríguez D, Farrero E, Ricart A, Castells E, Ventura JL. Crit Care Serv, C/ Feixa Llarga s/n, ES-08907 Barcelona, Spain. Is short-term amiodarone use post cardiac surgery a cause of acute respiratory failure? *J Cardiovasc Surg (Torino)* 2007; **48**: (4) 509
- Chiang CW, Chiu HF, Chen CY, Wu HL, Yang CY*. *Kaohsiung Med Univ, Coll Hlth Sci, Fac Publ Hlth, 100 Shih-Chuan 1st Rd, Kaohsiung 80708, Taiwan. Trends in the use of lipid-lowering drugs by outpatients with diabetes in Taiwan, 1997-2003. *Pharmacoepidemiol Drug Saf* 2008; **17**: (1) 62
- Flick ED, Habel LA, Chan KA, Van den Eeden SK, Quinn VP, Haque R, Orav EJ, Seeger JD, Sadler MC, Quesenberry CP, Sternfeld B, Jacobsen SJ, Whitmer RA, Caan BJ. Kaiser Permanente, 2000 Broadway, Oakland, Ca 94612, USA. Statin use and risk of prostate cancer in the California men's health study cohort. *Cancer Epidemiol Biomarkers Prev* 2007; **16**: (11) 2218
- Friedman GD, Flick ED, Udaltsova N, Chan J, Quesenberry CP, Habel LA. 2000 Broadway, Oakland, Ca 94612, USA. Screening statins for possible carcinogenic risk: Up to 9 years of follow-up of 361 859 recipients. *Pharmacoepidemiol Drug Saf* 2008; **17**: (1) 27
- Giuliano F, Sanchez-Ramos A, Lochner-Ernst D, Del Popolo G, Cruz N, Leriche A, Lombardi G, Reichert S, Dahl P, Elion-Mboussa A, Casariego J. Dept Phys Med & Rehabil, 104 Blvd Raymond Poincare, FR-92830 Garches, France. Efficacy and safety of tadalafil in men with erectile dysfunction following spinal cord injury. *Arch Neurol* 2007; **64**: (11) 1584
- Joly P, Benoit-Corven C, Baricault S, Lambert A, Hellot MF, Josset V, Barbaud A, Courville P, Delaporte E, Collet E, Carvalho P, Modeste-Duval AB, Lacour JP, L'Anthoen-Arditi MH, Thuillez C, Benichou J. Dermatol Clin, 1 rue Germont, FR-76031 Rouen, France. Chronic eczematous eruptions of the elderly are associated with chronic exposure to calcium channel blockers: Results from a case-control study. *J Invest Dermatol* 2007; **127**: (12) 2766
- Keogh AM, Jabbour A*, Weintraub R, Brown K, Hayward CS, Macdonald PS. *St Vincents Hosp, Heart Lung Transplant Unit, Xavier Level 4, Sydney, NSW 2010, Australia. Safety and efficacy of transition from subcutaneous treprostinil to oral sildenafil in patients with pulmonary arterial hypertension. *J Heart Lung Transplant* 2007; **26**: (11) 1079
- Kiss C, Michels S*, Prager F, Geitzenauer W, Schmidt-Erfurth U. *Med Univ Vienna, Dept Ophthalmol & Optometry, AT-1090 Vienna, Austria. Retinal pigment epithelium tears following intravitreal ranibizumab therapy. *Acta Ophthalmol Scand* 2007; **85**: (8) 902
- Lewalter T, Andrie R. Univ Klin Bonn, Sigmund Freud St 25, DE-53105 Bonn, Germany. Safety of dronedarone still not completely cleared (German). *Dtsch Med Wochenschr* 2007; **132**: (45) 2363

- Lewis JH, Mortensen ME, Zweig S, Fusco MJ, Medoff JR, Belder R. Georgetown Univ Med Ctr, 3800 Reservoir Rd NW, Washington, DC 20007, USA. Efficacy and safety of high-dose pravastatin in hypercholesterolemic patients with well-compensated chronic liver disease: Results of a prospective, randomized, double-blind, placebo-controlled, multicenter trial. *Hepatology* 2007; **46**: (5) 1453
- Lopez-Bescos L, Filipova S, Martos R. Serv Cardiol, Ave Villaviciosa s/n, ES-28922 Madrid, Spain. Long-term safety and efficacy of ivabradine in patients with chronic stable angina. *Cardiology* 2007; **108**: (4) 387
- Maruyama T, Yasuda S, Odashiro K, Kajji Y, Harada M. Kyushu Univ, Dept Med & Biosyst Sci, Fukuoka 812, Japan. Anosmia induced by amiodarone (Letter). *Am J Med* 2007; **120**: (11) e9
- Mukherjee B, Shivakumar T. 93 Sth Park Apartments, IN-110019 New Delhi, India. A case of sensorineural deafness following ingestion of sildenafil. *J Laryngol Otol* 2007; **121**: (4) 395
- Murtola TJ, Tammela TLJ, Lahtela J, Auvinen A. Univ Tampere, Sch Publ Hlth, FI-33014 Tampere, Finland. Cholesterol-lowering drugs and prostate cancer risk: A population-based case-controlled study. *Cancer Epidemiol Biomarkers Prev* 2007; **16**: (11) 2226
- Ocana J, Torres M, Navarro LG, Chevarria JL. Serv Nefrol, C/ Donantes Sangre s/n, ES-19002 Guadalajara, Spain. Pancytopenia as an undesirable effect of the combination of enalapril and glipizide in renal insufficiency (Spanish, English Abstract). *Nefrologia* 2007; **27**: (5) 655
- Preston RA, Harvey P, Herfert O, Dykstra G, Jukema JW, Sun F, Gillen D. Univ Miami, Clin Res Ctr, Miami, FL 33136, USA. A randomized, placebo-controlled trial to evaluate the efficacy, safety, and pharmacodynamic interaction of coadministered amlodipine and atorvastatin in 1660 patients with concomitant hypertension and dyslipidemia: The respond trial. *J Clin Pharmacol* 2007; **47**: (12) 1555
- Reyes E, Loong CY, Wechalekar K, Latus A, Anagnostopoulos C, Underwood SR. Department Nucl Med, Sydney St, London SW3 6NP, England. Side effect profile and tolerability of adenosine myocardial perfusion scintigraphy in patients with mild asthma or chronic obstructive pulmonary disease. *J Nucl Cardiol* 2007; **14**: (6) 827
- Rodrigues EB, Shiroma H, Meyer CH, Maia M, Farah ME. Ave Trompowsky 420-1005, BR-88015-300 Florianopolis, SC, Brazil. Metrorrhagia after intravitreal injection of bevacizumab (Letter). *Acta Ophthalmol Scand* 2007; **85**: (8) 915
- Saruta T, Ogihara T, Matsuo H, Suzuki H, Toki M, Hirayama Y, Nonaka K*, Takahashi K. *Banyu Pharmaceut Co Ltd, Kitanomaru Sq, 1-13-12 Kudan kita, Chiyoda ku, Tokyo 102 8667, Japan. Antihypertensive efficacy and safety of fixed-dose combination therapy with losartan plus hydrochlorothiazide in Japanese patients with essential hypertension. *Hypertens Res* 2007; **30**: (8) 729
- Schweizer J, Hilsmann U, Neumann G, Handrock R, Klebs S. Klinikum Chemnitz GmbH, Buergerstr 2, DE-09113 Chemnitz, Germany. Efficacy and safety of valsartan 160/HCTZ 25 mg in fixed combination in hypertensive patients not controlled by candesartan 32 mg plus HCTZ 25 mg in free combination. *Curr Med Res Opin* 2007; **23**: (11) 2877
- Shoaf SE, Wang Z, Bricruont P, Mollikaarjun S. Otsuka Pharmaceutical Dev & Commercialization Inc, 2440 Res Blvd, Rockville, Md 20850, USA. Pharmacokinetics, pharmacodynamics, and safety of tolvaptan, 1498 a nonpeptide AVP antagonist, during ascending single-dose studies in healthy subjects. *J Clin Pharmacol* 2007; **47**: (12) 1498
- Silwer L, Lundborg CS, Petzold M. Vasaltsvagen 54, SE-26993 Bastad, Sweden. Prevalence of purchase of antihypertensive and serum lipid-reducing drugs in Sweden - Individual data from national registers. *Pharmacoepidemiol Drug Saf* 2008; **17**: (1) 37
- Stein EA, Amerena J, Ballantyne CM, Brice E, Farnier M, Guthrie RM, Harats D, Ma PTS, Le Maulf F, Melezinkova H, Gold A, Sager P. Metab & Atherosclerosis Res Ctr, Cincinnati, Oh, USA. Long-term efficacy and safety of rosuvastatin 40 mg in patients with severe hypercholesterolemia. *Am J Cardiol* 2007; **100**: (9) 1387
- Szwast SJ, Hendrie HC, Lane KA, Gao S, Taylor SE, Unverzagt F, Murrell J, Deeg M, Ogunniyi A, Farlow MR, Hall KS. Dept Psychiat, 1111 West 10th St, Indianapolis, In 46202, USA. Association of statin use with cognitive decline in elderly African Americans. *Neurology* 2007; **69**: (19) 1873
- Tahmaz M, Kumbasar B, Ergen K, Ure U, Karatemiz G, Kazancioglu R*. *Haseki Res & Training Hosp, Dept Nephrol, TR-34300 Istanbul, Turkey. Acute renal failure secondary to fenofibrate monotherapy-induced rhabdomyolysis. *Renal Fail* 2007; **29**: (7) 927
- Verdecchia P, Calvo C, Mockel V, Keeling L, Satlin A. Clin Res Unit Prevent Cardiol, Pzle G Menghini, IT-06132 Perugia, Italy. Safety and efficacy of the oral direct renin inhibitor aliskiren in elderly patients with hypertension. *Blood Press* 2007; **16**: (6) 381
- Wu L, Martinez-Castellanos MA, Quiroz-Mercado H, Arevalo JF, Berrocal MH, Farah ME, Maia M, Roca JA, Rodriguez FJ. Apdo 144-1225 Pl Mayor, San Jose, Costa Rica. Twelve-month safety of intravitreal injections of bevacizumab (Avastin®): Results of the Pan-American Collaborative Retina Study Group (PACORES). *Graefes Arch Clin Exp Ophthalmol* 2008; **246**: (1) 81
- Yoshida M, Matsumoto T, Suzuki T, Kitamura S*, Mayama T. *RAD-AR Council, 23rd Chuo Bldg, 5F, 4-2 Nihonbashi Kodemacho, Chuo-ku, Tokyo 103 0001, Japan. Effect of concomitant treatment with a CYP3A4 inhibitor and a calcium channel blocker. *Pharmacoepidemiol Drug Saf* 2008; **17**: (1) 70
- Zakliczynski M, Maruszewski M, Pyka L, Trybunia D, Nadziakiewicz P, Przybylski R, Zembala M. Dept Cardiac Surg & Transplantat, ul Szpitalna 2, PL-41800 Zabrze, Poland. Effectiveness and safety of treatment with sildenafil for secondary pulmonary hypertension in heart transplant candidates. *Transplant Proc* 2007; **39**: (9) 2856

5 CNS DEPRESSIVE AGENTS

- Attilakos A, Garoufi A, Voudris K, Mastroyianni S, Fotinou A, Papadimitriou DT, Gavalakis N, Prassouli A, Katsarou E. Dept Pediat 2, 1 Dimitsanis St, Marousi, GR-15125 Athens, Greece. Thyroid dysfunction associated with increased low-density lipoprotein cholesterol in epileptic children treated with carbamazepine monotherapy: A causal relationship? *Eur J Paediatr Neurol* 2007; **11**: (6) 358
- Brandt C. Bethel Epilepsy Ctr, Maraweg 21, DE-33617 Bielefeld, Germany. Psychosis, delirium, or manic switch due to lamotrigine? (Reply). *Epilepsy Behav* 2007; **11**: (3) 477
- Brecht S, Courtecuise C, Debievre C, Croenlein J, Desaiha D, Raskin J, Petit C, Dernyttenaere K, Boehringer Ingelheim GmbH & Co KG, DE-55126 Ingelheim, Germany. Efficacy and safety of duloxetine 60 mg once daily in the treatment of pain in patients with major depressive disorder and at least moderate pain of unknown etiology: A randomized controlled trial. *J Clin Psychiatry* 2007; **68**: (11) 1707
- Carr RB, Shrewsbury K. Address not available. Hyperammonemia and valproic acid-induced encephalopathy (Reply). *Am J Psychiatry* 2007; **164**: (12) 1913
- Chicharro AV, De Marinis AJ, Kanner AM*. *Epilepsy Ctr, W Congress Pkwy, Chicago, Il 60612, USA. The measurement of ammonia blood levels in patients taking valproic acid: Looking for problems where they do not exist? *Epilepsy Behav* 2007; **11**: (3) 361
- Davie M. Hobart Clin, Rokeby, Tas, Australia. Pathological gambling associated with cabergoline (Letter). *J Neuropsychiatry Clin Neurosci* 2007; **19**: (4) 473
- Deleu D, Ai-Bail H, Mesraoua B, Mahmoud HA. Hamad Med Corp, Dept Neurol, POB 3050, Doha, Qatar. Short-term efficacy and safety of valproate sustained-release formulation in newly diagnosed partial epilepsy VIPe-study. A multicenter observational open-label study. *Saudi Med J* 2007; **28**: (9) 1402
- Dhir S, Ganapathy S, Lindsay P, Athwal GS. 268 Grosvenor St, London, Ontario, Canada N6A 5V5. Case report: Ropivacaine neurotoxicity at clinical doses in interscalene brachial plexus block. *Can J Anaesth* 2007; **54**: (11) 912

- Evciimen H, Kushon D, Jenssen S. Drexel University, Department Neurology, Philadelphia, Pa 19104, USA. Nonepileptic hallucinations in use of levetiracetam (Letter). *Psychosomatics* 2007; **48**: (6) 548
- Freyenhagen R, Grond S, Schupfer G, Hagebeuker A, Schmelz M, Ziegler D, Von Giesen HJ, Junker U, Wagner KJ, Konrad C. Universitätsklinikum, Moorenstr 5, DE-40225 Dusseldorf, Germany. Efficacy and safety of pregabalin in treatment refractory patients with various neuropathic pain entities in clinical routine. *Int J Clin Pract* 2007; **61**: (12) 1989
- Fung ELW, Nelson EAS. Chinese Univ Hong Kong, Dept Pediat, Hong Kong, Peoples Rep China. Oligohydrosis underestimated side effect with topiramate treatment (Letter). *Indian J Pediatr* 2007; **74**: (7) 694
- Hirfanoglu T, Serdaroglu A, Camurdan O, Cansu A, Bideci A, Cinaz P, Gucuyener K. Gazi Univ, Dept Pediat Neurol, TR-06500 Ankara, Turkey. Thyroid function and volume in epileptic children using carbamazepine, oxcarbazepine and valproate. *Pediatr Int* 2007; **49**: (6) 822
- Hmouda H, Ben Salem C, Grira M, Slim R, Bouraoui K. Sahloul Univ Hosp, Dept Neurol Ward, Sousse, Tunisia. Carbamazepine-induced urinary retention (Letter). *Br J Clin Pharmacol* 2007; **64**: (6) 833
- Iqbal SU, Cunningham F, Lee A, Wang S, Hamed A, Miller DR, Ren X, Kazis L. Boston Univ Sch Publ Health, Health Policy & Management Dept, 715 Albany Street, Boston, Ma 02118, USA. Divalproex sodium vs. valproic acid: Drug utilization patterns, persistence rates and predictors of hospitalization among VA patients diagnosed with bipolar disorder. *J Clin Pharm Ther* 2007; **32**: (6) 625
- Julliac B, Guehl D. Pellegrin Univ Hosp, Bordeaux, France. Sevoflurane and epileptiform extrapolation? (Reply). *Anesthesiology* 2007; **107**: (5) 855
- Knake S, Klein KM, Hattemer K, Wellek A, Oertel WH, Hamer HM, Rosenow F. Dept Neurol, Rudolf Bultmann Str 8, DE-35033 Marburg, Germany. Pregabalin-induced generalized myoclonic status epilepticus in patients with chronic pain. *Epilepsy Behav* 2007; **11**: (3) 471
- Lutz UC, Wiatr G, Gaertner HJ, Bartels M. Univ Hosp Psychiat & Psychotherapy, Tubingen, Germany. Oxcarbazepine treatment during breast-feeding - A case report (Letter). *J Clin Psychopharmacol* 2007; **27**: (6) 730
- Meador KJ, Gevins A, Loring DW, McEvoy LK, Ray PG, Smith ME, Motamedi GK, Evans BM, Baum C. Department Neurology, PO Box 100236, 100 South Newell Drive, Gainesville, Florida 32610, USA. Neuropsychological and neurophysiologic effects of carbamazepine and levetiracetam. *Neurology* 2007; **69**: (22) 2076
- Modjtahedi B, Xiong GL. Address not available. Hyperammonemia and valproic acid-induced encephalopathy (Letter). *Am J Psychiatry* 2007; **164**: (12) 1912
- Montgomery BD. Univ Western Australia, Aboriginal & Rural Hlth Care, 328 Stirling Hwy, Claremont, WA 6010, Australia. Analgesic use and risk of hypertension: Concern about bias (Letter). *Arch Intern Med* 2007; **167**: (21) 2368
- Nesseler N, Polard E, Arvieux C, Coquerel N, Michelet C, Tattevin P*. *CHU Pontchaillou, Serv Maladies Infectieuses & Reanimation Med, FR-35033 Rennes, France. Aseptic meningitis associated with lamotrigine: Report of two cases (Letter). *Eur J Neurol* 2007; **14**: (12) e3
- Pascual MLG, Fleming RRB, Gana TJ, Vorsanger GJ*. *Ortho McNeil Janssen Sci Affairs LLC, 1000 Route 202, Raritan, NJ 08869, USA. Open-label study of the safety and effectiveness of long-term therapy with extended-release tramadol in the management of chronic nonmalignant pain. *Curr Med Res Opin* 2007; **23**: (10) 2531
- Rodola F, Anastasi F, Vergari A. Univ Cattolica Sacro Cuore, Ist Anestesiol & Rianimazione, Rome, Italy. Ropivacaine induced acute neurotoxicity after epidural injection. *Eur Rev Med Pharmacol Sci* 2007; **11**: (2) 133
- Savica R, Beghi E, Mazzaglia G, Innocenti F, Brignoli O, Cricelli C, Caputi AP, Musolino R, Spina E, Trifiro G. Dept Neurosci Psychiat & Anesthesiol, Via Consolare Valeria, IT-98125 Messina, Italy. Prescribing patterns of antiepileptic drugs in Italy: A nationwide population-based study in the years 2000-2005. *Eur J Neurol* 2007; **14**: (12) 1317
- Sekine R, Obbens EAMT, Coyle N, Inturrisi CE*. *Weil Medical College, Dept Pharmacol, New York, NY 10021, USA. The successful use of parenteral methadone in a patient with a prolonged QTc interval (Case Report). *J Pain Symptom Manage* 2007; **34**: (5) 566
- Selek S. Univ Sahinbey, Res Hosp, Dept Psychiat, TR-27310 Sahinbey, Gaziatep, Turkey. Psychosis, delirium, or manic switch due to lamotrigine? (Letter). *Epilepsy Behav* 2007; **11**: (3) 476
- Singla A, Stojanovic MP, Chen L, Mao J. Dept Anesthesia & Crit Care, 35 Fay St, Boston, Ma 02118, USA. A differential diagnosis of hyperalgesia, toxicity, and withdrawal from intrathecal morphine infusion. *Anesth Analg* 2007; **105**: (6) 1816
- Soto RG. SUNY, Stony Brook, NY 11794, USA. Sevoflurane and epileptiform extrapolation? (Letter). *Anesthesiology* 2007; **107**: (5) 854
- Vendrame M, Khurana DS, Cruz M, Melvin J, Valencia I, Legido A, Kothare SV*. *St Christophers Hosp Children, Div Neurol, Philadelphia, Pa 19134, USA. Aggravation of seizures and/or EEG features in children treated with oxcarbazepine monotherapy. *Epilepsia* 2007; **48**: (11) 2116
- Whyte IM, Francis B, Dawson AH. Newcastle Mater Misericordiae Hosp, Dept Clin Toxicol & Pharmacol, Newcastle, NSW, Australia. Safety and efficacy of intravenous N-acetylcysteine for acetaminophen overdose: Analysis of the Hunter Area Toxicology Service (HATS) database. *Curr Med Res Opin* 2007; **23**: (10) 2359
- Wurpts G, Ott H, Schluter A, Hausler M. Klin Dermatol & Allergol, Pauwelsstr 30, DE-52057 Aachen, Germany. DRESS syndrome caused by carbamazepine (German, English Abstract). *Hautarzt* 2007; **58**: (11) 935

6 NON-STEROIDAL ANTI-INFLAMMATORY AGENTS

- Aksu K, Donmez A, Ertan Y, Keser G, Inal V, Oder G, Tombuloglu M, Kabasakal Y, Doganavsargil E. Internal Med Rheumatol Div, 80 Sokak 27/3, TR-35040 Bornova, Izmir, Turkey. Hodgkin's lymphoma following treatment with etanercept in ankylosing spondylitis. *Rheumatol Int* 2007; **28**: (2) 185
- Altman A, Szyper-Kravitz M, Shoenfeld Y*. *Tel Aviv Univ, Sheba Med Ctr Tel Hashomer, IL-69978 Tel Aviv, Israel. Colchicine-induced rhabdomyolysis. *Clin Rheumatol* 2007; **26**: (12) 2197
- Benucci M, Manfredi M, Demoly P, Campi P. Nuovo Ospedale S Giovanni di Dio, Via Torregalli 3, IT-50143 Florence, Italy. Injection site reactions to TNF- α blocking agents with positive skin tests. *Allergy* 2008; **63**: (1) 138
- Bienfang DC. Div Neurophthalmol, 75 Francis St, Boston, Ma 02115, USA. Screening for hydroxychloroquine toxicity (Letter). *Arch Ophthalmol* 2007; **125**: (11) 1585
- Bluth MH, Belezza P, Hajee F, Jordao MJ, Figueiredo J, Almeida F, Smith-Norowitz T. Dept Surg, 450 Clarkson Ave, Brooklyn, NY 11203, USA. Case report: IgE-mediated hypersensitivity after ibuprofen administration. *Ann Clin Lab Sci* 2007; **37**: (4) 362
- Bonilla E, Lee YY, Phillips PE, Perl A. Dept Med, 750 East Adams St, Syracuse, NY 13210, USA. Hypoglycaemia after initiation of treatment with etanercept in a patient with type 2 diabetes mellitus (Letter). *Ann Rheum Dis* 2007; **66**: (12) 1688
- Curtis JR, Kramer JM, Martin C, Saag KG, Patkar N, Shatin D, Burgess M, Xie A, Braun MM*. *US/FDA, Div Epidemiol, HFM-220, 1401 Rockville Pike, Rockville, Md 20852, USA. Heart failure among younger rheumatoid arthritis and Crohns patients exposed to TNF- α antagonists. *Rheumatology* 2007; **46**: (11) 1688

- De Koning HD, Van der Meer JWM, Simon A*. *Radboud Univ Nijmegen, Nijmegen Med Ctr, 484 POB 9101, NL-6500 HB Nijmegen, The Netherlands. Comment on: Schnitzler's syndrome - Exacerbation after anti-TNF treatment (Letter). *Rheumatology* 2007; **46**: (11) 1741
- Devilliere M, Ingen-Housz-Oro S, Weber N, Cordoliani F, Vignon-Pennamen MD, Manciet JR, Sigal-Grinberg M. Ctr Hosp Victor Dupouy, Serv Dermatol, 69 rue Lt Colonel Prudhon, FR-95100 Argenteuil, France. D-Penicillamin-induced elastosis perforans serpiginosa (French, English Abstract). *Ann Dermatol Venereol* 2007; **134**: (10) 799
- Di Comite G, Rossi CM. Univ Vita Salute San Raffaele, Milan, Italy. Risk of diabetes in patients with rheumatoid arthritis taking hydroxychloroquine (Letter). *JAMA* 2007; **298**: (20) 2368
- Elder M, Rahman AMA. Christchurch Hosp, Dept Ophthalmol, Christchurch 8001, New Zealand. Screening for hydroxychloroquine toxicity (Reply). *Arch Ophthalmol* 2007; **125**: (11) 1585
- Forman JP. Channing Lab, 181 Longwood Ave, Boston, Ma 02115, USA. Arthritis is associated with cardiovascular disease in the users of analgesics and nonsteroidal anti-inflammatory drugs (Reply). *Arch Intern Med* 2007; **167**: (21) 2372
- Jamali F. Univ Alberta, Fac Pharm & Pharmaceut Sci, Edmonton, Alberta, Canada T6G 2N8. Arthritis is associated with cardiovascular disease in the users of analgesics and nonsteroidal anti-inflammatory drugs (Letter). *Arch Intern Med* 2007; **167**: (21) 2371
- Joshi GP, Gertler R, Fricker R. Dept Anesthesiol & Pain Management, 5323 Harry Hines Blvd, Dallas, Tx 75390, USA. Cardiovascular thromboembolic adverse effects associated with cyclooxygenase-2 selective inhibitors and nonselective antiinflammatory drugs. *Anesth Analg* 2007; **105**: (6) 1793
- Kesteman T, Yombi JC, Gigi J, Durez P. Dept Microbiol, Ave Hippocrate 54, BE-1200 Brussels, Belgium. *Listeria* infections associated with infliximab: Case reports. *Clin Rheumatol* 2007; **26**: (12) 2173
- Kucharewicz I, Kemon-Chetnik I, Reduta T, Wierzbicka I, Flisiak R, Bodzenta-Lukaszyk A. Dept Allergol & Internal Med, Sklodowska Curie St 24A, PL-15276 Bialystok, Poland. Drug rash with eosinophilia and systemic symptoms after ibuprofen intake. *J Investig Allerg Clin Immunol* 2007; **17**: (5) 347
- Lanas A. Hosp Clin Univ, Serv Aparato Digest, ES-50009 Zaragoza, Spain. Are COX-2 selective inhibitors safer than NSAIDs for patients with osteoarthritis and rheumatoid arthritis? (Comment). *Nat Clin Pract Gastroenterol Hepatol* 2007; **4**: (12) 648
- Mennecier D, Ceppa F, Sinayoko L, Corberand D, Harnois F, Thiolet C, Farret O. Hop Instruct Armees Begin, Serv Pathol Digest, 69 Ave Paris, FR-94160 St Mande, France. Acute pancreatitis after treatment by celecoxib (French, English Abstract). *Gastroenterol Clin Biol* 2007; **31**: (8-9 Pt 1) 668
- Rahme E, Nedjar H, Bizzi A, Morin S. McGill Univ Hlth Ctr, Div Clin Epidemiol, Pine Ave W, Montreal, PQ, Canada H3A 1A1. Hospitalization for gastrointestinal adverse events attributable to the use of low-dose aspirin among patients 50 years or older also using non-steroidal anti-inflammatory drugs: A retrospective cohort study. *Aliment Pharmacol Ther* 2007; **26**: (10) 1387
- Raval A, Akhavan-Toyserkani G*, Brinker A, Avigan M. *FDA, Office Surveillance & Epidemiol, Silver Spring, Md 20993, USA. Brief communication: Characteristics of spontaneous cases of tuberculosis associated with infliximab. *Ann Intern Med* 2007; **147**: (10) 699
- Schreiber J, Schreiber C. Dept Pulm, Auenweg 38, DE-06847 Dessau, Germany. Noncardiogenic pulmonary edema due to ibuprofen. *Respiration* 2007; **74**: (6) 697
- Sibilia J, Westhovens R. Ctr Hosp, Dept Rheumatol, Strasbourg, France. Safety of T-cell co-stimulation modulation with abatacept in patients with rheumatoid arthritis. *Clin Exp Rheumatol* 2007; **25**: (5 Suppl 46) S46
- Smale S, Lawson T. Prince of Wales Hosp, Dept Rheumatol, Bridgend CF31 1RQ, Wales. Monoclonal gammopathy of undetermined significance and anti-TNF- α treatment (Letter). *Scand J Rheumatol* 2007; **36**: (5) 405
- Stinco G, Piccirillo F, Patrone P. Ospedale San Michele, Dept Clin & Expt Pathol & Med, IT-33013 Udine, Italy. Hypertriglyceridaemia during treatment with adalimumab in psoriatic arthritis (Letter). *Br J Dermatol* 2007; **157**: (6) 1273
- Stuby U, Biesenbach G, Pieringer H. Rheumatol Sect, Krankenhausstr 9, AT-4020 Linz, Austria. Administration of infliximab in general practitioners' offices is safe. *Clin Rheumatol* 2007; **26**: (11) 1863
- Sturfelt G, Christensson B, Bynke G, Saxne T. Univ Lund Hosp, Rheumatol Sect, SE-22185 Lund, Sweden. Neurosarcoidosis in a patient with rheumatoid arthritis during treatment with infliximab (Letter). *J Rheumatol* 2007; **34**: (11) 2313
- Sukel MPP, Van der Linden MW, Chen C, Erkens JA, Herings RMC. PHARMO Inst Drug Outcomes Res, PO Box 85222, NL-3508 AE Utrecht, The Netherlands. Large-scale stopping and switching treatment with COX-2 inhibitors after the rofecoxib withdrawal. *Pharmacoepidemiol Drug Saf* 2008; **17**: (1) 9
- Thonhofer R, Uitz E, Graninger W. Dept Internal Med, Grazer Str 63-65, AT-8680 Murzzuschlag, Austria. Comment on: Schnitzler's syndrome - Exacerbation after anti-TNF treatment (Reply). *Rheumatology* 2007; **46**: (11) 1741
- Vandevyvere K, Luyten FP, Verschueren P, Lories R, Segaert S, Westhovens R*. *Div Rheumatol, Herestr 49, BE-3000 Louvain, Belgium. Pyoderma gangrenosum developing during therapy with TNF- α antagonists in a patient with rheumatoid arthritis (Letter). *Clin Rheumatol* 2007; **26**: (12) 2205
- Verschueren K, Van Essche E, Verschueren P, Taelman V, Westhovens R*. *Univ Ziekenhuis Leuven, Herestr 49, BE-3000 Louvain, Belgium. Development of sarcoidosis in etanercept-treated rheumatoid arthritis patients. *Clin Rheumatol* 2007; **26**: (11) 1969
- Wall R, Jamieson B, Lo V. Mayo Clin, Dept Family Med, Scottsdale, Az, USA. Do COX-2 inhibitors worsen renal function? (Commentary). *J Fam Pract* 2007; **56**: (11) 957
- Wasko MCM, Hubert HB, Lingala VB, Elliott JR, Luggen ME. Univ Pittsburgh, Div Clin Immunol & Rheumatol, Pittsburgh, Pa 15260, USA. Risk of diabetes in patients with rheumatoid arthritis taking hydroxychloroquine (Reply). *JAMA* 2007; **298**: (20) 2369
- Wolf EJ, Kleiman LZ, Schrier A. Dept Ophthalmol, 635 West 165th St, New York, NY 10032, USA. Nepafenac-associated corneal melt. *J Cataract Refract Surg* 2007; **33**: (11) 1974

7 CNS AGENTS

- Abay E, Kose R. Trakya Univ, Dept Psychiat, Edirne, Turkey. Amisulpride-induced neuroleptic malignant syndrome (Letter). *J Neuropsychiatry Clin Neurosci* 2007; **19**: (4) 488
- Ang G, Pridmore S. Royal Hobart Hosp, Hobart, Tas, Australia. Hip fracture and antipsychotics (Letter). *Aust N Z J Psychiatry* 2007; **41**: (11) 939
- Bachmann CJ, Nicksch B, De Lange D, Theisen FM, Remschmidt H. Univ Hosp Giessen & Marburg Campus, Dept Child & Adolescent Psychiat, Marburg, Germany. Repeated creatine kinase elevation under treatment with quetiapine, clozapine, and aripiprazole in an adolescent (Letter). *J Clin Psychopharmacol* 2007; **27**: (6) 710
- Barnes TRE, Paton C, Cavanagh MR, Hancock E, Taylor DM. Imperial Coll London, Div Neurosci & Mental Hlth, London W6 8RP, England. A UK audit of screening for the metabolic side effects of antipsychotics in community patients. *Schizophr Bull* 2007; **33**: (6) 1397
- Barnett MJ, Wehring H, Perry PJ. Touro Univ Calif, Coll Pharm, 1310 Johnson Lane, Vallejo, Ca 94592, USA. Comparison of risk of cerebrovascular events in an elderly VA population with dementia between antipsychotic and nonantipsychotic users. *J Clin Psychopharmacol* 2007; **27**: (6) 595
- Bauer M, Blumentritt H, Finke R, Schlatmann P, Adli M, Baethge C, Bschor T, Muller-Oerlinghausen B, Berghofer A. Dept Psychiat & Psychotherapy, Fetscherstr 74, DE-01307 Dresden, Germany. Using ultrasonography to determine thyroid size and prevalence of goiter in lithium-treated patients with affective disorders. *J Affect Disord* 2007; **104**: (1-3) 45

- Beasley CM, Ball SG, Nilsson ME, Polzer J, Tauscher-Wisniewski S, Plewes J, Acharya N. Lilly Corp Ctr, DC 1730, Indianapolis, In, USA. Fluoxetine and adult suicidality revisited - An updated meta-analysis using expanded data sources from placebo-controlled trials. *J Clin Psychopharmacol* 2007; **27**: (6) 682
- Biederman J, Boellner SW, Childress A, Lopez FA, Krishnan S, Zhang YX. MGH, Clin & Res Prog Pediat Psychopharmacol, Boston, Ma 02114, USA. Lisdexamfetamine dimesylate and mixed amphetamine salts extended-release in children with ADHD: A double-blind, placebo-controlled, crossover analog classroom study. *Biol Psychiatry* 2007; **62**: (9) 970
- Bonetto N, Santelli L, Battistin L, Cagnin A*. *Dept Neurosci, Via Giustiniani 5, IT-35128 Padua, Italy. Serotonin syndrome and rhabdomyolysis induced by concomitant use of triptans, fluoxetine and hypericum. *Cephalalgia* 2007; **27**: (12) 1421
- Bratti IM, Kane JM, Marder SR. VAHCS, 11301 Wilshire Blvd, Los Angeles, Ca 90073, USA. Chronic restlessness with antipsychotics. *Am J Psychiatry* 2007; **164**: (11) 1648
- Buchmann J, Gierow W, Weber S, Hoepfner J, Klauer T, Benecke R, Haessler F, Wolters A. Dept Child & Adolescence Psychiat & Neurol, Gehlsheimer Str 20, DE-18147 Rostock, Germany. Restoration of disturbed intracellular motor inhibition and facilitation in attention deficit hyperactivity disorder children by methylphenidate. *Biol Psychiatry* 2007; **62**: (9) 963
- Bushe C, Shaw M. Eli Lilly & Co Ltd, Basingstoke, England. Prevalence of hyperprolactinaemia in a naturalistic cohort of schizophrenia and bipolar outpatients during treatment with typical and atypical antipsychotics. *J Psychopharmacol* 2007; **21**: (7) 768
- Caci H, Bayle F. Address not available. A case of disulfiram-methylphenidate interaction: Implications for treatment (Letter). *Am J Psychiatry* 2007; **164**: (11) 1759
- Carlson GA, Finch SJ, Fochtmann LJ, Ye Q, Wang Q, Naz B, Bromet EJ. SUNY Stony Brook, Child & Adolescent Psychiat, Putnam Hall Sth Campus, Stony Brook, NY 11794, USA. Antidepressant-associated switches from depression to mania in severe bipolar disorder. *Bipolar Disord* 2007; **9**: (8) 851
- Castberg I, Skogvoll E, Spigset O. Dept Forensic Psychiat Broset, POB 1803 Lade, NO-7440 Trondheim, Norway. Quetiapine and drug interactions: Evidence from a routine therapeutic drug monitoring service. *J Clin Psychiatry* 2007; **68**: (10) 1540
- Chakraborty R, Chatterjee A. Inst Neuropsychiat & Allied Sci, Ranchi, India. Clozapine-induced oculogyric crises (Letter). *Ann Pharmacother* 2007; **41**: (11) 1916
- Coghill DR, Rhodes SM, Matthews K. Univ Dundee, Sect Psychiat & Behav Sci, Dundee DD1 9SY, Scotland. The neuropsychological effects of chronic methylphenidate on drug-naive boys with attention-deficit/hyperactivity disorder. *Biol Psychiatry* 2007; **62**: (9) 954
- Crocq MA, Guillon MS, Bailey PE, Provost D. Ctr Hosp, Serv Psychiat Adolescent, BP20, FR-68250 Rouffach, France. Orally disintegrating olanzapine induces less weight gain in adolescents than standard oral tablets. *Eur Psychiatry* 2007; **22**: (7) 453
- De Haas S, Dingemans J, Hoever P, Cohen A, Van Gerven J. Ctr Human Drug Res, Leiden, The Netherlands. Pseudohallucinations after zolpidem intake - A case report (Letter). *J Clin Psychopharmacol* 2007; **27**: (6) 728
- De Leon J, Diaz FJ. Mental Hlth Res Ctr, 627 West 4th St, Lexington, Ky 40508, USA. Planning for the optimal design of studies to personalize antipsychotic prescriptions in the post-CATIE era: The clinical and pharmacoepidemiological data suggest that pursuing the pharmacogenetics of metabolic syndrome complications (hypertension, diabetes mellitus and hyperlipidemia) may be a reasonable strategy. *Schizophr Res* 2007; **96**: (1-3) 185
- Duggal HS. Address not available. Possible neuroleptic malignant syndrome associated with paliperidone (Letter). *J Neuropsychiatry Clin Neurosci* 2007; **19**: (4) 477
- Ferreri F, Agbokou C, Gauthier S*. *Ctr McGill Etude Vieillesse, Bd Lasalle, Verdun, PQ, Canada H4H 1R3. Cardiovascular effects of cholinesterase inhibitors in Alzheimer's disease (French, English Abstract). *Rev Neurol (Paris)* 2007; **163**: (10) 968
- Gibbons RD. Address not available. Withdrawal of attention rather than pharmacological treatment affects suicide rates in depressed children and adolescents (Reply). *Am J Psychiatry* 2007; **164**: (12) 1908
- Goldney RD. Univ Adelaide, Adelaide, SA, Australia. Antidepressants and suicide in young people. *Med J Aust* 2007; **187**: (10) 586
- Haddad PM, Dursun SM. Bolton Salford & Trafford Mental Hlth NHS Trust, Cromwell Hse, Eccles Salford, Manchester M30 0GT, England. Improving drug safety and tolerability in psychiatric clinical practice (Editorial). *Hum Psychopharmacol Clin Exp* 2008; **23**: (S1) 1
- Hettema JM, Ross DE. Virginia Commonwealth Univ, Dept Psychiat, Richmond, Va 23284, USA. A case of aripiprazole-related tardive akathisia and its treatment with ropinirole (Letter). *J Clin Psychiatry* 2007; **68**: (11) 1814
- Jorgensen VRK, Aerovej IB, DK-7680 Thyboron, Denmark. An approach to reduce benzodiazepine and cyclopyrrolone use in general practice. *CNS Drugs* 2007; **21**: (11) 947
- Jureidini J. Address not available. The black box warning: Decreased prescriptions and increased youth suicide? (Letter). *Am J Psychiatry* 2007; **164**: (12) 1907
- Kessing LV, Sondergard L, Kvist K, Andersen PK. Rigshospitalet, Blegdamsvej 9, DK-2100 Copenhagen O, Denmark. Adherence to lithium in naturalistic settings: Results from a nationwide pharmacoepidemiological study. *Bipolar Disord* 2007; **9**: (7) 730
- Kharofa J, Sekar P, Haverbusch M, Moomaw C, Flaherty M, Kissela B, Broderick J, Woo D*. *Univ Cincinnati, Dept Neurol, 231 Albert Sabin Way, Cincinnati, Oh 45267, USA. Selective serotonin reuptake inhibitors and risk of hemorrhagic stroke. *Stroke* 2007; **38**: (11) 3049
- Kluge M, Schuld A, Himmerich H, Dalal M, Schacht A, Wehmeier PM, Hinze-Selch D, Kraus T, Dittmann RW, Pollmacher T. Max Planck Inst Psychiat, Kraepelinstr 2-10, DE-80804 Munich, Germany. Clozapine and olanzapine are associated with food craving and binge eating - Results from a randomized double-blind study. *J Clin Psychopharmacol* 2007; **27**: (6) 662
- Kukoyi O. Dept Psychiat & Behav Sci, 2230 Stockton Blvd, Sacramento, Ca 95817, USA. Selective serotonin reuptake inhibitors and risk of fracture in elderly persons (Letter). *Arch Intern Med* 2007; **167**: (21) 2369
- Lenntest R, Kallen B. Norrland Univ Hosp, Dept Clin Pharmacol, SE-90185 Umea, Sweden. Delivery outcome in relation to maternal use of some recently introduced antidepressants. *J Clin Psychopharmacol* 2007; **27**: (6) 607
- Leon AC. Dept Psychiat, 525 East 68th St, New York, NY 10021, USA. The revised warning for antidepressants and suicidality: Unveiling the black box of statistical analyses. *Am J Psychiatry* 2007; **164**: (12) 1786
- Lim M, Park DY, Kwon JS, Joo YH, Hong KS. Sungkyunkwan Univ, Samsung Med Ctr, Seoul, South Korea. Prevalence and clinical characteristics of obsessive-compulsive symptoms associated with atypical antipsychotics (Letter). *J Clin Psychopharmacol* 2007; **27**: (6) 712
- Lindstrom E, Eberhard J*, Levander S. *University Hospital, Department Psychiat, SE-20502 Malmo, Sweden. Five-year follow-up during antipsychotic treatment: Efficacy, safety, functional and social outcome. *Acta Psychiatr Scand* 2007; **116**: (Suppl 435) 5
- Markham-Abedi C, McNeely C, De Leon J. Univ Kentucky, Easter State Hosp, Lexington, Ky 40506, USA. A case report with ziprasidone-induced catatonic symptoms (Letter). *J Neuro-psychiatry Clin Neurosci* 2007; **19**: (4) 476
- Matsuo N, Morita T. Dept Palliat Care, 818 Komuro, Ina-machi Kitaadachigun 362 0806, Japan. Efficacy, safety, and cost effectiveness of intravenous midazolam and flunitrazepam for primary insomnia in terminally ill patients with cancer: A retrospective multicenter audit study. *J Palliat Med* 2007; **10**: (5) 1054
- Olfson M, Shaffer D. Address not available. SSRI prescriptions and the rate of suicide (Letter). *Am J Psychiatry* 2007; **164**: (12) 1907

- Papadopoulos R, Bachariou A. Address not available. Intraoperative floppy-iris syndrome associated with chronic intake of donepezil (Letter). *J Cataract Refract Surg* 2007; **33**: (11) 1997
- Pelizza L, Melegari M. Reggio Emilia Ment Hlth Dept, Via Salvo d'Acquisto 7, IT-42016 Guastalla RE, Italy. Clozapine-induced microscopic colitis - A case report and review of the literature. *J Clin Psychopharmacol* 2007; **27**: (6) 571
- Plesnicar BK, Lasic JK, Plesnicar A. Dept Psychiat, OB Zeleznici 30, SI-2000 Maribor, Slovenia. Quetiapine and elevated creatine phosphokinase (CK) (Letter). *Pharmacopsychiatry* 2007; **40**: (5) 203
- Praharaj SK, Arora M. Cent Inst Psychiat, Ranchi, India. Sertraline-induced facial paresthesia (Letter). *J Clin Psychopharmacol* 2007; **27**: (6) 725
- Rauchverger B, Isakov V, Jabarin M. Shaar Menashe Mental Hlth Ctr, Hadera, Israel. Olanzapine-induced tardive dystonia successfully treated by tetrabenazine (Letter). *J Neuropsychiatry Clin Neurosci* 2007; **19**: (4) 484
- Roth T, Rogowski R, Hull S, Schwartz H, Koshorek G, Corser B, Seiden D, Lankford A. Sleep Ctr, 2799 West Grand Blvd, Detroit, MI 48202, USA. Efficacy and safety of doxepin 1 mg, 3 mg, and 6 mg in adults with primary insomnia. *Sleep* 2007; **30**: (11) 1555
- Saddichha S, Manjunatha N, Arneen S, Akhtar S. Cent Inst Psychiat, Ranchi, India. Effect of olanzapine, risperidone, and haloperidol treatment on weight and body mass index in first-episode schizophrenia patients in India: A randomized, double-blind, controlled, prospective study. *J Clin Psychiatry* 2007; **68**: (11) 1793
- Schuffer A, Cairney J, Veldhuizen S, Cheung A, Levitt A. Sunnybrook Hlth Sci Ctr, Mood Disorders Prog, Toronto, Ontario, Canada M4N 3M5. Comparison of antidepressant use between subjects with bipolar disorder and major depressive disorder with or without comorbid anxiety. *J Clin Psychiatry* 2007; **68**: (11) 1785
- Shankar BR. 6AB Swarnambika Lay Out, IN-641009 Coimbatore, India. Quetiapine-induced leucopenia and thrombocytopenia. *Psychosomatics* 2007; **48**: (6) 530
- Sharan P, Bharadwaj R*, Grover S, Padhy SK, Kumar V, Singh J. *PGIMER, Dept Psychiat, IN-160012 Chandigarh, India. Dependence syndrome and intoxication delirium associated with zolpidem. *Nat Med J India* 2007; **20**: (4) 180
- Siepmann T, Ziemssen T, Mueck-Weymann M, Kirch W, Siepmann M*. *Inst Clin Pharmacol, Fiedlerstr 27, DE-01307 Dresden, Germany. The effects of venlafaxine on autonomic functions in healthy volunteers. *J Clin Psychopharmacol* 2007; **27**: (6) 687
- Takahashi M, Sawayama E, Sawayama T, Miyaoka H. Dept Psychiat, 2-1-1 Asamizodai, Sagamihara, Kanagawa 228 852, Japan. Reversible paroxetine-induced symptomatic hypothyroidism (Letter). *Pharmacopsychiatry* 2007; **40**: (5) 201
- Tauscher-Wisniewski S, Disch D, Plewes J, Ball S, Beasley CM. Eli Lilly & Co, DC 1730, Indianapolis, IN 46285, USA. Evaluating suicide-related adverse events in clinical trials of fluoxetine treatment in adults for indications other than major depressive disorder. *Psychol Med* 2007; **37**: (11) 1585
- Tavassoli N, Sommet A, Lapeyre-Mestre M, Bagheri H, Montrastruc JL. Serv Pharmacol Clin, 37 Allees Jules Guesde, FR-31000 Toulouse, France. Drug interactions with cholinesterase inhibitors: An analysis of the French Pharmacovigilance Database and a comparison of two national drug formularies (Vidal, British National Formulary). *Drug Saf* 2007; **30**: (11) 1063
- Thanacoody RHK, Daly AK, Reilly JG, Ferrier IN, Thomas SHL*. *Univ Newcastle upon Tyne, Sch Clin & Lab Sci, Newcastle upon Tyne NE1 7RU, England. Factors affecting drug concentrations and QT interval during thioridazine therapy. *Clin Pharmacol Ther* 2007; **82**: (5) 555
- Thone J. Address not available. Worsened agitation and confusion in schizophrenia subsequent to high-dose aripiprazole (Letter). *J Neuropsychiatry Clin Neurosci* 2007; **19**: (4) 481
- Urbano M, Spiegel D, Rai A. Eastern Virginia Med Sch, Dept Psychiat & Behav Sci, Norfolk, Va 23501, USA. Atypical antipsychotic withdrawal dyskinesia in 4 patients with mood disorders (Letter). *J Clin Psychopharmacol* 2007; **27**: (6) 705
- Uzun O, Doruk A. Gulhane Military Med Acad, Dept Psychiat, TR-06018 Ankara, Turkey. Tardive oculogyric crisis during treatment with clozapine: Report of three cases. *Clin Drug Invest* 2007; **27**: (12) 861
- Van der Lee MJ, Blenke AAM, Rongen GA, Verwey-van Wissen CPWGM, Koopmans PP, Pharo C, Burger DM. Dept Clin Pharm, 864 Geert Grootepl 10, NL-6525 GA Nijmegen, The Netherlands. Interaction study of the combined use of paroxetine and fosamprenavir-ritonavir in healthy subjects. *Antimicrob Agents Chemother* 2007; **51**: (11) 4098
- Van Geffen ECG, Van der Wal SW, Van Hulst R, De Groot MCH, Egberts ACG, Heerdink ER*. *UIPS, POB 80082, NL-3508 TB Utrecht, The Netherlands. Evaluation of patients' experiences with antidepressants reported by means of a medicine reporting system. *Eur J Clin Pharmacol* 2007; **63**: (12) 1193
- Vestri HS, Maianu L, Moellering DR, Garvey WT. Dept Nutr Sci, 1675 University Blvd, Birmingham, AL 35294, USA. Second generation antipsychotic drugs: Is there a common mechanism in the development of obesity? (Reply). *Neuropsychopharmacology* 2007; **32**: (11) 2433
- Wakeno M, Okugawa G, Takekita Y, Kato M, Fukuda T, Yamashita M, Hosoi Y, Azuma J, Kinoshita T. Evaluation of Depts Neuropsychiat, 10-15 Fumizonocho, Moriguchi, Osaka 570 8506, Japan. Delirium associated with paroxetine in an elderly depressive patient: A case report (Letter). *Pharmacopsychiatry* 2007; **40**: (5) 199
- Wang PS, Schneeweiss S, Setoguchi S, Patrick A, Avorn J, Mogun H, Choudhry NK, Brookhart MA. NIMH, Div Serv Intervent Res, Bethesda, Md 20892, USA. Ventricular arrhythmias and cerebrovascular events in the elderly using conventional and atypical antipsychotic medications (Letter). *J Clin Psychopharmacol* 2007; **27**: (6) 707
- Winsberg B, Usubiaga H, Cooper T. New Essex County Hospital Center, 204 Grove Avenue, Cedar Grove, NJ 07009, USA. Ghrelin and leptin response to oral glucose challenge among antipsychotic drug-treated children. *J Clin Psychopharmacol* 2007; **27**: (6) 590
- Wohlfarth T, Boer F, Van den Brink W. Address not available. Withdrawal of attention rather than pharmacological treatment affects suicide rates in depressed children and adolescents (Letter). *Am J Psychiatry* 2007; **164**: (12) 1908
- Yen CF, Kuo CY, Tsai PT, Ko CH, Yen JY, Chen TT*. *Dept Psychiat, 91 Shin-Shin St, Yu Li Township 981, Hualien, Taiwan. Correlations of quality of life with adverse effects of medication, social support, course of illness, psychopathology, and demographic characteristics in patients with panic disorder. *Depress Anxiety* 2007; **24**: (8) 563
- Ziere C, Dieleman JP, Van der Cammen TJM, Stricker BHC, Erasmus MC, Dept Epidemiol & Biostat, PO Box 2040, NL-3000 CA Rotterdam, The Netherlands. Association between SSRI use and fractures and the effect of confounding by indication (Letter). *Arch Intern Med* 2007; **167**: (21) 2369

8 ANTI-NEOPLASTIC AGENTS

- Akaza H, Tsukamoto T, Murai M, Nakajima K, Naito S. University Tsukuba, Department Urology & Andrology, Tsukuba, Ibaraki 305 8576, Japan. Phase II study to investigate the efficacy, safety, and pharmacokinetics of sorafenib in Japanese patients with advanced renal cell carcinoma. *Jpn J Clin Oncol* 2007; **37**: (10) 755
- Alici-Evcimen Y, Breitbart WS. Dept Psychiat & Behav Sci, 1275 York Ave, New York, NY 10021, USA. Ifosfamide neuropsychiatric toxicity in patients with cancer. *Psychooncology* 2007; **16**: (10) 956
- Arai A, Yan WH, Wakabayashi S, Hayashi S, Inazawa J, Miura O. Department Hematology, 1-5-45 Yushima, Bunkyo ku, Tokyo 113 8519, Japan. Successful imatinib treatment of cardiac involvement of FIP1L1-PDGFR α -positive chronic eosinophilic leukemia followed by severe hepatotoxicity. *Int J Hematol* 2007; **86**: (3) 233

- Arseculeratne G, Berroeta L, Meiklejohn D, Mountain RE, Ryan JC, Spinou C, Das SN, Evans AT, Lowe JG. Ninewells Hosp & Med Sch, Dept Dermatol, Dundee, DD1 9SY, Scotland. Bleomycin-induced "flagellate dermatitis" (Letter). *Arch Dermatol* 2007; **143**: (11) 1461
- Atallah E, Cortes J, O'Brien S, Pierce S, Rios MB, Estey E, Markman M, Keating M, Freireich EJ, Kantarjian H*. *Univ Texas, Dept Leukemia, Houston, Tx 77030, USA. Establishment of baseline toxicity expectations with standard frontline chemotherapy in acute myelogenous leukemia. *Blood* 2007; **110**: (10) 3547
- Azizi M, Chedid A, Oudard S. Hop Europeen Georges Pompidou, FR-75015 Paris, France. Home blood-pressure monitoring in patients receiving sunitinib (Letter). *N Engl J Med* 2008; **358**: (1) 95
- Bardi E, Bobok I, Olah AV, Kappelmayer J, Kiss C. Dept Pediat, 98 Nagyerdei korut, HU-4012 Debrecen, Hungary. Anthracycline antibiotics induce acute renal tubular toxicity in children with cancer. *Pathol Oncol Res* 2007; **13**: (3) 249
- Beldner M, Jacobson M, Burges GE, Dewaay D, Maize JC, Chaudhary UB. Dept Hematol Oncol, 96 Jonathan Lucas St, Charleston, SC 29425, USA. Localized palmar-plantar epidermal hyperplasia: A previously undefined dermatologic toxicity to sorafenib. *Oncologist* 2007; **12**: (10) 1178
- Bertoldo F, Santini D*, Lo Cascio V. *Dept Med Oncol, Via Emilio Longoni, 83, IT-00155 Rome, Italy. Bisphosphonates and osteomyelitis of the jaw: A pathogenic puzzle. *Nat Clin Pract Oncol* 2007; **4**: (12) 711
- Borras-Blasco J, Rosique-Robles D, Giner-Marco V, Galan-Brotos A, Castera E, Costa S. Serv Pharm, Avda Ramon y Cajal s/n, ES-46520 Valencia, Spain. Possible delayed onset of osteonecrosis of the jaw in association with zoledronic acid. *J Clin Pharm Ther* 2007; **32**: (6) 651
- Brunello A, Basso U, Rossi E, Stefani M, Ghiotto C, Marino D, Crivellari G, Monfardini S. Ist Oncol Veneto, Via Gattamelata 64, IT-35126 Padua, Italy. Ifosfamide-related encephalopathy in elderly patients - Report of five cases and review of the literature. *Drugs Aging* 2007; **24**: (11) 967
- Bruynzeel AME, Niessen HWM, Bronzwaer JGF, Van der Hoeven JMD, Berkhof J, Bast A, Van der Vijgh WJFD, Van Groenigen CJ. Dept Med Oncol, De Boelelaan 1117, NL-1081 HV Amsterdam, The Netherlands. The effect of monohydroxyethylrutoside on doxorubicin-induced cardiotoxicity in patients treated for metastatic cancer in a phase II study. *Br J Cancer* 2007; **97**: (8) 1084
- Carducci MA, Saad F, Abrahamson PA, Dearnaley DR, Schulman CC, North SA, Sleep DJ, Isaacson JD, Nelson JB. Johns Hopkins Kimmel Canc Ctr, 1650 Orleans St, Baltimore, Md 21231, USA. A phase 3 randomized controlled trial of the efficacy and safety of atrasentan in men with metastatic hormone-refractory prostate cancer. *Cancer* 2007; **110**: (9) 1959
- Choi BS, Robins HI*. *Dept Human Oncol & Neurol, 600 Highland Ave, Madison, WI 53792, USA. Reversible paclitaxel-induced vocal cord paralysis with later recall with vinorelbine. *Cancer Chemother Pharmacol* 2008; **61**: (2) 345
- Chorianopoulos E, Jager D, Katus HA, Frey N. Univ Heidelberg, Dept Cardiol & Med Oncol, INF 410, DE-69120 Heidelberg, Germany. Severe cardiomyopathy in a patient with renal cell carcinoma after treatment with the novel tyrosine kinase inhibitor sunitinib (Letter). *Clin Res Cardiol* 2007; **96**: (11) 829
- Chu TF, Rupnick MA, Kerkela R, Dallabrida SM, Zurakowski D, Nguyen L, Woulfe K, Pravda E, Cassiola F, Desai J, George S, Morgan JA, Harris DM, Ismail NS, Chen JH, Schoen FJ, Van den Abbeele AD, Demetri GD, Force T, Chen MH*. *Children's Hosp, Dept Cardiol, 300 Longwood Ave, Boston, Ma 02115, USA. Cardiotoxicity associated with tyrosine kinase inhibitor sunitinib. *Lancet* 2007; **370**: (9604) 2011
- Cussenot O, Azzouzi AR, Nicolaiew N, Mangin P, Cormier L, Fournier G, Valeri A, Cancel-Tassin G. CeRePP, Bat Gabriel, 4 rue Chine, FR-75020 Paris, France. Low-activity V89L variant in *SRD5A2* is associated with aggressive prostate cancer risk: An explanation for the adverse effects observed in chemoprevention trials using 5- α -reductase inhibitors. *Eur Urol* 2007; **52**: (4) 1082
- De Oliveira Lula EC, De Oliveira Lula CE, Alves CMC, Lopes FF, Pereira ALA. Univ Fed Maranhao, Hlth Sci Ctr, Sao Luis, Ma, Brazil. Chemotherapy-induced oral complications in leukemic patients. *Int J Pediatr Otorhinolaryngol* 2007; **71**: (11) 1681
- Emmanouilides C, Witzig TE, Wiseman GA, Gordon LI, Wang H, Schilder R, Saville MW, Flinn I, Molina A. Interbalkan Hosp, Asklepiou 10 St, Thessaloniki, Greece. Safety and efficacy of yttrium-90 ibritumomab tiuxetan in older patients with non-Hodgkin's lymphoma. *Cancer Biother Radiopharm* 2007; **22**: (5) 684
- Frankfort BJ, Garibaldi DC. Address not available. Periocular cutaneous toxicity and cicatricial ectropion: A potential class effect of antineoplastic agents that inhibit EGFR signaling (Letter). *Ophthalmic Plast Reconstr Surg* 2007; **23**: (6) 496
- Garcia-Tejedor A, Devesa NR, Suarez-Pumariega P, Del Barco S, Huerta MV. Bellvitge Hosp, Dept Gynecol, ES-08907 Barcelona, Spain. Breast cancer and HIV - The adverse effects chemotherapy. *Breast J* 2007; **13**: (6) 622
- Georgy A, Nescakas J, Goodin S*. *Div Pharmaceut Sci, 195 Little Albany St, New Brunswick, NJ 08901, USA. Antiemetic care for patients with breast cancer: Focus on drug interactions and safety concerns. *Am J Health Syst Pharm* 2007; **64**: (21) 2227
- Hellmann K, Windleshaw House, Withyham, England. Dextrazoxane-associated risk for secondary malignancies in pediatric Hodgkin's disease: A claim without evidence (Letter). *J Clin Oncol* 2007; **25**: (29) 4689
- Herbst RS, O'Neill VJ, Fehrenbacher L, Belani CP, Bonomi PD, Hart L, Melnyk O, Ramies D, Lin M, Sandler A. MD Anderson Canc Ctr, 1515 Holcombe Blvd, Unit 432, Houston, Tx 77030, USA. Phase II study of efficacy and safety of bevacizumab in combination with chemotherapy or erlotinib compared with chemotherapy alone for treatment of recurrent or refractory non-small-cell lung cancer. *J Clin Oncol* 2007; **25**: (30) 4743
- Hussain S, Browne R, Chen J, Parekh S. Montefiore Med Ctr, Dept Oncol, 111 East 210th St, Bronx, NY 10467, USA. Lenalidomide-induced severe hepatotoxicity (Letter). *Blood* 2007; **110**: (10) 3814
- Jhaveri K, Halperin P, Shin SJ, Vahdat L*. *Weill Cornell Med Coll, Dept Internal Med, New York, NY 10021, USA. Erythema nodosum secondary to aromatase inhibitor use in breast cancer patients: Case reports and review of the literature. *Breast Cancer Res Treat* 2007; **106**: (3) 315
- Joensuu H. Cent Hosp, Dept Oncol, FI-00029 Helsinki, Finland. Cardiac toxicity of sunitinib (Comment). *Lancet* 2007; **370**: (9604) 1978
- Kaniwa N, Sugiyama E, Kim SR, Saito Y, Sawada J, Furuse J, Ishii H, Yoshida T, Ueno H, Okusaka T, Saijo N. Natl Inst Hlth Sci, Project Team Pharmacogenet, 1-18-1 Kamiyoga, Tokyo 158, Japan. Genotype-based methods for anticipating gemcitabine-related severe toxicities may lead to false-negative results (Reply). *J Clin Oncol* 2007; **25**: (30) 4855
- Kapiteijn E, Brand A, Kroep J, Gelderblom H. Leiden Univ Med Ctr, Dept Clin Oncol & Immunohematol, Leiden, The Netherlands. Sunitinib induced hypertension, thrombotic microangiopathy and reversible posterior leukoencephalopathy syndrome (Letter). *Ann Oncol* 2007; **18**: (10) 1745
- Lipton A, Steger GG, Figueroa J, Alvarado C, Solal-Celigny P, Body JJ, De Boer R, Berardi R, Gascon P, Tonkin KS, Coleman R, Paterson AH, Peterson MC, Fan M, Kinsey A, Jun S, Milton S. Hershey Med Ctr Oncol, 500 University Dr, Hershey, Pa 17033, USA. Randomized active-controlled phase II study of denosumab efficacy and safety in patients with breast cancer-related bone metastases. *J Clin Oncol* 2007; **25**: (28) 4431
- Lortholary A, Dallinga MCTH, El Kouri C, Morineau N, Ramee JF. Serv Chimiotherapie, 2 rue Eric Tabarly, FR-44202 Nantes, France. Paclitaxel-induced lupus (French, English Abstract). *Presse Med* 2007; **36**: (9 Pt 1) 1207
- Markman M. Dept Gynecol Med Oncol, 1515 Holcombe Blvd, Houston, Tx 77030, USA. The dilemma of carboplatin-associated hypersensitivity reactions in ovarian cancer management (Editorial). *Gynecol Oncol* 2007; **107**: (2) 163

- Martens HA, Schroder CP, Van der Eerden PJM, Willemse PHB, Posthumus MD. University Med Ctr Groningen, POB 30001, NL-9700 RB Groningen, The Netherlands. Severe disabling tendinopathy caused by anastrozole (Letter). *Rheumatology* 2007; **46**: (10) 1619
- Mercier C, Evrard A, Ciccolini J. La Timone Univ Hosp, Med Oncol Unit, EA 3286, Marseille, France. Genotype-based methods for anticipating gemcitabine-related severe toxicities may lead to false-negative results (Letter). *J Clin Oncol* 2007; **25**: (30) 4855
- Middleton M, Hauschild A, Thomson D, Anderson R, Burdette-Radoux S, Gehlsen K, Hellstrand K, Naredi P*. *Churchill Hosp, Med Oncol Unit, Oxford OX3 7LJ, England. Results of a multicenter randomized study to evaluate the safety and efficacy of combined immunotherapy with interleukin-2, interferon- α 2b and histamine dihydrochloride versus dacarbazine in patients with stage IV melanoma. *Ann Oncol* 2007; **18**: (10) 1691
- Moutouh-de Parseval LA, Weiss L, Delap RJ, Knight RD, Zeldis JB. Celgene Corp, Summit, NJ 07901, USA. Tumor lysis syndrome/tumor flare reaction in lenalidomide-treated chronic lymphocytic leukemia (Letter). *J Clin Oncol* 2007; **25**: (31) 5047
- Negrier S, Ravaud A. Dept Med Oncol, 28 rue Laennec, FR-69373 Lyon, France. Optimisation of sunitinib therapy in metastatic renal cell carcinoma: Adverse-event management. *Eur J Canc Suppl* 2007; **5**: (7) 12
- Paiva CM, Kurtis B, Mekki M, Newman MA, Singhal S, Lacouture ME*. *Roger Williams Med Ctr, Dept Internal Med, Providence, RI 02908, USA. Neutrophilic dermatitis associated with bortezomib in a patient with multiple myeloma (Letter). *Ann Oncol* 2007; **18**: (10) 1744
- Pinedo DM, Shah-Khan F, Shah PC. Sthn Illinois Univ Sch Med, Dept Internal Med, Springfield, IL 62794, USA. Reversible posterior leukoencephalopathy syndrome associated with oxaliplatin. *J Clin Oncol* 2007; **25**: (33) 5320
- Presant CA, Bosserman L, Young T, Vakli M, Horns R, Upadhyaya G, Ebrahimi B, Yeon C, Howard F. Wilshire Oncol Med Grp, 1250 Sth Sunset Ave, West Covina, Ca 91790, USA. Aromatase inhibitor-associated arthralgia and/or bone pain: Frequency and characterization in non-clinical trial patients. *Clin Breast Cancer* 2007; **7**: (10) 775
- Rajappa S, Varadpande L, Paul YR, Digumarti R. Nizams Inst Med Sci, East Block, 6 Floor, IN-500082 Hyderabad, India. Imatinib mesylate induced immune thrombocytopenia (Letter). *Leuk Lymphoma* 2007; **48**: (11) 2261
- Rosado M, Chao H, Rose M. Dept Hematol, 950 Campbell Ave, West Haven, Ct 06516, USA. Severe acute thrombocytopenia following rituximab therapy (Letter). *Leuk Lymphoma* 2007; **48**: (11) 2239
- Schwartz CL, Constine LS, London WB, Sposto R, Friedman DL, Tebbi CK, Mendenhall N, Chen AR, De Alarcon PA, Villaluna D, Chauvenet AR. Hasbro Children's Hosp, Warren Alpert Med Sch, Providence, RI 02912, USA. Dextrazoxane-associated risk for secondary malignancies in pediatric Hodgkin's disease: A claim without evidence (Reply). *J Clin Oncol* 2007; **25**: (29) 4690
- Statz TA, Guthmiller JA, Humbert LA, Johnson GK. Univ Iowa, Dept Periodont, Iowa City, Ia 52242, USA. Intravenous bisphosphonate-associated osteonecrosis of the jaw. *J Periodontol* 2007; **78**: (11) 2203
- Van der Veldt AAM, Van den Eertwegh AJM, Hoekman K, Barkhof F, Boven E*. *Dept Med Oncol, De Boelelaan 1117, NL-1081 HV Amsterdam, The Netherlands. Reversible cognitive disorders after sunitinib for advanced renal cell cancer patients with pre-existing arteriosclerotic leukoencephalopathy (Letter). *Ann Oncol* 2007; **18**: (10) 1747
- Wolchok JD, Yuan J, Houghton AN, Gallardo HF, Rasalan TS, Wang J, Zhang Y, Ranganathan R, Chapman PB, Krown SE, Livingston PO, Heywood M, Riviere I, Panageas KS, Terzulli SL, Perales MA. Melanoma Sarcoma Serv, 1275 York Ave, New York, NY 10021, USA. Safety and immunogenicity of tyrosinase DNA vaccines in patients with melanoma. *Mol Ther* 2007; **15**: (11) 2044
- Yildirim ND, Ayer M, Kucukkaya RD, Alpay N, Mete O, Yenerel MN, Yavuz AS, Nalcaci M. Barbaros Mah Fidan Sok, Ozlem Sit B Blok, D 4, TR-34662 Uskudar/Istanbul, Turkey. Leukocytoclastic vasculitis due to thalidomide in multiple myeloma. *Jpn J Clin Oncol* 2007; **37**: (9) 704
- Yoshino T, Boku N, Onozawa Y, Hironaka S, Fukutomi A, Yamaguchi Y, Hasuike N, Yamazaki K, Machida N, Ono H. Div Gastrointestinal Oncol, 1007 Shimonagakubo, Nagaizumi-cho, Shizuoka 411 877, Japan. Efficacy and safety of an irinotecan plus bolus 5-fluorouracil and L-leucovorin regimen for metastatic colorectal cancer in Japanese patients: Experience in a single institution in Japan. *Jpn J Clin Oncol* 2007; **37**: (9) 686

9 HAEMATOLOGICAL AGENTS

- Aessopos A, Kati M, Farmakis D, Polonifi E, Deftereos S, Tsironi M*. *Laiko Hosp, Cardiac Outpatient Clin Hemoglobinopathies, GR-11527 Athens, Greece. Intensive chelation therapy in β -thalassaemia and possible adverse cardiac effects of desferrioxamine. *Int J Hematol* 2007; **86**: (3) 212
- Backer CL, Kelle AM, Stewart RD, Suresh SC, Ali FN, Cohn RA, Seshadri R, Mavroudis C. Children's Mem Hosp, Div Cardiovasc Thorac Surg, Chicago, Il 60614, USA. Aprotinin is safe in pediatric patients undergoing cardiac surgery. *J Thorac Cardiovasc Surg* 2007; **134**: (6) 1421
- Cannon CP, Husted S, Harrington RA, Scirica BM, Emanuelsson H, Storey RF. Cardiovasc Div, 75 Francis St, Boston, Ma 02115, USA. Safety, tolerability, and initial efficacy of AZD6140, the first reversible oral adenosine diphosphate receptor antagonist, compared with clopidogrel, in patients with non-ST-segment elevation acute coronary syndrome - Primary results of the DISPERSE-2 trial. *J Am Coll Cardiol* 2007; **50**: (19) 1844
- Chow G, Ziegelstein RC*. *Johns Hopkins Bayview Med Ctr, 4940 Eastern Ave, Baltimore, Md 21224, USA. Clopidogrel - The good, the bad, and the ugly (Comment). *Am J Cardiovasc Drugs* 2007; **7**: (3) 169
- Denardo SJ, Davis KE, Tchong JE. Univ Florida, Gainesville, Fl 32611, USA. Effectiveness and safety of reduced-dose enoxaparin in non-ST-segment elevation acute coronary syndrome followed by antiplatelet therapy alone for percutaneous coronary intervention. *Am J Cardiol* 2007; **100**: (9) 1376
- Dixon AJ, Dixon MP, Dixon JB. Skin Alert Canc Clin, 66 Roslyn Rd, Geelong, Vic 3216, Australia. Bleeding complications in skin cancer surgery are associated with warfarin but not aspirin therapy. *Br J Surg* 2007; **94**: (11) 1356
- Fraj J, Valero A, Vives R, Perez I, Borja J, Izquierdo I, Picado C*. *Universidad Barcelona, Serv Pneumol & Alergia Resp, ES-08036 Barcelona, Spain. Safety of triflusal (antiplatelet drug) in patients with aspirin-exacerbated respiratory diseases. *Allergy* 2008; **63**: (1) 112
- Jang IK, Hursting MJ, McCollum D. MGH, Div Cardiol, 55 Fruit St, Boston, Ma 02114, USA. Argatroban therapy in patients with coronary artery disease and heparin-induced thrombocytopenia. *Cardiology* 2008; **109**: (3) 172
- Kerendi F, Thourani VH, Puskas JD, Kilgo PD, Osgood M, Guyton RA, Lattouf OM*. *Crawford W Long Memorial Hosp, Med Off Tower, Atlanta, Ga 30308, USA. Impact of heparin-induced thrombocytopenia on postoperative outcomes after cardiac surgery. *Ann Thorac Surg* 2007; **84**: (5) 1548
- Langer F, Steinmetz O, Marx G, Amirkhosravi A, Eifrig B, Bokemeyer C, Brummendorf T. Univ Hosp, DE-2000 Hamburg, Germany. Aprotinin-associated hemolytic thrombotic microangiopathy in a patient with acute myelogenous leukemia (AML) and systemic coagulopathy (Letter). *Am J Hematol* 2007; **82**: (12) 1122
- Lassen MR, Davidson BL, Gallus A, Pineo G, Ansell J, Deitchman D. Dept Orthopaed, Usseeroed Kongevej 102, DK-2970 Horsholm, Denmark. The efficacy and safety of apixaban, an oral, direct factor Xa inhibitor, as thromboprophylaxis in patients following total knee replacement. *J Thromb Haemost* 2007; **5**: (12) 2368

- Lo GK, Sigouin CS, Warkentin TE*. *Hamilton Reg Lab Med Program, 237 Barton St SE, Hamilton, Ontario, Canada L8L 2X2. What is the potential for overdiagnosis of heparin-induced thrombocytopenia? *Am J Hematol* 2007; **82**: (12) 1037
- Provan D, Butler T, Evangelista ML, Amadori S, Newland AC*, Stasi R. *Barts & London Queen Marys, Dept Haematol, London E1 2ES, England. Activity and safety profile of low-dose rituximab for the treatment of autoimmune cytopenias in adults. *Haematologica* 2007; **92**: (12) 1695
- Refaai MA, Warkentin TE, Axelson M, Matevosyan K, Sarode R*. *UTSWMC, Dept Pathol, Harry Hines Blvd, Dallas, Tx 75390, USA. Delayed-onset heparin-induced thrombocytopenia, venous thromboembolism, and cerebral venous thrombosis: A consequence of heparin "flushes". *Thromb Haemost* 2007; **98**: (5) 1139
- Shorr AF, Sarnes MW, Peeples PJ, Stanford RH, Happe LE, Farrelly E. Washington Hosp Ctr, 110 Irving St NW, Washington, DC 20010, USA. Comparison of cost, effectiveness, and safety of injectable anticoagulants used for thromboprophylaxis after orthopedic surgery. *Am J Health Syst Pharm* 2007; **64**: (22) 2349
- Singh S, Molnar J, Arora R. Dept Cardiol, 3001 Green Bay Rd, Nth Chicago, IL 60064, USA. Efficacy and safety of bivalirudin *versus* heparins in reduction of cardiac outcomes in acute coronary syndrome and percutaneous coronary interventions. *J Cardiovasc Pharmacol Ther* 2007; **12**: (4) 283
- Takano H, Hasegawa H, Kuwabara Y, Nakayama T, Matsuno K, Miyazaki Y, Yamamoto M, Fujimoto Y, Okada H, Okubo S, Fujita M, Shindo S, Kobayashi Y, Komiyama N, Takekoshi N, Imai K, Himi T, Ishibashi I, Komuro I*. *Dept Cardiovasc Sci & Med, Chuo ku, Chiba 260 8670, Japan. Feasibility and safety of granulocyte colony-stimulating factor treatment in patients with acute myocardial infarction. *Int J Cardiol* 2007; **122**: (1) 41
- Zeymer U, Arntz HR, Darius H, Huber K, Senges J. Herzzentrum, Bremerstr 79, DE-67063 Ludwigshafen, Germany. Efficacy and safety of clopidogrel 600 mg administered pre-hospitally to improve primary percutaneous coronary intervention in patients with acute myocardial infarction (CIPAMI): Study rationale and design. *Cardiology* 2007; **108**: (4) 265

10 NEUROREGULATOR-BLOCKING AGENTS

- Litvan L, Alcoverro-Fortuny O. Ctr Assistencials, Barcelona, Spain. Sibutramine and psychosis (Letter). *J Clin Psychopharmacol* 2007; **27**: (6) 726
- Tsai YS, Tu ME*, Wu YH, Lin YC. *Dept Dermatol, 92 Sec 2 Chung Shan Nth Rd, Taipei 10449, Taiwan. Hydroxyzine-induced acute generalized exanthematous pustulosis (Letter). *Br J Dermatol* 2007; **157**: (6) 1296

11 DERMATOLOGICAL AGENTS

- Baldeschi L, Lupetti A, Wiersinga WM. Address not available. Re: "Thyroid eye disease presenting after cosmetic botulinum toxin injections" (Letter). *Ophthalmic Plast Reconstr Surg* 2007; **23**: 498
- Harrison AR. Address not available. Re: "Thyroid eye disease presenting after cosmetic botulinum toxin injections" (Reply). *Ophthalmic Plast Reconstr Surg* 2007; **23**: (6) 499
- Isaksson M. Univ Hosp MAS, Dept Occupat & Environm Dermatol, SE-20502 Malmo, Sweden. Systemic contact allergy to corticosteroids revisited. *Contact Dermatitis* 2007; **57**: (6) 386
- Ulrich C, Bichel J, Euvrard S, Guidi B, Proby CM, Van de Kerkhof PCM, Amerio P, Ronnevig J, Slade HB, Stockfleth E. Dermatol Clin, Charite-Pl 1, DE-10117 Berlin, Germany. Topical immunomodulation under systemic immunosuppression: Results of a multicentre, randomized, placebo-controlled safety and efficacy study if imiquimod 5% cream for the treatment of actinic keratoses in kidney, heart, and liver transplant patients. *Br J Dermatol* 2007; **157**: (Suppl 2) 25

12 IMMUNOSUPPRESSIVE AGENTS

- Bossuyt P, Vergauwe P, Inderadjaja N, Vermeire S. Dept Gastroenterol, Herestr 49, BE-3000 Louvain, Belgium. Azathioprine induced colitis: A case report and review of the literature. *Acta Gastroenterol Belg* 2007; **70**: (3) 302
- David S, Kumpers P, Shin H, Haller H, Fliser D. Hannover Med Sci, Dept Internal Med, Hannover, Germany. Everolimus-associated interstitial pneumonitis in a patient with a heart transplant (Letter). *Nephrol Dial Transplant* 2007; **22**: (11) 3363
- Ekberg H, Tedesco-Silva H, Demirbas A, Vitko S, Nashan B, Gurkan A, Margreiter R, Hugo C, Grinyo JM, Frei U, Vanrenterghem Y, Daloz P, Halloran PF. Univ Hosp, Dept Nephrol & Transplantation, SE-20503 Malmo, Sweden. Reduced exposure to calcineurin inhibitors in renal transplantation. *N Engl J Med* 2007; **357**: (25) 2562
- Hashemi-Sadraei N, Sadrpour S, Baram D, Miller F, Nord EP*. *SUNY, Div Nephrol, Stony Brook, NY 11794, USA. Sirolimus-associated diffuse alveolar hemorrhage in a renal transplant recipient on long-term anticoagulation. *Clin Nephrol* 2007; **68**: (4) 238
- Hawboldt J, Bader M. Health Science Centre, 300 Prince Philip Drive, St John, Newfoundland, Canada A1B 3V6. Intramuscular methotrexate-induced aseptic meningitis. *Ann Pharmacother* 2007; **41**: (11) 1906
- Jenks KA, Stamp LK, O'Donnell JL, Savage RL, Chapman PT*. *Christchurch Hospital, Department Rheumatol Immunol & Allergy, PB 4710, Christchurch, New Zealand. Leflunomide-associated infections in rheumatoid arthritis. *J Rheumatol* 2007; **34**: (11) 2201
- Kusztal M, Radwan-Oczko M, Koscielska-Kasprzak K, Boratynska M, Patrzalek D, Klinger M. Wroclaw Med Univ, Dept Nephrol & Transplantation Med, PL-50417 Wroclaw, Poland. Possible association of *CTLA-4* gene polymorphism with cyclosporine-induced gingival overgrowth in kidney transplant recipients. *Transplant Proc* 2007; **39**: (9) 2763
- Leichtman AB. Univ Michigan, Div Nephrol, Ann Arbor, MI 48104, USA. Balancing efficacy and toxicity in kidney-transplant immunosuppression (Editorial comment). *N Engl J Med* 2007; **357**: (25) 2625
- Mohyuddin T, Elyan M, Kushner I*. *Metrohlth Med Ctr, 2500 Metrohlth Dr, Cleveland, OH 44109, USA. Pericarditis: A rare complication of methotrexate therapy. *Clin Rheumatol* 2007; **26**: (12) 2157
- Perdigoto R, Sequeira C, Tome L, Ferrao J, Silva N, Galdes J, Furtado E, Oliveira FJ. HUC, Unidade Transplantation, PT-3000-075 Coimbra, Portugal. Sirolimus: Efficacy in liver transplant patients with nephrotoxicity and renal insufficiency. *Transplant Proc* 2007; **39**: (8) 2519
- Pescovitz MD, Vincenti F, Hart M, Melton L, Whelchel J, Mulgaonkar S, McKay D, Leung M, Calleja E, Bouw MR. Dept Surg, 550 Nth University Blvd, Indianapolis, IN 46202, USA. Pharmacokinetics, safety, and efficacy of mycophenolate mofetil in combination with sirolimus or ciclosporin in renal transplant patients. *Br J Clin Pharmacol* 2007; **64**: (6) 758
- Rios-Fernandez R, Gutierrez-Salmeron MT, Callejas-Rubio JL, Fernandez-Pugnaire M, Ortego-Centeno N. Autoimmune Dis Unit, Av Dr Oloriz 16, ES-18012 Granada, Spain. Late-onset neutropenia following rituximab treatment in patients with autoimmune diseases (Letter). *Br J Dermatol* 2007; **157**: (6) 1271
- Schacherer D, Zeitoun M, Buttner R, Gelbmann C, Obed A, Schlitt HJ, Scholmerich J, Kirchner GI. Universitätsklinikum, Klin & Poliklin Innere Med, DE-93042 Regensburg, Germany. Sirolimus-induced drug fever and ciclosporin-induced leukencephalopathy with seizures in one liver transplant recipient. *World J Gastroenterol* 2007; **13**: (45) 6090
- Tufan F, Kamali S, Erer B, Gul A, Inanc M, Ocal L, Konice M, Aral O. Istanbul Sch Med, Dept Internal Med, TR-34390 Istanbul, Turkey. Safety of high-dose intravenous immunoglobulin in systemic autoimmune diseases. *Clin Rheumatol* 2007; **26**: (11) 1913

Wyzgal J, Niemczyk M*, Ziotkowski J, Durlik M, Wigcek A. *Dept Immunol Transplant Med & Internal Dis, ul Nowogrodzka 59, PL-02006 Warsaw, Poland. Results of a 6-month, multicenter, open-label, prospective study concerning efficacy and safety of mycophenolate sodium in *de novo* kidney transplant recipients. *Transplant Proc* 2007; **39**: (9) 2730

13 AUTONOMIC AGENTS

- Barbanti P, Fabbrini G, Berardelli A. Dept Neurol Motor & Sensorial Sci, Via Pisana 235, IT-00163 Rome, Italy. Acute pathological laughter induced by sumatriptan. *Cephalalgia* 2008; **28**: (1) 92
- Chapple C, Van Karrebroeck P, Tubaro A, Haag-Molkenteller C, Forst HT, Massow U, Wang J, Brodsky M. Sheffield Hallam Univ, Sheffield S10 2JF, England. Clinical efficacy, safety, and tolerability of once-daily fesoterodine in subjects with overactive bladder. *Eur Urol* 2007; **52**: (4) 1204
- Driver-Dunckley ED, Noble BN, Hentz JG, Evidente VGH, Caviness JX, Parish J, Krabn L, Adler CH. Parkinsons Dis & Movement Disorders Ctr, 13400 East Shea Blvd, Scottsdale, Az 85259, USA. Gambling and increased sexual desire with dopaminergic medications in restless legs syndrome. *Clin Neuropharmacol* 2007; **30**: (5) 249
- Lew MF, Kricorian G. Div Movement Disorders, 1520 San Pablo St, Los Angeles, Ca 90033, USA. Results from a 2-year centralized tolcapone liver enzyme monitoring program. *Clin Neuropharmacol* 2007; **30**: (5) 281
- Malacarne S, Moll S, Hadaya K, Buhler L, Martin PY*. *Hop Cantonal Univ Geneva, Div Nephrol, CH-1211 Geneva 4, Switzerland. Renal ischaemic injuries during the use of zolmitriptan for treatment of migraines in a transplanted patient under tacrolimus therapy. *Nephrol Dial Transplant* 2007; **22**: (11) 3341
- Nicoletti A, Arabia G, Pugliese P, Nicoletti G, Torchia G, Condino F, Morgante L, Quattrone A, Zappia M*. *Dept Neurosci, Via S Sofia 78, IT-95123 Catania, Italy. Hormonal replacement therapy in women with Parkinson disease and levodopa-induced dyskinesia: A crossover trial. *Clin Neuropharmacol* 2007; **30**: (5) 276
- Nitti VW, Dmochowski R, Sand PK, Forst HT, Haag-Molkenteller C, Massow U, Wang J, Brodsky M, Bavendam T. NYU Sch Med, Dept Urol, 150 East 32nd St, New York, NY 10016, USA. Efficacy, safety and tolerability of fesoterodine for overactive bladder syndrome. *J Urol* 2007; **178**: (6) 2488
- Ondo WG, Mejia NI, Hunter CB. Baylor Coll Med, Parkinsons Dis Ctr, Houston, Tx 77030, USA. A pilot study of the clinical efficacy and safety of memantine for Huntington's disease (Letter). *Parkinsonism Relat Disord* 2007; **13**: (7) 453
- Weir RAP, Oldroyd KG, Walters MR*. *Western Infirm, Acute Stroke Unit, Dumbarton Rd, Glasgow G11 6NT, Scotland. Myocardial infarction after oral sumatriptan use in a woman with normal coronary arteries (Letter). *Am J Med* 2007; **120**: (11) e7

14 RESPIRATORY SYSTEM AGENTS

- Flood-Page P, Swenson C, Faiferman I, Matthews J, Williams M, Brannick L, Robinson D, Wenzel S, Busse W, Hansel TT, Barnes NC*. *London Chest Hosp, Bonner Rd, London E2 9JX, England. A study to evaluate safety and efficacy of mepolizumab in patients with moderate persistent asthma. *Am J Respir Crit Care Med* 2007; **176**: (11) 1062
- Nelson HS, Gross NJ, Levine B, Kerwin EM, Rinehart M, Denis-Mize K. Natl Jewish Med & Res Ctr, Denver, Co 80206, USA. Cardiac safety profile of nebulized formoterol in adults with COPD: A 12-week, multicenter, randomized, double-blind, double-dummy, placebo- and active-controlled trial. *Clin Ther* 2007; **29**: (10) 2167
- Poulos GA, Brodell RT*. *Brodell Medical Inc, 2660 East Market St, Warren, Oh 44483, USA. Perioral dermatitis associated with an inhaled corticosteroid (Letter). *Arch Dermatol* 2007; **143**: (11) 1460

15 NEUROMUSCULAR AGENTS

- Addolorato G, Leggio L, Ferrulli A, Cardone S, Vonghia L, Mirijello A, Abenavoli L, D'Angelo C, Caputo F, Zambon A, Haber PS, Gasbarrini G. Inst Internal Med, Largo A Gemelli 8, IT-00168 Rome, Italy. Effectiveness and safety of baclofen for maintenance of alcohol abstinence in alcohol-dependent patients with liver cirrhosis: Randomised, double-blind controlled study. *Lancet* 2007; **370**: (9603) 1915
- Hansen CR, Gooch JL*, Such-Neibar T. *Primary Childrens Med Ctr, 100 Nth Med Dr, Salt Lake City, Ut 84113, USA. Prolonged, severe intrathecal baclofen withdrawal syndrome: A case report. *Arch Phys Med Rehabil* 2007; **88**: (11) 1468

16 REPRODUCTIVE SYSTEM AGENTS

- Ansink AC, Burger CW. Univ Med Ctr Rotterdam, Div Gynaecol & Gynaecol Oncol, Rotterdam, The Netherlands. Oral contraceptives and breast cancer risk (Letter). *J Clin Oncol* 2007; **25**: (33) 5327
- Barral Tafalla D, Maluf Saladin S, Kreis Esmendi G, Farre Albaladejo M. Univ Autonomo Barcelona, Unidad Farmacol, ES-08193 Barcelona, Spain. Gynecomastia and dutasteride (Letter) (French). *Med Clin (Barc)* 2007; **129**: (15) 597
- Brohet RM, Van Leeuwen FE, Rookus MA, Goldgar DE, Easton DF, Antoniou AC, Andrieu N. Netherlands Canc Inst, Dept Epidemiol, Amsterdam, The Netherlands. Oral contraceptives and breast cancer risk (Reply). *J Clin Oncol* 2007; **25**: (33) 5327
- Burkman RT, Fisher AC, LaGuardia KD. Baystate Med Ctr, Dept Obstet & Gynecol, 795 Chestnut St, Springfield, Ma 01199, USA. Effects of low-dose oral contraceptives on body weight - Results of a randomized study of up to 13 cycles of use. *J Reprod Med* 2007; **52**: (11) 1030
- Clarke CA, Robbins AS. Nthn California Canc Ctr, Fremont, Ca, USA. Does the decrease in hormone replacement therapy also affect breast cancer risk in the Netherlands? (Reply). *J Clin Oncol* 2007; **25**: (31) 5039
- Gazzeri R, Galarza M, Gazzeri G. San Giovanni Addolorata Hosp, IT-00100 Rome, Italy. Growth of a meningioma in a transsexual patient after estrogen-progestin therapy (Letter). *N Engl J Med* 2007; **357**: (23) 2411
- Miech RP. Brown Univ, Dept Mol Pharmacol, Box GB3, Providence, RI 02912, USA. Pathopharmacology of excessive hemorrhage in mifepristone abortions. *Ann Pharmacother* 2007; **41**: (12) 2002
- Nichols HB, Trentham-Dietz A*, Egan KM, Titus-Ernstoff L, Hampton JM, Newcomb PA. *Univ Wisconsin, Comprehensive Canc Ctr, 610 Walnut St, Madison, Wi 53726, USA. Oral contraceptive use and risk of breast carcinoma *in situ*. *Cancer Epidemiol Biomarkers Prev* 2007; **16**: (11) 2262
- Ortega Calvo M. Serv Andaluz Salud, Ctr Salud Esperanza Macarena, Seville, Spain. Gynecomastia and dutasteride (Reply) (French). *Med Clin (Barc)* 2007; **129**: (15) 597
- Pietrzak B, Bobrowska K*, Jabiry-Zieniewicz Z, Kaminski P, Wielgos M, Pazik J, Durlik M. *First Dept Obstet & Gynecol, Starynkiewiczza Sq 1-3, PL-02015 Warsaw, Poland. Oral and transdermal hormonal contraception in women after kidney transplantation. *Transplant Proc* 2007; **39**: (9) 2759
- Simonis G, Schmeisser A, Strasser RH. TU Dresden, Med Klinik Kardiol & Intensivmed, Herzzentrum, DE-01307 Dresden, Germany. Thromboembolism in a young woman with previously unrecognized hereditary hemophilia: Obtaining a family history is still strongly recommended before starting oral contraceptives (German, English Abstract). *Dtsch Med Wochenschr* 2007; **132**: (44) 2327
- Soorjomataram I, Coebergh JW, Louwman MWJ, Visser O, Van Leeuwen FE. Dept Publ Hlth, Rotterdam, The Netherlands. Does the decrease in hormone replacement therapy also affect breast cancer risk in the Netherlands? (Letter). *J Clin Oncol* 2007; **25**: (31) 5038

- Sweeney C, Giuliano AR, Baumgartner KB, Byers T, Herrick JS, Edwards SL, Slattery ML. Div Epidemiol, 30 Nth 1900 East, Salt Lake City, Ut 84132, USA. Oral, injected and implanted contraceptive and breast cancer risk among US Hispanic and non-Hispanic white women. *Int J Cancer* 2007; **121**: (11) 2517
- Whitelaw DA, Jessop SJ. Tygerberg Hosp, Div Rheumatol, POB 19063, ZA-7505 Tygerberg, Rep Sth Africa. Major flares in women with SLE on combined oral contraception. *Clin Rheumatol* 2007; **26**: (12) 2163

17 GASTROINTESTINAL SYSTEM AGENTS

- Cohen RD, Bowie WR, Enns R, Flint J, Fitzgerald JM. UBC, Dept Med, Vancouver, Brit Columbia, Canada. Pulmonary actinomycosis complicating infliximab therapy for Crohn's disease. *Thorax* 2007; **62**: (11) 1013
- Esteve M, Loras C, Gonzalez-Huixt F. Dept Gastroenterol, Placa Dr Robert 5, ES-08221 Barcelona, Spain. Lamivudine resistance and exacerbation of hepatitis B in infliximab-treated Crohn's disease patient (Letter). *Inflamm Bowel Dis* 2007; **13**: (11) 1450
- Goetz M, Atreya R, Ghalibafian M, Galle PR, Neurath MF*. *Immunol Lab, Langenbeckstr 1, DE-55131 Mainz, Germany. Exacerbation of ulcerative colitis after rituximab salvage therapy. *Inflamm Bowel Dis* 2007; **13**: (11) 1365
- Harmark L, Wiel HED, De Groot MCH, Van Grootheest AC. Address not available. Proton pump inhibitor-induced acute interstitial nephritis. *Br J Clin Pharmacol* 2007; **64**: (6) 819
- Katsenos S, Psathakis K, Kokkonouzis I, Panagou P, Tsintiris K, Bouros D. 3 Ierarhou Panaretou St, GR-45445 Ioannina, Greece. Drug-induced pulmonary toxicity in a patient treated with mesalazine and azathioprine for ulcerative colitis. *Acta Gastroenterol Belg* 2007; **70**: (3) 290
- Meyers NL, Hickling RI. Alizyme Therapeutics Ltd, Granta Pk, Cambridge CB21 6GX, England. The cardiovascular safety profile of renzapride, a novel treatment for irritable bowel syndrome. *J Int Med Res* 2007; **35**: (6) 848
- Raedsch R, Hanisch J, Bock P, Sibaev A, Vinson B, Gundermann KJ. Med Clin II, Solmsstr 15, DE-65189 Weisbaden, Germany. Assessment of the efficacy and safety of the phytopharmakon STW 5 versus metoclopramide in functional dyspepsia - A retrospective cohort study (German, English Abstract). *Z Gastroenterol* 2007; **45**: (10) 1041
- Rodriguez LAG, Ruigomez A, Panes J. CEIFE, Almirante 28, 2º, ES-28004 Madrid, Spain. Use of acid-suppressing drugs and the risk of bacterial gastroenteritis. *Clin Gastroenterol Hepatol* 2007; **5**: (12) 1418
- Simsek Z, Alagozlu H, Tuncer C, Dursun A. Gazi University Hospital, Dept Gastroenterol, Ankara, Turkey. Lymphocytic colitis associated with lansoprazole treatment. *Curr Ther Res* 2007; **68**: (5) 360

18 ANTI-INFLAMMATORY AGENTS - STEROIDAL

- Goldstein DA, Godfrey DG, Hall A, Callanan DG, Jaffe GJ, Pearson A, Usner DW, Comstock TL. Department Ophthalmology & Visual Sci, 1905 West Taylor St, Chicago, Il 60612, USA. Intraocular pressure in patients with uveitis treated with fluocinolone acetonide implants. *Arch Ophthalmol* 2007; **125**: (11) 1478

19 TERATOGENS/FETAL EXPOSURE

- De las Heras V, De Andres C, Tellez N, Tintore M. Serv Neurol, Calle Doctor Martin Lagos s/n, ES-28040 Madrid, Spain. Pregnancy in multiple sclerosis patients treated with immunomodulators prior to or during part of the pregnancy: A descriptive study in the Spanish population. *Mult Scler* 2007; **13**: (8) 981

- Goldstein LH, Dolinsky G, Greenberg R, Schaefer C, Cohen-Kerem R, Diav-Citrin O, Malm H, Reuvers-Lodewijks ME, Van Tonningen-van Driel MMR, Arnon J, Ornoy A, Clementi M, Di Gianantonio E, Koren G, Braunstein R, Berkovitch M*. *Assaf Harofeh Med Ctr, Teratogen Informat Serv, IL-70300 Zerifin, Israel. Pregnancy outcome of women exposed to azathioprine during pregnancy. *Birth Defects Res A Clin Mol Teratol* 2007; **79**: (10) 696
- Iwayama H, Hosono H, Yamamoto H, Oshiro M, Ueda N. Dept Pediat/Dev Pediat, Tsurumai cho 65, Shouwa ku, Nagoya, Aichi, Japan. Aplasia cutis congenita with skull defect in a monozygotic twin after exposure to methimazole *in utero* (Case Report). *Birth Defects Res A Clin Mol Teratol* 2007; **79**: (10) 680
- Perez-Aytes A, Ledo A, Boso V, Saenz P, Roma E, Poveda JL, Vento M*. *Hosp Univ Materno-Infantil La Fe, Serv Neonatol, Avda de Campanar 21, ES-46009 Valencia, Spain. *In utero* exposure to mycophenolate mofetil: A characteristic phenotype? (Case Report). *Am J Med Genet* 2008; **146A**: (1) 1
- Vajda FJE, Hitchcock A, Graham J, O'Brien T, Lander C, Eadie M. Dept Med, 246 Clayton Rd, Clayton, Vic 3168, Australia. The Australian Register of Antiepileptic Drugs in Pregnancy: The first 1002 pregnancies. *Aust N Z J Obstet Gynaecol* 2007; **47**: (6) 468
- Valappil S, Kurkar M, Howell R. 64 Ash Lane, Altrincham WA15 8PD, England. Outcome of pregnancy in women treated with all-trans retinoic acid: A case report and review of literature. *Hematology* 2007; **12**: (5) 415
- Vroom F, Van Roon EN, Van den Berg PB, Brouwers JRB, De Jong-van den Berg LTW*. *Antonius Deusinglaan 1, NL-9713 AV Groningen, The Netherlands. Prescribing of sulfasalazine, azathioprine and methotrexate round pregnancy—a descriptive study. *Pharmacoepidemiol Drug Saf* 2008; **17**: (1) 52
- Yeshayahy Y. Address not available. The use of olanzapine in pregnancy and congenital cardiac and musculoskeletal abnormalities (Letter). *Am J Psychiatry* 2007; **164**: (11) 1759

20 OTHERS

- Andia Melero VM, Lopez-Guzman A, Fraile Saez AL, Arranz Martin A. Hosp Nuestra Senora Sonsoles, Unidad Endocrinol & Nutr, Avila, Spain. Rhabdomyolysis secondary to antithyroid drugs (Letter) (Spanish). *Med Clin (Barc)* 2007; **129**: (18) 717
- Bierry G, Kellner F, Barnig C. Department Radiology, 1 Place Hopital, FR-67091 Strasbourg, France. Management of patients with history of adverse effects to contrast media when pulmonary artery CT angiography is required (Letter). *Radiology* 2007; **245**: (3) 919
- Blaise P, Ribbens C, Rakic JM. CHU Sart Tilman, Dept Ophthalmol, BE-4000 Liege, Belgium. Fluorescein-induced Raynaud's phenomenon (Letter). *Acta Ophthalmol Scand* 2007; **85**: (8) 910
- Calabresi PA, Giovannoni G, Confavreux C, Galetta SL, Havrdova E, Hutchinson M, Kappos L, Miller DH, O'Connor PW, Phillips JT, Polman CH, Radue EW, Rudick RA, Stuart WH, Lublin FD, Wajgt A, Weinstock-Guttman B, Wynn DR, Lynn F, Panzara MA. Dept Neurol, 600 Nth Wolfe St, Baltimore, Md 21287, USA. The incidence and significance of anti-natalizumab antibodies - Results from AFFIRM and SENTINEL. *Neurology* 2007; **69**: (14) 1391
- Clorius S, Technau K, Watter T, Schwertfeger E, Fischer KG, Walz G, Gerke P*. *Univ Hosp Freiburg, Renal Div, Hugstetter Str 55, DE-79106 Freiburg, Germany. Nephrogenic systemic fibrosis following exposure to gadolinium-containing contrast agent. *Clin Nephrol* 2007; **68**: (4) 249
- Dillman JR, Ellis JH, Cohan RH, Strouse PJ, Jan SC. Dept Radiol, 1500 East Med Ct Dr, Ann Arbor, Mi 48109, USA. Frequency and severity of acute allergic-like reactions to gadolinium-containing IV contrast media in children and adults. *Am J Roentgenol* 2007; **189**: (6) 1533
- Dursun E, Dogru S, Cincik H, Cekin E, Gungor A, Poyrazoglu E. Gata Haydarpara Training Hosp, Dept Otorhinolaryngol, TR-34668 Istanbul, Turkey. Iloprost-induced sudden hearing loss. *J Laryngol Otol* 2007; **121**: (6) 609

- El-Ouaghli D, Rehring E, Holst JJ, Schweizer A, Foley J, Holmes D, Nauck MA*. *Diabeteszentrum, Kirchberg 21, DE-37431 Bad Lauterberg im Harz, Germany. The dipeptidyl peptidase 4 inhibitor vildagliptin does not accentuate glibenclamide-induced hyperglycemia but reduces glucose-induced glucagon-like peptide 1 and gastric inhibitory polypeptide secretion. *J Clin Endocrinol Metab* 2007; **92**: (11) 4165
- Esposito L, Rostaing L, Gennero I, Mehrenberger M, Durand D, Kamar N*. *Toulouse Univ Hosp, Dept Nephrol Dialysis & Multi Organ Transplantation, FR-31059 Toulouse, France. Hypercalciuria induced by a high dose of cinacalcet in a renal-transplant recipient. *Clin Nephrol* 2007; **68**: (4) 245
- Freedman MS, Pachner AR. Univ Ottawa, Hlth Res Inst, 501 Smyth Rd, Ottawa, Ontario, Canada K1H 8L6. Neutralizing antibodies to biological therapies - A "touch of gray" vs a "black and white" story (Editorial comment). *Neurology* 2007; **69**: (14) 1386
- Guillaume-Czitom S, Berger C, Pajot C, Bodaghi B, Wechsler B, Kone-Paut I. Dept Paediat & Paediat Rheumatol, 78 rue Gen Leclerc, FR-94720 Le Kremlin Bicetre, France. Efficacy and safety of interferon- α in the treatment of corticoid-dependent uveitis of paediatric Behcet's disease. *Rheumatology* 2007; **46**: (10) 1570
- Hanefeld M. Dept Endocrinol & Metab Res, Fiedler Str 34, DE-01307 Dresden, Germany. Is rosiglitazone associated with increased risk for cardiovascular events? (Comment). *Nat Clin Pract Cardiovasc Med* 2007; **4**: (12) 648
- Hirsch R, Dent C, Pfrimm H, Allen J, Beekman RH, Ma Q, Dastrala S, Bennett M, Mitsnefes M, Devarajan P*. *Div Nephrol & Hypertension, 3333 Burnet Ave, Cincinnati, Oh 45229, USA. NGAL is an early predictive biomarker of contrast-induced nephropathy in children. *Pediatr Nephrol* 2007; **22**: (12) 2089
- Huber W, Umgelter A, Franzen M, Reindl W. Klinikum Rechts Isar, Ismaningerstr 22, DE-81675 Munich, Germany. N-Acetylcysteine and/or theophyllinase preventive measure for contrast agent induced nephropathy: We should use better markers for detection of renal function (Reply). *Radiology* 2007; **245**: (3) 919
- Isbister GK. Dept Clin Toxicol & Pharmacol, Edith St, Waratah, NSW 2298, Australia. Safety of i.v. administration of redback spider antivenom. *Intern Med J* 2007; **37**: (12) 820
- Jansman FGA, Kieft H, Harting JW. GUIDE, Antonius Deusinglaan 1, NL-9713 AV Groningen, The Netherlands. Fatal anaphylactoid reaction following ioversol administration. *Pharm World Sci* 2007; **29**: (6) 584
- Kumar RS, Istiantoro VW, Hoh ST, Ho CL, Oen FT, Aung T*. *Nat Eye Ctr, 11 Third Hospital Ave, SG-168751 Singapore, Rep Singapore. Efficacy and safety of a systematic switch from latanoprost to travoprost in patients with glaucoma. *J Glaucoma* 2007; **16**: (7) 606
- Lee P, Kinsella J, Borkman M, Carter J. Concord Repatriation Gen Hosp, Dept Endocrinol & Metab, Concord, NSW 2139, Australia. Bilateral pleural effusions, ascites, and facial and peripheral oedema in a 19-year-old woman 2 weeks following commencement of insulin lispro and detemir an unusual presentation of insulin oedema. *Diabet Med* 2007; **24**: (11) 1282
- Marazuela M, Dauden E, Ocon E, Moure D, Nattero L. Univ Autonoma, Hosp Princesa, ES-28006 Madrid, Spain. Pegvisomant-induced lipohypertrophy: Report of a case with histopathology (Letter). *Ann Intern Med* 2007; **147**: (10) 741
- Marckmann P, Skov L, Rossen K, Heaf JG, Thomsen HS. Herlev Hosp, Dept Nephrol, DK-2730 Herlev, Denmark. Case-control study of gadodiamide-related nephrogenic systemic fibrosis. *Nephrol Dial Transplant* 2007; **22**: (11) 3174
- Marx RE, Cillo JE, Ulloa JJ. Div Oral & Maxillofacial Surg, 9380 SW 150th St, Miami, FL 33152, USA. Oral bisphosphonate-induced osteonecrosis: Risk factors, prediction of risk using serum CTX testing, prevention, and treatment. *J Oral Maxillofac Surg* 2007; **65**: (12) 2397
- Massari F, Salerno MG, Tarsia P. Heart Lung Dept, Via F Sforza 35, IT-20122 Milan, Italy. Brain retention of contrast medium with transient neurological syndrome following coronary angiography. *J Cardiovasc Med* 2007; **8**: (11) 969
- Mathieu S, Maillet B, Ristori JM, Soubrier M*. *Gabriel Montpied Teaching Hosp, Dept Rheumatol, FR-63003 Clermont Ferrand, France. Rheumatoid arthritis induced by labial injection of hyaluronic acid: Just a coincidence? *Joint Bone Spine* 2007; **74**: (5) 512
- McLeod NMH, Davies BJB, Brennan PA. Dept Oral & Maxillofacial Surg, Portsmouth BN11 4LJ, England. Bisphosphonate osteonecrosis of the jaws; an increasing problem for the dental practitioner. *Br Dent J* 2007; **203**: (11) 641
- Neggers SJCMM, Van Aken MO, Janssen JAMJL, Feelders RA, De Herder WW, Van der Lely AJ. Erasmus Univ Med Ctr, PO Box 2040, NL-3000 CA Rotterdam, The Netherlands. Long-term efficacy and safety of combined treatment of somatostatin analogs and pegvisomant in acromegaly. *J Clin Endocrinol Metab* 2007; **92**: (12) 4598
- O'Donnell CJ, Cano WG. Univ Rehabil, 450 Veterans Memorial Pkwy, Ste 12, East Providence, RI 02914, USA. Allergic reactions to gadodiamide following interventional spinal procedures: A report of 4 cases. *Arch Phys Med Rehabil* 2007; **88**: (11) 1465
- Othersen JB, Maize JC, Woolson RF, Budisavljevic MN*. *Div Nephrol, 171 Ashley Ave, Charleston, SC 29425, USA. Nephrogenic systemic fibrosis after exposure to gadolinium in patients with renal failure. *Nephrol Dial Transplant* 2007; **22**: (11) 3179
- Peterkova V, Arslanoglu I, Bolshova-Zubkovskaya E, Romer T, Zdravkovic D, Kratzsch J, Ji HJ, Savoy C, Saenger P*. *Div Pediat Endocrinol, 3451 Bainbridge Ave, Bronx, NY 10467, USA. A randomized, double-blind study to assess the efficacy and safety of valtropin, a biosimilar growth hormone, in children with growth hormone deficiency. *Horm Res* 2007; **68**: (6) 288
- Romer T, Peter F, Saenger P, Starzyk J, Koehler B, Korman E, Walczak M, Wasik R, Ginalska-Malinowska M, Solyom E, Berghout A*. *Sandoz Biopharmaceuticals, Keltnering 1&3, DE-82041 Oberhaching, Germany. Efficacy and safety of a new ready-to-use recombinant human growth hormone solution. *J Endocrinol Invest* 2007; **30**: (7) 578
- Rouxel AM, Roguedas-Contios AM, Misery L. CHU Morvan, 2 Ave Foch, FR-29200 Brest, France. Malar and ciliary hypertrichosis induced by bimatoprost (Letter) (French). *Ann Dermatol Venerol* 2007; **134**: (10) 780
- Sahani DV, Soulez G, Chen KM, Lepanto L, Xu JR, Nelson RC, Grazioli L, Vanzulli A, Heiken JP. MGH, Dept Radiol, Fruit St, Boston, Ma, USA. A comparison of the efficacy and safety of iopamidol-370 and iodixanol-320 in patients undergoing multidetector-row computed tomography. *Invest Radiol* 2007; **42**: (12) 856
- Sen N, Ermis H, Karatasli M, Habesoglu MA, Eyuboglu FO. Adana Teaching & Med Res Ctr, Dadaloglu Mah 39, Sok 6, TR-01250 Adana, Turkey. Propylthiouracil-associated eosinophilic pleural effusion: A case report. *Respiration* 2007; **74**: (6) 703
- Shiehmorteza M, Hanna RF, Middleton MS. UCSD, San Diego, Ca 92103, USA. Can gadopentetate dimeglumine be safely administered more rapidly than the FDA-Approved injection rate for liver imaging? (Letter). *Am J Roentgenol* 2007; **189**: (4) W231
- Sweileh WM. An Najah Natl Univ, Coll Pharm, Nablus, Palestine. Contraindications to metformin therapy among patients with type 2 diabetes mellitus. *Pharm World Sci* 2007; **29**: (6) 587
- Tsuboi K, Ueshiba H, Shimojo M, Ishikawa M, Watanabe N, Nagasawa K, Yuasa R, Yoshino G. Div Diabet Metab & Endocrinol, 6-11-1 Omori nishi, Tokyo 143 8541, Japan. The relation of initial methimazole dose to the incidence of methimazole-induced agranulocytosis in patients with Graves' disease. *Endocr J* 2007; **54**: (1) 39
- Williams AN, Kelso JM. Scripps Clin, Div Allergy Asthma & Immunol, San Diego, Ca, USA. Radiocontrast-induced anaphylaxis despite pretreatment and use of isoosmolar contrast (Letter). *Ann Allergy Asthma Immunol* 2007; **99**: (5) 467
- Woodard PK, Goodman LR, Weg JG, Stein PD*. *Washington Univ Sch Med, Mallinckrodt Inst Radiol, St Louis, Mo 63130, USA. Management of patients with history of adverse effects to contrast media when pulmonary artery CT angiography is required (Reply). *Radiology* 2007; **245**: (3) 919