

## Erratum to: Response to: Nano-Surface Implants: Indications and Limitations

Marcos Sforza, MD<sup>o</sup>; Giovanni Botti, MD; Per Hedén, MD, PhD; Renato Zacheddu, MD; Alexandre Mendonça Munhoz, MD, PhD; Federico Mayo, MD; Brian M. Kinney, MD; Dennis C. Hammond, MD; Niamh Corduff, MD; Humberto Uribe Morelli, MD; Demetris Stavrou, MD; and Jesús Centeno, MD

Aesthetic Surgery Journal  
2021, Vol 41(8) 984

© 2021 The Aesthetic Society.

This is an Open Access article distributed under the terms of the Creative Commons Attribution-NonCommercial License (<http://creativecommons.org/licenses/by-nc/4.0/>), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is properly cited.

For commercial re-use, please contact [journals.permissions@oup.com](mailto:journals.permissions@oup.com)

DOI: 10.1093/asj/sjab188

[www.aestheticsurgeryjournal.com](http://www.aestheticsurgeryjournal.com)

**OXFORD**  
UNIVERSITY PRESS

In the Letter to the Editor entitled “Response to: Nano-Surface Implants: Indications and Limitations” by Sforza et al that was published online in *Aesthetic Surgery Journal* on March 10, 2021, <https://doi.org/10.1093/asj/sjaa297>, we listed: “Dr Chacón Quirós, MD is CEO and Founder, Establishment Labs.” It should have read: “Manuel Chacón-Quirós, MD is a plastic surgeon specialist in private practice in San José,

Costa Rica and is the brother of Mr. Juan José Chacón-Quirós, CEO and Founder, Establishment Labs.” We regret the error. At the request of Ana L. Jaen Chacón, Compliance and Privacy Officer for Establishment Labs, and with the permission of Dr. Manuel Chacón-Quirós and consent of all other co-authors, as required per COPE guidelines, Dr. Manuel Chacón-Quirós’ name has been removed as co-author.