#### **MALPRACTICE**



# Medical disciplinary jurisprudence in alleged malpractice in radiology: 10-year Dutch experience

Robert M. Kwee<sup>1</sup> • Thomas C. Kwee<sup>2</sup>

Received: 23 October 2019 / Revised: 9 January 2020 / Accepted: 28 January 2020 / Published online: 17 February 2020 © The Author(s) 2020

#### **Abstract**

**Purpose** To systematically investigate the frequency and types of allegations related to radiology practice handled by the Dutch Medical Disciplinary Court in the past 10 years.

**Methods** The Dutch Medical Disciplinary Court database was searched for verdicts concerning radiology practice between 2010 and 2019. The association between the number of verdicts and time (years) was assessed by Spearman's rho. Other data were summarized using descriptive statistics.

**Results** There were 48 verdicts (mean 4.8 per year). There was no significant association between the number of verdicts and time (Spearman's rho < 0.001, p = 0.99). Most allegations were in breast imaging and musculoskeletal radiology (each 18.8%), followed by interventional radiology, head and neck imaging, and abdominal imaging (each 12.5%), neuroradiology and vascular imaging (each 10.4%), and chest imaging (4.2%). There were 46 allegations against radiologists (95.8%) and 2 against residents (4.2%). The most common allegation (37.5%) was error in diagnosis. In 20.8% of verdicts, the allegation was judged (partially) founded; disciplinary measures were warnings (n = 8) and reprimands (n = 2). An appeal was submitted by the patient in 11 cases and by the radiologist in 3 cases. All appeals by patients were rejected, whereas 2 of the 3 appeals by radiologists were granted and previously imposed disciplinary measures were reversed.

**Conclusion** Allegations against radiologists at the Dutch Medical Disciplinary Court are relatively few, their number has remained stable over the past 10 years, and a minority were judged to be (partially) founded. We can learn from the cases presented in this article, which may improve patient care.

#### **Key Points**

- The frequency of allegations against radiologists at the Dutch Medical Disciplinary Court is relatively low and has not exhibited any temporal change over the past 10 years.
- These allegations reflect patient dissatisfaction, but this infrequently equals malpractice.
- Knowledge of the circumstances under which these allegations have arisen may improve patient care.

Keywords Medical errors · Diagnostic errors · Malpractice · Radiology · Jurisprudence

#### **Abbreviations**

UK United KingdomUSA United States of America

- ☐ Thomas C. Kwee thomaskwee@gmail.com
- Department of Radiology, Zuyderland Medical Center, Heerlen/ Sittard/Geleen, The Netherlands
- Department of Radiology, Nuclear Medicine and Molecular Imaging, University Medical Center Groningen, University of Groningen, Hanzeplein 1, P.O. Box 30.001, 9700 RB Groningen, The Netherlands

## Introduction

Radiology is one of the medical specialties with the highest number of malpractice suits in the USA [1]. The likelihood of a radiologist in the USA being the defendant in at least one suit is 50% by age 60 [2]. It can be expected that the number of malpractice suits will further increase [3, 4]. Data from the USA show that diagnostic errors are by far the most common cause of malpractice suits, whereas failure to communicate and failure to recommend additional testing are both uncommon reasons for initiating a suit [1, 5]. There are relatively few published data regarding malpractice suits against radiologists in Europe [6, 7] compared with those against radiologists in



the USA [1, 2, 5, 8–17]. The medical disciplinary law system in The Netherlands is unique and essentially different from a medical malpractice claim system, because its main objective is to maintain and improve the quality of healthcare rather than punishing healthcare professionals and/or financially compensating patients [18, 19]. In addition, patients can allege healthcare professionals without proceeding to civil court or insurance claims. To our knowledge, verdicts by the Dutch Medical Disciplinary Court related to radiology practice have not been systematically investigated yet. In addition, it is still unknown if the frequency of patient allegations has remained stable or if it has changed over the years. This information may be helpful to radiologists to improve the care they provide to their patients, and to prevent patient dissatisfaction and allegations. Furthermore, this experience may be valuable to governmental bodies and healthcare policy makers in other countries who wish to reform their medical disciplinary law system from a malpractice claim system into a system akin the Dutch. Therefore, the objective of our study was to systematically investigate the frequency and types of allegations related to radiology practice handled by the Dutch Medical Disciplinary Court in the past 10 years.

## **Methods**

The online database of the Dutch Medical Disciplinary Court is publicly available and all data are anonymized. Therefore, ethics committee approval was not applicable for this study.

#### **Data collection**

The database of the Dutch Medical Disciplinary Court (https://tuchtrecht.overheid.nl/nieuw/gezondheidszorg) was searched for verdicts published in the past 10 years (2010–2019). All cases handled by this institute (which consists of independent medical and legal experts) are published in detail online 1 day after the verdict. Only verdicts concerning allegations against radiologists or radiology residents were selected and included in the present study. Verdicts concerning allegations which were not directly related to radiology practice (such as private affairs or non-radiological work) were excluded.

# Data extraction and analysis

The following data were extracted for each verdict: radiological subspecialty, whether a radiologist or resident was alleged, number of days between date of filing the allegation and date of the verdict, the type of allegation, the verdict, the type of disciplinary measure (Table 1), if the allegation was judged to be (partially) founded, and whether there was an appeal against the verdict. In order to determine whether the number of verdicts has either increased or remained stable over time, we calculated Spearman's rho between the number

 Table 1
 Disciplinary measures which can be imposed by the Dutch

 Medical Disciplinary Court, in order of severity

- 1. Warning\*
- 2. Reprimand#
- 3. Monetary fine up to a maximum of 4.500 €
- 4. Suspension for a maximum of 1 year
- 5. Partial prohibition to practice
- 6. Total prohibition to practice
- \*A warning represents the lightest measure: it is a reproof for misconduct (but not for culpable negligence) and has no direct consequences to the healthcare professional. A warning is neither published in the publicly available Dutch registry for healthcare professionals nor in a local newspaper
- <sup>#</sup> A reprimand represents a more severe measure: it is a reproof for culpable negligence. A reprimand is published in the Dutch registry for healthcare professionals and will be available for 5 years. Furthermore, a reprimand may be published in a local newspaper, if decided upon by the Dutch Medical Disciplinary Court

of verdicts and time (years). Other data were summarized using descriptive statistics. In cases in which the allegation was judged (partially) founded, we determined (potential) causes that have led to error/malpractice [20, 21].

#### Results

There were 52 verdicts. Four verdicts were excluded, because they were not directly related to radiology practice. Eventually, 48 verdicts were included (Table 2). There was no significant association between the number of verdicts and time (Spearman's rho < 0.001, p = 0.99) (Fig. 1a). Most allegations were in breast imaging and musculoskeletal radiology (each 18.8%), followed by interventional radiology, head and neck imaging, and abdominal imaging (each 12.5%), neuroradiology and vascular imaging (each 10.4%), and chest imaging (4.2%) (Fig. 1b). There were 46 allegations against radiologists (95.8%) and 2 allegations against residents (4.2%) (Fig. 1c). The most common allegation was error in diagnosis (19/48 cases, 39.6%). In 10/48 verdicts (20.8%), the allegation was judged (partially) founded; disciplinary measures were warnings (n = 8) and reprimands (n = 2) (Fig. 1d). All 11 appeals by patients were rejected, whereas 2 of 3 appeals by radiologists were granted and the previously imposed disciplinary measures were reversed. (Potential) causes leading to error/malpractice in cases in which the allegation was judged (partially) founded are displayed in Table 3.

# **Discussion**

The results of our study show that the Dutch Medical Disciplinary Court handles a mean of 4.8 allegations against



Eur Radiol (2020) 30:3507-3515 3509

Yes, rejected Yes, granted Yes, rejected Yes, rejected Yes, rejected Yes, rejected Appeal and Yes, rejected Disciplinary Reprimand Reprimand measure Unfounded Infounded Unfounded Unfounded Unfounded Infounded Unfounded Unfounded Unfounded Unfounded founded Unfounded Unfounded Founded Partially Verdict Use of attorney by defendant during court session Yes S<sub>N</sub> Yes ှိ နိ by patient during Use of attorney court session No Yes Yes Yes Yes Yes Yes Š Š Š Š ž Š railure to verbally communicate emergent critical Failure to directly communicate a critical finding to Incorrect doctor-patient interaction, incorrect use of Error in diagnosis and incorrect reporting, failure to Performing additional angiographic recordings and Failure to build a good doctor-patient relationship, patient, and making agreements with colleagues contrast agent, insufficient attention for patient's reports, and making agreements with colleagues build a good doctor-patient relationship, refusal agreements with colleagues to make an incorrect contrast medium, adjustment of initial radiology to make an incorrect conclusion about the MRI Summary of verdicts against radiologists by the Dutch Medical Disciplinary Court between 2010 and 2019 to make an incorrect conclusion about the MRI complaint against the radiologist at the hospital patient refused to undergo mammography, and equipment, and failure to respond to the initial compression of the arterial access site, and no inappropriate action when patient felt unwell Providing incorrect information to the referring not aborting the procedure, incorrect manual patient to a surgeon, incorrect reporting that report, failure to build a good doctor-patient physician and failure to detect the patient's to discuss radiological reports, and making relationship, refusal to discuss radiological Failure to perform mammography or to refer refusal to discuss radiological reports with Providing insufficient information about oral allergy to iodinated contrast medium, and Not receiving the result of breast screening ncorrect interpretation, use of insufficient findings to the referring physician conclusion about the MRI scans show after the procedure the referring physician coagulation disorder error in diagnosis Error in diagnosis mammogram Allegations' filing allegation Days between and verdict 470 526 436 370 504 406 277 489 364 365 365 365 432 4 Radiologist Radiologist Radiologist Defendant Radiologist Musculoskeletal Head and neck Head and neck Head and neck Interventional Year of Subspecialty Abdomen Abdomen Vascular Vascular Breast Breast Breast Breast Chest verdict 2010 2010 2011\* 2011\* 2012 2012 2010 2011 2011 2011 2011 Case no. Table 2 10 12 13 11 6 9



Table 2 (c	(continued)									
Case no.	Year of verdict	Subspecialty	Defendant	Days between filing allegation and verdict	Allegations^	Use of attorney by patient during court session	Use of attorney by defendant during court session	Verdict	Disciplinary measure	Appeal and result
15 16	2012 2012	Abdomen Breast	Radiologist Radiologist	370 259	Error in diagnosis  Providing incorrect information about radiologic findings, failure to refer patient to the GP, and failure to instruct patient to return in case of	Yes Yes	Yes No	Unfounded		
17	2013 2013	Breast Breast	Resident Radiologist	206 206	grownt of the oreast tump  Error in diagnosis  Error in diagnosis or insufficiently defending  correct radiologic findings in multidisciplinary	No No	Yes Yes	Unfounded Partially founded	Warning	
19	2013	Head and neck Abdomen	Radiologist Radiologist	396	ream meeting Refusal to give a second opinion and not referring the case to a colleague Firor in diagnosis and failure to contact colleagues	o Z	Yes	Unfounded		Yes, rejected
21 22 23	2014 2014 2014	Neuro Head and neck Abdomen	Radiologist Radiologist Radiologist	565 344 236	from another hospital Wrong body part scanned Error in diagnosis and failure to have a final conversation with the patient Error in diagnosis	No Yes	Yes No Yes	Unfounded Partially founded Unfounded	Warning	
24	2014	Musculoskeletal	Radiologist	171	Failure to check INR, failure to perform angiography, and persisting in wait-and-see policy	Yes	Yes	Unfounded		
25 26 27	2014 2015 2015	Neuro Musculoskeletal# Musculoskeletal#	Radiologist Radiologist Radiologist	244 85 85	Forgery Error in diagnosis Error in diagnosis	% % % % % % % % % % % % % % % % % % %	Yes Yes Yes	Unfounded Unfounded Unfounded		Yes, rejected Yes, rejected Yes, rejected
28 29 30 31 32	2013 2016 2016 2016 2016	Musculoskeletal Musculoskeletal Interventional Vascular Chest	Radiologist Radiologist Radiologist Radiologist	83 399 163 325 181	Breach of doctor-patient confidentiality  Failure to obtain informed consent, treatment error, and leaving the patient alone after the procedure Failure to propose urgent CT Failure to adequately communicate a critical	No Yes Yes	Yes Yes Yes	Unfounded Partially founded Unfounded	Warning	res, rejected
33	2017	Interventional	Radiologist	224	Lack of informed consent, treatment error, and providing insufficient information about the providing insufficient information about the	Yes	Yes	Unfounded		Yes, rejected
34	2017	Interventional	Radiologist	385	Part of the treatment performed by an inexperienced resident, treatment error, and treatment elay affer occurrence of complication	No No	Yes	Partially founded	Warning	Yes, granted
35	2017	Neuro	Radiologist	336	Error in diagnosis, failure to consult colleagues, failure to ask for external expertise, and failure to discuss with the referring physician and in the neuroradiology meeting	No	Yes	Partially founded	Warning	
36	2017	Abdomen	Radiologist	272	Failure to take medical history and physical examination, incomplete examination, and incorrect interpretation	No	Yes	Unfounded		



7	3
Œ	S
=	3
2	=
٠ź	3
-	3
5	5
5	5
~	٥
•	1
₫	۵
-	
_	2

Table 2	Table 2 (continued)	0								
Case no.	Year of verdict	Subspecialty	Defendant	Days between filing allegation and verdict	Allegations^	Use of attorney by patient during court session	Use of attorney by defendant during court session	Verdict	Disciplinary measure	Appeal and result
37	2017	Vascular	Resident	244	Failure to directly consult a vascular surgeon and	No	Yes	Unfounded		
38	2017	Vascular	Radiologist	244	Failure to directly consult a vascular surgeon and failure to immediately homitalize the ration	No	Yes	Founded	Warning	
39	2018	Musculoskeletal	Radiologist	336	Janure to infinediately nospitatize the patient Failing to determine preprocedural INR,	Yes	Yes	Unfounded		
			)		care lessness in performing the procedure, insufficient aftercare, failure to ensure patient safety, incomplete and careless reporting, providing incomplete medical file, and breach of modical segment.					
40	2018	Breast	Radiologist	151	Error in diagnosis	No	Yes	Unfounded		
41	2018	Breast	Radiologist	151	Error in diagnosis	No	Yes	Unfounded		
42	2018	Musculoskeletal	Radiologist	195	Not taking care of wheelchair transport for the patient	No	No	Unfounded		
43	2018	Musculoskeletal	Radiologist	168	Error in diagnosis, failure to recommend additional imaging, and failure to add an addendum and to inform the referring physician after being aware of initial incorrect	No	Yes	Partially founded	Warning	
4 <del>4</del>	2019	Neuro	Radiologist	196	Communication of erroneous preliminary findings and failure to communicate the results of the	No	No	Unfounded		
45	2019	Nenro	Radiologist	196	final report to the reterring physician Communication of erroneous preliminary findings	Ž	Yes	Unfounded		
			0		and failure to communicate the results of the final report to the referring physician					
46	2019	Interventional	Radiologist	277	Treatment error	No	Yes	Unfounded		
47	2019	Interventional	Radiologist	175	Insufficient preprocedural information, treatment error, and treatment delay after occurrence of complication <sup>®</sup>	No	Yes	Partially founded <sup>@</sup>	Warning	
84	2019	Head and neck	Radiologist	370	Purposefully withholding and manipulating medical data, and using these manipulated medical data in the radiology report	No	No	Unfounded		

\*Same case

\* Same case

^Allegations which were judged to be founded by the Dutch Medical Disciplinary Court at the initial verdict are italicized

<sup>®</sup> The allegations by the patient were judged to be unfounded. However, the Dutch Medical Disciplinary Court judged that the radiologist made an incorrect interpretation




Fig. 1 Number of verdicts by the Dutch Medical Disciplinary Court for each year between 2010 and 2019 (a), number of allegations per subspecialty (b), number of allegations against radiologists and

residents ( $\mathbf{c}$ ), and types of disciplinary measures for the 10 verdicts in which the allegation was judged (partially) founded by the Dutch Medical Disciplinary Court ( $\mathbf{d}$ )

radiologists related to radiology practice per year, and that this frequency has remained stable over the past 10 years. A mean of 4.8 allegations per year can be considered few, given that the mean number of cases against all Dutch health care professionals is 1709 per year [22] and that there are nearly as much as 1300 regular registered radiologists in The Netherlands at present [23]. There is no real financial obstacle or risk for a patient to file an allegation against a health care professional at the Dutch Medical Disciplinary Court. Patients can file an allegation for a total amount of 50 €, which will be refunded if the allegation is judged to be (partially) founded [24]. This very much contrasts with the civil court in The Netherlands, where the costs of the lawsuit process and the legal fees of the winning party have to be paid by the losing party if decided by the judge [25]. The relatively low number of allegations against radiologists filed at the Dutch Medical Disciplinary Court may be explained because there is not a real compensation culture in The Netherlands yet. One may also speculate that individual healthcare institutions handle a lot of patient complaints by themselves, which could reduce or avoid the number of allegations filed at the Dutch Medical Disciplinary Court. However, written complaints regarding radiological procedures in The Netherlands are also relatively few (14.4 per 100,000 radiological procedures) [26]. Therefore, the relatively low number of allegations may also indicate an overall high quality of radiology practice in The Netherlands. Accordingly, The Netherlands is frequently ranked as having one of the best healthcare systems in Europe [27].

A minority of allegations were judged to be (partially) founded. The Dutch Medical Disciplinary Court imposed 8 warnings and 2 reprimands to radiologists in the past 10 years (of which two were rejected after appeal). These disciplinary measures are the lowest penalties which can be imposed by the Dutch Medical Disciplinary Court. However, the impact of the disciplinary process and the measures itself should not be underestimated. Alleged healthcare professionals describe feelings of misery and insecurity both during the process as in its aftermath, and they fear receiving new complaints and provide care more cautiously after the imposed measure [28, 29]. This in turn may lead to defensive medicine, which is an important contributor to healthcare costs without adding any benefit to patients [30–33].

Error in diagnosis was the most common allegation (39.6%) filed at the Dutch Medical Disciplinary Court and most allegations were in the subspecialties breast imaging and musculoskeletal radiology. These findings are in



Eur Radiol (2020) 30:3507-3515 3513

Table 3 Potential causes leading to error and malpractice in 8 cases in which the allegation was judged (partially) founded by the Dutch Medical Disciplinary Court

Practical strategies to avoid error and malpractice#	Cases with (potential) failure
Practice within the limits of one's expertise	
Use clinical information	
Obtain informed consent for invasive procedures	<ul> <li>Case 30 (failure to obtain informed consent before bronchial artery embolization procedure, which was complicated by inadvertent embolization of a spinal artery)</li> </ul>
Stick to search patterns and know blind spots	- Case 18 (missed skin invasion in breast cancer)
Diligently review the entire study	- Case 22 (missed retropharyngeal abscess)
Double check known problem areas	- Case 35 (missed cerebral peduncle infarction)
Avoid heuristics (particularly satisfaction of search, bias from context or prevalence, and anchoring to	- Case 43 (missed volar intercalated segmental instability)
provided information)	- Case 47 (missed contrast extravasation after
Be wary of inattentional blindness	endovascular treatment of popliteal artery
Do not rush a difficult case if is not overly time sensitive	occlusion)
Use differential diagnosis	- Case 5 (breast carcinoma interpreted as lipoma)
Consult liberally with colleagues, especially in case of doubt	- May apply to all cases
The report should be clear and concise	
If colleagues were consulted, reference that in the report	
Recommend appropriate follow-up studies or recommendations	<ul> <li>Case 38 (failure to provide immediate care for a patient with pending rupture of a large iliac artery aneurysm)</li> </ul>
Use disclaimers where appropriate	
Proofread reports	- Case 5 (incorrectness in the report: incorrectly stating that patient refused to undergo imaging)
Communication needs to be timely, appropriate, and documented	<ul> <li>Case 38 (failure to immediately consult a vascular surgeon for a patient with pending rupture of an iliac artery aneurysm)</li> </ul>
	- Case 43 (failure to add an addendum and to inform the referring physician after being aware of initially missed volar intercalated segmental instability)

In two cases (cases 6 and 34), the appeal against the initial verdict was granted and the previously imposed disciplinary measures were reversed; these two cases are not included in this table

accordance with previous studies on medical malpractice suits in the USA [1, 34], the UK [6], and Italy [7]. Errors are common, with an estimated day-to-day rate of 3–5% of radiology studies reported [35]. Radiologist reporting performance cannot be perfect, and some errors are inevitable [35]. However, there are strategies to avoid error and malpractice and we can learn from our mistakes (see Table 3). We also refer to the informative medicolegal series by L. Berlin, which have been published in the *American Journal of Roentgenology* in the past years [36]. We further note that radiologists should think about the consequences of error and malpractice in the context of the trend of using artificial intelligence. However, the question of "who is responsible for the diagnosis" when using artificial intelligence (being it either data scientists, manufacturers, and/or radiologists) remains to be answered [37].

Our study has some limitations. First, because our study included only data from The Netherlands, it is not sure

whether our results are generalizable to other (European) countries, which have different law systems. Notably, a study which was published in 2010 showed a much higher risk of medical malpractice litigation for Italian radiologists, which was comparable to that for radiologists in the USA [7].

Italy, however, may be an exception among European countries [38]. Second, we only included data from the Dutch Medical Disciplinary Court. Because patients may also proceed to the civil court where they can file an allegation in parallel or separately from the Dutch Medical Disciplinary Court, the number of all official allegations may be underestimated. However, it was not possible to perform an unbiased research of civil court data, because only a selected part of civil court verdicts are publicly published [39]. Furthermore, the Dutch Medical Disciplinary Court essentially differs from civil court in that its main objective is to maintain and improve the quality of healthcare rather than punishing healthcare professionals.



<sup>\*</sup>Largely adopted from references [20] and [21]

Third, we did not investigate the amount of time and attorney costs (83.3% used an attorney during the court session) spent by defendants. Fourth, we did not investigate the psychological impact of disciplinary measures on radiologists and whether these disciplinary measures achieved their primary goal: to maintain and improve the quality of healthcare. The systematic presentation of cases in this article may further contribute to the quality of radiology practice in general.

In conclusion, allegations against radiologist at the Dutch Medical Disciplinary Court are relatively few, their number has remained stable over the past 10 years, and a minority were judged to be (partially) founded. We can learn from the cases presented in this article, which may improve patient care.

Funding information The authors state that this work has not received any funding.

# Compliance with ethical standards

Guarantor The scientific guarantor of this publication is Robert M. Kwee.

**Conflict of interest** The authors of this manuscript declare no relationships with any companies whose products or services may be related to the subject matter of the article.

**Statistics and biometry** No complex statistical methods were necessary for this paper.

**Informed consent** Informed consent was not applicable for this study.

**Ethical approval** Ethics committee approval was not applicable for this study.

#### Methodology

- Retrospective
- Observational
- · Multicenter study

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <a href="https://creativecommons.org/licenses/by/4.0/">https://creativecommons.org/licenses/by/4.0/</a>.

# References

 Whang JS, Baker SR, Patel R, Luk L, Castro A 3rd (2013) The causes of medical malpractice suits against radiologists in the United States. Radiology 266:548–554

- Baker SR, Whang JS, Luk L, Clarkin KS, Castro A 3rd, Patel R (2013) The demography of medical malpractice suits against radiologists. Radiology 266:539–547
- Bonetti M, Cirillo P, Musile Tanzi P, Trinchero E (2016) An analysis of the number of medical malpractice claims and their amounts. PLoS One 11:e0153362
- Klemann DMTV, Mertens HJMM, van Merode GG (2018) More and higher claims for damages: analysis of claims for damages in Dutch hospital care 2007-2016. Ned Tijdschr Geneeskd 162:D2279
- Harvey HD, Tomov E, Babayan A et al (2016) Radiology malpractice claims in the United States from 2008 to 2012: characteristics and implications. J Am Coll Radiol 13:124–130
- Halpin SF (2009) Medico-legal claims against English radiologists: 1995-2006. Br J Radiol 82:982–988
- Fileni A, Magnavita N, Mirk P, Iavicoli I, Magnavita G, Bergamaschi A (2010) Radiologic malpractice litigation risk in Italy: an observational study over a 14-year period. AJR Am J Roentgenol 194:1040–1046
- Hamer MM, Morlock F, Foley HT, Ros PR (1987) Medical malpractice in diagnostic radiology: claims, compensation, and patient injury. Radiology 164:263–266
- Royal SA, Cloud GA, Atchison WM (1994) Malpractice in pediatric radiology: a survey in the United States and Canada. Pediatr Radiol 24:519–522
- Berlin L, Berlin JW (1995) Malpractice and radiologists in Cook County, IL: trends in 20 years of litigation. AJR Am J Roentgenol 165:781–788
- Barloon TJ, Shumway J (1995) Medical malpractice involving radiologic colon examinations: a review of 38 recent cases. AJR Am J Roentgenol 165:343–346
- Baker SR, Patel RH, Yang L, Lelkes VM, Castro A 3rd (2013) Malpractice suits in chest radiology: an evaluation of the histories of 8265 radiologists. J Thorac Imaging 28:388–391
- Baker SR, Lelkes V, Patel RH, Castro A 3rd, Sarmast U, Whang J (2013) Spinal-related malpractice suits against radiologists in the USA-rates, anatomic location, percent of adverse judgments, and average payments. Emerg Radiol 20:513–516
- Baker SR, Patel RH, Lelkes V, Castro A 3rd, Sarmast U, Whang J (2014) Non-spinal musculoskeletal malpractice suits against radiologists in the USA - rates, anatomic locations, and payments in a survey of 8,265 radiologists. Emerg Radiol 21:29–34
- Baker SR, Shah S, Ghosh S, Castro A (2015) Radiology medical malpractice suits in gastrointestinal radiology: prevalence, causes, and outcomes. Emerg Radiol 22:141–145
- Breen MA, Dwyer K, Yu-Moe W, Taylor GA (2017) Pediatric radiology malpractice claims - characteristics and comparison to adult radiology claims. Pediatr Radiol 47:808–816
- Baker SR, Pentakota SR, Hubbi B (2018) Breast radiology malpractice suits: characteristics of frequency and outcomes- national and statewide distinctions. Breast J 24:360–364
- 18. https://www.tuchtcollege-gezondheidszorg.nl/ Accessed 22 Oct 2019
- Alhafaji FY, Frederiks BJ, Legemaate J (2009) The Dutch system of handling complaints in health care. Med Law 28:241–255
- Raskin MM (2006) Survival strategies for radiology: some practical tips on how to reduce the risk of being sued and losing. J Am Coll Radiol 3:689–693
- Mezrich JL (2019) Hiding in the hedges: tips to minimize your malpractice risks as a radiologist. AJR Am J Roentgenol 5:1–5
- https://www.tuchtcollege-gezondheidszorg.nl/over-detuchtcolleges/jaarcijfers-tuchtcolleges/jaarcijfers-2017/regionaletuchtcolleges/overzicht-klachten-2013%2D%2D-2017 Accessed 22 Oct 2019
- 23. https://www.radiologen.nl/nvvr Accessed 22 Oct 2019
- https://www.tuchtcollege-gezondheidszorg.nl/ik-heb-een-klacht Accessed 22 Oct 2019



https://wetten.overheid.nl/BWBR0001827/2015-07-01 Accessed
 Oct 2019

- van den Berg PF, Yakar D, Glaudemans AWJM, Dierckx RAJO, Kwee TC (2019) Patient complaints in radiology: 9-year experience at a European tertiary care center. Eur Radiol 29:5395–5402
- Euro Health Consumer Index 2018. Available via https:// healthpowerhouse.com/publications/#200118 Accessed 22 Oct 2019
- Verhoef LM, Weenink JW, Winters S, Robben PB, Westert GP, Kool RB (2015) The disciplined healthcare professional: a qualitative interview study on the impact of the disciplinary process and imposed measures in the Netherlands. BMJ Open 5:e009275
- Laarman BS, Bouwman RJ, de Veer AJ, Hendriks M, Friele RD (2019) How do doctors in the Netherlands perceive the impact of disciplinary procedures and disclosure of disciplinary measures on their professional practice, health and career opportunities? A questionnaire among medical doctors who received a disciplinary measure. BMJ Open 9:e023576
- Studdert DM, Mello MM, Sage WM et al (2005) Defensive medicine among high-risk specialist physicians in a volatile malpractice environment. JAMA 293:2609–2617
- Panella M, Rinaldi C, Leigheb F et al (2017) Prevalence and costs of defensive medicine: a national survey of Italian physicians. J Health Serv Res Policy 22:211–217

- Reschovsky JD, Saiontz-Martinez CB (2018) Malpractice claim fears and the costs of treating Medicare patients: a new approach to estimating the costs of defensive medicine. Health Serv Res 53: 1498–1516
- Vento S, Cainelli F, Vallone A (2018) Defensive medicine: it is time to finally slow down an epidemic. World J Clin Cases 6:406–409
- Siegal D, Stratchko LM, DeRoo C (2017) The role of radiology in diagnostic error: a medical malpractice claims review. Diagnosis (Berl) 4:125–131
- Brady AP (2017) Error and discrepancy in radiology: inevitable or avoidable? Insights Imaging 8:171–182
- 36. https://www.ajronline.org/topic/mls Accessed 15 Dec 2019
- European Society of Radiology (ESR) (2019) What the radiologist should know about artificial intelligence - an ESR white paper. Insights Imaging 10:44
- Traina F (2009) Medical malpractice: the experience in Italy. Clin Orthop Relat Res 467:434

  –442
- 39. https://uitspraken.rechtspraak.nl/ Accessed 22 Oct 2019

**Publisher's note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

