



Three-Dimensional Physical Model in Urologic Cancer

Yu Xie^{1,2}, Guanlin Wu³, Yu Liang¹ and Gang Fan^{4,5*}

¹ Department of Urology, Hunan Cancer Hospital, The Affiliated Cancer Hospital of Xiangya School of Medicine, Central South University and the Clinical Research Center for Renal Tumor in Hunan Province, Changsha, China, ² The Clinical Research Center for Renal Tumor in Hunan Province, The Hunan Cancer Hospital and the Hunan Provincial Science and Technology Department, Central South University, Changsha, China, ³ Department of Pathology, School of Basic Medical Sciences, Fudan University, Shanghai, China, ⁴ Department of Urology, Huazhong University of Science and Technology Union Shenzhen Hospital, Shenzhen, China, ⁵ The 6th Affiliated Hospital of Shenzhen University Health Science Center, Shenzhen, China

Three-dimensional (3D) printing, as an evolving technology, enables the creation of patient-specific physical models with high precision; thus, it is widely used in various clinical practices, especially urologic cancer. There is an increasing need to clarify the contribution of 3D printing in the practice of urological cancer in order to identify various applications and improve understanding its benefits and challenges in clinical practice. Researches have focused on the use of 3D-printed models in patient and trainee education, surgical simulation, as well as surgical planning and guidance. This mini review will present the most recently published studies on the topic, including the applications of 3D-printed models, feasibility of performed procedures, possible simulated organs, application outcomes, and challenges involved in urologic cancer, to provide potential directions for future research.

OPEN ACCESS

Edited by:

Clemens Mathias Rosenbaum,
Asklepios Klinik Barmbek, Germany

Reviewed by:

Andreas Bruchbacher,
Asklepios Klinik Barmbek, Germany
Matthieu Peycelon,
Hôpital Robert Debré, France

*Correspondence:

Gang Fan
gang.fan.med@qq.com

Specialty section:

This article was submitted to
Genitourinary Surgery,
a section of the journal
Frontiers in Surgery

Received: 04 November 2021

Accepted: 14 March 2022

Published: 25 May 2022

Citation:

Xie Y, Wu G, Liang Y and Fan G (2022)
Three-Dimensional Physical Model in
Urologic Cancer.
Front. Surg. 9:757337.
doi: 10.3389/fsurg.2022.757337

Keywords: three-dimensional printing (3D printing), urologic cancer, surgical planning and simulation, patient counseling, surgical education

INTRODUCTION

3D printing technology, an emerging technology, is based on computer graphic data overlaying specific materials to create any shape of products. One of the most common printing methods is Fused Deposition Modeling (FDM)-that is, FDM builds structures by depositing material, like plastic, acrylonitrile butadiene styrene, polylactic acid, layer by layer (1). The technology bridges the gap between two-dimensional (2D) imaging and realistic anatomy, providing a more tangible method for the evaluation and comprehension of pathology (2). Thus, it has the potential to be increasingly important inpatient counseling (3), and in the training of residents and students (4, 5), as well as in surgical decision making and planning for complicated conditions and procedures (6).

This review aims to give an overview of the role of 3D-printed models currently used in urologic cancer, especially in renal cancer, bladder cancer, prostate cancer, and to explore future directions of research in this field.

METHODS

A systematic search was conducted in the electronic databases PubMed and Embase, and all relevant articles were published in English from their starting dates to June 2021 (Table 1). The search strategy used the following keywords relating to the 3D physical model printing (e.g., three-dimensional printing, 3D printing, 3D printed, 3D physical reconstruction, 3D model) in combination with urologic cancer (e.g. adrenal cancer, kidney cancer, urethral tumor, bladder

TABLE 1 | Three-dimensional physical model in urologic cancer research.

Urologic cancer	Applications	Procedure	Conclusions	References
Renal cancer	Patient counseling	PN, LPN, RAPN, Cryoablation	Improve understanding of anatomy and the planned surgical procedure	(3, 16–19)
	Anatomical education	Anatomy, surgical processes	Improve understanding of anatomy	(5, 20)
	Surgical simulation	PN, LPN, RAPN	Can be as patient-specific surgical simulation tools; improve of surgical outcomes and robotic simulation education	(19, 21, 22)
	Surgical planning	PN, LPN, RAPN, Cryoablation	Reduction in estimated blood loss and warm ischemia time	(6, 8, 19, 22, 23)
	Surgical guidance	PN, LPN, RAPN, Cryoablation	Reduction in estimated blood loss and warm ischemia time	(6, 8, 23, 24)
Adrenal cancer	Surgical simulation	PA	Useful for understanding the patient's surgical anatomy	(25)
	Surgical planning	PA	Useful for planning the surgical procedures	(25, 26)
	Surgical guidance	PA	Useful for estimation of the remnant gland volume	(26)
Bladder cancer	Anatomical education	Anatomy, surgical processes	improved understanding of anatomy and surgical processes; improved student satisfaction with surgical training	(10)
	Surgical simulation	TURBT, UVA	Serve as a realistic platform for the medical training	(11, 27)
	Surgical outcome evaluation	Neobladder construction	Could be optional for surgical post-op evaluation	(13)
Prostate cancer	Patient counseling	RP, RARP, focal ablative therapy	improved understanding of anatomy, disease, tumor characteristics, and surgical procedure	(16, 18)
	Anatomical education	Prostate anatomy	Provided better orientation guide	(14)
	Surgical simulation	RP, RP (UVA), RARP, brachytherapy	Develop and build confidence in procedural skills	(22, 28–30)
	Surgical planning	RP, RARP, brachytherapy, Prostate biopsy	May improve prostatectomy outcome; educed missed detection in high-risk prostate cancer	(15, 31, 32)
	Surgical guidance	RARP	May improve prostatectomy outcome	(15)

PN, partial nephrectomy; LPN, laparoscopic partial nephrectomy; RAPN, robot-assisted partial nephrectomy; PA, partial adrenalectomy; TURBT, transurethral resection of bladder tumor; UVA, ureterovesical anastomosis; RP, radical prostatectomy; RARP, robot-assisted radical prostatectomy; NS-RARP, nerve-sparing robot-assisted laparoscopic radical prostatectomy; UUA, vesicourethral anastomosis.

cancer, prostate cancer, testicular cancer). All identified abstracts were carefully reviewed by two investigators (Y.X. and G.W.) independently for eligibility. The enrolled articles were excluded as follows: (i) 3D imaging reconstruction; (ii) 3D cell cultured system; and (iii) 3D printing in bioengineering. If the two investigators disagreed about the eligibility of an article, it was resolved by consensus with a third reviewer (G.F.). For the eligible articles included in this study, data were also extracted by two reviewers (G.W. and Y.L.), who reached a consensus on all of the data extraction items.

THE APPLICATIONS OF 3D PRINTING IN CLINICAL PRACTICE

Patient Counseling

Many patients have a limited understanding or even misunderstanding of their disease because of the limitation of anatomical knowledge and the complex anatomy. 3D

models with both realistic anatomy and texture derived from imaging data could lead to a major paradigm shift in the way of patient-physician communication and patient counseling, thus improved patients' understanding of organ physiology, anatomy, tumor characteristics, and surgical procedure based on answers to questionnaires before and after being shown the 3D-printed models, and result in supervisory treatment choices to patients (3).

Anatomical and Surgical Education

Understanding anatomical pathology is critical and challenging to clinical education. 3D-printed models, which can reveal the anatomical relationships of organs and their surrounding tissues (Figure 1A), are intuitive and facilitate knowledge acquisition of anatomy, as well as surgical procedure-learning among medical students and junior trainees. Providing students/trainees with 3D physical models was found to be superior to all forms of 2D anatomy teaching (e.g., computed tomography (CT) and/or



FIGURE 1 | 3D printing in clinical practices. 3D printing as an evolving technology enables the creation of patient-specific physical models with high precision that contribute to patient understanding, simulation training, as well as surgical planning and guidance. **(A)** 3D physical kidney models. **(B)** 3D-printed model in patient counseling. **(C)** 3D-printed model in anatomical and surgical education. Students were provided with 3D models during the training section. **(D)** 3D-printed model for preoperative planning. Surgeons discussed surgical planning and complexity, as well as potential complications, assisted by a patient-specific 3D model. Tumor markers are labeled on the surface of the models. **(E)** 3D-printed model for intraoperative guidance. 3D physical model utilized in laparoscopic partial nephrectomy. Based on the markers on the surface of the kidney model, a renal mass can be quickly located with precise orientation.

magnetic resonance imaging (MRI) and traditional anatomical text) assessed by anatomy test and subjective measures (4, 5).

Surgical Simulation

3D-printed models have also been utilized as a simulator in partial nephrectomy, robot-assisted prostatectomy, transurethral resection of the prostate in both laparoscopic and robotic. The incorporation of 3D printing to develop surgical simulation models and training devices may prove to be a valuable resource to residents and faculty in surgical training exercises, that it allowed the trainees and junior clinicians to improve training quality and reduce learning curves (4, 7). Besides that, 3D models for a specific patient were presented to junior surgeons for preoperative surgical planning, contributing to understanding the surgical procedures, thus improving surgical performance and patient outcomes in our experience (6).

Surgical Planning and Guidance

3D printing enables a 1:1 physical model, deriving from patients' individual imaging data on the basis of CT and/or MRI and has the potential to inform robotic, laparoscopic, and endoscopic systems for surgical planning in a more realistic manner than the review of 2D imaging alone. The accuracy of 3D-printed models was evaluated and discussed by surgeons and radiologists preoperatively and assisted to determine surgical approaches based on printed models. The surgical assistant adjusts the orientation of 3D models during operation to aid the surgeon in quickly and accurately locating the site of tumor masses based on the dimensions and landmarks on the printed models. Thus, it is widely used in preoperative surgical planning, primarily for minimally invasive and complex cases, such as partial nephrectomy and nerve-sparing radical prostatectomy. It has thus yielded encouraging applications in real-time surgical guidance that may help surgeons to improve both surgical precision and potentially, surgical results (6, 8).

3D PRINTING IN RENAL CANCER

Personalized 3D-printed models provide a novel way for patient-physician communication and preoperative counseling about complicated conditions and procedures (Figure 1B). 3D-printed kidneys provided to patients resulted in superior survey scores during the patient assessment of their satisfaction and understanding of their own pathology, as well as the surgical procedures, compared to review of 2D imaging alone (3).

The tactile "organ" can also help the students to better understand kidney physiology, anatomy, tumor characteristics, and surgical procedures. 3D-printed kidney-assisted contributes to the R.E.N.A.L. (Radius; Exophytic/Endophytic; Nearness; Anterior/Posterior; Location) nephrometry scoring assessment used by clinical students, when compared to traditional educational tools, reflecting the potential benefits of 3D printing in anatomical education (5).

In addition, 3D-printed kidneys have been utilized as simulators, primarily in partial nephrectomy (PN) simulation via robotic and laparoscopic systems, allowing trainees and junior clinicians the opportunity to improve training quality and reduce learning curves in both safety and effectiveness. The 3D kidney

was presented to junior surgeons for preoperative simulation, contributing to their understanding of surgical procedures, and thus improving their surgical performance and patient outcomes (4).

Physical kidney models created by 3D printing can provide precise and individualized physical models that help surgeons to easily understand actual renal tumor characteristics, including tumor size, depth, and the relationship of location to the arteriovenous and collection systems, contributing to preoperative surgical programme determination and intraoperative guidance (Figure 1A) (6). 3D-printed models were welcomed during the performance of complex and high-precision surgeries (Figures 1D,E). The advantages of the 3D kidney for partial nephrectomy (PN) include shorter operation times and warm ischemia times, less intraoperative blood loss, as well as fewer complications, in comparison to PN with imaging alone (9). Our previous data revealed that, compared with traditional laparoscopic partial nephrectomy, 3D-printed models can help to reduce the warm ischemia time and the estimated intraoperative blood loss from 29.2 to 24.6 min, and 131.1 ml to 118.7 ml, respectively, in patients with complex renal tumor (R.E.N.A.L score > 8) (8).


3D PRINTING IN BLADDER CANCER

Bladder radical cystectomy is a challenging procedure that medical students often experience difficulty with grasping the spatial characteristics of the pelvic region, involving pelvic organs, muscles, vessels, nerves, ligaments, and connective tissue over 2D imaging. 3D-printed models have been utilized in our center to facilitate the recognition of anatomical features within an educational setting and detected significant improvement in student satisfaction with training (Figure 1C). Importantly, the clinical education of students with 3D bladder models was superior to traditional educational methods, in terms of the students' understanding of the anatomy, treatment options, and surgical processes (10).

Another potential utilization of 3D models in bladder cancer is the simulation of transurethral resection of bladder tumor (TURBT). The TURBT model, which consisted of layers of mucosal, muscular, serosal, and perivesical fat, were simulated and demonstrated potential for incorporation of training and maintenance of advanced procedural skills (11). 3D reconstruction of blood supply to urinary bladder proved valuable for mock vascularized composite allograft bladder transplantation (12). Besides, the proposed application of 3D printing technology resides in the ability to evaluate novel Y pouch neobladder about structural and functional reconstructive outcomes (13).

3D PRINTING IN PROSTATE CANCER

Similar to the applications of 3D printing in renal cancer, 3D prostate models would undoubtedly be useful for patient counseling, student education/training, as well as surgical planning and guidance. Compared to 2D imaging, augmented reality (AR) models and 3D computer models, 3D prostate



physical models presented the greatest contribution to patient understanding of their diseases and prostate anatomy, tumor characteristics, as well as surgical procedures. 3D prostate models were also reported to be valuable for medical students but not for expert urologists in plotting tumor locations, since prostate MRI is arguably more difficult to interpret than other imaging (14).

The role of 3D models in assisting with prostate biopsy has the potential to enhance the histological correlation rate for prostate adenocarcinoma, with a detection rate of prostate cancer from 22.4% with systematic biopsies to 46.2% with targeted biopsies. Additionally, 3D-printed prostate models have shown great promise in surgical planning and guidance for tumor resection and may potentially aid in complex nerve-sparing radical prostatectomy, resulting in high accuracy of pathological margins and a promising approach (15).

CONCLUSIONS

3D models assistant can overcome the challenges of complex anatomy and pre- and intraoperative sets required for clinical practices, thus allowing utilization in urologic cancer of kidney,

bladder, as well as prostate. Apart from previously mentioned uses, proposed application of 3D printing technology resides in the ability to utilized insurgical planning and guidance of adrenal part resection and testicular sparing surgery (Figure 2). With improvements in technology and materials, cost which derived from the initial purchase of the printer and printing materials will result in lower production and equipment costs (2). However, the level of quality evidence on 3D technology reported in the last decade is not high enough. Large-scale evidence and comparative trials are required to elucidate 3D printing's benefits to clinical practices in urology.

AUTHOR CONTRIBUTIONS

YX and GF drafted the article. All authors contributed to its completion.

FUNDING

This study was funded by the clinical research center for renal tumor in Hunan province (2020SK4006).

REFERENCES

- Chen MY, Skewes J, Woodruff MA, Dasgupta P, Rukin NJ. Multi-colour extrusion fused deposition modelling: a low-cost 3D printing method for anatomical prostate cancer models. *Sci Rep.* (2020) 10:10004. doi: 10.1038/s41598-020-67082-7
- Colaco M, Igel DA, Atala A. The potential of 3D printing in urological research and patient care. *Nat Rev Urol.* (2018) 15:213–21. doi: 10.1038/nrurol.2018.6
- Bernhard JC, Isotani S, Matsugasumi T, Duddalwar V, Hung AJ, Suer E, et al. Personalized 3D printed model of kidney and tumor anatomy: a useful tool for patient education. *World J Urol.* (2016) 34:337–45. doi: 10.1007/s00345-015-1632-2

4. Smith B, Dasgupta P. 3D printing technology and its role in urological training. *World J Urol.* (2020) 38:2385–91. doi: 10.1007/s00345-019-02995-1
5. Knoedler M, Feibus AH, Lange A, Maddox MM, Ledet E, Thomas R, et al. Individualized physical 3-dimensional kidney tumor models constructed from 3-dimensional printers result in improved trainee anatomic understanding. *Urology.* (2015) 85:1257–61. doi: 10.1016/j.urology.2015.02.053
6. Fan G, Li J, Li M, Ye M, Pei X, Li F, et al. Three-dimensional physical model-assisted planning and navigation for laparoscopic partial nephrectomy in patients with endophytic renal tumors. *Sci Rep.* (2018) 8:582. doi: 10.1038/s41598-017-19056-5
7. Lemarteleur V, Peycelon M, Sablayrolles JL, Plaisance P, El-Ghoneimi A, Ceccaldi PF. Realization of open software chain for 3D modeling and printing of organs in simulation centers: example of renal pelvis reconstruction. *J Surg Educ.* (2021) 78:232–44. doi: 10.1016/j.jsurg.2020.06.035
8. Fan G, Meng Y, Zhu S, Ye M, Li M, Li F, et al. Three-dimensional printing for laparoscopic partial nephrectomy in patients with renal tumors. *J Int Med Res.* (2019) 47:4324–32. doi: 10.1177/0300060519862058
9. Jiang Y, Zeng H, Zhu Z, Chen J, Chen H. Three-dimensional printing assisted laparoscopic partial nephrectomy vs. conventional nephrectomy in patients with complex renal tumor: a systematic review and meta-analysis. *Front Oncol.* (2020) 10:51985. doi: 10.3389/fonc.2020.551985
10. Fan G, Ye M, Long Y, Liu Z, Ye Y, Han W, et al. Three-dimensional-printed models in bladder radical cystectomy: a valuable tool for surgical training and education. *Int J Clin Exp Med.* (2019) 12:5.
11. de Vries AH, van Genugten HG, Hendriks AJ, Koldewijn EL, Schout BM, Tjiam IM, et al. The simbla TURBT simulator in urological residency training: from needs analysis to validation. *J Endourol.* (2016) 30:580–7. doi: 10.1089/end.2015.0723
12. Gargollo PC, Ahmed ME, Prieto M, Butaney M, Cramer CH, Joshi V, et al. Feasibility study of vascularized composite urinary bladder allograft transplantation in a cadaver model. *J Urol.* (2021) 206:115–23. doi: 10.1097/JU.0000000000001699
13. Bejrananda T, Liawrungueang W. Successful transitional cell carcinoma of bladder underwent laparoscopic radical cystectomy with orthotopic intracorporeal Y pouch neobladder using a 3D digital printing model for surgical post op pouch evaluation. *Urol Case Rep.* (2020) 31:101190. doi: 10.1016/j.eucr.2020.101190
14. Ebbing J, Jaderling F, Collins JW, Akre O, Carlsson S, Hojjer J, et al. Comparison of 3D printed prostate models with standard radiological information to aid understanding of the precise location of prostate cancer: a construct validation study. *PLoS One.* (2018) 13:e0199477. doi: 10.1371/journal.pone.0199477
15. Shin T, Ukimura O, Gill IS. Three-dimensional printed model of prostate anatomy and targeted biopsy-proven index tumor to facilitate nerve-sparing prostatectomy. *Eur Urol.* (2016) 69:377–9. doi: 10.1016/j.eururo.2015.09.024
16. Wake N, Chandarana H, Huang WC, Taneja SS, Rosenkrantz AB. Application of anatomically accurate, patient-specific 3D printed models from MRI data in urological oncology. *Clin Radiol.* (2016) 71:610–4. doi: 10.1016/j.crad.2016.02.012
17. Teishima J, Takayama Y, Iwaguro S, Hayashi T, Inoue S, Hieda K, et al. Usefulness of personalized three-dimensional printed model on the satisfaction of preoperative education for patients undergoing robot-assisted partial nephrectomy and their families. *Int Urol Nephrol.* (2018) 50:1061–6. doi: 10.1007/s11255-018-1881-2
18. Wake N, Rosenkrantz AB, Huang R, Park KU, Wysock JS, Taneja SS, et al. Patient-specific 3D printed and augmented reality kidney and prostate cancer models: impact on patient education. *3D Print Med.* (2019) 5:4. doi: 10.1186/s41205-019-0041-3
19. Zhang Y, Ge HW, Li NC, Yu CF, Guo HF, Jin SH, Liu JS, et al. Evaluation of three-dimensional printing for laparoscopic partial nephrectomy of renal tumors: a preliminary report. *World J Urol.* (2016) 34:533–7. doi: 10.1007/s00345-015-1530-7
20. Marconi S, Pugliese L, Botti M, Peri A, Cavazzi E, Latteri S, et al. Value of 3D printing for the comprehension of surgical anatomy. *Surg Endosc.* (2017) 31:4102–10. doi: 10.1007/s00464-017-5457-5
21. Maddox MM, Feibus A, Liu J, Wang J, Thomas R, Silberstein JL. 3D-printed soft-tissue physical models of renal malignancies for individualized surgical simulation: a feasibility study. *J Robot Surg.* (2018) 12:27–33. doi: 10.1007/s11701-017-0680-6
22. Porpiglia F, Bertolo R, Checcucci E, Amparore D, Autorino R, Dasgupta P, et al. Development and validation of 3D printed virtual models for robot-assisted radical prostatectomy and partial nephrectomy: urologists' and patients' perception. *World J Urol.* (2018) 36:201–7. doi: 10.1007/s00345-017-2126-1
23. Jian C, Shuai Z, Mingji Y, Kan L, Zhizhong L, Weiqing H, et al. Evaluation of three-dimensional printing-assisted laparoscopic cryoablation of small renal tumors: a preliminary report. *Urol J.* (2020) 18:171–5. doi: 10.22037/uj.v0i0.5541
24. Michiels C, Jambon E, Bernhard JC. Measurement of the accuracy of 3D-printed medical models to be used for robot-assisted partial nephrectomy. *AJR Am J Roentgenol.* (2019) 213:626–31. doi: 10.2214/AJR.18.21048
25. Souzaki R, Kinoshita Y, Ieiri S, Kawakubo N, Obata S, Jimbo T, et al. Preoperative surgical simulation of laparoscopic adrenalectomy for neuroblastoma using a three-dimensional printed model based on preoperative CT images. *J Pediatr Surg.* (2015) 50:2112–5. doi: 10.1016/j.jpedsurg.2015.08.037
26. Srougi V, Rocha BA, Tanno FY, Almeida MQ, Baroni RH, Mendonca BB, et al. The use of three-dimensional printers for partial adrenalectomy: estimating the resection limits. *Urology.* (2016) 90:217–20. doi: 10.1016/j.urology.2015.11.043
27. Wong NC, Hoogenes J, Guo Y, Quantz MA, Matsumoto ED. Techniques: Utility of a 3D printed bladder model for teaching minimally invasive urethrovesical anastomosis. *Can Urol Assoc J.* (2017) 11:E321–2. doi: 10.5489/auaj.4262
28. Shee K, Koo K, Wu X, Ghali FM, Halter RJ, Hyams ES. A novel ex vivo trainer for robotic vesicourethral anastomosis. *J Robot Surg.* (2020) 14:21–7. doi: 10.1007/s11701-019-00926-1
29. Witthaus MW, Farooq S, Melnyk R, Campbell T, Saba P, Mathews E, et al. Incorporation and validation of clinically relevant performance metrics of simulation (CRPMS) into a novel full-immersion simulation platform for nerve-sparing robot-assisted radical prostatectomy (NS-RARP) utilizing three-dimensional printing and hydrogel casting technology. *BJU Int.* (2020) 125:322–32. doi: 10.1111/bju.14940
30. Chiu T, Xiong Z, Parsons D, Folkert MR, Medin PM, Hrycushko B. Low-cost 3D print-based phantom fabrication to facilitate interstitial prostate brachytherapy training program. *Brachytherapy.* (2020) 19:800–11. doi: 10.1016/j.brachy.2020.06.015
31. Ding B, Song W, Du F, Chen L, Song X. Complete resection of adult prostatic rhabdomyosarcoma with 3D video and printing model: A case report and literature review. *J Xray Sci Technol.* (2019) 27:177–83. doi: 10.3233/XST-180458
32. Wang Y, Gao X, Yang Q, Wang H, Shi T, Chang Y, et al. Three-dimensional printing technique assisted cognitive fusion in targeted prostate biopsy. *Asian J Urol.* (2015) 2:214–9. doi: 10.1016/j.ajur.2015.09.002

Conflict of Interest: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Xie, Wu, Liang and Fan. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.