

Safety evaluation of an extension of use of the food enzyme 4- α -glucanotransferase from the non-genetically modified *Aeribacillus pallidus* strain AE-SAS

EFSA Panel on Food Contact Materials, Enzymes and Processing Aids (CEP) | Claude Lambré | José Manuel Barat Baviera | Claudia Bolognesi | Pier Sandro Cocconcelli | Riccardo Crebelli | David Michael Gott | Konrad Grob | Evgenia Lampi | Marcel Mengelers | Alicja Mortensen | Gilles Rivière | Inger-Lise Steffensen | Christina Tlustos | Henk Van Loveren | Laurence Vernis | Holger Zorn | Yrjö Roos | Daniele Cavanna | Yi Liu | Giulio diPiazza | Andrew Chesson

Correspondence: fip@efsa.europa.eu

Abstract

The food enzyme 4- α -glucanotransferase (1,4- α -D-glucan:1,4- α -D-glucan 4- α -D-glycosyltransferase, EC 2.4.1.25) is produced with the non-genetically modified *Aeribacillus pallidus* strain AE-SAS by Amano Enzyme Inc. A safety evaluation of this food enzyme was made previously, in which EFSA concluded that this food enzyme did not give rise to safety concerns when used in two food manufacturing processes. Subsequently, the applicant requested to extend its use to two additional processes. In this assessment, EFSA updated the safety evaluation of this food enzyme for use in a total of four food manufacturing processes. As the food enzyme–total organic solids (TOS) is removed from the final foods in one food manufacturing process, the dietary exposure to the food enzyme–TOS was estimated only for the remaining three processes. Dietary exposure was up to 0.040 mg TOS/kg body weight (bw) per day in European populations. When combined with the no observed adverse effect level reported in the previous opinion (900 mg TOS/kg bw per day, the highest dose tested), the Panel derived a margin of exposure of at least 22,500. Based on the data provided for the previous evaluation and the revised margin of exposure, the Panel concluded that this food enzyme does not give rise to safety concerns under the revised intended conditions of use.

KEY WORDS

4- α -glucanotransferase, *Aeribacillus pallidus*, EC 2.4.1.25, EFSA-Q-2016-00033, EFSA-Q-2023-00357, food enzyme

This is an open access article under the terms of the [Creative Commons Attribution-NoDerivs](https://creativecommons.org/licenses/by/4.0/) License, which permits use and distribution in any medium, provided the original work is properly cited and no modifications or adaptations are made.

© 2024 European Food Safety Authority. *EFSA Journal* published by Wiley-VCH GmbH on behalf of European Food Safety Authority.

CONTENTS

Abstract.....	1
1. Introduction	3
1.1. Background and Terms of Reference as provided by the requestor.....	3
1.1.1. Background as provided by the European Commission.....	3
1.1.2. Terms of Reference.....	3
1.1.3. Interpretation of the Terms of Reference.....	3
2. Data and methodologies.....	4
2.1. Data.....	4
2.2. Methodologies.....	4
2.3. Public consultation.....	4
3. Assessment.....	4
3.1. Dietary exposure.....	4
3.1.1. Revised intended use of the food enzyme	5
3.1.2. Dietary exposure estimation.....	5
3.1.3. Uncertainty analysis	6
3.2. Margin of exposure	6
4. Conclusion	6
5. Documentation as provided to EFSA	7
Abbreviations	7
Conflict of interest	7
Requestor.....	7
Question number.....	7
Copyright for non-EFSA content.....	7
Panel members.....	7
References.....	7
Appendix A.....	9
Appendix B.....	10

1 | INTRODUCTION

Article 3 of the Regulation (EC) No 1332/2008¹ provides definition for ‘food enzyme’ and ‘food enzyme preparation’.

‘Food enzyme’ means a product obtained from plants, animals or microorganisms or products thereof including a product obtained by a fermentation process using microorganisms: (i) containing one or more enzymes capable of catalysing a specific biochemical reaction and (ii) added to food for a technological purpose at any stage of the manufacturing, processing, preparation, treatment, packaging, transport or storage of foods.

‘Food enzyme preparation’ means a formulation consisting of one or more food enzymes in which substances such as food additives and/or other food ingredients are incorporated to facilitate their storage, sale, standardisation, dilution or dissolution.

Before January 2009, food enzymes other than those used as food additives were not regulated or were regulated as processing aids under the legislation of the Member States. On 20 January 2009, Regulation (EC) No 1332/2008 on food enzymes came into force. This Regulation applies to enzymes that are added to food to perform a technological function in the manufacture, processing, preparation, treatment, packaging, transport or storage of such food, including enzymes used as processing aids. Regulation (EC) No 1331/2008² established the European Union (EU) procedures for the safety assessment and the authorisation procedure of food additives, food enzymes and food flavourings. The use of a food enzyme shall be authorised only if it is demonstrated that:

- it does not pose a safety concern to the health of the consumer at the level of use proposed;
- there is a reasonable technological need;
- its use does not mislead the consumer.

All food enzymes currently on the EU market and intended to remain on that market, as well as all new food enzymes, shall be subjected to a safety evaluation by the European Food Safety Authority (EFSA) and approval via an EU Community list.

1.1 | Background and Terms of Reference as provided by the requestor

1.1.1 | Background as provided by the European Commission

Only food enzymes included in the Union list may be placed on the market as such and used in foods, in accordance with the specifications and conditions of use provided for in Article 7 (2) of Regulation (EC) No 1332/2008¹ on food enzymes.

4- α -glucanotransferase from *Geobacillus pallidus* (strain AE-SAS) is a food enzyme included in the Register of food enzymes³ to be considered for inclusion in the Union list and thus subject to a risk assessment by the European Food Safety Authority (EFSA).

On 10 November 2022, a new application has been introduced by the applicant “Amano Enzyme Inc.” for an extension of the conditions of use for the above food enzyme in several food processes.

1.1.2 | Terms of Reference

The European Commission requests the European Food Safety Authority to carry out the safety assessment and the assessment of possible confidentiality requests of an extension of the condition of use for the following food enzyme: 4- α -glucanotransferase from *Geobacillus pallidus* (strain AE-SAS), in accordance with Regulation (EC) No 1331/2008 establishing a common authorization procedure for food additives, food enzymes and food flavourings.⁴

1.1.3 | Interpretation of the Terms of Reference

The present scientific opinion addresses the European Commission’s request to carry out the safety assessment of an extension of the conditions of use for the 4- α -glucanotransferase from the non-genetically modified *Geobacillus pallidus* strain AE-SAS.

¹Regulation (EC) No 1332/2008 of the European Parliament and of the Council of 16 December 2008 on Food Enzymes and Amending Council Directive 83/417/EEC, Council Regulation (EC) No 1493/1999, Directive 2000/13/EC, Council Directive 2001/112/EC and Regulation (EC) No 258/97. OJ L 354, 31.12.2008, pp. 7–15.

²Regulation (EC) No 1331/2008 of the European Parliament and of the Council of 16 December 2008 establishing a common authorisation procedure for food additives, food enzymes and food flavourings. OJ L 354, 31.12.2008, pp. 1–6.

³https://food.ec.europa.eu/safety/food-improvement-agents/enzymes/eu-list-and-applications_en

⁴OJ L 354, 31.12.2008, p. 1.

The production microorganism was reclassified as *Aeribacillus pallidus* at the species level in the scientific opinion published previously (EFSA CEP Panel, 2019). Therefore, the same species name *Aeribacillus pallidus* is used also in the present opinion.

2 | DATA AND METHODOLOGIES

2.1 | Data

The applicant has submitted a dossier in support of the application for the authorisation of the extension of use of the food enzyme 4- α -glucanotransferase from a non-genetically modified *Aeribacillus pallidus* strain AE-SAS.

Additional information was requested from the applicant during the assessment process on 30 October 2023 and received on 03 November 2023 (see 'Documentation provided to EFSA').

2.2 | Methodologies

The assessment was conducted in line with the principles described in the EFSA 'Guidance on transparency in the scientific aspects of risk assessment' (EFSA, 2009) and following the relevant existing guidance documents of EFSA Scientific Committee.

The 'Scientific Guidance for the submission of dossiers on Food Enzymes' (EFSA CEP Panel, 2021) and the 'Food manufacturing processes and technical data used in the exposure assessment of food enzymes' (EFSA CEP Panel, 2023) have been followed to evaluate this application.

2.3 | Public consultation

According to Article 32c(2) of Regulation (EC) No 178/2002⁵ and to the Decision of EFSA's Executive Director laying down the practical arrangements on pre-submission phase and public consultations, EFSA carried out a public consultation on the non-confidential version of the technical dossier from 20 November to 11 December 2023.⁶ No comments were received.

3 | ASSESSMENT

IUBMB nomenclature	4- α -glucanotransferase
Systematic name	1,4- α -D-glucan:1,4- α -D-glucan 4- α -D-glycosyltransferase
Synonyms	amylomaltase; dextrin glycosyltransferase; dextrin transglycosylase; maltodextrin glycosyltransferase
IUBMB no	EC 2.4.1.25
CAS no	9032-09-1
EINECS no	643-026-3

4- α -Glucanotransferases catalyse the hydrolysis of 1,4- α -glycosidic linkages of starch or starch hydrolysates, and successively transfer a segment of (1-4)- α -D-glucans to a new position in an acceptor molecule, which may be glucose or a (1-4)- α -D-glucan. Addition to C3 or C6 of glucose residues can result in a more highly branched structure.

All aspects concerning the safety of this food enzyme, when used in two food manufacturing processes, were evaluated in March 2019 (EFSA CEP Panel, 2019). Following an application for use in two additional food manufacturing processes and revised use levels for the food manufacturing processes previously evaluated, EFSA revises the exposure assessment and updates the safety evaluation of this food enzyme when used in four food manufacturing processes.

3.1 | Dietary exposure

The current dietary exposure supersedes section 3.5 of the previous evaluation (EFSA CEP Panel, 2019).

⁵Regulation (EC) No 178/2002 of the European Parliament and of the Council of 28 January 2002 laying down the general principles and requirements of food law, establishing the European Food Safety Authority and laying down procedures in matters of food safety. OJ L 31, 1.2.2002, p. 1–24.

⁶<https://connect.efsa.europa.eu/RM/s/publicconsultation2/a01Tk0000000zrV/pc0719>

3.1.1 | Revised intended use of the food enzyme

The food enzyme is intended to be used in four food manufacturing processes at the revised use levels summarised in [Table 1](#).

TABLE 1 Updated intended uses and use levels of the food enzyme.⁷

Food manufacturing process ^a	Raw material (RM)	Maximum recommended use level (mg TOS/kg RM)	
		Current evaluation ^b	Previous evaluation ^{b,c}
Processing of cereals and other grains			
• Production of baked products	Flour	3.1	4.2
• Production of glucose syrups and other starch hydrolysates	Starch	368.5	8.4
• Production of cereal-based products other than baked	Rice, cereals	3.1	
Processing of plant- and fungal-derived products			
• Production of plant-based analogues of milk and milk products	Cereals, legumes, oil seeds, nuts, etc.	6.1	

^aThe names have been harmonised by EFSA according to the 'Food manufacturing processes and technical data used in the exposure assessment of food enzymes' (EFSA CEP Panel, 2023).

^bThe numbers in bold were used for calculation.

^cThe previous evaluation is made for the food enzyme application EFSA-Q-2016-00033.

The Panel noted a substantial increase in the use level recommended for one process in the current assessment when compared to the previously reported level. The applicant ascribes this change to a modification of the current food manufacturing process.⁸

The two additional uses of the food enzyme are described below.

In the production of cereal-based products other than baked, the food enzyme is added to cereals (e.g. rice) before cooking or mechanical treatment.⁹ The 4- α -glucanotransferase increases the branching of gelatinised starch, therefore, slowing the retrogradation in cooked rice. The food enzyme–TOS remains in the final cereal products.

In the production of plant-based analogues of milk and milk products, the food enzyme is added to a variety of ground or pureed plant materials together with water during saccharification¹⁰ to modify the sensory properties of the final foods.¹¹ The food enzyme–TOS remains in the final food products.

Based on the thermostability evaluated previously (EFSA CEP Panel, 2019) and the downstream processing steps applied in the food manufacturing processes, it is expected that the food enzyme is inactivated or removed in all the relevant final foods.

3.1.2 | Dietary exposure estimation

In accordance with the guidance document (EFSA CEP Panel, 2021), dietary exposure was calculated only for the three food manufacturing processes where the food enzyme–TOS remains in the final foods.

Chronic exposure to the food enzyme–TOS was calculated by combining the maximum recommended use level with individual consumption data (EFSA CEP Panel, 2021). The estimation involved the selection of relevant food categories and the application of technical conversion factors (EFSA CEP Panel, 2023). Exposure from all FoodEx categories was subsequently summed up, averaged over the total survey period (days) and normalised for body weight (bw). This was done for all individuals across all surveys, resulting in distributions of individual average exposure. Based on these distributions, the mean and 95th percentile exposures were calculated per survey for the total population and per age class. Surveys with only one day per subject were excluded and high-level exposure/intake was calculated for only those population groups in which the sample size was sufficiently large to allow calculation of the 95th percentile (EFSA, 2011).

[Table 2](#) provides an overview of the derived exposure estimates across all surveys. Detailed mean and 95th percentile exposure to the food enzyme–TOS per age class, country and survey, as well as contribution from each FoodEx category to the total dietary exposure are reported in [Appendix A – Tables 1 and 2](#). For the present assessment, food consumption data were available from 48 dietary surveys (covering infants, toddlers, children, adolescents, adults and the elderly), carried out in 26 European countries ([Appendix B](#)). The highest dietary exposure was estimated to be 0.040 mg TOS/kg bw per day in infants at the 95th percentile.

⁷Technical dossier/Intended use(s) in food and use level(s) (Proposed normal and maximum use levels)/4-11 Proposed conditions of use/p. 3.

⁸Additional information November 2023.

⁹Technical dossier/Intended uses in food and use levels/Annex Flow chart of each application/p. 2.

¹⁰Technical dossier/Intended uses in food and use levels/Annex Flow chart of each application/p. 4.

¹¹Technical dossier/Intended uses in food and use levels/4-11-Proposed conditions of use/p. 2.

TABLE 2 Updated dietary exposure to the food enzyme–TOS in six population groups.

Population group	Estimated exposure (mg TOS/kg body weight per day)					
	Infants	Toddlers	Children	Adolescents	Adults	The elderly
Age range	3–11 months	12–35 months	3–9 years	10–17 years	18–64 years	≥ 65 years
Min–max mean (number of surveys)	0.002–0.016 (12)	0.007–0.022 (15)	0.004–0.018 (19)	0.001–0.012 (21)	0.004–0.007 (22)	0.003–0.008 (23)
Min–max 95th percentile (number of surveys)	0.007–0.040 (11)	0.018–0.036 (14)	0.010–0.033 (19)	0.003–0.021 (20)	0.008–0.016 (22)	0.007–0.014 (22)

3.1.3 | Uncertainty analysis

In accordance with the guidance provided in the EFSA opinion related to uncertainties in dietary exposure assessment (EFSA, 2006), the following sources of uncertainties have been considered and are summarised in Table 3.

TABLE 3 Qualitative evaluation of the influence of uncertainties on the dietary exposure estimate.

Sources of uncertainties	Direction of impact
Model input data	
Consumption data: different methodologies/representativeness/underreporting/misreporting/no portion size standard	+/-
Use of data from food consumption surveys of a few days to estimate long-term (chronic) exposure for high percentiles (95th percentile)	+
Possible national differences in categorisation and classification of food	+/-
Model assumptions and factors	
Exposure to food enzyme–TOS always calculated based on the recommended maximum use level	+
Selection of broad FoodEx categories for the exposure assessment	+
Use of recipe fractions to disaggregate FoodEx categories	+/-
Use of technical factors in the exposure model	+/-
Exclusion of one process from the exposure estimation: – Production of glucose syrups and other starch hydrolysates	–

Abbreviations: +, uncertainty with potential to cause overestimation of exposure; –, uncertainty with potential to cause underestimation of exposure.

The conservative approach applied to estimate the exposure to the food enzyme–TOS, in particular assumptions made on the occurrence and use levels of this specific food enzyme, is likely to have led to an overestimation of the exposure.

The exclusion of one food manufacturing process from the exposure estimation was based on >99% of TOS removal. This is not expected to impact on the overall estimate derived.

3.2 | Margin of exposure

In the previous evaluation, the Panel identified a no observed adverse effect level (NOAEL) of 900 mg TOS/kg bw per day, the highest dose tested, resulting in a margin of exposure (MOE) of at least 18,000 (EFSA CEP Panel, 2019).

A comparison of the NOAEL with the newly derived exposure estimates of 0.001–0.022 mg TOS/kg bw per day at the mean and from 0.003 to 0.040 mg TOS/kg bw per day at the 95th percentile resulted in a MOE of at least 22,500.

Despite more uses were considered in the current assessment, the newly derived MOE is higher than that previously calculated. This is due to the revision of food groups and technical factors used for each food manufacturing process (EFSA CEP Panel, 2023). In addition, dietary surveys have been updated in the EFSA food consumption database and the use levels have been updated by the applicant.

4 | CONCLUSION

Based on the data provided for the previous evaluation and the revised margin of exposure, the Panel concluded that the food enzyme 4- α -glucanotransferase produced with the non-genetically modified *Aeribacillus pallidus* strain AE-SAS does not give rise to safety concerns under the revised intended conditions of use.

5 | DOCUMENTATION AS PROVIDED TO EFSA

Application for authorisation of 4- α -glucanotransferase from *Aeribacillus pallidus* AE-SAS in accordance with the Regulation (EC) No 1331/2008. November 2022. Submitted by Amano Enzymes Inc.

Additional information. November 2023. Submitted by Amano Enzymes Inc.

ABBREVIATIONS

bw	body weight
CAS	Chemical Abstracts Service
CEP	EFSA Panel on Food Contact Materials, Enzymes and Processing Aids
EC	European Commission
EINECS	European Inventory of Existing Commercial Chemical Substances
EU	European Union
IUBMB	International Union of Biochemistry and Molecular Biology
MOE	margin of exposure
NOAEL	no observed adverse effect level
RM	Raw material
TOS	total organic solids

CONFLICT OF INTEREST

If you wish to access the declaration of interests of any expert contributing to an EFSA scientific assessment, please contact interestmanagement@efsa.europa.eu.

REQUESTOR

European Commission

QUESTION NUMBER

EFSA-Q-2023-00357

COPYRIGHT FOR NON-EFSA CONTENT

EFSA may include images or other content for which it does not hold copyright. In such cases, EFSA indicates the copyright holder and users should seek permission to reproduce the content from the original source.

PANEL MEMBERS

José Manuel Barat Baviera, Claudia Bolognesi, Andrew Chesson, Pier Sandro Cocconcelli, Riccardo Crebelli, David Michael Gott, Konrad Grob, Claude Lambré, Evgenia Lampi, Marcel Mengelers, Alicja Mortensen, Gilles Rivière, Inger-Lise Steffensen, Christina Tlustos, Henk Van Loveren, Laurence Vernis, and Holger Zorn.

REFERENCES

- EFSA (European Food Safety Authority). (2006). Opinion of the scientific committee related to uncertainties in dietary exposure assessment. *EFSA Journal*, 5(1), 438. <https://doi.org/10.2903/j.efsa.2007.438>
- EFSA (European Food Safety Authority). (2009). Guidance of the scientific committee on transparency in the scientific aspects of risk assessments carried out by EFSA. Part 2: General principles. *EFSA Journal*, 7(5), 1051. <https://doi.org/10.2903/j.efsa.2009.1051>
- EFSA (European Food Safety Authority). (2011). Use of the EFSA comprehensive European food consumption database in exposure assessment. *EFSA Journal*, 9(3), 2097. <https://doi.org/10.2903/j.efsa.2011.2097>
- EFSA CEP Panel (EFSA Panel on Food Contact Materials, Enzymes and Processing Aids), Silano, V., Barat Baviera, J. M., Bolognesi, C., Br€uschweiler, B. J., Cocconcelli, P. S., Crebelli, R., Gott, D. M., Grob, K., Lampi, E., Mortensen, A., Rivi_ere, G., Steffensen, I.-L., Tlustos, C., van Loveren, H., Vernis, L., Zorn, H., Glandorf, B., Herman, L., ... Chesson, A. (2019). Scientific opinion on the safety evaluation of the food enzyme 4- α -glucanotransferase from *Aeribacillus pallidus* (strain AE-SAS). *EFSA Journal*, 17(3), 5628. <https://doi.org/10.2903/j.efsa.2019.5628>
- EFSA CEP Panel (EFSA Panel on Food Contact Materials, Enzymes and Processing Aids), Lambré, C., Barat Baviera, J. M., Bolognesi, C., Cocconcelli, P. S., Crebelli, R., Gott, D. M., Grob, K., Lampi, E., Mengelers, M., Mortensen, A., Rivière, G., Steffensen, I.-L., Tlustos, C., Van Loveren, H., Vernis, L., Zorn, H., Glandorf, B., Herman, L., ... Chesson, A. (2021). Scientific guidance for the submission of dossiers on food enzymes. *EFSA Journal*, 19(10), 6851. <https://doi.org/10.2903/j.efsa.2021.6851>
- EFSA CEP Panel (EFSA Panel on Food Contact Materials, Enzymes, Processing Aids), Lambré, C., Barat Baviera, J. M., Bolognesi, C., Cocconcelli, P. S., Crebelli, R., Gott, D. M., Grob, K., Lampi, E., Mengelers, M., Mortensen, A., Rivière, G., Steffensen, I.-L., Tlustos, C., van Loveren, H., Vernis, L., Zorn, H., Roos, Y., Apergi, K., ... Chesson, A. (2023). Food manufacturing processes and technical data used in the exposure assessment of food enzymes. *EFSA Journal*, 21(7), 8094. <https://doi.org/10.2903/j.efsa.2023.8094>

SUPPORTING INFORMATION

Additional supporting information can be found online in the Supporting Information section at the end of this article.

How to cite this article: EFSA CEP Panel (EFSA Panel on Food Contact Materials, Enzymes and Processing Aids), Lambré, C., Barat Baviera, J. M., Bolognesi, C., Cocconcelli, P. S., Crebelli, R., Gott, D. M., Grob, K., Lampi, E., Mengelers, M., Mortensen, A., Rivière, G., Steffensen, I.-L., Tlustos, C., Van Loveren, H., Vernis, L., Zorn, H., Roos, Y., Cavanna, D., ... Chesson, A. (2024). Safety evaluation of an extension of use of the food enzyme 4- α -glucanotransferase from the non-genetically modified *Aeribacillus pallidus* strain AE-SAS. *EFSA Journal*, 22(4), e8698. <https://doi.org/10.2903/j.efsa.2024.8698>

APPENDIX A

Dietary exposure estimates to the food enzyme–TOS in details

Appendix A can be found in the online version of this output (in the ‘Supporting information’ section). The file contains two sheets, corresponding to two tables.

Table 1: Average and 95th percentile exposure to the food enzyme–TOS per age class, country and survey.

Table 2: Contribution of food categories to the dietary exposure to the food enzyme–TOS per age class, country and survey.

APPENDIX B

Population groups considered for the exposure assessment

Population	Age range	Countries with food consumption surveys covering more than 1 day
Infants	From 12 weeks on up to and including 11 months of age	Bulgaria, Cyprus, Denmark, Estonia, Finland, France, Germany, Italy, Latvia, Portugal, Slovenia, Spain
Toddlers	From 12 months up to and including 35 months of age	Belgium, Bulgaria, Cyprus, Denmark, Estonia, Finland, France, Germany, Hungary, Italy, Latvia, Netherlands, Portugal, Republic of North Macedonia*, Serbia*, Slovenia, Spain
Children	From 36 months up to and including 9 years of age	Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Italy, Latvia, Netherlands, Portugal, Republic of North Macedonia*, Serbia*, Spain, Sweden
Adolescents	From 10 years up to and including 17 years of age	Austria, Belgium, Bosnia and Herzegovina*, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Italy, Latvia, Montenegro*, Netherlands, Portugal, Romania, Serbia*, Slovenia, Spain, Sweden
Adults	From 18 years up to and including 64 years of age	Austria, Belgium, Bosnia and Herzegovina*, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Latvia, Montenegro*, Netherlands, Portugal, Romania, Serbia*, Slovenia, Spain, Sweden
The elderly^a	From 65 years of age and older	Austria, Belgium, Cyprus, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Latvia, Montenegro*, Netherlands, Portugal, Romania, Serbia*, Slovenia, Spain, Sweden

*Consumption data from these pre-accession countries are not reported in Table 2 of this opinion; however, they are included in Appendix A for testing purpose.

^aThe terms 'children' and 'the elderly' correspond, respectively, to 'other children' and the merge of 'elderly' and 'very elderly' in the Guidance of EFSA on the 'Use of the EFSA Comprehensive European Food Consumption Database in Exposure Assessment' (EFSA, 2011).