# **BRIEF COMMUNICATION**

**Open Access** 



# National clinical practice guidelines for food allergy and anaphylaxis: an international assessment

Asiyah Sheikh<sup>1</sup>, Zakariya Sheikh<sup>1†</sup>, Graham Roberts<sup>2</sup>, Antonella Muraro<sup>3</sup>, Sangeeta Dhami<sup>4</sup> and Aziz Sheikh<sup>5\*</sup>

# Abstract

**Background:** Clinical practice guidelines are important tools to promote evidence-based clinical care, but not all countries have the capacity or infrastructure to develop these in-house. The European Academy of Allergy and Clinical Immunology has recently developed guidelines for the prevention, diagnosis and management of food allergy and the management of anaphylaxis. In order to inform dissemination, adaptation and implementation plans, we sought to identify countries that have/do not have national guidelines for food allergy and anaphylaxis.

**Methods:** Two reviewers independently searched PubMed to identify countries with guidelines for food allergy and/ or anaphylaxis from the inception of this database to December 2016. This was supplemented with a search of the Agency for Healthcare Research and Quality's National Guideline Clearinghouse in order to identify any additional guidelines that may not have been reported in the peer-reviewed literature. Data were descriptively and narratively synthesized.

**Results:** Overall, 5/193 (3%) of countries had at least one guideline for food allergy or anaphylaxis. We found that one (1%) country had a national guideline for the prevention of food allergy, three (2%) countries had a guideline for the diagnosis of food allergy and three (2%) countries had a guideline for the management of food allergy. Three (2%) countries had an anaphylaxis guideline.

**Conclusions:** This study concludes that the overwhelming majority of countries do not have any national clinical practice guidelines for food allergy or anaphylaxis.

# **Background**

The increase in the prevalence of allergic diseases seen over recent decades has resulted in food allergy and anaphylaxis emerging as important clinical conditions globally [1–4]. Concerns have been expressed about the clinical care patients with these conditions receive [5–7]. In an attempt to improve clinical care and outcomes, a number of professional and national organizations have developed clinical practice guidelines for a range of communicable and non-communicable disorders. Much

of this activity has however been undertaken in highincome country settings, this reflecting the relative lack of infrastructure, capacity and financial resources available in many low- and middle-income countries (LMICs) to develop their own national guidelines. One way of bridging this gulf is to adapt and customize existing international guidelines for use in countries that do not have their own clinical guidelines [8].

The European Academy of Allergy and Clinical Immunology (EAACI) has recently produced international clinical practice guidelines on the primary prevention [9], diagnosis and management of food allergy [10] and the management of anaphylaxis [11]. In order to inform deliberations on the global dissemination, adaptation and implementation of these EAACI guidelines, we sought to

Full list of author information is available at the end of the article



<sup>\*</sup>Correspondence: aziz.sheikh@ed.ac.uk

<sup>&</sup>lt;sup>†</sup>Zakariya Sheikh: joint first author

Sasthma UK Centre for Applied Research, The University of Edinburgh, Edinburgh, UK

identify which countries had and did not have their own clinical guidelines for food allergy and anaphylaxis.

#### Methods

# Search strategy

We searched PubMed database using the search terms "(guideline OR practice parameter) AND (food allergy OR anaphylaxis)". In addition, we searched the Agency for Healthcare Research and Quality's (AHRQ) National Guideline Clearinghouse to identify any guidelines that may not have been reported in the peer-reviewed literature [12]. There was no time limit on the searches. Our searches were originally undertaken in June 2016 and were then refreshed in December 2016.

### **Guideline selection**

Two reviewers independently screened the search results to identify documents that were formally labelled as national guidelines. From these, we selected publications that were directed towards healthcare professionals, had a clear methods section and assigned strength of evidence to recommendations. Duplicate entries were removed and, in cases where there were updates of national guidelines, we selected the most comprehensive and/or most recent version of the guideline. Discrepancies were resolved through discussion or arbitration by a third person if agreement could not be reached.

# Data extraction

We independently extracted data on the body that produced these guidelines, the year of publication and the domain(s) of interest in relation to food allergy and/or anaphylaxis. Discrepancies were resolved through discussion or independent arbitration, if necessary.

# Data synthesis

We undertook a descriptive analysis to identify the number and percentage of countries that had guidelines for food allergy and/or anaphylaxis. The denominator for the number of countries in the world (n=193) was taken from the list of the United Nations (UN) Member States [13]. We then divided the food allergy guidelines into sub-domains focusing on aspects of prevention, diagnosis and management.

# **Results**

Our searches of PubMed identified a total of 855 hits from which we selected 60 papers for detailed analysis. Of these, seven satisfied our inclusion criteria. Searching the AHRQ website failed to identify any additional guidelines. We in addition found 11 pan-national guidelines for food allergy prevention (n = 5) [9, 14–17], diagnosis (n = 2) [10, 14] and management (n = 3) [10, 14, 18], and

anaphylaxis (n = 3) [11, 19, 20]. "Appendix" details documents that appeared not to meet our inclusion criteria, but which we were unable to fully assess.

## **Overall findings**

We found that 5/193 (3%) countries had at least one guideline on food allergy or anaphylaxis (Table 1).

#### Food allergy

Four (2%) countries had guidelines on some aspect of food allergy (see Table 1). These comprised of one (1%) covering aspects of food allergy prevention, three (2%) dealing with diagnosis, and three (2%) dealing with food allergy management (Table 2).

# Anaphylaxis

Three (2%) of countries has guidelines dealing with anaphylaxis (see Table 3).

#### Discussion

# Summary of principal findings

This analysis of the international literature has found that only a minority of countries have any formally produced clinical practice guidelines for food allergy and anaphylaxis with the major gaps being in African and Asian countries. This is a concern considering that food allergy and anaphylaxis now affect people globally and furthermore they are associated with significant morbidity and, in some cases, mortality [21, 22].

# Strengths and limitations

The key strengths of this study are that we formally searched the principal biomedical database, namely Pub-Med using established systematic search techniques and that these searches were from the inception of this database and were not restricted by language. Furthermore, we cross-checked the results with AHRQ's National Guideline Clearinghouse, which is the foremost repository of clinical guidelines.

Table 1 Countries with one or more clinical guidelines for food allergy and/or anaphylaxis

Countries	Food allergy	Anaphylaxis (Y/N)		
	Prevention (Y/N)	Diagnosis (Y/N)	Manage- ment (Y/N)	
Germany	N	Υ	Υ	N
Singapore	Ν	N	Υ	N
Spain	N	N	N	Υ
UK	N	Υ	N	Υ
USA	Υ	Υ	Υ	Υ
Total	1	3	3	3

Table 2 National guidelines for food allergy

Country	Source	Published	URL
Prevention			
USA	American Academy of Allergy, Asthma and Immu- nology (AAAAI); the American College of Allergy, Asthma and Immunology (ACAAI); and the Joint Council of Allergy, Asthma and Immunology (JCAAI)	2014	https://www.aaaai.org/Aaaai/media/MediaLibrary/PDF%20Documents/Practice%20and%20Parameters/Food-Allergy-A-Practice-Parameter-Update-2014.pdf
Diagnosis			
Germany	German Society of Allergology and Clinical Immunology (DGAKI), the Physicians' Association of German Allergologists (ADA) and the Society of Pediatric Allergology (GPA) together with the Swiss Society of Allergology. German Society for Allergology and Clinical Immunology	2011	http://onlinelibrary.wiley.com/doi/10.1111/j.1610-0387.2008.06889.x/abstract https://www.thieme-connect.com/DOI/DOI?10.1055/s-0030-1256476
UK	National Institute for Health and Care Excellence (NICE)	2016	https://www.nice.org.uk/guidance/cg116/evidence/full-guide- line-136470061
USA	National Institute of Allergy and Infectious Diseases American Academy of Allergy, Asthma and Immu- nology (AAAAI); the American College of Allergy, Asthma and Immunology (ACAAI); and the Joint Council of Allergy, Asthma and Immunology (JCAAI)		http://www.jacionline.org/article/S0091-6749%2810%2901566-6/fulltext https://www.aaaai.org/Aaaai/media/MediaLibrary/PDF%20Documents/Practice%20and%20Parameters/Food-Allergy-A-Practice-Parameter-Update-2014.pdf
Manageme	nt		
Germany	German Society of Allergology and Clinical Immu- nology (DGAKI); Medical Association of German Allergologists (ADA); German Society of Pediatric Allergology	2009	http://www.ncbi.nlm.nih.gov/pubmed/19371249
Singapore	Academy of Medicine, Singapore (AMS) and the Ministry of Health	2010	http://smj.sma.org.sg/5107/5107cpg1.pdf
USA	National Institute of Allergy and Infectious Diseases American Academy of Allergy, Asthma and Immu- nology (AAAAI); the American College of Allergy, Asthma and Immunology (ACAAI); and the Joint Council of Allergy, Asthma	2010	http://www.jacionline.org/article/S0091-6749%2810%2901566-6/fulltext https://www.aaaai.org/Aaaai/media/MediaLibrary/PDF%20Documents/Practice%20and%20Parameters/Food-Allergy-A-Practice-Parameter-Update-2014.pdf

Table 3 National guidelines for the management of anaphylaxis

Country	Source	Published	URL
Spain	Sociedad Espanola de Alergologia e Inmunologia Clinica	2011	https://www.ncbi.nlm.nih.gov/pubmed/?term=cardona+v+and+guideline+anaphylaxis+2011
UK	National Institute for Health and Care Excellence	2011	https://www.nice.org.uk/guidance/cg134
US	Joint task force on practice parameters, representing the American Academy of Allergy, Asthma and Immunology (AAAAI); the American College of Allergy, Asthma and Immunology (ACAAI); and the Joint Council of Allergy, Asthma and Immunology	2015	https://www.ncbi.nlm.nih.gov/pubmed/?term=Anaphylaxisda +practice+parameter+update+2015

The main limitation is that we may have missed some guidelines that were either not formally published in the peer-reviewed literature and/or were not available in English. We may also have missed guidelines that are in development.

# Interpretation in the light of previous published research

This is, as far as we are aware, the first truly international overview of guidelines available for both food allergy and anaphylaxis. It builds on a recent comparison of food allergy guidelines [23] and our earlier study focused on

anaphylaxis, both of which found a more limited number of guidelines and considerable variation in the recommendations contained in these guidelines [24]. This work subsequently contributed to the creation of an International Consensus statement on anaphylaxis [25].

# **Conclusions**

The findings of this study point to considerable gaps in the availability of national guidelines for food allergy and anaphylaxis. EAACI and other international guideline bodies should consider working with the countries that currently have no national guidelines to produce clinical practice guidelines on food allergy and anaphylaxis that are language specific and tailored to their local needs. Furthermore we suggest compiling an online database on the EAACI website which logs adapted versions of the guideline and also proactively sending details of these adapted guidelines for listing on the AHRQ's National Guideline Clearinghouse: https://www.guideline.gov/.

#### **Author details**

<sup>1</sup> Research Students, Edinburgh, UK. <sup>2</sup> Clinical and Experimental Sciences and Human Development in Health Academic Unit, University of Southampton Faculty of Medicine, Southampton, UK. <sup>3</sup> Food Allergy Referral Centre Veneto Region Department of Women and Child Health Padua General University Hospital, Padua, Italy. <sup>4</sup> Edinburgh, UK. <sup>5</sup> Asthma UK Centre for Applied Research, The University of Edinburgh, Edinburgh, UK.

#### **Competing interests**

Graham Roberts, Antonella Muraro, Sangeeta Dhami and Aziz Sheikh were involved in the production of the EAACI Anaphylaxis Guidelines. The authors declare no other conflicts of interests in relation to this work.

# **Appendix**

See Table 4.

## **Publisher's Note**

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Received: 24 April 2017 Accepted: 17 June 2017 Published online: 25 July 2017

#### References

- Nwaru BI, Hickstein L, Panesar SS, Muraro A, Werfel T, Cardona V, et al. The epidemiology of food allergy in Europe: a systematic review and metaanalysis. Allergy. 2014;69(1):62–75.
- Panesar SS, Javad S, de Silva D, Nwaru BI, Hickstein L, Muraro A, et al. The epidemiology of anaphylaxis in Europe: a systematic review. Allergy. 2013;68(11):1353–61.
- Lieberman P, Camargo CA Jr, Bohlke K, Jick H, Miller RL, Sheikh A, et al. Epidemiology of anaphylaxis: findings of the American College of Allergy, Asthma and Immunology Epidemiology of Anaphylaxis Working Group. Ann Allergy Asthma Immunol. 2006;97(5):596–602.
- Koplin JJ, Mills EN, Allen KJ. Epidemiology of food allergy and foodinduced anaphylaxis: Is there really a Western world epidemic? Curr Opin Allergy Clin Immunol. 2015;15(5):409–16.
- Song TT, Worm M, Lieberman P. Anaphylaxis treatment: current barriers to adrenaline auto-injector use. Allergy. 2014;69(8):983–91.
- Sheikh A, Dhami S, Regent L, Austin M, Sheikh A. Anaphylaxis in the community: a questionnaire survey of members of the UK Anaphylaxis Campaign. JRSM Open. 2015;6(7):2054270415593443.
- Finlay I, Egner W. Allergy—Will we ever meet the unmet need? J R Soc Med. 2010;103(11):430–1. doi:10.1258/jrsm.2010.100253.
- Ehrhardt S, Meyer CG. Transfer of evidence-based medical guidelines to low- and middle-income countries. Trop Med Int Health. 2012;17(2):144– 6. doi:10.1111/j.1365-3156.2011.02910.x.
- Muraro A, Halken S, Arshad SH, Beyer K, Dubois AE, Du Toit G, et al. EAACI food allergy and anaphylaxis guidelines. Primary prevention of food allergy. 2014;69(5):590–601. doi:10.1111/all.12398.
- Muraro A, Werfel T, Hoffmann-Sommergruber K, Roberts G, Beyer K, Bindslev-Jensen C, et al. EAACI food allergy and anaphylaxis guidelines: diagnosis and management of food allergy. Allergy. 2014;69(8):1008–25. doi:10.1111/all.12429.
- Muraro A, Roberts G, Worm M, Bilò MB, Brockow K, Fernández Rivas M, et al. Anaphylaxis: guidelines from the European Academy of Allergy and Clinical Immunology. Allergy. 2014;69(8):1026–45.

Table 4 National guidelines that we were unable to formally assess

· · · · · · · · · · · · · · · · · · ·							
Country	Year	Reason for exclusion					
Japan	2006	In Japanese					
German	2005	In German					
Japan	2016	In Japanese					
Japan	2012	In Japanese					
Japan	2012	In Japanese					
Japan	2015	In Japanese					
Japan	2012	In Japanese					
Japan	2009	In Japanese					
China	2013	In Chinese					
	Japan German Japan Japan Japan Japan Japan Japan	Japan 2006   German 2005   Japan 2016   Japan 2012   Japan 2012   Japan 2015   Japan 2012   Japan 2012   Japan 2012   Japan 2009					

- Agency for Healthcare Research and Quality. National Guideline Clearinghouse. https://www.guideline.gov/.
- 13. United Nations. http://www.un.org/en/member-states/.
- Fiocchi A, Brozek J, Schünemann H, Bahna SL, von Berg A, Beyer K, et al. World Allergy Organization (WAO) Special Committee on Food Allergy. World Allergy Organization (WAO) Diagnosis and Rationale for Action against Cow's Milk Allergy (DRACMA) Guidelines. Pediatr Allergy Immunol. 2010;21(Suppl 21):1–125. doi:10.1111/j.1399-3038.2010.01068.x.
- Yepes-Nuñez JJ, Fiocchi A, Pawankar R, Cuello-Garcia CA, Zhang Y, Morgano GP, et al. World Allergy Organization-McMaster University Guidelines for Allergic Disease Prevention (GLAD-P): vitamin D. World Allergy Organ J. 2016;17(9):17. doi:10.1186/s40413-016-0108-1.
- Fiocchi A, Pawankar R, Cuello-Garcia C, Ahn K, Al-Hammadi S, Agarwal A, et al. World Allergy Organization-McMaster University Guidelines for Allergic Disease Prevention (GLAD-P): probiotics. World Allergy Organ J. 2015;8(1):4. doi:10.1186/s40413-015-0055-2.
- Cuello-Garcia CA, Fiocchi A, Pawankar R, Yepes-Nuñez JJ, Morgano GP, Zhang Y, et al. World Allergy Organization-McMaster University Guidelines for Allergic Disease Prevention (GLAD-P): prebiotics. World Allergy Organ J. 2016;1(9):10. doi:10.1186/s40413-016-0102-7.
- Muraro A, Dubois AE, DunnGalvin A, Hourihane JO, de Jong NW, Meyer R, et al. Food allergy health-related quality of life measures. Allergy. 2014;69(7):845–53. doi:10.1111/all.12405.

- Simons FE, Ardusso LR, Dimov V, Ebisawa M, El-Gamal YM, Lockey RF, et al. World Allergy Organization Anaphylaxis Guidelines: 2013 update of the evidence base. Int Arch Allergy Immunol. 2013;162(3):193–204. doi:10.1159/000354543.
- Simons FER, Ardusso LRF, Bilò BM, Dimov V, Ebisawa M, El-Gamal YM, et al. 2012 Update: World Allergy Organization Guidelines for the assessment and management of anaphylaxis. Curr Opin Allergy Clin Immunol. 2012;12(4):389–99. doi:10.1097/ACI.0b013e328355b7e4.
- 21. Pumphrey RS. Lessons for management of anaphylaxis from a study of fatal reactions. Clin Exp Allergy. 2000;30(8):1144–50.
- Bock SA, Muñoz-Furlong A, Sampson HA. Further fatalities caused by anaphylactic reactions to food, 2001–2006. J Allergy Clin Immunol. 2007;119(4):1016–8.
- Venter C, Arshad SH. Guideline fever: an overview of DRACMA, US NIAID and UK NICE guidelines. Curr Opin Allergy Clin Immunol. 2012;12(3):302– 15. doi:10.1097/ACI.0b013e3283535893.
- 24. Alrasbi M, Sheikh A. Comparison of international guidelines for the emergency medical management of anaphylaxis. Allergy. 2007;62(8):838–41.
- Simons FE, Ardusso LR, Bilò MB, Cardona V, Ebisawa M, El-Gamal YM, et al. International consensus on (ICON) anaphylaxis. World Allergy Organ J. 2014;7(1):9.

# Submit your next manuscript to BioMed Central and we will help you at every step:

- We accept pre-submission inquiries
- Our selector tool helps you to find the most relevant journal
- We provide round the clock customer support
- Convenient online submission
- Thorough peer review
- Inclusion in PubMed and all major indexing services
- Maximum visibility for your research

Submit your manuscript at www.biomedcentral.com/submit

