




Article

A “Good Life” for Dairy Cattle: Developing and Piloting a Framework for Assessing Positive Welfare Opportunities Based on Scientific Evidence and Farmer Expertise

Jessica E. Stokes ^{1,*} , Elizabeth Rowe ², Siobhan Mullan ³, Joy C. Pritchard ², Rachel Horler ⁴, Marie J. Haskell ⁵ , Cathy M. Dwyer ⁵  and David C. J. Main ¹

¹ School of Agriculture, Food and Environment, Royal Agricultural University, Cirencester GL7 6JS, UK

² Farm Animal Welfare, School of Veterinary Sciences, University of Bristol, Bristol BS40 5DU, UK

³ UCD Veterinary Sciences Centre, University College Dublin, Belfield, D04 V1W8 Dublin, Ireland

⁴ Maundrils Farm, West Huntspill, Highbridge TA9 8QS, UK

⁵ Animal Behaviour & Welfare, Animal & Veterinary Sciences, Scottish Rural University College, Edinburgh EH25 9RG, UK

* Correspondence: jessica.stokes@rau.ac.uk



Citation: Stokes, J.E.; Rowe, E.; Mullan, S.; Pritchard, J.C.; Horler, R.; Haskell, M.J.; Dwyer, C.M.; Main, D.C.J. A “Good Life” for Dairy Cattle: Developing and Piloting a Framework for Assessing Positive Welfare Opportunities Based on Scientific Evidence and Farmer Expertise. *Animals* **2022**, *12*, 2540. <https://doi.org/10.3390/ani12192540>

Academic Editor: Martina Tarantola

Received: 25 July 2022

Accepted: 23 August 2022

Published: 22 September 2022

Publisher’s Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

Simple Summary: There is increasing appetite to understand how we can provide quality of life to farm animals. A framework to evaluate positive welfare opportunities for dairy cattle was developed using a participatory approach where farmer’s recommendations were integrated into a scientific framework and piloted on farm by vets. When provided with the opportunity to collaborate, farmers and scientists broadly agree on what constitutes “a good life” for dairy cattle and worked together to develop an assessment framework. Farmers did not agree equally on the value of each positive welfare opportunity. However, farmers supported positive welfare assessment as a means of recognition and reward for higher animal welfare, within existing farm assurance schemes, and to justify national and global marketing claims of higher animal welfare.

Abstract: On-farm welfare assessment tends to focus on minimising negative welfare, but providing positive welfare is important in order to give animals a good life. This study developed a positive welfare framework for dairy cows based on the existing scientific literature which has focused on developing positive welfare indicators, and trialled a participatory approach with farmers; refining the framework based on their recommendations, followed by a vet pilot phase on farm. The results revealed that farmers and scientists agree on what constitutes “a good life” for dairy cattle. Farmers value positive welfare because they value their cows’ quality of life, and want to be proud of their work, improve their own wellbeing as well as receive business benefits. For each good life resource, the proportion of farmers going above and beyond legislation ranged from 27 to 84%. Furthermore, barriers to achieving positive welfare opportunities, including monetary and time costs, were not apparently insurmountable if implementation costs were remunerated (by the government). However, the intrinsic value in providing such opportunities also incentivises farmers. Overall, most farmers appeared to support positive welfare assessment, with the largest proportion (50%) supporting its use within existing farm assurance schemes, or to justify national and global marketing claims. Collaborating with farmers to co-create policy is crucial to showcase and quantify the UK’s high welfare standards, and to maximise engagement, relevance and uptake of animal welfare policy, to ensure continuous improvement and leadership in the quality of lives for farm animals.

Keywords: dairy cattle; animal welfare; positive welfare; quality of life; animal welfare assessment; animal welfare policy; farmer wellbeing

1. Introduction

Society values farm animal quality of life: consumer awareness, willingness to pay and demand for higher welfare products is increasing globally [1,2]. Many consumers want to buy products from animals that have had positive welfare experiences [3] and farmers [4], certifiers and suppliers [5] want to demonstrate they can provide these products. The UK government has instructed DEFRA to explore the development of public good payments for farmers achieving higher welfare post Brexit [6].

Despite a movement in the last two decades within the animal welfare science community to advance the investigation of positive welfare [7] and a decade since the aspiration of providing farm animals with a ‘good life’ (where positive experiences outweigh negative ones) was proposed [8], the measurement of positive welfare systematically on-farm in the UK has not been adopted [9]. A framework for recognising and championing existing positive welfare opportunities on farm, as well as a mechanism for rewarding practices that promote positive welfare, could be a novel approach to animal welfare policy [10].

Dairy farmers are a primary stakeholder in their cow’s wellbeing, and in recent years a few farmers have taken ownership over growing societal concerns in animal welfare, taking the lead to provide innovative solutions to the industry’s ethical dilemmas over separating cows and calves and an increasing move towards zero-grazing [4,11,12]. However, there is no standardised means of recognising these and other farmers who are providing positive welfare opportunities, as stewards and leaders in farm animal welfare. Furthermore, there is relatively little known about the wider farming community’s attitudes and perspectives of positive welfare [13,14].

Several approaches for recognising positive welfare have been proposed by the scientific community; for example: grading resources which provide opportunities for positive welfare [9,15–17]; measuring pleasurable behaviours directly such as play [18–22] and observing body language and indicators of emotion [23–26]. Although animal-based measures of positive welfare—those that specify an animal’s state [27]—provide a direct assessment of positive welfare, they are yet to be well validated and standardised, whereas resource-based measures are more practical and considered easier for farmers to accept and use [7].

A quality of life framework based on resource provision was proposed by the Farm Animal Welfare Council [8], which suggested four opportunities that characterise a ‘good life’ for farmed animals. These are the opportunities for comfort, pleasure, interest and confidence [8]. Edgar et al. [16] added a fifth opportunity for a ‘healthy life’, in order to achieve a balance between animals being healthy and having the resources they ‘want’ (are highly motivated to obtain): two factors underpinning good welfare [28]. This research team developed a ‘good life’ framework for laying hens based on resources needed to provide hens with these five opportunities, according to scientific literature and expert knowledge. Resources were ranked to create three levels of increasing positive welfare (‘Welfare +’, ‘Welfare ++’, ‘Welfare +++’) [16].

Using the work described above as a template, a positive framework for dairy cattle was drafted based on a review of the existing literature to identify what resources dairy cows’ value based on the good life concepts of comfort, pleasure, interest, confidence and a healthy life (see Table S1). The framework was designed to quantify increasing positive welfare opportunities in terms of three tiers: Welfare +, Welfare ++, and Welfare +++, above and beyond legislation and welfare codes in the UK.

The research team wished to build on this draft framework by collaborating with farmers to further develop the resource tiers based on farmer knowledge and experience. Working with farmers is essential to deliver relevant and palatable research and policy outcomes that will directly affect end users [29]. Integrating farmers in academic research not only utilises their expertise, but aims to create buy-in for the end result of the research, and provide an understanding of the potential barriers to, and drivers for, the successful uptake of research outcomes. It also gives farmers an opportunity to showcase best practice and be in the driving seat of research and innovation. Therefore, use of a facilitation process

in farmer focus groups was hypothesized to engage farmers with the concept of the research and embed their ideas and practices within the positive welfare framework, which would be taken forward to trial on a representative sample of UK dairy farms.

The aim of this study was five-fold: (1) to develop a framework for providing positive welfare opportunities for dairy cows, basing resource provisions on a review of the scientific literature; (2) to trial a novel participatory approach to consulting farmers on the positive welfare framework; (3) to refine the framework based on farmers recommendations; (4) to investigate farmers attitudes towards positive welfare and use of the framework; and (5) to pilot the positive welfare framework as an on-farm assessment tool, and seek farmer feedback on its value and potential uses, as well as any barriers to and potential incentives for farmers providing positive welfare opportunities for dairy cows.

2. Materials and Methods

This paper presents the development of a positive welfare framework for dairy cattle (Table S1) using the policy develop process and outcomes represented in four steps: literature review, farmer consultation development; farmer consultation; and engagement with veterinary practitioners to pilot positive welfare framework (see Table S2). As there is a growing policy interest in agricultural research and innovation generated using a multi-actor co-design approach including key stakeholders (research scientists, farmers and veterinarians) that fosters a high level of farmer engagement from the conceptualization phase [29], a participatory policy development process was adapted from a previous project [29] and applied during the current study. The full details of the policy development process are found in Table S2.

2.1. Literature Review

At the beginning of this study, a literature review was carried out to develop the evidence-base and good life resources for each opportunity proposed in the framework. The framework consists of 14 resource needs for dairy cattle (for example comfort by choice of physical environment) categorized under five good life opportunities [8] of comfort, pleasure, confidence, interest and healthy life (see Table S1). For each resource need, a scale of increasing welfare opportunity (above and beyond law and codes of practice) was developed and described as Welfare +, Welfare ++ and Welfare +++. The framework was developed to assign a welfare category (Welfare +, Welfare ++ and Welfare +++) for each resource need based on an inspection of physical resources, the on-farm environment and proactive management activities (see Table S1). In addition, as part of the literature review each potential resource need to achieve each good life opportunity of comfort, pleasure, interest, confidence and a healthy life was evaluated with regard to its validity and reliability in increasing cow welfare, and the feasibility of providing the necessary resources required to fulfill each opportunity was assessed (see Table S1).

2.2. Developing a Collaborative Participatory Approach

A team workshop including all research institutes collaborating on this project (Royal Agricultural University, University of Bristol and Scotland's Rural College) was held in May 2016 to adapt and apply an existing participatory approach for the purpose of consulting with dairy farmers on the positive welfare framework [29]. The authors set the intention to use a series of in-depth focus group meetings with two core groups in the surrounding dairy producing areas of each research institute (South West and South East of England, and Scotland). The size of the focus group (2–10 farmers) was agreed to facilitate a variety of views emerging from the group while ensuring discussion and group exercises were feasible, and each farmer had an opportunity to contribute fully. Questions and exercises to capture the views and practices of farmers and facilitate discussion were drafted by the team, and finalised by the first author who was responsible for facilitating the series of focus group meetings. The policy process steps to develop a positive welfare framework in practice are outlined in Table S2.

2.3. Recruitment of Dairy Farmers

The main focus group of dairy farmers was recruited in September 2016 via the leading industry consultant delivering discussion group meetings throughout the South West and East of England. An email was sent out to existing meeting members outlining the aims of the project and requesting participation. Eight farmers volunteered to participate: four women and four men managing one small rare breed herd, one free range dairy (guaranteed 180 days access to pasture), two organic (on average 215 days at pasture), two traditional systems (access to pasture during the summer grazing season and housed during the winter), two restrictive grazing systems (access to pasture 2–4 h a day from spring through to late autumn) and one continuously housed (no access to pasture) herd across Somerset and Gloucestershire.

2.4. Dairy Farmer Focus Group

The main focus group participated in three in-depth meetings (2–3 h) between November 2016 and February 2017, to develop the framework. Participants were guaranteed anonymity and agreed to be audio recorded (using a Dictaphone) at each meeting. A further two dairy farmers in the Scottish Borders were consulted in September 2017 during one meeting where the recommendations of the main focus group were shared and they were invited to provide additional input.

2.4.1. Meeting One—Positive Welfare Definitions, Values and Motivations

Following a general introduction, farmers took part in two exercises in turn, submitting written ideas in relation to the following questions for subsequent discussion, consolidation and write up by the facilitator (see Table S1):

- What is the value of positive welfare? What are the benefits of a good life for your dairy cows?
- How do you define positive welfare? What is a good life for your cows?

2.4.2. Meetings Two and Three—Developing the Positive Welfare Framework

Between meetings one and two, the facilitator collated the farmers' ideas alongside the previously drafted framework (see Table S1). At meetings two and three, the group's ideas, practices and aspirations for positive welfare assessment gathered during meeting one were presented back to the group alongside the relevant opportunity in the framework. The facilitator then led a discussion to hone down and embed the farmer's ideas one by one, into the relevant opportunity, until the content and levels of criteria was broadly agreed by the group. This involved an iterative discussion around the value of each opportunity as well as the perceived practicality, acceptability, uptake by other dairy farmers, and the costs and benefits of opportunities which opposed existing conventional practices. Where the group deemed it necessary, the criteria for achieving an entry level (Welfare +) was adapted to make it as accessible as possible, while ensuring there was a distinct step up from the existing baseline legislation and welfare codes. To this end, in a few cases, the group recommended making the entry level harder than originally stated in the preliminarily scientific draft. After agreeing the content for each positive welfare opportunity, the facilitator finally asked the group to discuss the following question:

- What would incentivise you, other farmers and the sector to deliver positive welfare?

2.4.3. Meeting Four with Scottish Dairy Farmers

A 4th meeting was arranged by Scotland's Rural College (SRUC) with Scottish dairy farmers to present and discuss the input gained from the focus group. The framework was sent to the participants in advance. The meeting was facilitated by members of the research team (JS + MH) and was recorded and transcribed verbatim. Any amends and ideas in terms of value and use of the framework from this group were then integrated into the working draft and results.

2.5. On-Farm Pilots

XLVets (<https://www.xlvets.co.uk/>, accessed on 10 September 2022), a community of independent veterinary practices, partnered with the research team to carry out this final stage of the project. All participating veterinary practices contributed their time free of charge due to the practice valuing engagement in, and advancement of, on farm welfare standards. A member of the research team (DM) conducted a training session with participating vets on the Royal Agricultural University's (RAU) farm, to demonstrate how to assess dairy farms against the positive welfare framework. Veterinary practices nominated dairy farmer clients as participants for the research, and were sent participant information sheets explaining the research by the vet collecting the on farm data. Farmers who volunteered to participate in the study signed a consent form, and were informed that they could withdraw from the research at any time. The study methodology was reviewed and approved by the RAU Ethics Research Committee (Approval number 2019.0004).

Thirty-four farmers were recruited to the study. Farms were visited by a vet from a participating veterinary practice between March and August 2019. Each visit lasted approximately 1 h. Half of this time was allocated for the farm assessment conducted by the vet using the positive welfare framework. This entailed the vet using the framework to record the presence or absence of each resource requirement for each welfare level (welfare +, welfare ++, welfare +++) for each positive welfare opportunity. The other half of the visit was allocated for a farmer interview, conducted by the vet using a questionnaire that asked about the farmer's views on the framework; these were:

- Which good life opportunity(s) or resource(s) they valued, and those they did not consider valuable;
- How the framework should/could be used.

The following questions were asked pertaining to four of the good life opportunities in the framework: comfort by physical environment, interest by pasture choices, pleasure by play and positive social interactions, and pleasure by maintenance of the cow-calf bond. These four opportunities were chosen because during the initial consultation with farmers through focus groups, these opportunities were either the most valued (comfort by physical environment and pleasure by play and positive social interactions) or the cause of most debate due to the differentiation they posed between dairy systems (interest by pasture choices and pleasure by maintenance of the cow-calf bond). Questions asked about these four opportunities were:

- If these opportunities for positive welfare were not being achieved on their farm, the reasons why;
- The estimated monetary cost of achieving these opportunities for positive welfare on their farm;
- Minimum annual government payments they would accept to implement changes required to achieve these opportunities for positive welfare on their farm;
- How likely they would be to provide these opportunities for positive welfare if given government funding to cover the full costs of implementing changes required.

The following descriptive data about the farms were also collected via the questionnaire:

- Farm location;
- Herd size;
- Calving interval;
- Milk sold;
- Days grazed;
- System type (conventional, organic, pasture fed);
- Farm assurance status.

The questionnaire was a mixture of open questions, multiple choice questions and rating scales. A copy of the questionnaire can be obtained from the corresponding author.

2.6. Data Analysis

The audio recordings from the farmer focus groups were transcribed verbatim. The transcripts and written exercises were analysed using NVivo 11 to draw out themes associated with the farmer's values, definitions and practices of positive welfare. The focus group participants' motivations to take part are summarised using quotes, and their value of positive welfare are consolidated using a word cloud created via NVivo 11. Changes to the content or levels of criteria for each positive welfare opportunity are summarised, in order to demonstrate the outcomes of the consultation process (Table S1). Descriptive data and qualitative responses to the questionnaire are given for the on-farm piloting of the framework by XLVets. For each positive welfare opportunity, the percentage of farmers achieving at least one resource requirement was calculated for each welfare level (welfare +, welfare ++, welfare +++), expressed as a percentage of the maximum possible achievement of meeting all resource requirements for all welfare levels in that positive welfare opportunity. This equation is given below:

$$\% \text{ farmers achieving at least one resource requirement for the given welfare level in the given positive welfare opportunity} = \frac{\text{Sum of farmers achieving any resource requirement in the given welfare level}}{\text{total number of farmers} \times \text{total number of resource requirements in the given positive welfare opportunity}}$$

3. Results

3.1. Thematic Analysis of Focus Groups

The major themes which emerged from the focus groups are presented. Dairy farmer's motivations to engage in developing positive welfare policy, as well as their values of positive dairy welfare is summarised and supported using indicative quotes. Dairy farmer's definitions and practices were integrated into the positive welfare framework (see Table S1). Finally, themes on how to incentivise other farmers to engage in the positive welfare framework is presented and consolidated using indicative quotes.

3.2. Motivation to Engage in Positive Welfare Policy Development

All dairy farmers reported three main drivers for taking part in the focus groups: Their attitude towards providing positive welfare for their livestock:

"It's mainly my husband and me who does all the work and we have always been interested in positive welfare and taking that extra time and detail with our cows".

To have a say in the future:

"I feel you can't complain about standards being imposed if you don't take the chance to have an input".

A desire to fulfil public perception:

"We milk 200 cross breeds and we've also joined Neil Derwent's free-range dairying brand. I think the public perception is that cows do graze and they'd be surprised to hear that some cows don't graze. I'm interested in that".

One further motivation was highlighted by a member of the focus group:

"I have a particular responsibility within our supply chain for managing and improving animal health and welfare".

3.3. Farmers Values of Positive Dairy Cattle Welfare

Understanding farmers' values and farmers taking ownership over policy development is pertinent if that policy is going to reflect what is happening on the ground and is to be adopted more widely. Values reflect what people think is important to them and are a rationale for why actions are taken. The values of positive welfare reported by the dairy farmers in focus group meeting one is illustrated in Figure 1 as a visual representation of

the number of times they were articulated by farmers. The bigger the word, the more times it was voiced by farmers in the group. These values are expanded upon below.



Figure 1. Word cloud representing farmer focus group values of positive welfare.

3.3.1. Value One: Farmer Pride and Wellbeing

One of the most expressly reported values and motivation for delivering positive animal welfare was the farmers' pride and wellbeing. The main drivers that were reported to be behind this value were empathy, their sense of responsibility to rear happy, healthy animals which have more positive than negative welfare experiences, and the feeling of wanting to protect their cows. Farmers valued animals being in a positive state of welfare because it is inextricably linked to their own wellbeing:

"I was so upset about those cows because someone had upset them. Do you know it affected me for the rest of the day? There is something about being protective of your cows. That relationship between you and your cows, that when they have a negative experience, you have a negative experience".

"I think the cows know. I think they sense a lot of what we feel. When they are stressed you are stressed. And I think we can stress them by being stressed ourselves".

Related to the farmer's wellbeing, their farm staff morale and job satisfaction was deemed an important driver for providing positive welfare:

"Staff morale is key. Staff don't like it if you have a non-content cow, and if something happens to a cow it really knocks them. It's just easier and more satisfying if it never happens in the first place. Happy and healthy animals are easier to manage".

3.3.2. Value Two: Quality of Life for Dairy Cattle

All dairy farmers during the focus group meetings reported and agreed on the importance of positive welfare for the cow's own quality of life. The main reported drivers were wanting happy cows, the perception that happier cows live a longer life; that it is inherently good for a cow to be able to express her natural behaviour, and that valuing and delivering positive welfare assures that cattle are comfortable. In one farmer's words summarising the group's ideas:

"You value positive welfare for the cows themselves very highly, in terms of health, happiness, comfort and behaviour but also the fact that happy cows live longer. It's good for cows' quality of life".

3.3.3. Value Three: Health and Productivity of Dairy Cattle

All dairy farmers in the focus group reported valuing positive welfare for the cow's own health and productivity (see Figure 1). The main drivers behind this were: less illness in contented cows, improved quality and quantity of milk, better immunity, improved

productivity and improved overall performance. Two farmers summed this up in their own words:

“Positive welfare means better immunity and less illness in contented cows. Positive welfare means better quality and quantity of milk”.

“As much as we appear to love our cows we are all business people. We are milking cows to earn a living and if the cows aren’t healthy they are not productive, and we don’t earn a living, so we won’t be doing it for very long”.

3.3.4. Value Four: Consumer Perception and Market Premium

Finally, the focus group suggested that positive welfare was highly valuable as a marketing and communication tool to improve consumer perception, demand and return for higher welfare products. For example:

“You’ve got basic productivity and then you’ve got the value of that product and what the consumer will pay for it and positive welfare feeds into that”.

“Positive welfare is really important for customers, consumers and the public perception of dairying”.

“I think the other thing we haven’t put in there is costs, because you know negative welfare experiences cost more. There may also be a cost implication for positive welfare. There is a positive cost where you might get more for your milk”.

3.4. Defining Positive Welfare

All suggestions given by the farmer focus group on how to define positive welfare under each of the positive welfare opportunities are given in Table S1. In summary, when farmers were asked how they define a good life for cows, they came up with resources and opportunities that all related to the same opportunities that were highlighted by reviewing the scientific literature, with two exceptions as follows. Firstly, farmers did not include keeping dairy cows and calves together in their unprompted suggestions for defining positive dairy cattle welfare. Secondly, farmers suggested the additional opportunity of providing cows with comfort by the opportunity for milking choices, which had not been included following the literature review.

3.5. Collaborative Development of the Positive Welfare Framework

During meeting 2 and 3, the focus group reviewed the previously drafted positive welfare framework (Table S1) and proposed amendments that are described in detail for each opportunity in the supplementary table (Table S1). There were also several generic changes proposed to make the framework more ‘user-friendly’ by streamlining and simplifying the original draft based on the feedback from the group. Therefore, the wording for law and code were removed, along with the scientific references.

3.6. Incentivising Engagement in Positive Dairy Welfare

The farmer focus groups suggested that incentivising engagement of other farmers with the positive welfare framework would depend on costing out the benefits of delivering each of the positive welfare opportunities and communicating this to farmers and policy makers. This would add value to the farmers, and provide evidence to policy makers of the value of paying farmers to employ the more expensive opportunities as public goods:

“Costing it out financially is the way we need to go—costing out the cost benefits of animal welfare. It’s really policy makers you have to convince with this because they are the ones to decide how the taxes are used”.

A consultation with consumers in the market place to establish which positive welfare opportunities were valued by society was also recommended:

“The positive publicity of welfare and public perception is key. We need to consult the public on what matters to them”.

This could feed into a market or government incentive scheme which could support farmers to transition towards the most highly valued opportunities that require substantial investment and/or a substantial change in mind-set.

The main incentives highlighted by farmers were to stay ahead of the game with regards to animal welfare and use an evidence-base like this framework in order to make valid animal welfare claims to their customers.

“Evidence base is absolutely. It is fundamental. Just to defend yourself in the future if you are going to make claims”.

3.7. On-Farm Piloting of the Positive Welfare Framework

3.7.1. Farm Descriptive Data

For the piloting of the positive welfare framework by XLVets, there were missing descriptive data for five of the 34 farms (15%) in the study. Descriptive figures are expressed as percentages of the 29 farms for which data were available.

Most farms ($n = 20$, 69%) were in the South West of England: five in Somerset, four in Devon, four in Dorset, four in Gloucestershire and three in Wiltshire. Outside the South West, four farms (14%) were in Derbyshire, two (7%) in Oxfordshire, two in Worcestershire, and one (3%) in Nottinghamshire. The majority of farms ($n = 23$, 79%) were conventional, four (14%) were organic, and four described themselves as Pasture-Fed (grazing-based systems where the majority, but not necessarily the entirety, of feed is grass; of these four pasture-fed farms, two also classed themselves as conventional). All 29 farms were Red Tractor certified; of these, three (10%) were also assured by Soil Association, two (7%) by Arlagården, two by Tesco, one (3%) by Organic Farmers and Growers, one by RSPCA Assured, and one by Sainsbury's. No farms were certified by Pasture for Life, which requires 100% of the cows' diet to be grass/forage for Pasture-Fed systems.

Herd size ranged from 80 to 2100 cows (median = 200), although the largest figure was an outlier; if excluded the range was 80–390 cows (median = 200). Milk sold per cow per year ranged from 4300–12,000 L (median = 9000 L); one farmer gave this figure as a range, the median of which was taken as the data point. Number of days grazed ranged from 0–365 days (median = 180 days; where a range was reported, the median was taken as the data point, and where a minimum number of days grazed was reported, this minimum figure was used). Six farms were zero-grazing. Two farms grazed low yielding cows (including those in mid to late lactation, confirmed pregnant, or with high body condition score) between 180–200 days, but high yielding cows (including those in early lactation) for 0 days. Four farms (12%) carried out spring calving, 13 farms (38%) block calving, and 16 (47%) calved all year round.

3.7.2. Farm Assessment of Positive Welfare Opportunities

There were missing farm assessments for five of the 34 farmers in the study, leaving a total of 29 farms for this section of the analysis.

Across 406 (29×14) combinations of farms and positive welfare opportunities, 34% of farms achieved Welfare +, 22% of farms achieved Welfare ++, and 4% of farms achieved Welfare +++. These data are shown in Table 1.

Table 1. Percentage of farmers ($n = 29$) achieving at least one good life resource requirement for each welfare level, expressed as a percentage of the maximum possible achievement of meeting all resource requirements for all welfare levels in that positive welfare opportunity.

Positive Welfare Opportunity	Percentage Welfare +	Percentage Welfare ++	Percentage Welfare +++	Total
Comfort by choice of physical environment	38	9	1	48
Comfort by choice of thermal environment	33	29	7	69
Comfort by choice within environment while minimising harms	41	33	0	74

Table 1. *Cont.*

Positive Welfare Opportunity	Percentage Welfare +	Percentage Welfare ++	Percentage Welfare +++	Total
Comfort by milking choices	21	9	0	30
Pleasure by play and positive social interactions	31	44	0	75
Pleasure by maintenance of the cow-calf bond	23	3	1	27
Confidence by positive experience with stock-keepers, including familiar routines an/processes	43	35	0	78
Confidence by positive learning, resilience and social experiences within the herd	21	40	5	66
Interest by a positively enriched environment	28	7	0	34
Interest by pasture choices	23	18	16	57
Interest by food choices	20	18	0	38
Healthy Life by the stockperson's knowledge of individual cows' habits and preferences	72	10	0	82
Healthy life by effective management of day to day health and welfare	44	34	5	83
Healthy Life by positive genetic selection for long-term health and welfare	31	24	21	76

3.7.3. Perception of Positive Welfare Opportunities

There were missing interview responses for seven of the 34 farmers in the study, leaving a total of 27 farms for this section of the analysis. Table 2 displays the positive welfare opportunities or resources most valued by farmers for which there are data for this part of the interview (n = 26); Table 3 displays those which farmers (n = 22) reported not to value (farmers could give more than one answer so percentages do not sum to 100).

Table 2. Positive welfare opportunity or resources most valued by farmers (n = 27).

Positive Welfare Opportunity or Resource	n =	%
Comfort	12	46
Healthy life	11	42
Interest by pasture choices	8	31
All	7	27
Confidence by positive experience with stock- keepers	6	23
Pleasure by play & positive social interactions	3	12
Comfort by choice of physical environment	2	8
Confidence	2	8
Interest by a positively enriched environment	2	8
Comfort by milking choices	2	8
Comfort by choice of thermal environment	1	4
Interest	1	4
Interest by food choices	1	4

Table 3. Positive welfare opportunity or resource reported not to be valued by farmers (n = 22).

Positive Welfare Opportunity or Resource	n =	%
Pleasure by maintenance of cow-calf bond	13	59
Interest by a positively enriched environment	4	18
Interest by pasture choices	3	14
Comfort by choice of physical environment: loose housing/covered yards	2	9
Interest by food choices	1	5
Interest	1	5
Pleasure	1	5

3.7.4. Reasons for Not Achieving Positive Welfare Opportunities

Table 4 illustrates reasons given by farmers as to why they were not (if they were not) achieving each welfare level for the four positive welfare opportunities in the questionnaire (comfort by physical environment, interest by pasture choices, pleasure by play and positive social interactions, and pleasure by maintenance of the cow-calf bond). Numbers of farmer responses are given as denominators in the table, as data were not captured for all 27 farmers. Table 5 displays reasons given by farmers other than those offered by multiple choice in the questionnaire.

Table 4. Reasons reported by farmers for not achieving each welfare level for each positive welfare opportunity.

Positive Welfare Opportunity	Capital Investment	Running Costs	Time	Contractual Constraints	Unaware of Benefit	No Welfare Benefit	This Idea Is New	Other
Comfort by physical environment, welfare +	9/12 (75%)	3/12 (25%)	0	0	0	0	0	7/12 (58%)
Comfort by physical environment, welfare ++	4/15 (27%)	10/15 (67%)	7/15 (47%)	1/15 (7%)	1/15 (7%)	2/15 (13%)	0	11/14 (79%)
Comfort by physical environment, welfare +++	9/14 (64%)	3/14 (21%)	0	0	0	2/14 (14%)	0	5/14 (36%)
Interest by pasture choices, welfare +	2/5 (40%)	2/5 (40%)	1/5 (20%)	0	0	1/5 (20%)	0	5/5 (100%)
Interest by pasture choices, welfare ++	2/6 (33%)	2/6 (33%)	1/6 (17%)	1/6 (17%)	0	2/6 (33%)	0	6/6 (100%)
Interest by pasture choices, welfare +++	0	1/7 (14%)	1/7 (14%)	0	1/7 (7%)	1/7 (7%)	0	6/7 (86%)
Pleasure by play and positive social interactions, welfare +	0	0	0	0	1/1 (100%)	0	0	1/1 (100%)
Pleasure by play and positive social interactions, welfare ++	2/5 (40%)	1/5 (20%)	0	1/5 (20%)	0	0	0	3/5 (60%)
Pleasure by play and positive social interactions, welfare +++	2/5 (40%)	1/5 (20%)	0	0	0	0	1/5 (20%)	3/5 (60%)
Pleasure maintenance cow-calf bond +	2/20 (10%)	2/20 (10%)	3/20 (15%)	0	0	8/20 (40%)	0	17/20 (85%)
Pleasure maintenance cow-calf bond ++	2/10 (10%)	2/10 (10%)	3/10 (30%)	1/10 (10%)	1/10 (10%)	6/10 (60%)	0	5/10 (50%)
Pleasure maintenance cow-calf bond +++	3/7 (43%)	3/7 (43%)	2/7 (29%)	2/7 (29%)	0	2/7 (29%)	0	2/7 (29%)

Table 5. Other reasons reported by farmers for not achieving each welfare level for each positive welfare opportunity.

Other Reasons Given	
Comfort by physical environment, welfare +	Problems with slurry management; constraints due to TB and increased stocking density; concerns about mastitis risk; does not fit block calving system; health and welfare concerns.
Comfort by physical environment, welfare ++	Disease risk including mastitis; <i>E. coli</i> infection risk; poor cleanliness; teat damage; time and monetary costs of cleaning out regularly; do not agree with the concept; health welfare benefits of cows in cubicles outweigh loose housing, supported by quantifiable health key performance indicators (KPIs), e.g., mastitis.
Comfort by physical environment, welfare +++	Issue with vehicle access; rubber mats will become slippery outside; dubious of conclusion in research literature that rubber matting at feed face has measurable benefit.
Interest by pasture choices, welfare +	Issue with ease of access; issue with management due to robotic milking system; not profitable.
Interest by pasture choices, welfare ++	Production concern; practicality of providing shade; weather, ground condition and grass availability concerns; high yielders better managed inside.
Interest by pasture choices, welfare +++	Increased poaching around trees and hedges; decreased cleanliness and increased flies, increased infection risk; impractical and uneconomic; not best for health, welfare or production.
Pleasure by play and positive social interactions, welfare +	Disease risk
Pleasure by play and positive social interactions, welfare ++	Insufficient space; unrealistic for herd size.
Pleasure by play and positive social interactions, welfare +++	Insufficient space; impractical.
Pleasure maintenance cow-calf bond Welfare +	Health issues for dam and calf; safety issues; increased disease including Johne's disease and mastitis; mastitis milk fed to new born calf likely to result in death; increased stress; risk of mis mothering; impractical due to rate of calving/calving interval; more difficult to teat train; need to get cow into milking routine of robot quickly; increased stress and distress and decreased welfare of cow and calf at separation following bond formation rather than bond never forming.
Pleasure maintenance cow-calf bond Welfare ++	Impractical; uneconomic; increased labour needed; negative welfare for cow and calf; increased disease risk; do not agree with opportunity.
Pleasure maintenance cow-calf bond Welfare +++	Impractical; much reduced milk production; would be more acceptable if use multiple suckled nurse cows; 2 months is not natural weaning; nonsense for dairy herd.

3.7.5. Likelihood of Achieving Positive Welfare Opportunity with Government Funding

Table 6 shows the likelihood of farmers making the changes required to meet each welfare level of each of the four good life opportunities if they were fully compensated for the costs required to make these changes. Not all farmers gave answers to this section of the questionnaire; number of responses are given as denominators in the table.

Table 6. Likelihood reported by farmers of achieving positive welfare opportunities given government funding.

	If the Full Cost and Time Was Compensated by the Government, How Likely Would You Be to Deliver the Next Resource Tier?			
	Very Likely	Quite Likely	Somewhat Unlikely	Not Likely
Comfort by physical environment, welfare +	3/9 (33%)	1/9 (11%)	2/9 (22%)	3/9 (33%)
Comfort by physical environment, welfare ++	3/11 (27%)	0	3/11 (27%)	5/11 (45%)
Comfort by physical environment, welfare +++	6/7 (86%)	1/7 (14%)	0	0
Interest by pasture choices, welfare +	0	2/5 (40%)	1/5 (20%)	2/5 (40%)
Interest by pasture choices, welfare ++	0	0	0	4/4 (100%)
Interest by pasture choices, welfare +++	0	1/5 (20%)	1/5 (20%)	3/5 (60%)

Table 6. Cont.

	If the Full Cost and Time Was Compensated by the Government, How Likely Would You Be to Deliver the Next Resource Tier?			
	Very Likely	Quite Likely	Somewhat Unlikely	Not Likely
Pleasure by play and positive social interactions, welfare +	0	0	1/1 (100%)	0
Pleasure by play and positive social interactions, welfare ++	3/4 (75%)	0	0	1/4 (25%)
Pleasure by play and positive social interactions, welfare +++	3/4 (75%)	0	0	1/4 (25%)
Pleasure maintenance cow-calf bond Welfare +	1/16 (6%)	1/16 (6%)	2/16 (13%)	12/16 (75%)
Pleasure maintenance cow-calf bond Welfare ++	0	0	2/9 (22%)	7/9 (78%)
Pleasure maintenance cow-calf bond Welfare +++	1/9 (11%)	0	1/9 (11%)	7/9 (78%)

3.7.6. Framework Use

There were missing data for the question on how farmers would like to see the framework used for one farm. Of the 26 dairy farmers for which data are available, 32% recommended the framework to justify national and global marketing claims of UK higher animal welfare; 32% supported its use within existing farm assurance schemes; 22% saw its use as part of a grants scheme for capital expenditure or training associated with enhanced animal welfare, and 14% of farmers recommended its use within a government funded animal welfare stewardship scheme.

During the on-farm pilot, one farmer suggested that including the positive welfare framework in farm assurance schemes was an opportunity to inform customers of good welfare provision, whilst another arguing against its inclusion believed that it might be difficult to remove auditors' emotions from the process, as the assessment currently appeared too subjective.

Reasons for support of using the framework in a government-funded stewardship scheme included ensuring that all farmers achieved a minimum level of positive welfare for their animals whilst enabling payment for farmers that go beyond this; in addition, one farmer believed that such a scheme could enable grants for buildings and infrastructure required to increase positive welfare opportunities. Another supported this suggestion by arguing that providing resources for positive welfare would affect profitability, therefore such provisions would need to have monetary value through payments from a government scheme. However, two farmers reported that they were wary of government sanctions and involvement.

One farmer argued against mandatory introduction of the framework in any form because this would deny farmers the opportunity to develop their own markets for positive welfare products. Conversely, one farmer who was against all suggested uses of the framework argued that before any more standards are introduced, their benefits to farmers including contribution towards profitability need to be demonstrated; this farmer did not feel there was a value to the assurance scheme she/he was already audited to. A further concern about the use of the framework voiced by one farmer was that it would be very difficult to 'police' positive welfare provisions across a whole year.

4. Discussion

4.1. Fostering Farmer Engagement

The primary purpose of this study was to trial a novel participatory approach to developing positive welfare policy in collaboration with farmers. All farmers recruited actively engaged in the process from start to finish and dedicated up to a day of their time to do so free of charge. At the end of the three initial meetings, a framework was agreed for an on-farm trial and the farmers involved were willing to commit more time by

hosting meetings to carry out the trialing process. We suggest this level of engagement and outcome provides support for developing a co-design approach to animal welfare policy development going forward.

With regard to positive welfare, this study provides evidence that these farmers place value here and are motivated to deliver this, because they recognise having healthy and happy cows is intrinsically valuable and motivating in itself, enabling pride, improving their own wellbeing, as well as receiving business benefits through improved productivity, and being able to market positive welfare to consumers.

Communicating pride is crucial at a time when the dairy industry is coming under increasing scrutiny for welfare-negative practices that are perceived to be out of step with changing societal expectations. Public awareness and demand for higher dairy cattle welfare products is increasing [1], and although consumers are willing to pay for increasingly higher welfare, they cannot satisfy their preferences for these products currently because of a lack of information [30]. A standardised and evidence-based means of assessing and communicating the positive welfare opportunities farmers are delivering for dairy cattle (and other farm species) is greatly needed [14]. This framework proposes an evidence-based mechanism, described by farmers as “fundamental”—to defend themselves in claims they make, and any made against them.

4.2. Evidence of Existing Positive Welfare

During the on-farm piloting phase conducted by their vets, it was shown that 34% of farms achieved a Welfare +, 22% of farms achieved a Welfare ++, and 4% of farms achieved a Welfare +++. This suggests that a considerable proportion of farmers in this study may be going above and beyond legislation and codes of recommendations for dairy cattle welfare. This is an initially promising result, in view of the applicability of such a framework as a national benchmark for higher animal welfare. Far fewer farmers provided any resources required to achieve the highest level of welfare (‘welfare +++’). Together these results indicate that this framework is attainable at the lower end and aspirational at the upper end, providing scope for a continuous improvement mechanism for positive welfare opportunities within the UK dairy herd, either for example within existing farm assurance schemes, and as part of a government led grants and payments by results scheme for animal welfare enhancements that are valued by the public and not delivered sufficiently by the market [31]. However, further research and data collection is needed at a national level to demonstrate to what extent this is reflective of the UK dairy herd as a whole. In addition, further work is needed to train assessors and standardise the assessment protocol and enable valid comparisons to be made.

4.3. Positive Welfare Value to Farmers

The positive welfare opportunity valued by the highest proportion of farmers during the on-farm piloting phase was ‘comfort’ (46%), with an additional two (8%) specifying physical comfort and a further two specifying thermal comfort. This was followed by ‘healthy life’ (42%), and then interest by pasture choices (31%). However, over a quarter of the farmers (27%) said that they valued all of the good life opportunities. Overall, this indicates a relatively positive attitude to the concept amongst farmers who were part of the wider pilot phase, especially with respect to comfort, health, and pasture access. Significantly, these results mirror findings from a recent survey which reported that the top three welfare attributes that concerned 2,054 UK dairy consumers were: access to grazing, health and welfare, and cow comfort [32].

4.4. Government Incentives for System Change

One of the most valuable opportunities by farmers is not attainable without major infrastructure changes. In the UK, the majority of cows are kept in cubicles, and above level ‘welfare +’ for comfort by physical environment specifies straw yards. Farmers reported favouring cubicles compared to straw yards in reducing the risk of mastitis,

presumably through improved udder hygiene. There is scientific evidence to support this: a review revealed that the use of cubicles was associated with lower somatic cell counts in dairy cows [33]. However, the husbandry practices with the most consistent associations with mastitis were related to milking procedures, rather than housing or bedding [33]. Nonetheless, cow hygiene in loose housing remains a legitimate concern, as labour and bedding costs required to maintain cleanliness may be increased in this system. However, these barriers are not apparently insurmountable, as farmers reported they would be ‘very likely’ to achieve the opportunity for comfort if remunerated by the government for the cost of implementing straw yard systems (see Table 6). This demonstrates a willingness by these farmers to change major infrastructure where government and society perceive this as a public good.

Not all positive welfare opportunities were equally valued by farmers, both within the focus groups and the on-farm pilot. For example, during the development phase, farmers in the focus group agreed with the value and inclusion of the aspirational positive welfare opportunity for pleasure, by maintaining the cow-calf bond. However, when it came to on farm piloting, some of these farmers questioned the value and merit of including an opportunity which goes above and beyond the current management strategies of conventional dairy farms in the UK. Over half the farmers during the on-farm pilot phase (for which data were available) reported not to value this opportunity. This divergence between the focus group and pilot farmers may be explained by different attitudes and perceptions, as well as levels of engagement and therefore ownership in the development process. For example, the focus group volunteered to take part, and despite not practicing it themselves, felt that farmers who were achieving this opportunity should be recognised and rewarded due to both the significant benefit to dairy cow and calf welfare, and value to consumers and the public. Furthermore, the focus group had the opportunity to discuss the framework philosophy over a series of meetings: “something for everyone, not everything for everyone”. This can be seen to further highlight the importance of engaging all stakeholders at the infancy of policy development, in order to increase their ownership and uptake of the process. In contrast, after being scored on the framework by their vet, farmers during the pilot phase had 30 min to be introduced to the concept of positive welfare. In addition, it may not have been made clear that this framework is being proposed as a voluntary rather than a sanctioning mechanism. Nonetheless, these farmers reported concern that keeping calves with their dams will reduce their welfare by increasing the risk of injury and disease, and increasing distress at eventual separation. Farmers perceived that distress to both calf and dam is reduced by immediate removal, for which there is scientific support. A recent review comparing separation at 6–24 h of age with separation at 4–14 days of age concluded that almost immediate separation (within the first day of life) is less distressing to both dam and calf than separating after the first few days to two of weeks of life [34]. However, a study comparing separation at 25 days with 45 days of age [34] found increased indicators of distress in both cows and calves following earlier separation. Several studies have shown that total suckling duration per day decreases with age [35] as calves become less nutritionally dependent on the dam. In addition, behavioural observations demonstrated greater social independence at the older age, suggesting the earliest age to begin separation to avoid acute distress is 6–7 weeks [36].

The perception of farmers during the on farm pilot phase that near-immediate separation of calves from dams reduces the risk of injury and disease for both calf and cow is not supported by scientific evidence: “the scientific peer-reviewed literature on cow and calf health provides no consistent evidence in support of early separation” and therefore “does not support a recommendation of early dairy cow-calf separation on the basis of calf or cow health” [37]. The authors found that studies on calf immunity, mortality, scours and pneumonia did not find that early separation confers health or survival benefits, or controls Johne’s disease, and that suckling is protective against mastitis, indicating a health benefit to keeping calves with dams.

Furthermore, prolonged cow–calf contact beyond the first day of life benefited calf welfare in the long term [34]. As part of this systematic review [34], over 80% of relevant research papers report beneficial effects of extended cow–calf contact on social behaviour, such as increased social interaction, and 75% report reduced abnormal oral behaviours in calves, both during and after the suckling period [34]. In addition, 71% of papers report reduced stress and/or fear responses in calves experiencing prolonged contact with the dam. Thus, there are multiple positive welfare benefits to keeping cows and calves together (for at least 6 weeks to avoid acute distress), compared to removing calves within the first day.

In light of this review of the evidence and the farmer feedback, the requirements for ‘welfare +’ in the opportunity for pleasure by maintenance of the cow–calf bond were changed to separation within the first 24 h of birth, whilst emphasising the need for calves to be kept in stable groups. The requirement for keeping dams and calves together for two weeks in level ‘welfare ++’ (added following the focus group consultation) was changed to 6 weeks to reflect the evidence base. This illustrates the iterative process of the development of a positive welfare framework, through collaboration between stakeholders, as well as incorporating evidence from new studies and literature reviews as they become available.

For level ‘welfare +++’, which prescribes keeping the calf with its dam until natural weaning, cost and time became the overriding hinderance. Farmers who were part of the on-farm pilot did see the benefit of keeping calves with mothers until naturally weaned, but stated this is completely impractical and uneconomic within the current conventional system. Dairy farmers have come up against most criticism by animal welfare advocates for separating calves from cows, and 15% of UK consumers reported wanting calves to stay with cows for longer in a recent survey [32]. Consumer confidence in dairy has been found to decline having visited a University farm mostly because of cow–calf separation [38]. Furthermore, a study in Germany identified that a 1/3rd of consumers following a vegan diet may be open to forms of animal agriculture guaranteeing animal welfare standards going beyond current practices [39].

4.5. Agreement between Scientists and Farmers

It is encouraging that only one farmer reported that opportunities for positive welfare was a new idea to them. Given that the concept of positive welfare in farm animals only began to receive academic attention relatively recently [40], it is interesting to find that it is not a new concept to dairy farmers. Farmers in the focus group consultation defined a good life for dairy cows in terms of opportunities that all related to the same opportunities developed within the scientific literature [14]. A group of self-selecting dairy farmers and welfare scientists broadly agree on what positive welfare means in practice for dairy cattle. There were only two exceptions to this. Farmers did not freely include keeping cows and calves together when defining positive welfare before this opportunity was introduced to them.

There was a new suggestion from farmers that had not been considered by the research team while drafting the framework using the literature. Robotic milking gives cows the opportunity to choose their own milking interval, and this can also enhance comfort by minimising time standing on hard surfaces in the collecting yard and milking parlour, and maximise the cow’s time to express natural behaviours [41]. This opportunity was consequently added to the framework, and is another example of how collaboration with farmers to interpret concepts of welfare can integrate emerging practice.

4.6. Support for Farmer-Led Innovation

The on-farm pilot demonstrated that farmers would be willing to make changes necessary to provide some opportunities for their animals with government funding. However, not all opportunities were valued by all farmers. In order for positive welfare opportunities to be delivered in practice, payments alone will not encourage all farmers. Particularly around more controversial or aspirational system changes, understanding the

value of change, as well as experiencing the management changes required to facilitate substantive shifts in management is required. Further participatory engagement between the research and farming community is required to employ research and innovation that bridges practical unknown steps and husbandry gaps. The proposed framework is in its infancy and requires a dynamic process of development and refinement as the quality of life literature advances and practical measures for quantifying positive welfare outcomes emerge. Participatory approaches should be central to this process. Using communities of practice to bring farmers together to facilitate discussion, learning and knowledge exchange can support continued innovation across the sector [29,42].

4.7. True Cost Accounting

One farmer highlighted that making changes is not only dependent on government payments, but also on public perception and value of milk: if consumers paid more for milk, farmers could afford to make investments to improve opportunities for positive welfare. This calls not only for consumer education on dairy cow welfare, but also for policies to price food in a way that reflects its true production costs, including externalities, known as 'true cost accounting' [43].

4.8. A Mechanism for Recognition and Reward

The authors would like to acknowledge that the intention of this framework is not that every dairy farm will ultimately be able to achieve every welfare level for every positive welfare opportunity. The purpose is that the framework reflects attainable and aspirational positive welfare opportunities for the spectrum of dairy farmers and systems in operation. Our goal is that there is something for everyone within the framework and that where positive welfare is provided, there is a mechanism for recognition and reward. For example, farmers who are already able to manage their cattle in straw yards, which provides cows with the positive comfort opportunity of choice to lie in any orientation and location on a deep bedded soft and dry surface [44], without compromising cow health.

4.9. Future Research Opportunities

In focusing on positive rather than negative aspects of welfare, the proposed good life framework is not a holistic assessment of animal welfare. Further work is needed to evaluate the construct validity of this framework by exploring the relationships between scores and other measures of welfare, such as intended behavioural outcomes, such as play, as well as negative welfare outcomes. Previous research with laying hens found that additional provision of positive welfare opportunities was positively associated with behavioural outcomes, but had no impact on negative welfare outcomes [9].

The total sample size of farmers in the focus groups ($n = 10$) was small. Therefore, caution must be taken in generalising results to the wider dairy farming community. Although there were only one or two farmers representing each type of system, the dairy farmers who participated represent the full cross section of systems in the UK.

4.10. Participatory Policy Development

Dairy farmers self-selected to participate in the focus groups, therefore it is likely that bias is inherent through the participants' willingness to engage in positive welfare discussions. As such, it should be recognized that the views of this engaged group may differ to those who did not come forward to participate. The views expressed by the focus group are not necessarily representative of the UK dairy farmer population as a whole. However, this work demonstrates the potential for policy to be co-created with farmer focus groups, increasing ownership, relevance and palatability of the end result [29]. We therefore advocate that research scientists, industry and policy makers to use participatory approaches in future policy development [31].

5. Conclusions

This study has demonstrated that welfare scientists can utilize farmer focus groups to collaboratively develop a positive welfare framework for dairy cattle. Furthermore, the on-farm pilot phase indicates that dairy farmers appear to be providing additional resources beyond that required by either legislation or certification requirements for which they are currently not receiving recognition or reward for in the market place. Furthermore, all dairy farmers surveyed value some of the positive welfare opportunities presented and stated that they would be willing to implement changes on their farms to achieve these opportunities for dairy cows, as part of a payments by results scheme. Animal welfare is a public good and we are now at a unique opportunity to adapt to consumer/societal demands and progress world leading standards which incorporate existing and emerging positive welfare opportunities to deliver a good life for dairy cattle.

Supplementary Materials: The following are available online at <https://www.mdpi.com/article/10.3390/ani12192540/s1>, Table S1: Development of positive welfare opportunities using scientific evidence, farmer expertise and veterinary assessment. Table S2: Policy development process (Adapted from [29]). References [45–212] are cited in the supplementary materials.

Author Contributions: Conceptualization, J.E.S., J.C.P., D.C.J.M. and S.M.; methodology, J.E.S., D.C.J.M., S.M., M.J.H. and C.M.D.; formal analysis, J.E.S., and E.R.; investigation, J.E.S., and M.J.H.; resources, R.H.; data curation, R.H.; writing—original draft preparation, J.E.S.; writing—review and editing, J.E.S., E.R., D.C.J.M. and C.M.D.; funding acquisition, D.C.J.M., S.M., M.J.H. and C.M.D. All authors have read and agreed to the published version of the manuscript.

Funding: This research project was funded by the Scottish Government (Funding reference number MLS/GJS//20105505).

Institutional Review Board Statement: The study was conducted according to the guidelines of the Declaration of Helsinki, and approved by the Ethics Committee of Royal Agricultural University (Approval number 2019.0004, 23 January 2019).

Informed Consent Statement: Informed consent was obtained from all subjects involved in the study.

Data Availability Statement: The data presented in this study are available in [Table S1].

Acknowledgments: The authors would like thank the Scottish Government for funding this work. The authors would also like to acknowledge the contributions made by all XL Vets who collected data for the on-farm pilot phase. The authors would also like to particularly thank the participating farmers who formed the focus groups, for all their time and input into the framework.

Conflicts of Interest: The authors declare no conflict of interest. The funders had no role in the design of the study; in the collection, analyses, or interpretation of data; in the writing of the manuscript; or in the decision to publish the results.

References

1. Miele, D.M.; Evans, A. When Foods Become Animals: Ruminations on Ethics and Responsibility in Care-Full Practices of Consumption. *Ethics Place Environ.* **2010**, *13*, 171–190. [CrossRef]
2. Clark, B.; Stewart, G.B.; Panzone, L.A.; Kyriazakis, I.; Frewer, L.J. A Systematic Review of Public Attitudes, Perceptions and Behaviours Towards Production Diseases Associated with Farm Animal Welfare. *J. Agric. Environ. Ethics* **2016**, *29*, 455–478. [CrossRef]
3. Ingenbleek, P.T.M.; Immink, V.M. Consumer Decision-Making for Animal-Friendly Products: Synthesis and Implications. *Anim. Welf.* **2011**, *20*, 11–19.
4. Welcome to The Ethical Dairy | The Ethical Dairy. Available online: <https://www.theethicaldairy.co.uk/> (accessed on 13 July 2021).
5. RSPCA Assured UK—Farm Animal and Chicken Welfare. Available online: <https://www.rspcaassured.org.uk/> (accessed on 19 July 2021).
6. Downing, E.; Audickas, L.; Coe, S. *Brexit: UK Agriculture Policy*; House of Commons Library: London, UK, 2021.
7. Lawrence, A.B.; Newberry, R.C.; Špinka, M. 15—Positive welfare: What does it add to the debate over pig welfare? In *Advances in Pig Welfare*; Špinka, M., Ed.; Woodhead Publishing Series in Food Science, Technology and Nutrition; Woodhead Publishing: Cambridge, UK, 2018; pp. 415–444. ISBN 978-0-08-101012-9.

8. FAWC Report on Farm Animal Welfare in Great Britain: Past, Present and Future. Available online: <https://www.gov.uk/government/publications/fawc-report-on-farm-animal-welfare-in-great-britain-past-present-and-future> (accessed on 14 July 2021).
9. Stokes, J.E.; Mullan, S.; Takahashi, T.; Monte, F.; Main, D.C.J. Economic and Welfare Impacts of Providing Good Life Opportunities to Farm Animals. *Animals* **2020**, *10*, 610. [CrossRef]
10. Main, D.C.J.; Stokes, J.E.; Mullan, S. *Reaping the Rewards from UK Leadership in Farm Animal Welfare: Time for a National Strategy*; University of Bristol: Bristol, UK, 2018.
11. Pasture for Life—Certified 100% Grass-Fed Meat, Milk and Dairy. Available online: <https://www.pastureforlife.org/> (accessed on 19 July 2021).
12. Home—Free Range Dairy. Available online: <https://freerangedairy.org/> (accessed on 19 July 2021).
13. Vigers, B. Citizens’ and Farmers’ Framing of ‘Positive Animal Welfare’ and the Implications for Framing Positive Welfare in Communication. *Animals* **2019**, *9*, 147. [CrossRef]
14. Vigers, B.; Lawrence, A. What Are the Positives? Exploring Positive Welfare Indicators in a Qualitative Interview Study with Livestock Farmers. *Anim. Open Access J.* **2019**, *9*, E694. [CrossRef]
15. Mullan, S.; Edwards, S.; Butterworth, A.; Whay, H.; Main, D. A Pilot Investigation of Possible Positive System Descriptors in Finishing Pigs. *Anim. Welf.* **2011**, *20*, 439–449.
16. Edgar, J.L.; Mullan, S.M.; Pritchard, J.C.; McFarlane, U.J.C.; Main, D.C.J. Towards a ‘Good Life’ for Farm Animals: Development of a Resource Tier Framework to Achieve Positive Welfare for Laying Hens. *Animals* **2013**, *3*, 584–605. [CrossRef]
17. Mellor, D.; Beausoleil, N. Extending the “Five Domains” Model for Animal Welfare Assessment to Incorporate Positive Welfare States. *Anim. Welf.* **2015**, *24*, 241–253. [CrossRef]
18. Boissy, A.; Manteuffel, G.; Jensen, M.B.; Moe, R.O.; Spruijt, B.; Keeling, L.J.; Winckler, C.; Forkman, B.; Dimitrov, I.; Langbein, J.; et al. Assessment of Positive Emotions in Animals to Improve Their Welfare. *Physiol. Behav.* **2007**, *92*, 375–397. [CrossRef]
19. Napolitano, F.; Knierim, U.; Grass, F.; Rosa, G.D. Positive Indicators of Cattle Welfare and Their Applicability to On-Farm Protocols. *Ital. J. Anim. Sci.* **2009**, *8*, 355–365. [CrossRef]
20. Held, S.D.E.; Špinka, M. Animal Play and Animal Welfare. *Anim. Behav.* **2011**, *81*, 891–899. [CrossRef]
21. Brown, C. Fish Intelligence, Sentience and Ethics. *Anim. Cogn.* **2015**, *18*, 1–17. [CrossRef]
22. Ahloy-Dallaire, J.; Espinosa, J.; Mason, G. Play and Optimal Welfare: Does Play Indicate the Presence of Positive Affective States? *Behav. Process.* **2018**, *156*, 3–15. [CrossRef]
23. Wemelsfelder, F.; Hunter, A.E.; Paul, E.S.; Lawrence, A.B. Assessing Pig Body Language: Agreement and Consistency between Pig Farmers, Veterinarians, and Animal Activists. *J. Anim. Sci.* **2012**, *90*, 3652–3665. [CrossRef]
24. Andreasen, S.N.; Wemelsfelder, F.; Sandøe, P.; Forkman, B. The Correlation of Qualitative Behavior Assessments with Welfare Quality® Protocol Outcomes in On-Farm Welfare Assessment of Dairy Cattle. *Appl. Anim. Behav. Sci.* **2013**, *143*, 9–17. [CrossRef]
25. Phythian, C.J.; Michalopoulou, E.; Cripps, P.J.; Duncan, J.S.; Wemelsfelder, F. On-Farm Qualitative Behaviour Assessment in Sheep: Repeated Measurements across Time, and Association with Physical Indicators of Flock Health and Welfare. *Appl. Anim. Behav. Sci.* **2016**, *175*, 23–31. [CrossRef]
26. Grosso, L.; Battini, M.; Wemelsfelder, F.; Barbieri, S.; Minero, M.; Dalla Costa, E.; Mattiello, S. On-Farm Qualitative Behaviour Assessment of Dairy Goats in Different Housing Conditions. *Appl. Anim. Behav. Sci.* **2016**, *180*, 51–57. [CrossRef]
27. Terrestrial Code Online Access. Available online: <https://www.oie.int/en/what-we-do/standards/codes-and-manuals/terrestrial-code-online-access/> (accessed on 14 July 2021).
28. Dawkins, M.S. The Science of Animal Suffering. *Ethology* **2008**, *114*, 937–945. [CrossRef]
29. Van Dijk, L.; Buller, H.; MacAllister, L.; Main, D. Facilitating Practice-Led Co-Innovation for the Improvement in Animal Welfare. *Outlook Agric.* **2017**, *46*, 131–137. [CrossRef]
30. Kehlbacher, A.; Bennett, R.; Balcombe, K. Measuring the Consumer Benefits of Improving Farm Animal Welfare to Inform Welfare Labelling. *Food Policy* **2012**, *37*, 627–633. [CrossRef]
31. Farming for the Future: Policy and Progress Update. DEFRA 44. Available online: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/868041/future-farming-policy-update1.pdf (accessed on 14 July 2021).
32. Jackson, A.; Green, M.; Millar, K.; Kaler, J. Is It Just about Grazing? UK Citizens Have Diverse Preferences for How Dairy Cows Should Be Managed. *J. Dairy Sci.* **2020**, *103*, 3250–3263. [CrossRef] [PubMed]
33. Dufour, S.; Fréchette, A.; Barkema, H.W.; Mussell, A.; Scholl, D.T. Invited Review: Effect of Udder Health Management Practices on Herd Somatic Cell Count. *J. Dairy Sci.* **2011**, *94*, 563–579. [CrossRef] [PubMed]
34. Meagher, R.K.; Beaver, A.; Weary, D.M.; von Keyserlingk, M.A.G. Invited Review: A Systematic Review of the Effects of Prolonged Cow–Calf Contact on Behavior, Welfare, and Productivity. *J. Dairy Sci.* **2019**, *102*, 5765–5783. [CrossRef] [PubMed]
35. Orihuela, A.; Galina, C.S. Effects of Separation of Cows and Calves on Reproductive Performance and Animal Welfare in Tropical Beef Cattle. *Animals* **2019**, *9*, 223. [CrossRef] [PubMed]
36. Johnsen, J.F.; Zipp, K.A.; Kälber, T.; de Passillé, A.M.; Knierim, U.; Barth, K.; Mejdell, C.M. Is Rearing Calves with the Dam a Feasible Option for Dairy Farms?—Current and Future Research. *Appl. Anim. Behav. Sci.* **2016**, *181*, 131–137. [CrossRef]
37. Beaver, A.; Meagher, R.K.; von Keyserlingk, M.A.G.; Weary, D.M. Invited Review: A Systematic Review of the Effects of Early Separation on Dairy Cow and Calf Health. *J. Dairy Sci.* **2019**, *102*, 5784–5810. [CrossRef]

38. Ventura, B.A. Understanding Industry and Lay Perspectives on Dairy Cattle Welfare. Ph.D. Thesis, University of British Columbia, Vancouver, BC, Canada, 2015.
39. Janssen, M.; Busch, C.; Rödiger, M.; Hamm, U. Motives of Consumers Following a Vegan Diet and Their Attitudes towards Animal Agriculture. *Appetite* **2016**, *105*, 643–651. [[CrossRef](#)]
40. Yeates, J.W.; Main, D.C.J. Assessment of Positive Welfare: A Review. *Vet. J.* **2008**, *175*, 293–300. [[CrossRef](#)]
41. Tucker, C.B.; Jensen, M.B.; de Passillé, A.M.; Hänninen, L.; Rushen, J. Invited Review: Lying Time and the Welfare of Dairy Cows. *J. Dairy Sci.* **2021**, *104*, 20–46. [[CrossRef](#)]
42. Keeping Cow with Calf—Scotland. Available online: <https://www.keepingcowwithcalf.com> (accessed on 14 July 2021).
43. Sustainable Food Trust True Cost Accounting. Available online: <https://sustainablefoodtrust.org/key-issues/true-cost-accounting/> (accessed on 14 July 2021).
44. Fregonesi, J.A.; von Keyserlingk, M.A.G.; Weary, D.M. Cow Preference and Usage of Free Stalls Compared with an Open Pack Area. *J. Dairy Sci.* **2009**, *92*, 5497–5502. [[CrossRef](#)]
45. Seyfi, S.U. Seasonal Variation of the Lying and Standing Behavior Indexes of Dairy Cattle at Different Daily Time Periods in Free-Stall Housing. *Anim. Sci. J.* **2013**, *84*, 708–717. [[CrossRef](#)]
46. Regula, G.; Danuser, J.; Spycher, B.; Wechsler, B. Health and Welfare of Dairy Cows in Different Husbandry Systems in Switzerland. *Prev. Vet. Med.* **2004**, *66*, 247–264. [[CrossRef](#)]
47. Tucker, C.B.; Cox, N.R.; Weary, D.M.; Špinko, M. Laterality of Lying Behaviour in Dairy Cattle. *Appl. Anim. Behav. Sci.* **2009**, *120*, 125–131. [[CrossRef](#)]
48. Camiloti, T.V.; Fregonesi, J.A.; von Keyserlingk, M.A.G.; Weary, D.M. Short Communication: Effects of Bedding Quality on the Lying Behavior of Dairy Calves. *J. Dairy Sci.* **2012**, *95*, 3380–3383. [[CrossRef](#)]
49. Karakok, S.G.; Uslucan, B.; Tapki, I.; Gokce, G. The Effect of Straw Bedding Usage in Loose Housing Systems on Behavior and Milk Production of Holstein Dairy Cows. *J. Anim. Vet. Adv.* **2009**, *8*, 1824–1828.
50. Tucker, C.B.; Weary, D.M. Bedding on Geotextile Mattresses: How Much Is Needed to Improve Cow Comfort? *J. Dairy Sci.* **2004**, *87*, 2889–2895. [[CrossRef](#)]
51. Tucker, C.B.; Weary, D.M.; Fraser, D. Effects of Three Types of Free-Stall Surfaces on Preferences and Stall Usage by Dairy Cows. *J. Dairy Sci.* **2003**, *86*, 521–529. [[CrossRef](#)]
52. Jensen, M.; Munksgaard, L.; Pedersen, L.; Ladewig, J.; Matthews, L. Prior Deprivation and Reward Duration Affect the Demand Function for Rest in Dairy Heifers. *Appl. Anim. Behav. Sci.* **2004**, *88*, 1–11. [[CrossRef](#)]
53. Munksgaard, L.; Jensen, M.B.; Pedersen, L.J.; Hansen, S.W.; Matthews, L. Quantifying Behavioural Priorities—Effects of Time Constraints on Behaviour of Dairy Cows, *Bos Taurus*. *Appl. Anim. Behav. Sci.* **2005**, *92*, 3–14. [[CrossRef](#)]
54. Fregonesi, J.A.; Veira, D.M.; von Keyserlingk, M.A.G.; Weary, D.M. Effects of Bedding Quality on Lying Behavior of Dairy Cows. *J. Dairy Sci.* **2007**, *90*, 5468–5472. [[CrossRef](#)] [[PubMed](#)]
55. Green, M.J.; Green, L.E.; Medley, G.F.; Bradley, A.J.; Burton, P.R.; Schukken, Y.H. Prevalence and Associations between Bacterial Isolates from Dry Mammary Glands of Dairy Cows. *Vet. Rec.* **2005**, *156*, 71–77. [[CrossRef](#)] [[PubMed](#)]
56. Tucker, C.B.; Rogers, A.R.; Verkerk, G.A.; Kendall, P.E.; Webster, J.R.; Matthews, L.R. Effects of Shelter and Body Condition on the Behaviour and Physiology of Dairy Cattle in Winter. *Appl. Anim. Behav. Sci.* **2007**, *105*, 1–13. [[CrossRef](#)]
57. Schütz, K.E.; Rogers, A.R.; Cox, N.R.; Tucker, C.B. Dairy Cows Prefer Shade That Offers Greater Protection against Solar Radiation in Summer: Shade Use, Behaviour, and Body Temperature. *Appl. Anim. Behav. Sci.* **2009**, *116*, 28–34. [[CrossRef](#)]
58. Tucker, C.B.; Rogers, A.R.; Schütz, K.E. Effect of Solar Radiation on Dairy Cattle Behaviour, Use of Shade and Body Temperature in a Pasture-Based System. *Appl. Anim. Behav. Sci.* **2008**, *109*, 141–154. [[CrossRef](#)]
59. Waitrose about Our Milk and Dairy. Available online: https://www.waitrose.com/home/inspiration/about_waitrose/about_our_food/waitrose_dairy.html (accessed on 19 July 2021).
60. Burton, R.J.F.; Peoples, S.; Cooper, M.H. Building ‘Cowshed Cultures’: A Cultural Perspective on the Promotion of Stockmanship and Animal Welfare on Dairy Farms. *J. Rural Stud.* **2012**, *28*, 174–187. [[CrossRef](#)]
61. Chebel, R.C.; Silva, P.R.B.; Endres, M.I.; Ballou, M.A.; Luchterhand, K.L. Social Stressors and Their Effects on Immunity and Health of Periparturient Dairy Cows1. *J. Dairy Sci.* **2016**, *99*, 3217–3228. [[CrossRef](#)]
62. Lim, P.Y.; Huxley, J.N.; Green, M.J.; Othman, A.R.; Potterton, S.L.; Brignell, C.J.; Kaler, J. Area of Hock Hair Loss in Dairy Cows: Risk Factors and Correlation with a Categorical Scale. *Vet. J.* **2015**, *203*, 205–210. [[CrossRef](#)]
63. AssureWel—Improving Farm Animal Welfare through Welfare Outcome Assessment. Available online: <http://www.assurewel.org/> (accessed on 19 July 2021).
64. Laister, S.; Stockinger, B.; Regner, A.-M.; Zenger, K.; Knierim, U.; Winckler, C. Social Licking in Dairy Cattle—Effects on Heart Rate in Performers and Receivers. *Appl. Anim. Behav. Sci.* **2011**, *130*, 81–90. [[CrossRef](#)]
65. Val-Laillet, D.; Guesdon, V.; von Keyserlingk, M.A.G.; de Passillé, A.M.; Rushen, J. Allogrooming in Cattle: Relationships between Social Preferences, Feeding Displacements and Social Dominance. *Appl. Anim. Behav. Sci.* **2009**, *116*, 141–149. [[CrossRef](#)]
66. Rousing, T.; Wemelsfelder, F. Qualitative Assessment of Social Behaviour of Dairy Cows Housed in Loose Housing Systems. *Appl. Anim. Behav. Sci.* **2006**, *101*, 40–53. [[CrossRef](#)]
67. Newberry, R.C.; Swanson, J.C. Implications of Breaking Mother–Young Social Bonds. *Appl. Anim. Behav. Sci.* **2008**, *110*, 3–23. [[CrossRef](#)]

68. Fröberg, S.; Gratte, E.; Svennersten-Sjaunja, K.; Olsson, I.; Berg, C.; Orihuela, A.; Galina, C.S.; García, B.; Lidfors, L. Effect of Suckling ('Restricted Suckling') on Dairy Cows' Udder Health and Milk Let-down and Their Calves' Weight Gain, Feed Intake and Behaviour. *Appl. Anim. Behav. Sci.* **2008**, *113*, 1–14. [[CrossRef](#)]
69. Von Keyserlingk, M.A.G.; Weary, D.M. Maternal Behavior in Cattle. *Horm. Behav.* **2007**, *52*, 106–113. [[CrossRef](#)]
70. Lidfors, L.M. Behavioural Effects of Separating the Dairy Calf Immediately or 4 Days Post-Partum. *Appl. Anim. Behav. Sci.* **1996**, *49*, 269–283. [[CrossRef](#)]
71. Hopster, H.; O'Connell, J.M.; Blokhuis, H.J. Acute Effects of Cow-Calf Separation on Heart Rate, Plasma Cortisol and Behaviour in Multiparous Dairy Cows. *Appl. Anim. Behav. Sci.* **1995**, *44*, 1–8. [[CrossRef](#)]
72. Stěhulová, I.; Lidfors, L.; Špinková, M. Response of Dairy Cows and Calves to Early Separation: Effect of Calf Age and Visual and Auditory Contact after Separation. *Appl. Anim. Behav. Sci.* **2008**, *110*, 144–165. [[CrossRef](#)]
73. Weary, D.M.; Chua, B. Effects of Early Separation on the Dairy Cow and Calf: 1. Separation at 6 h, 1 Day and 4 Days after Birth. *Appl. Anim. Behav. Sci.* **2000**, *69*, 177–188. [[CrossRef](#)]
74. Budzynska, M.; Weary, D.M. Weaning Distress in Dairy Calves: Effects of Alternative Weaning Procedures. *Appl. Anim. Behav. Sci.* **2008**, *112*, 33–39. [[CrossRef](#)]
75. De Paula Vieira, A.; von Keyserlingk, M.A.G.; Weary, D.M. Effects of Pair versus Single Housing on Performance and Behavior of Dairy Calves before and after Weaning from Milk. *J. Dairy Sci.* **2010**, *93*, 3079–3085. [[CrossRef](#)]
76. Loberg, J.M.; Hernandez, C.E.; Thierfelder, T.; Jensen, M.B.; Berg, C.; Lidfors, L. Weaning and Separation in Two Steps—A Way to Decrease Stress in Dairy Calves Suckled by Foster Cows. *Appl. Anim. Behav. Sci.* **2008**, *111*, 222–234. [[CrossRef](#)]
77. Haley, D.B.; Bailey, D.W.; Stookey, J.M. The Effects of Weaning Beef Calves in Two Stages on Their Behavior and Growth Rate. *J. Anim. Sci.* **2005**, *83*, 2205–2214. [[CrossRef](#)]
78. Haley, D.B. The Behavioural Response of Cattle (*Bos Taurus*) to Artificial Weaning in Two Stages. Ph.D. Thesis, University of Saskatchewan, Large Animal Clinical Sciences, Saskatoon, SK, Canada, 2006.
79. Wagner, K.; Barth, K.; Palme, R.; Futschik, A.; Waiblinger, S. Integration into the Dairy Cow Herd: Long-Term Effects of Mother Contact during the First Twelve Weeks of Life. *Appl. Anim. Behav. Sci.* **2012**, *141*, 117–129. [[CrossRef](#)]
80. Wagner, K.; Barth, K.; Hillmann, E.; Palme, R.; Futschik, A.; Waiblinger, S. Mother Rearing of Dairy Calves: Reactions to Isolation and to Confrontation with an Unfamiliar Conspecific in a New Environment. *Appl. Anim. Behav. Sci.* **2013**, *147*, 43–54. [[CrossRef](#)]
81. Khan, M.A.; Weary, D.M.; von Keyserlingk, M.A.G. Invited Review: Effects of Milk Ration on Solid Feed Intake, Weaning, and Performance in Dairy Heifers. *J. Dairy Sci.* **2011**, *94*, 1071–1081. [[CrossRef](#)]
82. Flower, F.C.; Weary, D.M. The Effects of Early Separation on the Dairy Cow and Calf. *Anim. Welf.* **2003**, *12*, 339–348. [[CrossRef](#)]
83. Flower, F.C.; Weary, D.M. Effects of Early Separation on the Dairy Cow and Calf: 2. Separation at 1 Day and 2 Weeks after Birth. *Appl. Anim. Behav. Sci.* **2001**, *70*, 275–284. [[CrossRef](#)]
84. Veissier, I.; Caré, S.; Pomiès, D. Suckling, Weaning, and the Development of Oral Behaviours in Dairy Calves. *Appl. Anim. Behav. Sci.* **2013**, *147*, 11–18. [[CrossRef](#)]
85. Weary, D.M.; Jasper, J.; Hötzel, M.J. Understanding Weaning Distress. *Appl. Anim. Behav. Sci.* **2008**, *110*, 24–41. [[CrossRef](#)]
86. Lupoli, B.; Johansson, B.; Uvnäs-Moberg, K.; Svennersten-Sjaunja, K. Effect of Suckling on the Release of Oxytocin, Prolactin, Cortisol, Gastrin, Cholecystokinin, Somatostatin and Insulin in Dairy Cows and Their Calves. *J. Dairy Res.* **2001**, *68*, 175–187. [[CrossRef](#)]
87. Winslow, J.T.; Hearn, E.F.; Ferguson, J.; Young, L.J.; Matzuk, M.M.; Insel, T.R. Infant Vocalization, Adult Aggression, and Fear Behavior of an Oxytocin Null Mutant Mouse. *Horm. Behav.* **2000**, *37*, 145–155. [[CrossRef](#)] [[PubMed](#)]
88. Moritz, D.; Wang, C.; Nelson, G.; Lin, H.; Smith, A.M.; Howe, B.; Heer, J. Formalizing Visualization Design Knowledge as Constraints: Actionable and Extensible Models in Draco. *IEEE Trans. Vis. Comput. Graph.* **2019**, *25*, 438–448. [[CrossRef](#)] [[PubMed](#)]
89. Yoshikawa, M.; Tani, F.; Ashucaga, T.; Yoshimura, T.; Chiba, H. Purification and Characterization of an Opioid Antagonist from a Peptic Digest of Bovine κ -Casein. *Agric. Biol. Chem.* **1986**, *50*, 2951–2954. [[CrossRef](#)]
90. De Passillé, A.M.B.; Christopherson, R.; Rushen, J. Nonnutritive Sucking by the Calf and Postprandial Secretion of Insulin, CCK, and Gastrin. *Physiol. Behav.* **1993**, *54*, 1069–1073. [[CrossRef](#)]
91. Daros, R.R.; Costa, J.H.C.; von Keyserlingk, M.A.G.; Hötzel, M.J.; Weary, D.M. Separation from the Dam Causes Negative Judgement Bias in Dairy Calves. *PLoS ONE* **2014**, *9*, e98429. [[CrossRef](#)] [[PubMed](#)]
92. Costa, J.H.C.; Daros, R.R.; von Keyserlingk, M.A.G.; Weary, D.M. Complex Social Housing Reduces Food Neophobia in Dairy Calves. *J. Dairy Sci.* **2014**, *97*, 7804–7810. [[CrossRef](#)]
93. Meagher, R.K.; Daros, R.R.; Costa, J.H.C.; von Keyserlingk, M.A.G.; Hötzel, M.J.; Weary, D.M. Effects of Degree and Timing of Social Housing on Reversal Learning and Response to Novel Objects in Dairy Calves. *PLoS ONE* **2015**, *10*, e0132828. [[CrossRef](#)]
94. Latham, N.R.; Mason, G.J. Maternal Deprivation and the Development of Stereotypic Behaviour. *Appl. Anim. Behav. Sci.* **2008**, *110*, 84–108. [[CrossRef](#)]
95. Gaillard, C.; Meagher, R.K.; von Keyserlingk, M.A.G.; Weary, D.M. Social Housing Improves Dairy Calves' Performance in Two Cognitive Tests. *PLoS ONE* **2014**, *9*, e90205. [[CrossRef](#)]
96. Duve, L.R.; Jensen, M.B. Social Behavior of Young Dairy Calves Housed with Limited or Full Social Contact with a Peer1. *J. Dairy Sci.* **2012**, *95*, 5936–5945. [[CrossRef](#)]
97. Kälber, T.; Barth, K. Practical Implications of Suckling Systems for Dairy Calves in Organic Production Systems—A Review. *Landbauforsch. Volkenrode* **2014**, *64*, 45–58. [[CrossRef](#)]

98. Wagenaar, J.P.T.M.; Langhout, J. Practical Implications of Increasing ‘Natural Living’ through Suckling Systems in Organic Dairy Calf Rearing. *NJAS-Wageningen J. Life Sci.* **2007**, *54*, 375–386. [[CrossRef](#)]
99. De Passillé, A.M. Sucking Motivation and Related Problems in Calves. *Appl. Anim. Behav. Sci.* **2001**, *72*, 175–187. [[CrossRef](#)]
100. Le Neindre, P. Influence of Cattle Rearing Conditions and Breed on Social Relationships of Mother and Young. *Appl. Anim. Behav. Sci.* **1989**, *23*, 117–127. [[CrossRef](#)]
101. Phillips, C.J.C. The Effects of Forage Provision and Group Size on the Behavior of Calves. *J. Dairy Sci.* **2004**, *87*, 1380–1388. [[CrossRef](#)]
102. Napolitano, F.; Annicchiarico, G.; Caroprese, M.; De Rosa, G.; Taibi, L.; Sevi, A. Lambs Prevented from Suckling Their Mothers Display Behavioral, Immune and Endocrine Disturbances. *Physiol. Behav.* **2003**, *78*, 81–89. [[CrossRef](#)]
103. Thomas, T.J.; Weary, D.M.; Appleby, M.C. Newborn and 5-Week-Old Calves Vocalize in Response to Milk Deprivation. *Appl. Anim. Behav. Sci.* **2001**, *74*, 165–173. [[CrossRef](#)]
104. Jasper, J.; Budzynska, M.; Weary, D. Weaning Distress in Dairy Calves: Acute Behavioural Responses by Limit-Fed Calves. *Appl. Anim. Behav. Sci.* **2008**, *110*, 136–143. [[CrossRef](#)]
105. McCall, C.A.; Potter, G.D.; Kreider, J.L. Locomotor, Vocal and Other Behavioral Responses to Varying Methods of Weaning Foals. *Appl. Anim. Behav. Sci.* **1985**, *14*, 27–35. [[CrossRef](#)]
106. Main, R.G.; Dritz, S.S.; Tokach, M.D.; Goodband, R.D.; Nelssen, J.L. Increasing Weaning Age Improves Pig Performance in a Multisite Production System. *J. Anim. Sci.* **2004**, *82*, 1499–1507. [[CrossRef](#)]
107. Grøndahl, A.M.; Skancke, E.M.; Mejdell, C.M.; Jansen, J.H. Growth Rate, Health and Welfare in a Dairy Herd with Natural Suckling until 6–8 Weeks of Age: A Case Report. *Acta Vet. Scand.* **2007**, *49*, 16. [[CrossRef](#)]
108. Roth, B.A.; Barth, K.; Gygas, L.; Hillmann, E. Influence of Artificial vs. Mother-Bonded Rearing on Sucking Behaviour, Health and Weight Gain in Calves. *Appl. Anim. Behav. Sci.* **2009**, *119*, 143–150. [[CrossRef](#)]
109. Fröberg, S.; Lidfors, L.; Svennersten-Sjaunja, K.; Olsson, I. Performance of Free Suckling Dairy Calves in an Automatic Milking System and Their Behaviour at Weaning. *Acta Agric. Scand. Sect.-Anim. Sci.* **2011**, *61*, 145–156. [[CrossRef](#)]
110. Johnsen, J.F.; Ellingsen, K.; Grøndahl, A.M.; Bøe, K.E.; Lidfors, L.; Mejdell, C.M. The Effect of Physical Contact between Dairy Cows and Calves during Separation on Their Post-Separation Behavioural Response. *Appl. Anim. Behav. Sci.* **2015**, *166*, 11–19. [[CrossRef](#)]
111. Junqueira, F.S.; Madalena, F.E.; Reis, G.L. Production and Economic Comparison of Milking F1 Holstein×Gir Cows with and without the Stimulus of the Calf. *Livest. Prod. Sci.* **2005**, *97*, 241–252. [[CrossRef](#)]
112. Kaskous, S.H.; Weiss, D.; Massri, Y.; Al-Daker, A.-M.B.; Nouh, A.-D.; Bruckmaier, R.M. Oxytocin Release and Lactation Performance in Syrian Shami Cattle Milked with and without Suckling. *J. Dairy Res.* **2006**, *73*, 28–32. [[CrossRef](#)] [[PubMed](#)]
113. De Passillé, A.M.; Marnet, P.-G.; Lapiere, H.; Rushen, J. Effects of Twice-Daily Nursing on Milk Ejection and Milk Yield During Nursing and Milking in Dairy Cows. *J. Dairy Sci.* **2008**, *91*, 1416–1422. [[CrossRef](#)]
114. Mendoza, A.; Cavestany, D.; Roig, G.; Ariztia, J.; Pereira, C.; La Manna, A.; Contreras, D.A.; Galina, C.S. Effect of Restricted Suckling on Milk Yield, Composition and Flow, Udder Health, and Postpartum Anoestrus in Grazing Holstein Cows. *Livest. Sci.* **2010**, *127*, 60–66. [[CrossRef](#)]
115. Tournadre, H.; Veissier, I.; Martin, B.; Garel, J.P. Influence of cow-calf contact before milking and mother-young relationship on yield and composition of milk in Salers cows. In *15èmes Rencontres Autour Rech. Sur Rumin. Paris 3 4 Déc. 2008*; Institut National de la Recherche Agronomique (INRA): Paris, France, 2008; pp. 159–162.
116. Zipp, K.A.; Barth, K.; Knierim, U. *Milchleistung, Milchfluss und Milchinhaltsstoffe von Kühen Mit und Ohne Kalbkontakt in Abhängigkeit von Verschiedenen Stimulationsverfahren Beim Melken*; Rheinische Friedrich-Wilhelms-Universität: Bonn, Germany, 2013.
117. Barth, K.; Rademacher, C.; Georg, H. *Melken und Kälber Säugen—Geht Das?* Institut für ökologischen Landbau: Westerau, Germany, 2007.
118. Barth, K.; Roth, B.; Hillmann, E. Muttergebundene Kälberaufzucht—Eine Alternative im Ökologischen Landbau? In *Ressortforschung für den Ökologischen Landbau 2008*; Rahmann, G., Ed.; Johann Heinrich von Thünen-Institut—Bundesforschungsinstitut für Ländliche Räume, Wald und Fischerei (vTI): Braunschweig, German, 2009; pp. 11–20, ISBN 978-3-86576-051-7.
119. Krohn, C.C. Effects of Different Suckling Systems on Milk Production, Udder Health, Reproduction, Calf Growth and Some Behavioural Aspects in High Producing Dairy Cows—A Review. *Appl. Anim. Behav. Sci.* **2001**, *72*, 271–280. [[CrossRef](#)]
120. Cozma, A.; Martin, B.; Guiadeur, M.; Pradel, P.; Tixier, E.; Ferlay, A. Influence of Calf Presence during Milking on Yield, Composition, Fatty Acid Profile and Lipolytic System of Milk in Prim’Holstein and Salers Cow Breeds. *Dairy Sci. Technol.* **2013**, *93*, 99–113. [[CrossRef](#)]
121. Metz, J. Productivity Aspects of Keeping Dairy Cow and Calf Together in the Post-Partum Period. *Livest. Prod. Sci.* **1987**, *16*, 385–394. [[CrossRef](#)]
122. Kišac, P.; Brouček, J.; Uhrinčat, M.; Hanus, A. Effect of Weaning Calves from Mother at Different Ages on Their Growth and Milk Yield of Mothers. *Czech J. Anim. Sci.* **2011**, *56*, 261–268. [[CrossRef](#)]
123. Margerison, J.K.; Preston, T.R.; Phillips, C.J.C. Restricted Suckling of Tropical Dairy Cows by Their Own Calf or Other Cows’ Calves. *J. Anim. Sci.* **2002**, *80*, 1663–1670. [[CrossRef](#)]
124. Home | Cow-Calf Dairies | Find Milk, Raw Milk, Butter, Cheese & More. Available online: <https://www.cowcalfdairies.co.uk> (accessed on 13 July 2021).

125. Waiblinger, S.; Menke, C.; Coleman, G. The Relationship between Attitudes, Personal Characteristics and Behaviour of Stockpeople and Subsequent Behaviour and Production of Dairy Cows. *Appl. Anim. Behav. Sci.* **2002**, *79*, 195–219. [[CrossRef](#)]
126. Bertenshaw, C.; Rowlinson, P. Exploring Heifers' Perception of "positive" Treatment through Their Motivation to Pursue a Retreated Human. *Anim. Welf.* **2008**, *17*, 313–319.
127. Boissy, A.; Bouissou, M.-F. Effects of Early Handling on Heifers' Subsequent Reactivity to Humans and to Unfamiliar Situations. *Appl. Anim. Behav. Sci.* **1988**, *20*, 259–273. [[CrossRef](#)]
128. Hensworth, P.H. Human–Animal Interactions in Livestock Production. *Appl. Anim. Behav. Sci.* **2003**, *81*, 185–198. [[CrossRef](#)]
129. Rushen, J.; de Passillé, A.M.B.; Munksgaard, L. Fear of People by Cows and Effects on Milk Yield, Behavior, and Heart Rate at Milking. *J. Dairy Sci.* **1999**, *82*, 720–727. [[CrossRef](#)]
130. Hensworth, P.H.; Coleman, G.J.; Barnett, J.L.; Borg, S. Relationships between Human-Animal Interactions and Productivity of Commercial Dairy Cows. *J. Anim. Sci.* **2000**, *78*, 2821. [[CrossRef](#)]
131. Schütz, K.E.; Rogers, A.R.; Cox, N.R.; Webster, J.R.; Tucker, C.B. Dairy Cattle Prefer Shade over Sprinklers: Effects on Behavior and Physiology. *J. Dairy Sci.* **2011**, *94*, 273–283. [[CrossRef](#)]
132. Lürzel, S.; Münsch, C.; Windschnurer, I.; Futschik, A.; Palme, R.; Waiblinger, S. The Influence of Gentle Interactions on Avoidance Distance towards Humans, Weight Gain and Physiological Parameters in Group-Housed Dairy Calves. *Appl. Anim. Behav. Sci.* **2015**, *172*, 9–16. [[CrossRef](#)]
133. Ellingsen, K.; Coleman, G.J.; Lund, V.; Mejdell, C.M. Using Qualitative Behaviour Assessment to Explore the Link between Stockperson Behaviour and Dairy Calf Behaviour. *Appl. Anim. Behav. Sci.* **2014**, *153*, 10–17. [[CrossRef](#)]
134. Pilz, M.; Fischer-Tenhagen, C.; Thiele, G.; Tinge, H.; Lotz, F.; Heuwieser, W. Behavioural Reactions before and during Vaginal Examination in Dairy Cows. *Appl. Anim. Behav. Sci.* **2012**, *138*, 18–27. [[CrossRef](#)]
135. de Passillé, A.M.; Rushen, J.; Ladewig, J.; Petherick, C. Dairy Calves' Discrimination of People Based on Previous Handling. *J. Anim. Sci.* **1996**, *74*, 969–974. [[CrossRef](#)]
136. Rushen, J.; Munksgaard, L.; de Passillé, A.M.B.; Jensen, M.B.; Thodberg, K. Location of Handling and Dairy Cows' Responses to People. *Appl. Anim. Behav. Sci.* **1998**, *55*, 259–267. [[CrossRef](#)]
137. Waiblinger, S.; Menke, C.; Korff, J.; Bucher, A. Previous Handling and Gentle Interactions Affect Behaviour and Heart Rate of Dairy Cows during a Veterinary Procedure. *Appl. Anim. Behav. Sci.* **2004**, *85*, 31–42. [[CrossRef](#)]
138. Mandel, R.; Whay, H.R.; Klement, E.; Nicol, C.J. Invited Review: Environmental Enrichment of Dairy Cows and Calves in Indoor Housing. *J. Dairy Sci.* **2016**, *99*, 1695–1715. [[CrossRef](#)]
139. Westerath, H.S.; Gygas, L.; Hillmann, E. Are Special Feed and Being Brushed Judged as Positive by Calves? *Appl. Anim. Behav. Sci.* **2014**, *156*, 12–21. [[CrossRef](#)]
140. Proudfoot, K.L.; Jensen, M.B.; Heegaard, P.M.H.; von Keyserlingk, M.A.G. Effect of Moving Dairy Cows at Different Stages of Labor on Behavior during Parturition. *J. Dairy Sci.* **2013**, *96*, 1638–1646. [[CrossRef](#)]
141. Von Keyserlingk, M.A.G.; Olenick, D.; Weary, D.M. Acute Behavioral Effects of Regrouping Dairy Cows. *J. Dairy Sci.* **2008**, *91*, 1011–1016. [[CrossRef](#)] [[PubMed](#)]
142. De Paula Vieira, A.; de Passillé, A.M.; Weary, D.M. Effects of the Early Social Environment on Behavioral Responses of Dairy Calves to Novel Events. *J. Dairy Sci.* **2012**, *95*, 5149–5155. [[CrossRef](#)] [[PubMed](#)]
143. Duve, L.R.; Jensen, M.B. The Level of Social Contact Affects Social Behaviour in Pre-Weaned Dairy Calves. *Appl. Anim. Behav. Sci.* **2011**, *135*, 34–43. [[CrossRef](#)]
144. Raussi, S.; Niskanen, S.; Siivonen, J.; Hänninen, L.; Hepola, H.; Jauhiainen, L.; Veissier, I. The Formation of Preferential Relationships at Early Age in Cattle. *Behav. Process.* **2010**, *84*, 726–731. [[CrossRef](#)]
145. Færevik, G.; Jensen, M.B.; Bøe, K.E. Dairy Calves Social Preferences and the Significance of a Companion Animal during Separation from the Group. *Appl. Anim. Behav. Sci.* **2006**, *99*, 205–221. [[CrossRef](#)]
146. Færevik, G.; Andersen, I.L.; Jensen, M.B.; Bøe, K.E. Increased Group Size Reduces Conflicts and Strengthens the Preference for Familiar Group Mates after Regrouping of Weaned Dairy Calves (*Bos Taurus*). *Appl. Anim. Behav. Sci.* **2007**, *108*, 215–228. [[CrossRef](#)]
147. Rault, J.-L. Friends with Benefits: Social Support and Its Relevance for Farm Animal Welfare. *Appl. Anim. Behav. Sci.* **2012**, *136*, 1–14. [[CrossRef](#)]
148. Færevik, G.; Jensen, M.B.; Bøe, K.E. The Effect of Group Composition and Age on Social Behavior and Competition in Groups of Weaned Dairy Calves. *J. Dairy Sci.* **2010**, *93*, 4274–4279. [[CrossRef](#)]
149. Kikusui, T.; Winslow, J.T.; Mori, Y. Social Buffering: Relief from Stress and Anxiety. *Philos. Trans. R. Soc. B Biol. Sci.* **2006**, *361*, 2215–2228. [[CrossRef](#)]
150. Holm, L.; Jensen, M.B.; Jeppesen, L.L. Calves' Motivation for Access to Two Different Types of Social Contact Measured by Operant Conditioning. *Appl. Anim. Behav. Sci.* **2002**, *79*, 175–194. [[CrossRef](#)]
151. Jensen, M.B.; Weary, D. Group Housing and Milk Feeding of Dairy Calves. *Adv. Dairy Technol.* **2013**, *25*, 179–189.
152. Jensen, M.B.; Vestergaard, K.S.; Krohn, C.C. Play Behaviour in Dairy Calves Kept in Pens: The Effect of Social Contact and Space Allowance. *Appl. Anim. Behav. Sci.* **1998**, *56*, 97–108. [[CrossRef](#)]
153. Broom, D.M.; Leaver, J.D. Effects of Group-Rearing or Partial Isolation on Later Social Behaviour of Calves. *Anim. Behav.* **1978**, *26*, 1255–1263. [[CrossRef](#)]

154. Gutmann, A.K.; Špinka, M.; Winckler, C. Long-Term Familiarity Creates Preferred Social Partners in Dairy Cows. *Appl. Anim. Behav. Sci.* **2015**, *169*, 1–8. [[CrossRef](#)]
155. Neisen, G.; Wechsler, B.; Gygas, L. Effects of the Introduction of Single Heifers or Pairs of Heifers into Dairy-Cow Herds on the Temporal and Spatial Associations of Heifers and Cows. *Appl. Anim. Behav. Sci.* **2009**, *119*, 127–136. [[CrossRef](#)]
156. Gygas, L.; Neisen, G.; Wechsler, B. Socio-Spatial Relationships in Dairy Cows. *Ethology* **2010**, *116*, 10–23. [[CrossRef](#)]
157. Franks, B.; Tory Higgins, E. Chapter six—Effectiveness in Humans and Other Animals: A Common Basis for Well-being and Welfare. In *Advances in Experimental Social Psychology*; Olson, J.M., Zanna, M.P., Eds.; Academic Press: Cambridge, MA, USA, 2012; Volume 46, pp. 285–346.
158. Ernst, K.; Puppe, B.; Schön, P.C.; Manteuffel, G. A Complex Automatic Feeding System for Pigs Aimed to Induce Successful Behavioural Coping by Cognitive Adaptation. *Appl. Anim. Behav. Sci.* **2005**, *91*, 205–218. [[CrossRef](#)]
159. Hagen, K.; Broom, D.M. Cattle Discriminate between Individual Familiar Herd Members in a Learning Experiment. *Appl. Anim. Behav. Sci.* **2003**, *82*, 13–28. [[CrossRef](#)]
160. Langbein, J.; Siebert, K.; Nürnberg, G. On the Use of an Automated Learning Device by Group-Housed Dwarf Goats: Do Goats Seek Cognitive Challenges? *Appl. Anim. Behav. Sci.* **2009**, *120*, 150–158. [[CrossRef](#)]
161. Spruijt, B.M.; van den Bos, R.; Pijlman, F.T.A. A Concept of Welfare Based on Reward Evaluating Mechanisms in the Brain: Anticipatory Behaviour as an Indicator for the State of Reward Systems. *Appl. Anim. Behav. Sci.* **2001**, *72*, 145–171. [[CrossRef](#)]
162. Manteuffel, G.; Langbein, J.; Puppe, B. From Operant Learning to Cognitive Enrichment in Farm Animal Housing: Bases and Applicability. *Anim. Welf.* **2009**, *18*, 87–95.
163. Hagen, K.; Broom, D.M. Emotional Reactions to Learning in Cattle. *Appl. Anim. Behav. Sci.* **2004**, *85*, 203–213. [[CrossRef](#)]
164. Newberry, R.C. Environmental Enrichment: Increasing the Biological Relevance of Captive Environments. *Appl. Anim. Behav. Sci.* **1995**, *44*, 229–243. [[CrossRef](#)]
165. Ninomiya, S.; Sato, S. Effects of ‘Five Freedoms’ Environmental Enrichment on the Welfare of Calves Reared Indoors. *Anim. Sci. J.* **2009**, *80*, 347–351. [[CrossRef](#)] [[PubMed](#)]
166. Bulens, A.; Van Beirendonck, S.; Thielen, J.; Driessen, B. The Effect of Environmental Enrichment on the Behaviour of Beef Calves. In Proceedings of the 6th International Conference on the Assessment of Animal Welfare at Farm and Group Level (WAFL), Clermont-Ferrand, France, 3–5 September 2014.
167. DeVries, T.J.; Vankova, M.; Veira, D.M.; von Keyserlingk, M.A.G. Short Communication: Usage of Mechanical Brushes by Lactating Dairy Cows. *J. Dairy Sci.* **2007**, *90*, 2241–2245. [[CrossRef](#)]
168. Newby, N.C.; Duffield, T.F.; Pearl, D.L.; Leslie, K.E.; LeBlanc, S.J.; von Keyserlingk, M.A.G. Short Communication: Use of a Mechanical Brush by Holstein Dairy Cattle around Parturition. *J. Dairy Sci.* **2013**, *96*, 2339–2344. [[CrossRef](#)]
169. Schukken, Y.H.; Young, G.D. *Field Study on Milk Production and Mastitis Effect of the DeLaval Swinging Cow Brush*; DeLaval: Tumba, Sweden, 2009; pp. 1–26.
170. Mandel, R.; Whay, H.R.; Nicol, C.J.; Klement, E. The Effect of Food Location, Heat Load, and Intrusive Medical Procedures on Brushing Activity in Dairy Cows. *J. Dairy Sci.* **2013**, *96*, 6506–6513. [[CrossRef](#)]
171. Charlton, G.L.; Rutter, S.M.; East, M.; Sinclair, L.A. The Motivation of Dairy Cows for Access to Pasture. *J. Dairy Sci.* **2013**, *96*, 4387–4396. [[CrossRef](#)]
172. Chapinal, N.; Goldhawk, C.; de Passillé, A.M.; von Keyserlingk, M.A.G.; Weary, D.M.; Rushen, J. Overnight Access to Pasture Does Not Reduce Milk Production or Feed Intake in Dairy Cattle. *Livest. Sci.* **2010**, *129*, 104–110. [[CrossRef](#)]
173. Olmos, G.; Boyle, L.; Hanlon, A.; Patton, J.; Murphy, J.J.; Mee, J.F. Hoof Disorders, Locomotion Ability and Lying Times of Cubicle-Housed Compared to Pasture-Based Dairy Cows. *Livest. Sci.* **2009**, *125*, 199–207. [[CrossRef](#)]
174. Olmos Antillon, G.; Mee, J.F.; Hanlon, A.; Patton, J.; Murphy, J.J.; Boyle, L. Peripartum Health and Welfare of Holstein-Friesian Cows in Confinement-TMR System Compared to a Pasture-Based System. *Anim. Welf. South Mimms Engl.* **2009**, *18*, 467–476.
175. Haskell, M.J.; Rennie, L.J.; Howell, V.A.; Bell, M.J.; Lawrence, A.B. Housing System, Milk Production, and Zero-Grazing Effects on Lameness and Leg Injury in Dairy Cows. *J. Dairy Sci.* **2006**, *89*, 4259–4266. [[CrossRef](#)]
176. Washburn, S.P.; White, S.L.; Green, J.T.; Benson, G.A. Reproduction, Mastitis, and Body Condition of Seasonally Calved Holstein and Jersey Cows in Confinement or Pasture Systems. *J. Dairy Sci.* **2002**, *85*, 105–111. [[CrossRef](#)]
177. White, S.L.; Benson, G.A.; Washburn, S.P.; Green, J.T. Milk Production and Economic Measures in Confinement or Pasture Systems Using Seasonally Calved Holstein and Jersey Cows. *J. Dairy Sci.* **2002**, *85*, 95–104. [[CrossRef](#)]
178. Krohn, C.C.; Munksgaard, L.; Jonassen, B. Behaviour of Dairy Cows Kept in Extensive (Loose Housing/Pasture) or Intensive (Tie Stall) Environments I. Experimental Procedure, Facilities, Time Budgets—Diurnal and Seasonal Conditions. *Appl. Anim. Behav. Sci.* **1992**, *34*, 37–47. [[CrossRef](#)]
179. Charlton, G.L.; Rutter, S.M.; East, M.; Sinclair, L.A. Effects of Providing Total Mixed Rations Indoors and on Pasture on the Behavior of Lactating Dairy Cattle and Their Preference to Be Indoors or on Pasture. *J. Dairy Sci.* **2011**, *94*, 3875–3884. [[CrossRef](#)]
180. Legrand, A.L.; von Keyserlingk, M.A.G.; Weary, D.M. Preference and Usage of Pasture versus Free-Stall Housing by Lactating Dairy Cattle. *J. Dairy Sci.* **2009**, *92*, 3651–3658. [[CrossRef](#)]
181. Spörndly, E.; Wredle, E. Automatic Milking and Grazing—Effects of Location of Drinking Water on Water Intake, Milk Yield, and Cow Behavior. *J. Dairy Sci.* **2005**, *88*, 1711–1722. [[CrossRef](#)]

182. Ketelaar-de Lauwere, C.C.; Ipema, A.H.; van Ouwkerk, E.N.J.; Hendriks, M.M.W.B.; Metz, J.H.M.; Noordhuizen, J.P.T.M.; Schouten, W.G.P. Voluntary Automatic Milking in Combination with Grazing of Dairy Cows: Milking Frequency and Effects on Behaviour. *Appl. Anim. Behav. Sci.* **1999**, *64*, 91–109. [[CrossRef](#)]
183. Hernandez-Mendo, O.; von Keyserlingk, M.A.G.; Veira, D.M.; Weary, D.M. Effects of Pasture on Lameness in Dairy Cows. *J. Dairy Sci.* **2007**, *90*, 1209–1214. [[CrossRef](#)]
184. Somers, J.G.C.J.; Frankena, K.; Noordhuizen-Stassen, E.N.; Metz, J.H.M. Prevalence of Claw Disorders in Dutch Dairy Cows Exposed to Several Floor Systems. *J. Dairy Sci.* **2003**, *86*, 2082–2093. [[CrossRef](#)]
185. Chapinal, N.; Barrientos, A.K.; von Keyserlingk, M.A.G.; Galo, E.; Weary, D.M. Herd-Level Risk Factors for Lameness in Freestall Farms in the Northeastern United States and California. *J. Dairy Sci.* **2013**, *96*, 318–328. [[CrossRef](#)]
186. Rutherford, K.M.D.; Langford, F.M.; Jack, M.C.; Sherwood, L.; Lawrence, A.B.; Haskell, M.J. Hock Injury Prevalence and Associated Risk Factors on Organic and Nonorganic Dairy Farms in the United Kingdom. *J. Dairy Sci.* **2008**, *91*, 2265–2274. [[CrossRef](#)] [[PubMed](#)]
187. Potterton, S.L.; Green, M.J.; Harris, J.; Millar, K.M.; Whay, H.R.; Huxley, J.N. Risk Factors Associated with Hair Loss, Ulceration, and Swelling at the Hock in Freestall-Housed UK Dairy Herds. *J. Dairy Sci.* **2011**, *94*, 2952–2963. [[CrossRef](#)] [[PubMed](#)]
188. Burow, E.; Thomsen, P.T.; Rousing, T.; Sørensen, J.T. Daily Grazing Time as a Risk Factor for Alterations at the Hock Joint Integument in Dairy Cows. *Animal* **2013**, *7*, 160–166. [[CrossRef](#)] [[PubMed](#)]
189. Veling, J.; Wilpshaar, H.; Frankena, K.; Bartels, C.; Barkema, H.W. Risk Factors for Clinical Salmonella Enterica Subsp. Enterica Serovar Typhimurium Infection on Dutch Dairy Farms. *Prev. Vet. Med.* **2002**, *54*, 157–168. [[CrossRef](#)]
190. Alvåsen, K.; Roth, A.; Jansson Mörk, M.; Hallén Sandgren, C.; Thomsen, P.T.; Emanuelson, U. Farm Characteristics Related to On-Farm Cow Mortality in Dairy Herds: A Questionnaire Study. *Animal* **2014**, *8*, 1735–1742. [[CrossRef](#)] [[PubMed](#)]
191. Kilgour, R.J. In Pursuit of “Normal”: A Review of the Behaviour of Cattle at Pasture. *Appl. Anim. Behav. Sci.* **2012**, *138*, 1–11. [[CrossRef](#)]
192. Roca-Fernández, A.I.; Ferris, C.P.; González-Rodríguez, A. Short Communication. Behavioural Activities of Two Dairy Cow Genotypes (Holstein-Friesian vs. Jersey x Holstein-Friesian) in Two Milk Production Systems (Grazing vs. Confinement). *Span. J. Agric. Res.* **2013**, *11*, 120–126. [[CrossRef](#)]
193. O’Connell, J.; Giller, P.S.; Meaney, W. A Comparison of Dairy Cattle Behavioural Patterns at Pasture and during Confinement. *Ir. J. Agric. Res.* **1989**, *28*, 65–72.
194. Fisher, A.D.; Verkerk, G.A.; Morrow, C.J.; Matthews, L.R. The Effects of Feed Restriction and Lying Deprivation on Pituitary–Adrenal Axis Regulation in Lactating Cows. *Livest. Prod. Sci.* **2002**, *73*, 255–263. [[CrossRef](#)]
195. Falk, A.C.; Weary, D.M.; Winckler, C.; von Keyserlingk, M.A.G. Preference for Pasture versus Freestall Housing by Dairy Cattle When Stall Availability Indoors Is Reduced. *J. Dairy Sci.* **2012**, *95*, 6409–6415. [[CrossRef](#)] [[PubMed](#)]
196. Motupalli, P.R.; Sinclair, L.A.; Charlton, G.L.; Bleach, E.C.; Rutter, S.M. Preference and Behavior of Lactating Dairy Cows given Free Access to Pasture at Two Herbage Masses and Two Distances. *J. Anim. Sci.* **2014**, *92*, 5175–5184. [[CrossRef](#)] [[PubMed](#)]
197. Webster, J.; Stewart, M.; Rogers, A.; Verkerk, G. Assessment of Welfare from Physiological and Behavioural Responses of New Zealand Dairy Cows Exposed to Cold and Wet Conditions. *Anim. Welf.* **2008**, *17*, 19–27.
198. Olson, B.E.; Wallander, R.T. Influence of Winter Weather and Shelter on Activity Patterns of Beef Cows. *Can. J. Anim. Sci.* **2002**, *82*, 491–501. [[CrossRef](#)]
199. Jakobsen, J.; Saxholt, E. Vitamin D Metabolites in Bovine Milk and Butter. *J. Food Compos. Anal.* **2009**, *22*, 472–478. [[CrossRef](#)]
200. Hymøller, L.; Jensen, S.K. 25-Hydroxycholecalciferol Status in Plasma Is Linearly Correlated to Daily Summer Pasture Time in Cattle at 56° N. *Br. J. Nutr.* **2012**, *108*, 666–671. [[CrossRef](#)] [[PubMed](#)]
201. Liu, D.; Fernandez, B.O.; Hamilton, A.; Lang, N.N.; Gallagher, J.M.C.; Newby, D.E.; Feelisch, M.; Weller, R.B. UVA Irradiation of Human Skin Vasodilates Arterial Vasculature and Lowers Blood Pressure Independently of Nitric Oxide Synthase. *J. Investig. Dermatol.* **2014**, *134*, 1839–1846. [[CrossRef](#)] [[PubMed](#)]
202. Hart, P.H.; Gorman, S.; Finlay-Jones, J.J. Modulation of the Immune System by UV Radiation: More than Just the Effects of Vitamin D? *Nat. Rev. Immunol.* **2011**, *11*, 584–596. [[CrossRef](#)]
203. Fell, G.L.; Robinson, K.C.; Mao, J.; Woolf, C.J.; Fisher, D.E. Skin β -Endorphin Mediates Addiction to UV Light. *Cell* **2014**, *157*, 1527–1534. [[CrossRef](#)]
204. March, M.D.; Haskell, M.J.; Chagunda, M.G.G.; Langford, F.M.; Roberts, D.J. Current Trends in British Dairy Management Regimens. *J. Dairy Sci.* **2014**, *97*, 7985–7994. [[CrossRef](#)]
205. Ellis, K.; Billington, K.; McNeil, B.; McKeegan, D. Public Opinion on UK Milk Marketing and Dairy Cow Welfare. *Anim. Welf.* **2009**, *18*, 267–282.
206. Schuppli, C.A.; von Keyserlingk, M.A.G.; Weary, D.M. Access to Pasture for Dairy Cows: Responses from an Online Engagement. *J. Anim. Sci.* **2014**, *92*, 5185–5192. [[CrossRef](#)]
207. Scientific Opinion on the Overall Effects of Farming Systems on Dairy Cow Welfare and Disease. *EFSA J.* **2009**, *7*, 1143. [[CrossRef](#)]
208. Müller, R.; Schrader, L. Behavioural Consistency during Social Separation and Personality in Dairy Cows. *Behaviour* **2005**, *142*, 1289–1306.
209. Coffey, M.P.; Simm, G.; Oldham, J.D.; Hill, W.G.; Brotherstone, S. Genotype and Diet Effects on Energy Balance in the First Three Lactations of Dairy Cows. *J. Dairy Sci.* **2004**, *87*, 4318–4326. [[CrossRef](#)]

210. Ingvarstsen, K.L.; Dewhurst, R.J.; Friggens, N.C. On the Relationship between Lactational Performance and Health: Is It Yield or Metabolic Imbalance That Cause Production Diseases in Dairy Cattle? A Position Paper. *Livest. Prod. Sci.* **2003**, *83*, 277–308. [[CrossRef](#)]
211. Rauw, W.M.; Kanis, E.; Noordhuizen-Stassen, E.N.; Grommers, F.J. Undesirable Side Effects of Selection for High Production Efficiency in Farm Animals: A Review. *Livest. Prod. Sci.* **1998**, *56*, 15–33. [[CrossRef](#)]
212. Dickson, D.P.; Barr, G.R.; Johnson, L.P.; Wieckert, D.A. Social Dominance and Temperament of Holstein Cows. *J. Dairy Sci.* **1970**, *53*, 904–907. [[CrossRef](#)]