



OPEN

Author Correction: Variability measurements provide additional value to shear wave elastography in the diagnosis of pancreatic cancer

Masakatsu Yoshikawa, Takuya Ishikawa, Eizaburo Ohno, Tadashi Iida, Kazuhiro Furukawa, Masanao Nakamura, Takashi Honda, Masatoshi Ishigami, Fumie Kinoshita, Hiroki Kawashima & Mitsuhiro Fujishiro

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-021-86979-5>, published online 01 April 2021

The original version of this Article contained an error. In the Materials and methods section, under the subheading ‘Study design’, the approval number of the Ethics Committee was incorrect.

As a result,

“The study was conducted with the approval of the Ethics Committee of Nagoya University Hospital and enrolled in the jRCT (CRB4180004).”

now reads:

“The study was conducted with the approval of the Ethics Committee of Nagoya University Hospital (approval number: 2014-0399).”

The original Article has been corrected.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2022