# Sexual self-efficacy and its related factors among married women of reproductive age

Rafat Assarzadeh<sup>1</sup>, Zahra Bostani Khalesi<sup>2</sup>, Fatemeh Jafarzadeh-Kenarsari<sup>2</sup>

1. Student Research Committee, Guilan University of Medical Sciences, Rasht, Iran.

2. Social Determinants of Health Research Center, Guilan University of Medical Sciences, Rasht, Iran.

### Abstract

Sexual self-efficacy (SSE) has also been cited as an important factor for healthy and satisfying sex. The purpose of this study was to determine SSE and its related factors among married women of reproductive age.

The present study is a cross-sectional, descriptive-analytical study. The research samples were 588 married women of reproductive age. A cluster sampling method is used to select participants. Data collection instruments were the socio-demographic form and the Sexual Self-Efficacy Scale-Female Functioning (SSES-F). Data analysis, Friedman, Multiple Linear Regression was performed through SPSS software version 16.

The highest and lowest score was related to body acceptance (77.78) and communication (69.66), respectively. The results showed that age (B=0.471, P<0.001), marital satisfaction (B=0.11.3, P<0.001), life satisfaction (B=3.5, P<0.03) and the economic-social welfare satisfaction were related to SSE. We've found that Women with a higher Education, Employment, higher income, and Younger husbands had the highest SSE score.

The components of age, marital satisfaction, life satisfaction, and economic status affect the SSE of married women of reproductive age. The results of this study can be useful in the design and implementation of sexual health promotion interventions.

Keywords: Efficacy, sexual behavior, women.

**DOI:** https://dx.doi.org/10.4314/ahs.v21i4.39

**Cite as:** Assarzadeh R, Khalesi ZB, Jafarzadeh-Kenarsari F. Sexual self-efficacy and its related factors among married women of reproductive age. Afri Health Sci. 2021;21(4):1817-22. https://dx.doi.org/10.4314/ahs.v21i4.39

### Introduction

The SSE is a predictor of sexual function and sexual quality of life <sup>1</sup>. SSE is one's belief in his/her potency to have successful sex <sup>2</sup>. Efficacy is derived from Albert Bandura's social cognitive theory, the famous psychologist, who has indicated that it refers to people's beliefs and judgments to perform duties and responsibilities <sup>3</sup>. Bandoura believes that the result of a person's belief in his/her ability to do a skill is much stronger than the results from the surroundings <sup>4</sup>. He assumes that one's belief in successful sexual intercourse affects his sexual function <sup>5</sup>. Researchers and sex therapists believe that SSE, as an important variable, plays a fundamental role in desirable sexual function <sup>6</sup>. On the other hand,

### Corresponding author:

Zahra Bostani Khalesi, Shahid Beheshti Nursing and Midwifery School, Daneshjoo St, Shahid Beheshti High Way, Rasht, Guilan, Iran. Tel: +98-9112370860. E-mail: z\_bostani@yahoo.com SSE has a direct influence on Social and Mental performance necessary for sexual satisfaction <sup>1,7,8</sup>.

Generally, people with low self- efficacy avoid sexual activity and have less sexual satisfaction <sup>9</sup>. Indeed, higher SSE can improve sexual activities and sexual compatibility <sup>7</sup>. Also, Vaziri et al showed that SSE is associated with marital satisfaction. So that the SSE level is an important predictor of women's marital satisfaction <sup>10</sup>. SSE can be influenced by other people, especially sexual partners <sup>11</sup>. Melanie showed that a good relationship with a spouse and high personal autonomy in women is associated with increased SSE <sup>12</sup>.

Since the sexual response and sexual function, is highly influenced by the self-efficacy of a woman, the ability of the women to maintain pleasurable sexual function depends on their self-efficacy and motivation to be willing and able to fulfill sexual activity <sup>13</sup>. Thus, improving sexual self-efficacy can be a way to improve the sexual quality of life.

On the other hand, culturally, women's sexuality is

Health Sciences

@ 2021 Assarzadeh R et al. Licensee African Health Sciences. This is an Open Access article distributed under the terms of the Creative commons Attribution License (https://creativecommons.org/licenses/BY/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

framed as responsive and passive to male sexuality, with men initiating sex and women being the gatekeepers of sexual activity <sup>14</sup>. This framing may undermine women's understanding of themselves as active participants in sexual activity <sup>15</sup>. Improved self-efficacy can be associated with an increased ability of women to counteract this passive framing and advocate for their own pleasures and desires <sup>16</sup>. Therefore, the concept of SSE in women needs to be clarified. Understanding self-efficacy along with the extensive determination of related factors in a sexual context can be contributing to a better understanding of women's sexuality and solving their sexual problems and empower women in sexual function <sup>14</sup>. Additionally, little research has examined potentially related factors of SSE is expressed, as most SSE research focuses exclusively on adolescents. This study, therefore, aimed to identify the SSE and its related factors among married women of reproductive age.

## Methods

The present study is a cross-sectional, descriptive, and analytical study, which included 588 married women of reproductive age. The study population was selected based on some criteria. They were: women aged 15-49, married women who lived with their husbands, interested in participating, having the ability to read and write, and not using psychiatric drugs. The study population was selected using a Cluster Sampling method. At first, 24 Health Centers under the coverage of Guilan University of Medical Sciences were classified into 4 clusters based on geographic areas: North, South, East, and West. Then, using a random number table, 8 centers were selected by allocating 2 centers in each area.

Data were collected using a two questionnaire includes demographics, the standardized tool SSES-F. The demographic questions consisted of items regarding personal- social characteristics (age, education, career, alcohol and drug usage, smoking, marital and life satisfaction, economic status, having a child, number of children, youngest child age, infertility history, marriage history, history of psychiatric use), personal- social characteristics of the spouse (age, education, career, average monthly household income) were evaluated.

Bailes et al. <sup>17</sup> have developed SSES-F, and that has been confirmed by Rajabi et al. <sup>18</sup> in Iran. This questionnaire is a scale for the measurement of perceived ability in terms of emotional aspects, behavioral, and cognitive of women's sexual response and includes 28 items in a 5-point Likert type (sorted from 5=very high to 1=very low). The tool measures four cycles of women's sexual response: Interest, desire, arousal, and orgasm. Its sub-scales are included: Interpersonal desire, physical acceptance, communication Interpersonal, sensuality, orgasm and interest, personal arousal, refusal, and affection. Cronbach's  $\alpha$  coefficients were  $\alpha$ =0.93 for the entire measure, with alphas ranging from 0.80 to 0.92 for individual factors.

The range of validity index was between 10 (absolutely uncertain) to 100 (quite sure) while the participants had been the ability to perform the sexual activity. If they are unable to perform, a zero score would be calculated. The overall grading of the questionnaire is computed from the mean scores of all aspects in SSES-F. The grading of each dimension is calculated based on the mean scores of the dimension. The highest score is 100 which represents a high SSE level.

The independent-samples t-test, Variance Analysis, and Pearson Correlation Coefficiency is used to determine SSE based on socio-demographic variables of participants. Logistic Regression or Multiple Linear Regression was used to determine related factors to SSE. P-Value was considered with P < 0.05.

### Results

The majority of participants (87%) were under 40 years old, diploma (47.1) and nearly 50% were unemployed (housewives). The majority's income was less than one million (about 50%). Besides, nearly 64% had children and about 15% had a history of infertility. The age of participants' spouses was 35.  $72\pm7.61$  (Table 1).

| Variable               |                              | Numbers | Percentage |  |
|------------------------|------------------------------|---------|------------|--|
|                        | < 30 years old               | 277     | 47.27      |  |
| Age                    | 30-39                        | 247     | 42.15      |  |
|                        | >40 years old                | 62      | 10.58      |  |
|                        | Illiterate                   | 5       | 0.85       |  |
|                        | Elementary                   | 32      | 5.46       |  |
| <b>Education level</b> | 3 <sup>rd</sup> grage junior | 84      | 14.33      |  |
|                        | Diploma                      | 276     | 47.1       |  |
|                        | University edu.              | 189     | 32.25      |  |
|                        | Unemployed                   | 274     | 47.82      |  |
| Γ                      | Laborer                      | 37      | 6.46       |  |
| Employment<br>Status   | Farmer                       | 31      | 5.41       |  |
| Status                 | Employee                     | 170     | 29.67      |  |
| Γ                      | Self- employed               | 61      | 10.65      |  |
| Alcohol                | Yes                          | 47      | 8.15       |  |
| and Substance<br>use   | No                           | 530     | 91.85      |  |
| a                      | Yes                          | 73      | 12.46      |  |
| Smoking                | No                           | 513     | 87.54      |  |
| Marital                | Yes                          | 467     | 79.69      |  |
| satisfaction           | No                           | 119     | 20.31      |  |
| <b>T</b> 10 11 0 11    | Yes                          | 431     | 73.55      |  |
| Life satisfaction      | No                           | 155     | 26.45      |  |
| Economic               | Yes                          | 386     | 65.87      |  |
| satisfaction           | No                           | 200     | 43.13      |  |
|                        | Less than 1 million          | 270     | 49.72      |  |
| Monthly income         | 1-2 million                  | 164     | 30.20      |  |
|                        | >2 million                   | 109     | 20.07      |  |

**Table 1:** Descriptive statistics for participants socio-demographic factors (N=588)

Based on the results, the total score of SSE (Mean score  $\pm$  Standard Deviation) was 72.8 $\pm$ 15 (Table 2). Maximum and Minimum scores are related to self- efficacy in body acceptance and communication, respectively.

In multiple analysis, multiple linear regression in the method of stepwise was used to determine predictors of SSE. In the initial model, all variables with a P <0.1 level of significance has joined the model. In the final model, 4 variables include age (B= 0.471, P<0.001), marital satisfaction (B= 0.11.3, P<0.001), life satisfaction (B= 2.6, P< 0.044) is SSE predictors. The efficacy score decreased with age. However, there is a significant relationship between marital, life, economic satisfaction with the SSE score (Table 3).

| SSE score                               | Mean  | Standard<br>Deviation | Median |       | al 95%<br>ean | First<br>Quartile | Third<br>Quartile | Mean<br>Rank | P-Value |
|---|-------|-----------------------|--------|-------|---------------|-------------------|-------------------|--------------|---------|
|   |       |                       |        | Low   | High          |                   |                   |              |         |
| Interpersonal<br>orgasm                 | 69.98 | 16.97                 | 71.43  | 68.6  | 71.36         | 60                | 82.86             | 4.15         |         |
| Interpersonal<br>desire<br>and interest | 76.07 | 16.32                 | 75     | 74.74 | 77.39         | 65                | 90                | 5.83         |         |
| Sensuality                              | 74.84 | 17.72                 | 76.67  | 73.4  | 76.28         | 66.67             | 90                | 5.59         |         |
| Personal<br>arousal                     | 72.13 | 19.67                 | 80     | 70.54 | 73.73         | 60                | 80                | 4.79         | < 0.001 |
| Affection                               | 72.39 | 1808                  | 70     | 70.92 | 73.86         | 60                | 80                | 4.78         |         |
| Communicati<br>on                       | 69.66 | 16.62                 | 70     | 68.31 | 71.01         | 60                | 80                | 4.01         |         |
| Physical<br>acceptance                  | 78.77 | 16.7                  | 80     | 76.43 | 79.14         | 70                | 90                | 6.03         |         |
| Refusal                                 | 71.06 | 24.85                 | 80     | 69.04 | 73.07         | 60                | 80                | 5.04         |         |
| Total SSE                               | 72.77 | 15                    | 74.29  | 71.55 | 73.98         | 65.71             | 84.29             | 4.78         |         |

**Table 3:** Predictors of the women of reproductive age's SSE score using stepwise linear regression analysis (N=588)

| Variable                                  | Non-Standard | lized Coefficient     | D V-h-  | Confidence Interval<br>95% Mean |         |
|---|--------------|-----------------------|---------|---------------------------------|---------|
|   | Coefficient  | Standard<br>Deviation | P-Value | High                            | Low     |
| Fixed Model                               | 108.622      | 3.179                 | < 0.001 | 102.376                         | 114.868 |
| Age                                       | -0.471       | 0.080                 | < 0.001 | -0.628                          | -3.14   |
| Marital Satisfaction                      | 11.30        | 1.586                 | < 0.001 | 14.423                          | 8.193   |
| Life Satisfaction                         | 3.446        | 1.580                 | < 0.030 | 6.549                           | 0.343   |
| Economic-<br>social welfare, satisfaction | 2.622        | 1.296                 | >0.044  | 5.168                           | 0.077   |

## Discussion

Based on the results, the total score of SSE in the participants was 72.8 $\pm$ 15. Body acceptance had the maximum and communication had the minimum scores. A study by Zare et al (2015) that assessed the relationship between SSE and sexual life quality was reported the mean score of SSE 49.61 $\pm$ 12.63. These researchers demonstrated that, sexual refusal had the highest mean on the dimensions of SSE which is in line with the present study in terms of the highest mean in the SSE area <sup>19</sup>. The SSE score is statistically significant based on all socio-demographic variables. Participants with younger husbands, higher education and employment, and high incomes had great SSE scores. Previous research supports this idea. <sup>20, 21</sup>. The current study also showed that four variables: age, marital satisfaction, life satisfaction, and economic-social welfare satisfaction are SSE predictors. So that, when age level increased, the rate of SSE decreased. Moreover, the study supported that SSE has a direct effect on marital, life, and economic satisfaction <sup>9, 10, 11</sup>. These findings are agreeing with the results of Vaziri et al. who noted SSE is associated with marital satisfaction <sup>20</sup>. Different studies have indicated that sexual satisfaction is broadly related to marital satisfaction. On the other hand, the concept of marital sexual satisfaction, whether in the form of sexual activity or emotional satisfaction, involves one's self- efficacy cognition <sup>22</sup>. Therefore, SSE has a significant contribution to marital satisfaction <sup>23</sup>. Steinke et al. reported that marital satisfaction is associated with sexual desire. Indeed, there is a positive correlation between sexual satisfaction and marital satisfaction <sup>10</sup>. Melanie found that SSE is enhanced among people who have high personal autonomy and good communication with their partners. As the findings showed, SSE is an important factor in creating a healthy and satisfying sexual relationship <sup>12</sup>. Azarian et al. also showed that women with a high level of SSE and the high quality of sexual life had more marital satisfaction 9.

# Conclusion

Often researchers are interested to evaluate women's sexual function, although that is an important one issue, understanding a women's sexual function is much more complex because influenced by women's sexuality. In order to advance the understanding of women's sexuality, a clarifying of some basic sexual concepts, and identifying the factors associated with them is essential and can be used in other areas of sexual research. As a sexual concept, SSE has great potential to help to understand women's sexuality and solves their sexual problems.

The highest and lowest scores of SSE were related to body acceptance and communication, respectively. Besides, age, marital satisfaction, life satisfaction, and economic-social welfare, satisfaction are the factors related to SSE. The results of this study can be important for the application to programs such as sexual education. Future study efforts should continue to include each gender and age group.

# Acknowledgments

This study was extracted from a midwifery MSc thesis, approved by the University Ethics Committee (IR. GUMS.REC. 1397.429). This research was supported by Guilan University of Medical Sciences. The authors extend their thanks to all the women who kindly participate in this research.

# Conflict of interest

The authors declare that there is no conflict of interest.

## References

1. Assarzadeh R, Bostani Khalesi Z, Jafarzadeh-Kenarsari F. *Sexual Self-Efficacy and Associated Factors: A Review, Shiraz E-Med J.* Online ahead of Print; 20(11): e87537.

2. Closson K, Dietrich JJ, Lachowsky NJ, Nkala B, Palmer A, Cui Z, et al. Sexual self-efficacy and gender: A review of condom use and sexual negotiation among young men and women in Sub-Saharan Africa. *J Sex Res.* 201855(4-5):522-39.

3. Bandura A. Social cognitive theory: Anagentic perspective" *Asian Journal of Social Psychology*. 1999; (2) :21-41.

4. Bandura A. Self-efficacy: toward a unifying theory of behavior change". *Psychological Review*. 1997; (84):191-215.

5. Bandura A. Adolescent development from an agentic perspective. In: Pajares F, Urdan T, editors. Self-efficacy beliefs of adolescents. Greenwich, CT: Information Age Publishing. 2006: 1–43.

6. Mitchell CM, Kaufman CE, Whitesell NR, Beals J, Keane EM. Self-Efficacy About Sexual Risk/Protective Behaviors: Intervention Impact Trajectories Among American Indian Youth. *J Res Adolesc*. 2017;27(3):697-704.

7. Sarikhani R. Mreghati Khoii E. Jahdi F. Comparing The Effectiveness Of TTM Based Sex Education With Traditional Approach In Sexual Self-Efficacy Of Primiparous Women With Postpartum. TUMS. [Msc Thesis]. Iran. *Tehran Faculty Of Nursing And Midwifery*; 2011.

8. Reissuing ED, Genevieve M, Hannah J. Young women's sexual adjustment: the role of sexual selfscheme, sexual self-efficacy, sexual aversion and body attitude. *Can J Hum Sex.* 2005; 14: 52–96 PubMed .

9. Alirezaee S, Ozgoli G, Alavi Majd H. Comparison of sexual self-efficacy and sexual function in fertile and infertile women referred to health centers in Mashhad public in 1392. *Pejouhandeh*. 2014; 19(3):131-136.

10. Steinke EE, Wright DW, Chung ML, Moser DK. Sexual self-concept, anxiety, and self-efficacy predict sexual activity in heart failure and healthy elders. *Heart Lung* 2008;37 (5): 323–333.

11. Gerke D, Budd EL, Plax K. Measurement noninvariance of safer sex self-efficacy between heterosexual and sexual minority black youth. *J Soc Social Work Res.* 2016;7(3):569-84.

12. Melanie J. Gembeck Z. Young Females' Sexual Self-Efficacy: Associations with Personal Autonomy And The Couple Relationship. *Sexual Health.* 2013; 10: 204–210 PubMed.

13. Azarian M, Ghorbanshirodi S, Khalatbari J. Relation between sexual self-efficacy, sensation-seeking and marital satisfaction in married woman in Islamic Azad University. *J Soc Issues Humanit*. 2014;2:209---12.

14. Rao TS, Nagaraj AK. Female sexuality. *Indian J Psychiatry*. 2015;57 (Suppl 2):S296-S302.

15. Nowakowski AC, Sumerau JE. Women's sexual health in later life: Gaps and opportunities in research and practice. *Womens Health* (Lond). 2019;15:1745506519878092.

16. Williams DM, Rhodes RE. The confounded self-efficacy construct: conceptual analysis and recommendations for future research. *Health Psychol Rev.* 2016;10(2):113-128.

17. Bailes S, Fichten C, Libman E, Brender W, & Amsel R. Sexual Self-Efficacy Scale for Female Functioning. Fisher T, Davis C, Yarber W, & Davis S. Handbook of sexuality-related measures. New York: Routledge. 2010.

18. Rajabi G, Jelodari A. Validity and Reliability of the Persian Sexual Self-Efficacy Scale Functioning in Female. *PCP*. 2015; 3 (4) :267-272.

19. Zare Z, Golmakani N, Shareh H, Taghi ShakeriM. Survey of Relationship between Sexual Self-efficacy and Sexual Life Quality with Marital Satisfaction in Primiparous Women after Childbirth. *Journal of Student Research Committee Sabzevar University of Medical Sciences*. 2016;21(37): 1-10.

20. Vaziri Sh. Lotfi Kashani F. Factor structure, reliability and validity of the sexual self-efficacy uestionnaire. *Thought And Behavior In Clinical Psychology* 2013; 8 (29): 47-55.

21. Zare Z, Golmakani N, Shareh H, Shakeri MT, Khadem Ghaebi N. Factors Related to Marital Satisfaction in Primiparous Women during Postpartum Period. *Journal of Midwifery and Reproductive Health*. 2014;2(2):120-127.

22. Litzinger S. Gordon KC Exploring Relationships Among Communication, Sexual Satisfaction And Marital Satisfaction. *Journal Of Sex & Marital Therapy* 2005; 31(40): 9-24

23. Elke R. Laliberté D. Geneviève M. Davis. Young Woman's Sexual Adjustment: The role of sexual self-schema, sexual self-efficacy, sexual aversion and body attitudes. *CJHS*. 2005; 14 (3):77-85.