Invited Commentary


Diet quality and food security amongst Indigenous children in Canada: facing the legacy of decades of dispossession and governmental neglect

Canada is a prosperous country and member of the G7, with an enviable track record in public safety nets, including child support and public medical care⁽¹⁾. However, Indigenous peoples who form 5% of the population of the country and include First Nations, Metis, and Inuit, still face, as a group, challenges not faced by the settler majority. They continue to be confronted with systematically worse determinants of health including housing, job prospects and income, and educational attainment than the rest of the population⁽²⁾, a legacy of a paternalistic system that systematically provided inferior services and care⁽³⁾. Consequently, Indigenous children and adults face a higher prevalence of obesity and nutrition and lifestyle-related chronic disease and live more frequently in food-insecure households (4-7). In addition, rates of injury and violent deaths, suicide, and infectious diseases continue to be higher for this population⁽⁸⁻¹¹⁾. Meanwhile, communities are striving to build on their strengths, reverse the unfavourable trends and build resilience through health and wellness programming that aim to revitalise the traditional food systems, as well as through the transmission of culturally foundational knowledge about the land, and the skills needed for the continued access to traditional food through hunting, fishing, gathering, and cultivating(12-15). These programmes are often based on holistic Indigenous worldviews that consider human health as a continuation of the health of the ecosystem and all living and non-living things^(16,17).

In the recently published results of the First Nations Food, Nutrition and Environment Study (FNFNES.ca) spanning 10 years (2008–2018) conducted with 92 First Nations communities with a large sample of 6500 adult participants from territorial entities still officially named 'reserves' across Canada⁽¹⁸⁾, it was found that the diet of First Nations was often inadequate, particularly since many barriers (government regulations, industrial activities like mining and forestry, dams for the generation of hydroelectricity, lack of time, erosion of traditional knowledge about the land and traditional harvesting activities, lack of money for hunting/fishing equipment, etc.) prevent community members from accessing their ancestral territory, thus affecting food supply and limiting their enjoyment of traditional food, which is of much greater nutritional quality than the generally available market food, particularly

in remote communities (19,20). In fact, on days when traditional food was consumed, intakes of key nutrients were greatly improved compared to days without any traditional food in the diet⁽¹⁹⁾. It was also found that obesity and diabetes were very high, at 50% and 25%, respectively, double and three times higher than in the general Canadian population⁽⁷⁾. Most disturbingly, food insecurity (the inability to access food because of lack of financial means) was, at 48 %, four times higher in this representative sample of First Nations living on reserve in the ten Canadian provinces than the 12% rate amongst the Canadian population, which is still considered high for a rich country like Canada⁽⁶⁾. Food insecurity is also experienced at a higher rate in adults living in households with children, with parents reporting lower food insecurity for the children themselves, indicating an attempt at sheltering the children from food insecurity (6,21). Food security was measured using the Household Food Security Survey Module (HFSSM) with respondents categorised as living in households that were food secure, marginally food insecure, moderately food insecure, or severely food insecure. The HFSSM comprises eighteen questions about the food security situation over the previous 12 months with a section focused on children's food security⁽²²⁾.

While these results from First Nations adults have been recently published in a special issue of the Canadian Journal of Public Health⁽²³⁾, little is known about the nutritional and food security situation for Indigenous children and youth until the publication in this issue of an important article comparing results for off-reserve Indigenous and non-Indigenous children and between 2004 and 2015 based on the Canadian Community Health Survey (CCHS) nutrition data. The article titled 'Diet quality among Indigenous and non-Indigenous children and youth in Canada in 2004 and 2015: a repeated cross-sectional design' explores changes in diet quality using the Healthy Eating Index (HEI), a score that measures diet quality in terms of adequacy and moderation by assessing the degree of adherence of the diet of surveyed individuals to the recommendations of the 2007 version of Canada's Food Guide. The CCHS is a regularly conducted population survey with only the nutrition component, which includes a 24-h recall questionnaire repeated with 20 % of the sample, only administered twice in the recent past.







M Batal 134

Results from the survey are generalisable to the Canadian population thanks to its sampling framework. It is possible to identify Indigenous participants in the sample based on self-reports of Indigenous identity. However, Inuit participants are so few in CCHS that no conclusions could be drawn from the survey for Inuit living outside of the Inuit villages. It is important to note that national surveys in Canada, such as the CCHS, exclude First Nations and Metis living on reserves or communities and Inuit living in the north as well as Canadians living in remote communities (24,25).

Using data from the 24-h recalls, the article proposes a positive reading of the nutritional situation of children and youth aged 2-17 years, pointing to a generally improved HEI for both Indigenous and non-Indigenous children and youth between 2004 and 2015 and suggesting that these improvements, which are due largely to a reduced contribution of the 'other' food group in the diet (often snacks of low nutritional quality), are facilitated by the multiplication of food school programmes and interventions aimed at reducing consumption of junk food in this population. However, this improvement did not seem to be visible with Indigenous girls, indicating the need for a thorough investigation of gender dynamics in food distribution and consumption in that population.

While this is an encouraging trend, the article also notes the persistence of the great disparity between Indigenous and non-Indigenous children and youth in terms of food security as measured by the USDA Household Food Security Survey Module. In fact, food insecurity was three times higher in Indigenous than non-Indigenous children and youth in both 2004 and 2015, with only modest improvement in Indigenous food insecurity rates over the 11 years which does not consider the marginally food insecure category (from 32.8 % to 28.3 %). While the exploration of this disparity was beyond the scope of the article, it would have been useful to have this reality be made more prominent and included in the title. Food insecurity is a major determinant of diet quality (as seen in the article results) and is also associated with both mental and physical ill health and a reduced ability to manage disease⁽²⁶⁻²⁸⁾. As Canada grapples with its colonialist past's impact on health (9,29) and Indigenous people are forced to deal with historic traumas recently evidenced by the gruesome discoveries of unmarked children's burial sites close to some of the infamous residential schools⁽³⁰⁾, the Indigenous population continues to also pay the price of continuing discrimination with suboptimal health, social, and economic outcomes⁽³¹⁾.

Improvements in the diet quality of off-reserve Indigenous children and youth are welcome, but the continuing very high levels of food insecurity are troubling. The UN Convention on the Rights of the Child stipulates that every child has the right to adequate housing and adequate nutritious foods and clean drinking water⁽³²⁾. It is inexplicable that these basic human rights are still denied to a large number of Indigenous children in a wealthy country like Canada.

The CCHS data and the article by Riediger et al. allow us a glimpse into the nutritional and food security reality of Indigenous children and youth who live off-reserve. However, the situation on-reserve is very different because of a myriad of differing political, economic, and physical attributes in reserves compared to elsewhere in Canada. A new study modelled after the FNFNES but dedicated to understanding the nutrition and environmental situation of Indigenous children and vouth living on-reserve is underway. The 10-year Food, Environment, Health and Nutrition of First Nations Children and Youth (FEHNCY.ca) study promises to draw a representative picture of the situation on-reserve and will allow comparisons with the general Canadian population as well as with offreserve Indigenous children and youth. This should deepen our understanding and provide insight into changes needed and, we dare hope, track improvements as nutritional, health, education, housing, and other gaps narrow with better resources, greater self-determination, and programmes that prioritise access to traditional foods.

Acknowledgements

Financial support: Malek Batal is supported by the Canada Research Chair program. Conflict of interest: The author declares no conflict of interest. Authorship: None. Ethics of human subject participation: Not applicable.

Malek Batal (1)



Canada Research Chair in Nutrition and Health Inequalities, Nutrition Department, Faculty of Medicine, Université de

Centre for Public Health Research (CReSP) of the Université de Montréal and the CIUSS du Centre-Sud-del'Île-de-Montréal, TRANSNUT, WHO – Collaborating Centre on Nutrition Changes and Development, CP 6128 Succ. Centre-Ville, Montréal, QC H3C 3J7, Canada Email: malek.batal@umontreal.ca

References

- 1. Hutchison B, Levesque J-F, Strumpf E et al. (2011) Primary health care in Canada: systems in motion. Milbank Q 89, 256-288
- Kim PJ (2019) Social determinants of health inequities in indigenous Canadians through a life course approach to colonialism and the residential school system. Health Equity 3,
- Greenwood M, de Leeuw S & Lindsay N (2018) Challenges in health equity for indigenous peoples in Canada. Lancet 391, 1645-1648.



- Spurr S, Bally J, Bullin C et al. (2017) Type 2 diabetes in Canadian aboriginal adolescents: risk factors and prevalence. I Pediatr Nurs 36, 111–117.
- Batal M & Decelles S (2019) A scoping review of obesity among indigenous peoples in Canada. *J Obes*. Published online: 3 June 2019. doi: 10.1155/2019/9741090.
- Batal M, Chan HM, Fediuk K et al. (2021) First Nations households living on-reserve experience food insecurity: prevalence and predictors among ninety-two First Nations communities across Canada. Can J Public Health 112, 52–63.
- Batal M, Chan HM, Fediuk K et al. (2021) Associations of health status and diabetes among First Nations Peoples living on-reserve in Canada. Can J Public Health 112, 154–167.
- 8. Pollock NJ, Naicker K, Loro A *et al.* (2018) Global incidence of suicide among Indigenous peoples: a systematic review. *BMC Med* **16**, 1–17.
- Monchalin L, Marques O, Reasons C et al. (2019) Homicide and indigenous peoples in North America: a structural analysis. Aggress Violent Behav 46, 212–218.
- De Wals P, Zhou Z, LeMeur J et al. (2020) Burden of respiratory infections and otitis media in the Inuit population of Nunavik, Ouebec, Canada. Int J Circumpolar Health 79, 1799688.
- 11. Andermann A (2017) Indigenous health: outbreaks in the age of syndemics: new insights for improving indigenous health. *Can Commun Dis Rep* **43**, 125.
- 12. Turner NJ, Plotkin M & Kuhnlein HV (2013) Global environmental challenges to the integrity of indigenous peoples' food systems. In *Indigenous Peoples' Food Systems and Well-Being: Interventions and Policies for Healthy Communities*, pp. 23–38 [HV Kuhnlein, B Erasmus, D Spigelski et al. editors]. Rome: FAO, CINE.
- Laberge Gaudin V, Receveur O, Girard F et al. (2015)
 Facilitators and barriers to traditional food consumption in
 the Cree community of Mistissini, Northern Quebec. Ecol
 Food Nutr 54, 663–692.
- 14. Kuhnlein HV, Fediuk K, Nelson C et al. (2013) The Legacy of the Nuxalk Food and Nutrition Program for Food Security, Health and Well-being of Indigenous Peoples in British Columbia. Vancouver, BC, Canada: BC Studies.
- Gendron F, Hancherow A & Norton A (2017) Exploring and revitalizing Indigenous food networks in Saskatchewan, Canada, as a way to improve food security. *Health Promot Int* 32, 808–817.
- Blanchet R, Willows N, Johnson S et al. (2020) Traditional food, health, and diet quality in Syilx Okanagan adults in British Columbia, Canada. Nutrients 12, 927.
- Tsuji IJ, Tsuji SR, Zuk AM et al. (2020) Harvest programs in first nations of subarctic Canada: the benefits go beyond addressing food security and environmental sustainability issues. Int J Environ Res Public Health 17, 8113.
- Chan HM, Fediuk K, Batal M et al. (2021) The first nations food, nutrition and environment study (2008–2018) – rationale, design, methods and lessons learned. Can J Public Health 112, 8–19.

- Batal M, Chan HM, Ing A et al. (2021) Nutrient adequacy and nutrient sources of adults among ninety-two First Nations communities across Canada. Can J Public Health 112, 29–40.
- Batal M, Chan HM, Fediuk K et al. (2021) Importance of the traditional food systems for First Nations adults living on reserves in Canada. Can J Public Health 112, 20–28.
- Domingo A, Spiegel J, Guhn M et al. (2021) Predictors of household food insecurity and relationship with obesity in First Nations communities in British Columbia, Manitoba, Alberta and Ontario. Public Health Nutr 24, 1021–1033.
- Tarasuk V, St-Germain A-AF & Mitchell A (2019) Geographic and socio-demographic predictors of house-hold food insecurity in Canada, 2011–12. BMC Public Health 19, 1–12.
- FNFNES (2021) The first nations food, nutrition and environment study (special issue). Can J Public Health 112, Suppl. 1, 8–10
- 24. Health Canada (2006) Canadian Community Health Survey, Cycle 2.2, Nutrition (2004): A Guide to Accessing and Interpreting the Data. https://www.canada.ca/en/health-canada/services/food-nutrition/food-nutrition-surveillance/health-nutrition-surveys/canadian-community-health-survey-cchs/canadian-community-health-survey-cycle-2-2-nutrition-2004-guide-accessing-interpreting-data-health-canada-2006. html (accessed July 2021).
- Statistics Canada (2015) 2015 Canadian Community Health Survey (CCHS), Nutrition-User Guide. http://sda.chass. utoronto.ca/sdaweb/dli2/cchs/cchs2015_nu/more_doc/ CCHS_NU_2015_PUMF_User_Guide.pdf (accessed July 2021).
- Davison KM, Gondara L & Kaplan BJ (2017) Food insecurity, poor diet quality, and suboptimal intakes of folate and iron are independently associated with perceived mental health in Canadian adults. *Nutrients* 9, 274.
- Rasmusson G, Lydecker JA, Coffino JA et al. (2019) Household food insecurity is associated with binge-eating disorder and obesity. Int J Eat Disord 52, 28–35.
- Flint KL, Davis GM & Umpierrez GE (2020) Emerging trends and the clinical impact of food insecurity in patients with diabetes. J Diabetes 12, 187–196.
- 29. Czyzewski K (2011) Colonialism as a broader social determinant of health. *Int Indig Policy J* **2**, 1–16.
- Cecco L (2021) Latest First Nations Discovery Reveals 182 Unmarked Graves at Canada School. In The Guardian. https://www.theguardian.com/world/2021/jun/30/canada-first-nations-unmarked-graves-indigenous-residential-school-british-columbia (accessed July 2021).
- Gone JP, Hartmann WE, Pomerville A et al. (2019) The impact of historical trauma on health outcomes for indigenous populations in the USA and Canada: a systematic review. Am Psychol 74, 20–35.
- UN General Assembly (1989) Convention on the Rights of the Child. United Nations, Treaty Series. https://www.refworld. org/docid/3ae6b38f0.html (accessed July 2021).

