Correction: Safety and efficacy of preoperative tranexamic acid in reducing intraoperative and postoperative blood loss in high-risk women undergoing cesarean delivery: a randomized controlled trial

Mohamed A. Shalaby^{1*}, Ahmed M. Maged¹, Amira Al-Asmar¹, Mohamed El Mahy¹, Maged Al-Mohamady¹ and Nancy Mohamed Ali Rund²

Correction: BMC Pregnancy Childbirth 22, 201 (2022) https://doi.org/10.1186/s12884-022-04530-4

Following publication of the original article [1], the sentence in the Methods beginning "Considering a 25% reduction ..." should be replaced by the following:

Considering a 25% reduction in the postpartum blood loss, 100 women in the experimental group and 100 in the control were needed to reject the null hypothesis that the population means of the experimental and control groups are equal with probability (power) 0.95. Due to limited resources, recruitment was stopped after 160 participants had been included. Post-hoc sample size calculation using the same parameters showed that 80 participants in each group allowed for a power of 0.9.

The original article [1] has been corrected.

Published online: 07 November 2022

References

 Shalaby MA, Maged AM, Al-Asmar A, et al. Safety and efficacy of preoperative tranexamic acid in reducing intraoperative and postoperative blood loss in high-risk women undergoing cesarean delivery: a randomized controlled trial. BMC Pregnancy Childbirth. 2022;22:201. https://doi.org/10.1186/ s12884-022-04530-4.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at https://doi. org/10.1186/s12884-022-04530-4.

*Correspondence: Mohamed A. Shalaby mohamed_shalaby85@hotmail.com

¹Department of Obstetrics and Gynecology, Kasr Al-Ainy Hospital, Cairo

University, 366 Fardos gardens, 6 October, 12543 Giza, Egypt

²Department of obstetrics and gynecology, Ain Shams University, Cairo, Egypt



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.



Open Access

Shalaby et al. BMC Pregnancy and Childbirth (2022) 22:823 https://doi.org/10.1186/s12884-022-05102-2