## **Brief Communication**

**Clinical Microbiology** 



Ann Lab Med 2020;40:63-67 https://doi.org/10.3343/alm.2020.40.1.63 ISSN 2234-3806 eISSN 2234-3814

# ANNALS OF LABORATORY MEDICINE

## Comparison of 16S Ribosomal RNA Targeted Sequencing and Culture for Bacterial Identification in Normally Sterile Body Fluid Samples: Report of a 10-Year Clinical Laboratory Review

In Young Yoo , M.D.<sup>1</sup>, On-Kyun Kang , M.T.<sup>1</sup>, Myoung-Keun Lee , M.T.<sup>1</sup>, Yae-Jean Kim , M.D.<sup>2</sup>, Sun Young Cho , M.D.<sup>3,4</sup>, Kyungmin Huh , M.D.<sup>3</sup>, Cheol-In Kang , MD.<sup>3</sup>, Doo Ryeon Chung , M.D.<sup>3,4</sup>, Kyong Ran Peck , M.D.<sup>3</sup>, Hee Jae Huh , M.D.<sup>1</sup>, and Nam Yong Lee , M.D.<sup>1</sup>

<sup>1</sup>Department of Laboratory Medicine and Genetics, <sup>2</sup>Division of Infectious Diseases, Department of Pediatrics, <sup>3</sup>Division of Infectious Diseases, Department of Medicine, <sup>4</sup>Center for Infection Prevention and Control, Samsung Medical Center, Sungkyunkwan University School of Medicine, Seoul, Korea

As 16S ribosomal RNA (rRNA)-targeted sequencing can detect DNA from non-viable bacteria, it can be used to identify pathogens from clinical samples even in patients pretreated with antibiotics. We compared the results of 16S rRNA-targeted sequencing and culture for identifying bacterial species in normally sterile body fluid (NSBF): cerebrospinal, pericardial, peritoneal and pleural fluids. Over a 10-year period, a total of 312 NSBF samples were evaluated simultaneously using 16S rRNA-targeted sequencing and culture. Results were concordant in 287/312 (92.0%) samples, including 277 (88.8%) negative and 10 (3.2%) positive samples. Of the 16 sequencing-positive, culture-negative samples, eight showed clinically relevant isolates that included *Fusobacterium nucleatum* subsp. *nucleatum, Streptococcus pneumoniae*, and *Staphylococcus* spp. All these samples were obtained from the patients pretreated with antibiotics. The diagnostic yield of 16S rRNA-targeted sequencing combined with culture was 11.2%, while that of culture alone was 6.1%. 16S rRNA-targeted sequencing in conjunction with culture could be useful for identifying bacteria in NSBF samples, especially when patients have been pretreated with antibiotics and when anaerobic infection is suspected.

Received: April 24, 2019 Revision received: June 2, 2019 Accepted: August 7, 2019

**Corresponding author:** Hee Jae Huh, M.D. Department of Laboratory Medicine and Genetics, Samsung Medical Center, Sungkyunkwan University School of Medicine, 81 Irwon-ro, Gangnam-gu, Seoul 06351, Korea Tel: +82-2-3410-1836 Fax: +82-2-3410-2719 E-mail: pmhhj77@gmail.com

#### Co-corresponding author:

Nam Yong Lee, M.D. Department of Laboratory Medicine and Genetics, Samsung Medical Center, Sungkyunkwan University School of Medicine, 81 Irwon-ro, Gangnam-gu, Seoul 06351, Korea Tel: +82-2-3410-2706 Fax: +82-2-3410-2719 E-mail: micro.lee@samsung.com



© Korean Society for Laboratory Medicine

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (http://creativecommons.org/licenses/by-nc/4.0) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

Key Words: 16S ribosomal RNA, Sequencing, Culture, Diagnostic yield, Normally sterile body fluid

The identification of pathogens by culture of normally sterile body fluid (NSBF) is crucial for accurate diagnosis of invasive infections, including meningitis, pericarditis, peritonitis, and empyema [1]. However, culture frequently fails to detect clinically important pathogens owing to stringent growth requirements or prior empirical antibiotic treatment [2]. In recent years, broadrange PCR has been used in clinical laboratories to identify clinical pathogens from normally sterile sites, especially in cases of fastidiously slow growing bacteria and biochemically unidentifiable bacteria [3]. Although 16S ribosomal RNA (rRNA) PCR and targeted sequencing can produce false-positive results because of contamination, they remain useful for detecting bacterial infection [4]. In our clinical laboratory, 16S rRNA-targeted sequencing has been applied to tissue and fluid samples and has assisted in diagnosing culture-negative cases since September 2009. We retrospectively evaluated the clinical utility of 16S rRNA-targeted sequencing in comparison with culture for identifying bacterial species in NSBF samples. Although, the results of our study are consistent with those of a previous study [2], to our knowledge, this is the largest single center study that summarizes the results of 16S rRNA-targeted sequencing in NSBF samples. We reviewed the records for a decade to emphasize the clinical utility of 16S rRNA targeted sequencing.

A total of 312 NSBF samples from 248 patients collected from Mar 2009 to May 2018 were evaluated. Samples were submitted to the laboratory of Samsung Medical Center, Seoul, Korea for 16S rRNA-targeted sequencing in addition to culture. We analyzed 154 cerebrospinal fluid (CSF), 29 pericardial fluid, 24 peritoneal fluid, and 105 pleural fluid samples. Clinical data were reviewed retrospectively to assess the likelihood of infection, including clinical signs and symptoms, laboratory findings, radiological findings, and patient antibiotic therapy response. This study was approved by the Institutional Review Board (IRB) of Samsung Medical Center, Seoul, Korea (IRB No. 2018-12-012), and informed consent requirements were waived.

Samples were Gram-stained and cultured following standard laboratory procedures [5]. Four drops of each sample were directly inoculated on 5% sheep blood agar, chocolate agar, Mac-Conkey agar, and Brucella agar (except for CSF) and incubated at 35°C in a 5% CO<sub>2</sub> incubator for 18–48 hours. For enrichment, residual samples were inoculated into thioglycolate broth and incubated for seven days. Some samples were also inoculated into BacT/ALERT blood culture bottles (Organon Teknika Corporation, Durham, NC). Microorganisms were further identified using the VITEK 2 system (bioMérieux, Marcy-l'Étoile, France) or by matrix-assisted laser desorption ionization time-of-flight mass spectrometry using the VITEK MS system (bioMérieux).

Nucleic acids were extracted from 200  $\mu$ L of fresh samples using a MagNA Pure LC instrument (Roche Diagnostics, Mannheim, Germany) or MagNA Pure 96 instrument (Roche Diagnostics), according to the manufacturer's protocol. PCR was performed in a 20- $\mu$ L sample containing DNA template, specific

primers, and the AccuPower ProFi Tag PCR PreMix (Bioneer, Daejeon, Korea) after decontaminating the PCR master mix solutions including primers with a PCR decontamination kit (ArcticZymes. Tromsø. Norway). 16S rRNA was amplified using seminested PCR with two primer sets. The external primers were 4F (5'-TTGGAGAGTTTGATCCTGGCTC-3') and 1,492R (5'-GGT-TACCTTGTTACGACTT-3'), and the internal primers were 27F (5'-AGAGTTTGATCMTGGCTCAG-3') and 801R (5'-GGCGTG-GACTTCCAGGGTATCT-3') [6]. If indicated, alternative target genes, for instance, tuf and gyrB, were used to obtain specieslevel identification [7, 8]. Amplification conditions for the first and second rounds consisted of denaturation at 94°C for five minutes; 32 cycles of 94°C for 30 seconds, 60°C for 30 seconds, and 72°C for 30 seconds; and a final extension at 72°C for seven minutes. Sequencing was performed on an automated ABI Prism 3730 instrument using the BigDye Terminator Cycle Sequencing Kit (Thermo Fisher Scientific, Waltham, MA, USA). The 16S rRNA sequences were compared with those of reference strains in the NCBI GenBank database and the EzTaxon database (http://www.eztaxon.org/). Sequencing results were interpreted in accordance with the Clinical and Laboratory Standards Institute (CLSI) MM18-A guidelines [6]. The 16S rRNAtargeted sequencing and culture results were compared, and the concordance rate was determined. Clinically relevant isolates were defined as bacteria identified by either 16S rRNA-targeted sequencing or culture when the patient with identified bacteria exhibited clinical manifestations, laboratory findings and/or radiological evidence of infection, and clinical improvement in response to antibiotic treatment [9, 10]. Clinically relevant isolates were categorized by two doctors based on the clinical information of each patient.

Of the 312 samples, 26 (8.3%) and 19 (6.1%) were positive for bacteria identification by 16S rRNA-targeted sequencing and culture, respectively; 10 (3.2%) were positive by both methods, 16 (5.1%) were positive by 16S rRNA targeted sequencing only, nine (2.9%) were positive by culture only, and the remaining 277 (88.8%) were negative for bacteria identification by both methods. The concordance rate between methods was 92.0% (287/312). Of the 25 discordant samples, nine sequencing-negative, culture-positive samples showed three coagulase-negative staphylococcal, two streptococcal, one *Enterococcus faecium*, and three *Enterobacteriaceae* isolates (Fig. 1). Of these, six were clinically relevant isolates (see Supplemental Data Table S1). Of the 16 sequencing-positive, culture-negative samples, eight showed clinically relevant isolates (Fig. 1). All these samples were obtained from the patients pretreated with empirical antibiotics






Fig. 1. Direct 16S ribosomal RNA sequencing versus culture for identifying bacteria in normally sterile body fluid samples (N=312). Clinically relevant isolates are indicated in bold.

Table 1. Clinically relevant isolates identified b	v onlv	16S ribosomal RNA-targeted sequencing in NSBF samples (N=8)

Sample	Bacteria identified by 16S ribosomal RNA gene PCR	% Identity	Antibiotic treatment prior to sampling	Treatment change after reporting	Final diagnosis
Cerebrospinal fluid	Campylobacter showae	569/569 (100%)	Ceftriaxone+Vancomycin	Ceftriaxone	Intraventricular abscess
	<i>Fusobacterium nucleatum</i> subsp. <i>nucleatum</i>	678/678 (100%)	Ampicillin+Ceftriaxone+Vancomycin	Ampicillin+Ceftriaxone	Meningitis
	<i>Fusobacterium nucleatum</i> subsp. <i>nucleatum</i>	445/445 (100%)	Cefepime+Vancomycin	Cefepime	Brain abscess with meningoencephalitis
	Streptococcus pneumoniae	724/728 (99.5%)	Ampicillin+Cefepime+Vancomycin	Ceftriaxone+Vancomycin	Pneumococcal meningoencephalitis
	Streptococcus pneumoniae	704/704 (100%)	Ceftriaxone+Vancomycin	Ampicillin+Ceftriaxone	Bacterial meningoencephalopathy
Pericardial fluid	Staphylococcus species	728/730 (99.7%)	Ceftriaxone+Gentamicin+ Rifampin+Vancomycin	Gentamicin+Nafcillin+ Rifampin	Pericarditis
Pleural fluid	Sphingomonas melonis	584/584 (100%)	Meropenem+Azithromycin	Meropenem+TMP/SMX	Bronchopneumonia with pleural effusion
	Staphylococcus species	477/489 (97.5%)	Azithromycin+Cefotaxime	TMP/SMX	Pleural effusion

Abbreviations: NSBF, normally sterile body fluid; TMP/SMX, trimethoprim/sulfamethoxazole.

(Table 1).

The distribution of clinical samples and identified species from the 35 samples positive by either 16S rRNA-targeted sequencing or culture or both is shown in Fig. 1. Most bacterial species were identified in CSF (N=18), of which *S. pneumoniae* was the clinically relevant species most frequently detected (N=4) by 16S rRNA-targeted sequencing. The second highest number of bacterial species were identified in pleural fluid (N=13); *F. nucleatum* subsp. *vincentii* was detected in these samples by both 16S rRNA-targeted sequencing and culture. All species isolated from pericardial (N=1) and peritoneal fluid samples (N=3) were clinically relevant.

Diagnostic yield increased from 6.1% (19/312) with culture to 11.2% (35/312) with the addition of 16S rRNA-targeted sequencing. Direct amplification and sequencing in clinical samples are especially useful for patients pretreated with antibiotics [11]. Consistent with this observation, all sequencing-positive, culturenegative samples were obtained from the patients with prior antibiotic treatment. Specifically, two of the four S. pneumoniae isolates (the most common bacterial meningitis pathogen [12]) were detected only by 16S rRNA-targeted sequencing. A retrospective review of the effects of parenteral antibiotic pretreatment in suspected S. pneumoniae meningitis suggested that CSF sterilization occurs only four hours after initiation of parenteral antibiotics [13]. Therefore, identifying pathogen DNA by 16S rRNA-targeted sequencing could be advantageous, especially in CSF samples when antibiotic pretreatment could affect CSF culture yield.

In this study, *F. nucleatum* subsp. *nucleatum* and *C. showae* were identified in CSF samples using 16S rRNA-targeted sequencing, but not using culture, because we do not routinely perform anaerobic culturing with CSF. *F. nucleatum* subsp. *nucleatum* causing several systemic infections and *C. showae* with unknown significance of pathogenicity are rarely isolated anaerobic gram-negative rods that are primarily involved in periodontal diseases [14, 15]. Similar to a previous study, we found that 16S rRNA-targeted sequencing is particularly valuable for identifying anaerobic pathogens that are difficult to culture [16].

For sequencing-positive, culture-negative samples, we also considered the possibility of false-positive 16S rRNA-targeted sequencing results due to contamination in the DNA extraction kit, PCR reagents, or samples [17]. Based on a thorough review of the 16 sequencing-positive, culture-negative samples, eight were inconsistent with the clinical context, suggesting contamination. Of these, *Ralstonia pickettii* is a common contaminant in DNA extraction kits [18], and it was isolated from the pleural

fluid of a patient with invasive pulmonary aspergillosis. The falsepositive results can be derived from contaminants or nonviable bacteria and seem to be an inherent feature of PCR. Therefore, clinical correlation would be needed when a false-positive result is suspected.

Out of the nine sequencing-negative, culture-positive samples, six clinically relevant isolates were recovered from patients with bacterial meningitis, liver abscess, or pneumonia with combined empyema. Of these, two isolates, *Klebsiella pneumoniae* and *S. constellatus*, were recovered from a blood culture bottle, and one *E. faecium* isolate was recovered from an enrichment culture with thioglycolate broth. The false-negative sequencing results could be due to low microbial concentration and/or presence of PCR inhibitory substances in the samples subjected to 16S rRNA-targeted sequencing. Inhibitory substances may be present in the original sample and also may be unintentionally added as a result of the sample processing and DNA extraction from reagent [19].

This study has several potential limitations. First, the positive rates for culture were relatively low compared with those in a previous report, in which culture recovered 78.8% and 84.6% of significant isolates from peritoneal and pleural fluids [20]. The positive rates from culture in our study were 5.2% (8/154), 12.5% (3/24), and 7.6% (8/105) for CSF, peritoneal fluid, and pleural fluid samples, respectively. The main reason for low positive rates is that we included not only samples from the initial work-up but also follow-up samples obtained during empirical antibiotic treatment. In addition, many samples were collected from patients with a low probability of infection. Second, owing to the retrospective design of this study, we determined the clinical relevance of the isolates based solely on recorded, clinically important characteristics.

Despite these limitations, to our knowledge, this is the largestscale single center study that summarizes the results of 16S rRNAtargeted sequencing in NSBF samples. We demonstrated that 16S rRNA-targeted sequencing in conjunction with culture can be useful for identifying the etiological agent in NSBF samples, especially when patients have been pretreated with antibiotics and when anaerobic infection is suspected.

#### **Author Contributions**

All authors have accepted their responsibility for the entire content of this manuscript and approved submission.



None declared.

### **Research Funding**

None declared.

## ORCID

In Young Yoo	https://orcid.org/0000-0003-1505-846X
On-Kyun Kang	https://orcid.org/0000-0002-1031-1991
Myoung-Keun Lee	https://orcid.org/0000-0003-3977-8031
Yae-Jean Kim	https://orcid.org/0000-0002-8367-3424
Sun Young Cho	https://orcid.org/0000-0001-9307-2369
Kyungmin Huh	https://orcid.org/0000-0002-5140-3964
Cheol-In Kang	https://orcid.org/0000-0002-1741-4459
Doo Ryeon Chung	https://orcid.org/0000-0001-9267-101X
Kyong Ran Peck	https://orcid.org/0000-0002-7464-9780
Hee Jae Huh	https://orcid.org/0000-0001-8999-7561
Nam Yong Lee	https://orcid.org/0000-0003-3688-0145

## REFERENCES

- Altun O, Almuhayawi M, Ullberg M, Özenci V. Rapid identification of microorganisms from sterile body fluids by use of FilmArray. J Clin Microbiol 2015;53:710-2.
- Grif K, Heller I, Prodinger WM, Lechleitner K, Lass-Flörl C, Orth D. Improvement of detection of bacterial pathogens in normally sterile body sites with a focus on orthopedic samples by use of a commercial 16S rRNA broad-range PCR and sequence analysis. J Clin Microbiol 2012; 50:2250-4.
- Rampini SK, Bloemberg GV, Keller PM, Büchler AC, Dollenmaier G, Speck RF, et al. Broad-range 16S rRNA gene polymerase chain reaction for diagnosis of culture-negative bacterial infections. Clin Infect Dis 2011;53:1245-51.
- Sontakke S, Cadenas MB, Maggi RG, Diniz PP, Breitschwerdt EB. Use of broad range 16S rDNA PCR in clinical microbiology. J Microbiol Methods 2009;76:217-25.
- Leber AL. ed. Clinical microbiology procedures handbook. 4th ed. Washington, DC: ASM Press, 2016:3.5-3.7.
- CLSI. Interpretive criteria for identification of bacteria and fungi by targeted DNA sequencing. 2nd ed. CLSI MM18. Wayne, PA: Clinical and

Laboratory Standards Institute. 2018.

 Li X, Xing J, Li B, Wang P, Liu J. Use of *tuf* as a target for sequence-based identification of Gram-positive cocci of the genus *Enterococcus*, *Streptococcus*, coagulase-negative *Staphylococcus*, and *Lactococcus*. Ann Clin Microbiol Antimicrob 2012;11:31.

ANNALS OF

MEDICINE

ABORATORY

- Dauga C. Evolution of the gyrB gene and the molecular phylogeny of Enterobacteriaceae: a model molecule for molecular systematic studies. Int J Syst Evol Microbiol 2002;52:531-47.
- Basein T, Gardiner BJ, Andujar Vazquez GM, Joel Chandranesan AS, Rabson AR, Doron S, et al. Microbial identification using DNA target amplification and sequencing: clinical utility and impact on patient management. Open Forum Infect Dis 2018;5:ofy257.
- Varani S, Stanzani M, Paolucci M, Melchionda F, Castellani G, Nardi L, et al. Diagnosis of bloodstream infections in immunocompromised patients by real-time PCR. J Infect 2009;58:346-51.
- Welinder-Olsson C, Dotevall L, Hogevik H, Jungnelius R, Trollfors B, Wahl M, et al. Comparison of broad-range bacterial PCR and culture of cerebrospinal fluid for diagnosis of community-acquired bacterial meningitis. Clin Microbiol Infect 2007;13:879-86.
- Fiore AE, Moroney JF, Farley MM, Harrison LH, Patterson JE, Jorgensen JH, et al. Clinical outcomes of meningitis caused by *Streptococcus pneumoniae* in the era of antibiotic resistance. Clin Infect Dis 2000;30:71-7.
- Kanegaye JT, Soliemanzadeh P, Bradley JS. Lumbar puncture in pediatric bacterial meningitis: defining the time interval for recovery of cerebrospinal fluid pathogens after parenteral antibiotic pretreatment. Pediatrics 2001;108:1169-74.
- Yang CC, Ye JJ, Hsu PC, Chang HJ, Cheng CW, Leu HS, et al. Characteristics and outcomes of *Fusobacterium nucleatum* bacteremia–a 6-year experience at a tertiary care hospital in northern Taiwan. Diagn Microbiol Infect Dis 2011;70:167-74.
- de Vries JJ, Arents NL, Manson WL. *Campylobacter* species isolated from extra-oro-intestinal abscesses: a report of four cases and literature review. Eur J Clin Microbiol Infect Dis 2008;27:1119-23.
- Jenkins C, Ling CL, Ciesielczuk HL, Lockwood J, Hopkins S, McHugh TD, et al. Detection and identification of bacteria in clinical samples by 16S rRNA gene sequencing: comparison of two different approaches in clinical practice. J Med Microbiol 2012;61:483-8.
- Velásquez-Mejía EP, de la Cuesta-Zuluaga J, Escobar JS. Impact of DNA extraction, sample dilution, and reagent contamination on 16S rRNA gene sequencing of human feces. Appl Microbiol Biotechnol 2018;102: 403-11.
- Salter SJ, Cox MJ, Turek EM, Calus ST, Cookson WO, Moffatt MF, et al. Reagent and laboratory contamination can critically impact sequencebased microbiome analyses. BMC Biol 2014;12:87.
- Kolbert CP and Persing DH. Ribosomal DNA sequencing as a tool for identification of bacterial pathogens. Curr Opin Microbiol 1999;2:299-305.
- 20. Bourbeau P, Riley J, Heiter BJ, Master R, Young C, Pierson C. Use of the BacT/Alert blood culture system for culture of sterile body fluids other than blood. J Clin Microbiol 1998;36:3273-7.

#### ANNALS OF LABORATORY MEDICINE

Body fluid	Gram staining result	Bacteria identified by culture	Antibiotic treatment prior to sampling	Treatment change after reporting	Final diagnosis
Cerebrospinal fluid	No microorganisms observed	Klebsiella aerogenes	Ceftazidime+Vancomycin	Meropenem	Bacterial meningitis
	No microorganisms observed	Enterococcus faecium	Meropenem+Vancomycin	Vancomycin	Bacterial meningitis
	Gram-negative bacilli	Escherichia coli	Meropenem	Meropenem	Relapsed meningitis with E. coli
	No microorganisms observed	Staphylococcus epidermidis	Cefotaxime+Vancomycin	Cefotaxime+Vancomycin	Bacterial meningitis after craniotomy and tumor removal
Peritoneal fluid	Gram-negative bacilli	Klebsiella pneumoniae*	Cetriaxone	Tazoferan	Liver abscess
Pleural fluid	Gram-positive cocci	Streptococcus constellatus*	Cefotaxime+Vancomycin	Ampicillin/sulbactam	Pneumonia with combined empyema

#### Supplemental Data Table S1. Clinically relevant isolates identified only by culture in normally sterile body fluid samples (N=6)

\*These were obtained from a blood culture bottle.