



2020; 10(12): 5530-5531. doi: 10.7150/thno.46662

Erratum

Sarcoma-Targeting Peptide-Decorated Polypeptide Nanogel Intracellularly Delivers Shikonin for Upregulated Osteosarcoma Necroptosis and Diminished Pulmonary Metastasis: Erratum

Suoyuan Li^{1,4*}, Tao Zhang¹*, Weiguo Xu²*, Jianxun Ding², Fei Yin³, Jing Xu³, Wei Sun¹, Hongsheng Wang³, Mengxiong Sun¹, Zhengdong Cai¹³, Yingqi Hua¹,³, ≅

- 1. Department of Orthopedics, Shanghai General Hospital, Shanghai Jiao Tong University School of Medicine, Shanghai 200080, P. R. China
- 2. Key Laboratory of Polymer Ecomaterials, Changchun Institute of Applied Chemistry, Chinese Academy of Sciences, Changchun 130022, P. R. China
- 3. Shanghai Bone Tumor Institution, Shanghai 201620, P. R. China
- 4. Department of Orthopedics, Suzhou Municipal Hospital, Nanjing Medical University, Suzhou 215000, P. R. China

🖂 Corresponding author: Yingqi Hua, E-mail: yhua@shsmu.edu.cn; Jianxun Ding, E-mail: jxding@ciac.ac.cn; Zhengdong Cai, E-mail: czd856@vip.163.com.

© The author(s). This is an open access article distributed under the terms of the Creative Commons Attribution License (https://creativecommons.org/licenses/by/4.0/). See http://ivyspring.com/terms for full terms and conditions.

Published: 2020.04.12

Corrected article: Theranostics 2018; 8(5):1361-1375. doi: 10.7150/thno.18299.

In the initially published version of this article [1], the marker "E" was missed in Figure 3E, the Western blot bands were incorrectly displayed in Figure 5F, and the values on the ordinate were incorrectly labeled in Figure 6C.

The corrected Figure 3E, Figure 5F, and Figure 6C are as follows:




Figure 3. (E) Semiquantitative analysis of Western blot bands RIP1, RIP3, PARP, caspase-3, and caspase-8.

^{*}These authors contributed equally to this work.




Figure 5. (F) RIP1, RIP3, PARP, caspase-3, and caspase-8 expression in primary tumor tissues per group detected by Western blot.




Figure 6. (C) Average microscopically counted lung metastases from largest coronal sections.

The corrections made in this erratum do not affect the original conclusions. The authors apologize for any inconvenience or misunderstanding that these errors may have caused.

References

[1] Li S, Zhang T, Xu W, Ding J, Yin F, Xu J, Sun W, Wang H, Sun M, Cai Z, Hua Y. Sarcoma-targeting peptide-decorated polypeptide nanogel intracellularly delivers shikonin for upregulated osteosarcoma necroptosis and diminished pulmonary metastasis. Theranostics 2018; 8(5):1361–1375. doi: 10.7150/thno.18299.