

Review

The Influence of Virus Infection on Microglia and Accelerated Brain Aging

Luis Filgueira *, Alexey Larionov and Nils Lannes 

Anatomy, Faculty of Science and Medicine, University of Fribourg, 1700 Fribourg, Switzerland; alexey.larionov@unifr.ch (A.L.); nils.lannes@unifr.ch (N.L.)

* Correspondence: luis.filgueira@unifr.ch

Abstract: Microglia are the resident immune cells of the central nervous system contributing substantially to health and disease. There is increasing evidence that inflammatory microglia may induce or accelerate brain aging, by interfering with physiological repair and remodeling processes. Many viral infections affect the brain and interfere with microglia functions, including human immune deficiency virus, flaviviruses, SARS-CoV-2, influenza, and human herpes viruses. Especially chronic viral infections causing low-grade neuroinflammation may contribute to brain aging. This review elucidates the potential role of various neurotropic viruses in microglia-driven neurocognitive deficiencies and possibly accelerated brain aging.

Keywords: brain aging; microglia; neuroinflammation; neurotropic virus; HIV; flavivirus; SARS-CoV-2; human herpes virus



Citation: Filgueira, L.; Larionov, A.; Lannes, N. The Influence of Virus Infection on Microglia and Accelerated Brain Aging. *Cells* **2021**, *10*, 1836. <https://doi.org/10.3390/cells10071836>

Academic Editor: Alessandro Tozzi

Received: 26 April 2021

Accepted: 16 July 2021

Published: 20 July 2021

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

1. Introduction

Aging is a programmed biological process, affecting all biological systems, controlled by genetic [1] and epigenetic mechanisms [2], and influenced by environmental factors [3,4]. The principles of aging apply also to humans [5], to all organ systems and to the brain [6]. Physiological aging of the healthy brain is an age-dependent biological process and consists of deterioration of structure and function [7–12]. However, brain aging can be accelerated by multiple factors, due to traumatic events [13,14], following neurovascular conditions [15–17], or related to specific brain diseases, including Alzheimer's and Parkinson's disease. Accelerated brain aging is often related to enhanced neurodegeneration, which includes loss of neuronal cell structure and function due to (1) metabolic changes [18], (2) neuronal cell death [19] (3) decline in the neuronal network [20], (4) neuronal functional deficiency [21], (5) decline in neuronal regeneration [22–24], or (6) a combination of the mentioned reasons. It also includes functional and structural changes of the glial cells, resulting in demyelination and gliosis [25–27]. Neurodegeneration is aggravated by neuroinflammation, which contributes substantially to accelerated brain aging. Neuroinflammation usually correlates with the activation of microglia, the resident macrophages and innate immune cells of the brain [28,29]. Thus, the role of microglia in neuroinflammation and brain aging will be explored. Neuroinflammation is often induced by viral infections culminating in encephalitis, which is an inflammatory process of the brain that usually involves the microcirculation, neurons and glia cells, including microglia, as well as infiltration of brain tissue by other cells of the innate and acquired immune system like monocytes, dendritic cells, granulocytes and various subpopulations of T lymphocytes [30–33]. Encephalitis can be mild, with reversible functional deficiencies, but it can also result in severe structural damage with corresponding functional defects and sequelae [34]. Viruses that affect the brain and may contribute to accelerated brain aging will be reviewed. Finally, the role of microglia in viral brain infections and corresponding accelerated aging of the brain will be unfolded [35].

2. Neuroinflammation in Brain Aging

Neuroinflammation relates to a pathological immune response in the brain. It can be sudden and excessive, or subliminal, as well as short-lived or chronic. It may include a cellular immune response of the innate [36] and/or the acquired immune system [37], as well as humoral (antibodies) [38] and soluble factors (chemokines, cytokines) [39–41]. It certainly includes general basic cellular responses to inflammatory inducers and mediators (toxins, microbial products, metabolic or other damage-related cellular molecules), recognized by corresponding receptors, i.e., Pattern Recognition Receptors (PRRs) for Pathogen-Associated Molecular Patterns (PAMP) and/or Damage-Associated Molecular Patterns (DAMP) [42–46]. In that respect, all cells of the brain may respond to inflammatory signals, including neurons, astrocytes, oligodendrocytes, microglia, and the cells of the blood vessels (endothelial cells, pericytes, myofibroblasts, vascular dendritic cells, etc.) and the meninges.

There is increasing evidence that the aging immune system is skewed towards a more inflammatory status, increasing the probability and intensity of neuroinflammation [47–49]. In addition, a strong systemic inflammatory immune response may influence the brain function and cause corresponding syndromes and disease, as well as induce or aggravate neuroinflammation [50–52].

Neuroinflammation interferes with the brain function, may cause structural damage, influence regeneration, and modulate remodeling. It may induce neuronal cell death directly by acting on neurons, or indirectly through actions via astrocytes, oligodendrocytes and microglia, mediated by various neural and inflammatory factors [25,53]. Neuroinflammation and its consequences contribute to physiological brain aging and certainly enhances and accelerates the aging process [19,54]. Neuroinflammation has been shown to contribute to Alzheimer’s and Parkinson’s disease [29,55,56]. It may also play a role in certain psychiatric diseases, including depression, schizophrenia, autism spectrum disorders, etc., some with increasing incidence in aged individuals [57–61].

A plenitude of inflammatory cytokines may contribute to neuroinflammation and its pathological consequences in the brain, including interferons, interleukin-1, 6, 17, 23, and 34, tumor necrosis factor and related cytokines and receptors [62–70]. Interestingly, there is evidence that certain cytokines may affect specific brain regions or functional structures. For example, interferon-gamma has been correlated with effects in the hippocampus, where decreased neurogenesis and neuronal apoptosis has been shown in a mouse model [71], whereas interleukin-6 has been shown to disrupt synaptic plasticity [72]. The inflammatory cytokines may enter the brain from the blood circulation through the disrupted blood–brain barrier, or may be produced by infiltrating immune cells, as well as by the local immune cells, i.e., the microglia.

3. Contribution of Microglia to Neuroinflammation and Brain Aging

Microglia are the resident macrophages of the central nervous system. They do not belong to the neural lineage like neurons, astroglia and oligodendroglia, but derive from the monocyte/macrophage lineage at an early developmental stage in the yolk sac [73,74]. Microglia precursor cells migrate into the early developing brain, where they contribute to development, homeostasis, structure, and function. However, after birth, bone marrow derived monocytes may immigrate into the brain, where they integrate into the microglia population, being indistinguishable from the original resident microglia [75–78]. In addition to the parenchymal microglia within the brain tissue, one needs to consider additional macrophage populations inside and around the brain, including perivascular, meningeal and choroid plexus macrophages [79].

The physiological function of resting, non-activated microglia in brain homeostasis is not well understood. Activated microglia may acquire paradoxical, opposite functions, either supporting regeneration and repair, or driving neuroinflammation [73]. The triggers and mechanisms driving the cells towards one or the opposite functional direction are not well understood. However, inflammatory microglia can be harmful and destructive to the

brain, whereas regenerative microglia may interfere with physiological brain remodeling processes. Hashemiaghdam and Mroczek (2020) [80] have recently reviewed microglia heterogeneity and known mechanisms for neurodegeneration in the context of Alzheimer's disease and propose promising research approaches to elucidate it further. For further details and up-to-date information about the role of microglia in brain aging, please see other articles in the corresponding special issue of *Cells* [81,82].

On one hand, microglia contribute to brain homeostasis, cognition and neurogenesis, but on the other hand, they belong to the innate immune system and they also contribute to immune monitoring and control of immune responses in the brain [82,83]. In that respect, they are the tissue resident macrophages and antigen-presenting cells [73]. They respond to local signals related to cell and tissue damage, as well as to microbial invasion of the brain. They have the delicate responsibility of protecting the brain during infection. This includes the control of microbial invasion and elimination of the infectious agent with the help of residential and infiltrating other immune cell populations, including T lymphocytes [84]. T lymphocytes are essential for an efficient and successful immune response against intracellular microbes, including viruses. However, T lymphocytes can be very harmful to the brain, as upon activation they may release high amounts of cytotoxic factors and cytokines, including perforin, granzymes, tumor-necrosis factor alpha, etc., that may damage brain structure and function, but may certainly influence the microglia-immune-network and the microglia function [84,85]. More recently, there is increasing evidence of the presence of tissue resident T lymphocytes in the brain, which may increase in number after corresponding brain infections. These brain resident T lymphocytes may play a crucial role in future brain infections, but also in neuroinflammation and neurodegeneration, and consequently possibly in accelerated brain aging and aging related brain conditions [86–94]. However, as microglia contribute to the immune response and resolution of brain infection, they also need to prevent structural and functional damage to the brain cells, to protect the neuronal network, as well as the brain remodeling and neurogenesis process. Consequently, microglia ought to monitor and control the T lymphocytes to make sure that those potent immune cells participate in the elimination of microbes, but without too much harm to the brain. However, it is not well understood how microglia cells manage the balance between the neuroprotective and homeostasis function, and the participation in an inflammatory immune response for the elimination of microbes, which usually also includes the post-infection phase of repair and regeneration.

4. Virus Infection in the Brain

Many viruses can infect the brain. Table 1 lists viruses that are of interest in this context and have globally a high incidence, although exact numbers of brain infections are not known. Viruses that target cells of the central nervous system are called neurotropic and may infect neurons, but also other cell types, including glia and endothelial cells. For entering the central nervous system, neurotropic viruses need to overcome the physiological blood–brain barrier [95,96]. Viruses may use a variety of mechanisms to enter the brain, including (1) retrograde axonal transport from the periphery (including the olfactory epithelium in the nasal cavity) as described for herpes viruses [97–99], (2) by infecting peripheral immune cells and using them as Trojan horse as described for flaviviruses [95,100] and HIV [101], (3) by infecting brain endothelial cells of the microcirculation and being released toward the basal side [100], or (4) by disrupting the blood–brain barrier and entering directly from the blood circulation [102,103]. Once neurotropic viruses have entered the central nervous system, they need to bind with their surface ligand proteins to corresponding receptors on the target cells enabling them to enter and infect the cells, as reviewed by Schweighardt and Atwood (2001) [104]. However, virus infection of the brain may induce neuroinflammation and neurodegeneration as recently reviewed by Römer (2021) [105]. Certain viruses may specifically target neural or neuronal precursor cells that are needed for neuronal turn-over in certain brain systems, including the hippocampus and the olfactory system [106,107]. Neuroinflammation and neurodegeneration in the course of

a viral infection may contribute to brain aging, thus suggesting that viral infections may be a possible etiology of accelerated aging as proposed by Sochocka et al. (2017) [108]. In that respect the study by Lin et al. (2020) [109] needs to be mentioned that indicate that genital human papillomavirus infection may increase the risk of dementia.

Most virus infections cause encephalitis that is usually acute and may be severe, if not lethal. For avoiding acute and severe encephalitis, the virus and its interplay with the immune system should keep the interference with the brain structure and function to a low level [110]. In that respect, one needs to consider that viral infections of the brain may be “asymptomatic” with no short-term effects [111], but viruses may persist in brain cells over a longer period of time [105,110,112]. Accordingly, possible neuroprotective mechanisms for neuronal survival in the course of virus infection may play a role in neuronal persistence of the virus [113]. However, long-term viral persistence may sustain a corresponding immune response and may cause sustained chronic low-grade neuroinflammation that could induce and accelerate the brain aging process [114]. It has also been proposed that frequent and recurrent brain infection with different viruses, with corresponding uninterrupted low-grade neuroinflammation and neurodegeneration, may contribute to accelerate brain aging [115].

Interestingly, many different RNA viruses are neurotropic and may contribute to accelerated aging, including human immunodeficiency virus (HIV), measles virus, several flaviviruses, corona viruses (including SARS-CoV-2), enteroviruses, and influenza virus. However, there are also neurotropic DNA viruses like some human herpes viruses. The following sections explain specificities for each of those viruses, including effects on neuroinflammation, neurodegeneration and cognitive deficiencies, all associated with accelerated brain aging.

Globally, more than 38 million people were living with a HIV infection at the end of 2019, as reported by the World Health Organization [116]. HIV infects microglia and under certain conditions also astrocytes, with excessive neuroinflammation, and neuronal and glial cell death when untreated, resulting in loss of brain structure and function [117–121]. Using post-mortem analysis of patients with chronic HIV infection, Taber et al. (2016) reported that HIV infection resulted in activation of microglia cells and astrogliosis in the hippocampus and the neocortex, indicating HIV-related neuroinflammation which possibly induced decreased neurogenesis, as well as neuronal cell death [118]. Even under antiretroviral therapy (ART), decline in neurocognitive functions, similar to aging, has been described due to persistent HIV brain infections, and named HIV-associated neurocognitive disorders (HAND) [112,122,123]. The detailed cellular and molecular mechanisms responsible for HAND have still to be elucidated [124,125]. However, chronic HIV infection results in corresponding neuroinflammation with activation of microglia and astrocytes [126–128]. There is also increasing evidence that there is production and deposition of beta-amyloid peptide, similar to Alzheimer’s disease [129,130]. Furthermore, oligodendrocytes are affected resulting in their dysfunction, demyelination and white matter loss [131].

The global infection rate with measles virus has substantially decreased due to a successful vaccination program, as reported by the WHO in 2020. However, there were still 207,500 measles deaths in 2019, indicating the importance of measles virus infection at the global level [132]. Measles virus infects neurons, as well as oligodendrocytes, astrocytes and microglia and it can spread from one cell to another [133–135]. Measles virus may persist in the brain, as shown through animal experiments [136–138]. Measles virus infects mostly children or younger adults and causes usually acute encephalitis, but may occasionally induce subacute sclerosing panencephalitis (SSPE) [139]. SSPE is caused by persistent infection with a defective measles virus and includes cognitive decline, and other symptoms and syndromes that may be seen in advanced accelerated brain aging [140–142]. SSPE correlates with chronic neuroinflammation and results in neuronal loss and demyelination, typical events in accelerated brain aging.

Many flaviviruses are neurotropic, including Japanese encephalitis virus (JEV), Zika virus (ZIKV) and tick-born encephalitis virus (TBEV) [100,143,144]. It is estimated that there are about 400 million newly infected people annually with flaviviruses in all geographic regions of the globe [145]. They may infect all different cell types of the central nervous system, including neurons, astrocytes, microglia and endothelial cells [100,143,146–150]. Often, when entering the brain, these viruses cause acute encephalitis. Nevertheless, they can persist in the brain [151–154]. However, there is paucity of knowledge about chronic effects of persisting virus in the brain and corresponding neuroinflammation. Interestingly, JEV can persist in microglia without production of infectious virus, but still activate the cells and possibly sustain chronic neuroinflammation [151,155]. The same accounts for TBEV that may persist in astrocytes [147,154,156], as well as for ZIKV that may persist in brain endothelial cells [152].

To date, SARS-CoV-2 is of special interest due to the present pandemic [157,158], as more than 180 million cases of confirmed infected people have been reported by the World Health Organisation since the beginning of 2020. This corona virus is able to infect brain cells, including neurons, astrocytes and microglia [159–161]. It is not known whether the virus can persist in the brain. However, besides brain infection and corresponding encephalitis, the virus may induce a strong systemic inflammatory reaction through a cytokine storm, which includes production of interleukin-17, which substantially affects brain functions and may result in structural damage [159]. As SARS-CoV-2 is new to the human population, it is difficult to tell, whether it will have an effect on accelerating brain aging. However, longer term effects and residual symptoms and syndromes, called COVID-19 encephalopathy, have been recorded in many patients of various ages, including psychiatric effects and cognitive deficiencies [160,162–168]. Interestingly, experimental depletion of microglia in a mouse model indicate that microglia may protect from SARS-CoV-2 related brain damage [169].

Similar information to what has been said about the viruses above, accounts also for other RNA viruses, including various enteroviruses [170–175] and influenza viruses [106,176–178].

Finally, human herpes viruses, including herpes simplex (type 1, 2, 6), varicella Zoster and Epstein–Barr virus, which are DNA viruses, have also neurotropic properties, may infect the brain and induce chronic neuroinflammation and neurodegeneration [179–182]. There may be an association between brain infection with herpes viruses and accelerated aging, including dementia and Alzheimer’s disease [183–191]. In addition, there is evidence that microglia may play a protective role against pathological effects of herpes viruses [192]. Although no exact data about the incidence of herpes virus infections is known, the World Health Organization assumes that the majority of the global human population, i.e., several billion people, suffer from a lifelong infection [193]. With this in mind, brain infection with herpes virus may also be quite frequent, although exact numbers are not available.

Summarizing, there is increasing evidence that microbial agents, and especially viruses, that infect the brain may induce chronic neuroinflammation, which may contribute to neurodegeneration and accelerated aging [194,195]. The detailed mechanisms of infection-related chronic neuroinflammation still need to be elucidated and they may depend on the specific infectious agent and the corresponding immune response. However, microglia in their role as innate immune cells of the brain ought to have a substantial contribution in pathological processes by losing control of the physiological resolution of the infection. The microbes themselves and the corresponding immune response for the control and elimination of the infection, as well as the subsequent repair mechanisms may individually or altogether act on the microglia. By doing so, these events may cause microglia dysfunction and interfere with microglial essential neuroprotective functions, needed for brain homeostasis, remodeling and neurogenesis. Microglia dysfunction, initiated by acute or chronic brain infections may also contribute to neurodegeneration with increased neuronal cell death, demyelination and disruption of the neuronal network resulting in accelerated aging, as well as contributing to corresponding brain conditions like Alzheimer’s disease [196].

Table 1. Neurotropic viruses, target cells, scientific and experimental evidence for persistence in the brain, effects on the brain and clinical appearance¹.

Virus		Infected Cells	Scientific and Experimental Evidence for Persistence in the Brain [Ref.]	Effects on the Brain	Clinical Appearance
Retrovirus (single-stranded positive-sense RNA virus)	HIV [112,117,124,197–201]	Microglia, endothelial cells, astrocytes	Clinical studies, diagnostics of cerebrospinal fluid, histopathology [111,112,199–201]	Neuroinflammation, break-down of blood-brain barrier,	HIV-associated neurocognitive disorders (HAND)
Paramyxovirus (single-stranded negative-sense RNA virus)	Measles virus [135,202,203]	Neurons, astrocytes, microglia, oligodendrocytes	Experimental animal studies, clinical observation [110,135,202,203]	Neuroinflammation, neurotoxicity	Encephalitis, subacute sclerosing panencephalitis
Flaviviruses (single-stranded positive-sense RNA virus)	JEV [100,151,153,155]	Microglia, endothelial cells, neurons, astrocytes	In vitro cell culture studies [100,151,155]	Neuroinflammation, break-down of blood-brain barrier, neurotoxicity	Encephalitis
	ZIKV [143,146,148]	Endothelial cells, neurons, microglia	Experimental animal studies [143,153]	Break-down of blood-brain barrier, neurotoxicity, neuroinflammation	Meningoencephalitis
	TBEV [147,149,150,154]	Astrocytes, neurons, endothelial cells	In vitro cell culture study	Neuroinflammation, neurotoxicity, virus transfer from blood to brain tissue	Encephalitis
Corona (single-stranded positive-sense RNA virus)	SARS-CoV-2 [159–161]	Neurons, astrocytes, microglia, endothelial cells	In vitro cell culture study, experimental animal study, post-mortem histopathology [161]	Neurotoxicity, neuroinflammation, break-down of blood-brain barrier	Cognitive and Neuropsychiatric manifestations
Enterovirus (single-stranded positive-sense RNA virus) [170, 172,173,204,205].	Non-polio enterovirus	Neurons, endothelial cells, astrocytes	In vitro cell culture studies [173]	Neurotoxicity, neuroinflammation, break-down of blood-brain barrier	Encephalitis
Influenza (single-stranded negative sense RNA virus) [176–178,206,207].		Neurons, astrocytes, endothelial cells	Experimental animal studies [176,177]	Neurotoxicity, neuroinflammation, break-down of blood-brain barrier	Encephalitis
Herpes (double-stranded DNA virus)	Herpes simplex virus (1, 2, 6), Varicella Zoster virus, Epstein-Barr virus [179,187–189,208–213]	Neurons, astrocytes, endothelial cells	Experimental animal studies, clinical observation [180,183,210–212]	Neurotoxicity, neuroinflammation, break-down of blood-brain barrier	Encephalitis, Dementia?

¹ References: Immune deficiency virus (HIV): [112,117,124,197–201]. Measles virus: [135,202,203]. Japanese encephalitis virus (JEV): [100,151,153,155]. Zika virus (ZIKV): [143,146,148]. Tick borne encephalitis virus (TBEV): [147,149,150,154]. Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2): [159–161]. Enterovirus: [170,172,173,204,205]. Influenza virus: [176–178,206,207]. Human herpes viruses: [179,187–189,208–213].

5. The Role of Microglia in Viral Brain Infections Accelerating Brain Aging

Microglia are essential to the healthy brain, as they contribute to many brain functions and help sustain the physiological brain structure [83,214,215]. Belonging to the innate immune system of the brain, microglia contribute to an immune response against any brain-invading agent [35,216,217], as well as following traumatic and neurovascular brain damage [218–220]. They help with resolving tissue damage and support regeneration and restauration of structure and function [74]. However, microglia may get out of control and out of balance resulting in augmenting brain damage or sustaining chronic pathologies like neuroinflammation and inducing or enhancing neurodegeneration [28,35]. In such case, microglia may enhance brain aging [59,80,128,196,221–226].

As part of the immune system, microglia are the sentinel cells of the brain and sensors for invading infectious agents [42,227]. In the context of viral infections, microglia orchestrate the local immune response [35,217,228]. They may help with recruitment of blood-derived immune cells, including monocytes and T-lymphocytes, for fighting and eventually eliminating the infectious agent. Often, this process appears in the form of encephalitis, an immune response with a strong inflammatory component. Encephalitis can be mild, but it can also result in substantial brain tissue damage with either long-term functional deficiencies or even death. However, microglia are probably the master controllers of the process, ensuring on one hand the elimination of the virus and on the other hand preventing damage and promoting repair.

Various infection-related factors can interfere with microglia functions as master controllers. Firstly, microglia can be infected with the invading virus, as it has been shown for HIV, JEV, ZIKV and SARS-CoV-2 [117,148,229,230], which may undermine the microglia support of fighting the infection, as well as reduce their repair and regeneration capacity. Secondly, microglia may respond with excessive production of neurotoxic factors including oxygen radicals (ROS) [231]. ROS production by microglia has been reported in the context of brain infection with various viruses [127,232–235]. ROS has been shown to contribute to neuroinflammation, neuronal cell death and corresponding neurodegeneration, thus enhancing brain aging [236–238]. Consequently, viral infections of the brain may well contribute to accelerated brain aging by inducing a neurotoxic immune response in microglia. Thirdly, the cytokine response related to the elimination and resolution of the infection may be out of control with inflammatory cytokines dominating, causing damage and preventing repair and regeneration, as well as interfering with physiological brain functions. Such damaging cytokines are interleukin-17 [63–65,159,239,240] and tumor necrosis factor [39,67,241], whereas interferons and interleukin-6 seem rather to support viral clearance and repair [62,192,242,243]. Inflammatory cytokine may not only be produced locally in the brain, but the infection may induce excessive production of cytokines in the periphery with corresponding release into the blood circulation, which may substantially influence the blood–brain barrier and the entire brain [50]. The various virus infections mentioned above can induce systemic production of excessive amounts of inflammatory cytokines, e.g., called cytokine storm in the context of the SARS-CoV-2 infection [244]. Fourthly, viruses may remain for a long time in the brain and sustain a chronic low-grade inflammatory response, as already mentioned in Section 4. All these factors can affect microglia function in the long term, resulting in sustained low-grade inflammatory or dysfunctional microglia with decreased support of brain regeneration and remodeling.

6. Conclusions

The more we age, the more our immune system gets toward a more inflammatory status. The increased systemic inflammatory immune status also affects microglia, resulting in decreased physiological neuroregeneration and remodeling [49,245]. The inflammatory status is certainly enhanced and accelerated through frequent or chronic viral infections. The increased and chronic inflammatory status in the brain may contribute to neurodegeneration due to increased neuronal cell death and reduced neurogenesis, reduced remodeling and irreparable damage to the neuronal network, resulting in an enhanced

or accelerated brain aging process. In the context of microglia and viral infection, most research has been done in HIV, where the association has been shown for neurocognitive decline [127,128,228,246]. However, there is little information available about the cellular and molecular mechanisms that contribute to or influence the chronic HIV infection and corresponding involvement of microglia, which requires more future research. The same accounts for other viruses, including flaviviruses, human herpes viruses and SARS-CoV-2.

Author Contributions: All three co-authors contributed to the manuscript; L.F. for conceptualization and writing; N.L. for the content related to virus and microglia; A.L. for the part related to vascular and more clinical topics. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: Not applicable.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. Foo, H.; Mather, K.A.; Jiang, J.; Thalamuthu, A.; Wen, W.; Sachdev, P.S. Genetic influence on ageing-related changes in resting-state brain functional networks in healthy adults: A systematic review. *Neurosci. Biobehav. Rev.* **2020**, *113*, 98–110. [[CrossRef](#)]
2. Delgado-Morales, R.; Agís-Balboa, R.C.; Esteller, M.; Berdasco, M. Epigenetic mechanisms during ageing and neurogenesis as novel therapeutic avenues in human brain disorders. *Clin. Epigenet.* **2017**, *9*, 67. [[CrossRef](#)] [[PubMed](#)]
3. Palmer, A.L.; Ousman, S.S. Astrocytes and Aging. *Front. Aging Neurosci.* **2018**, *10*, 337. [[CrossRef](#)] [[PubMed](#)]
4. Vaiserman, A.M.; Koliada, A.K.; Jirtle, R.L. Non-genomic transmission of longevity between generations: Potential mechanisms and evidence across species. *Epigenet. Chromatin* **2017**, *10*, 38. [[CrossRef](#)] [[PubMed](#)]
5. Ostojic, S.; Pereza, N.; Kapovic, M. A Current Genetic and Epigenetic View on Human Aging Mechanisms. *Coll. Antropol.* **2009**, *2009*, 687–699.
6. Lupo, G.; Gaetani, S.; Cacci, E.; Biagioli, S.; Negri, R. Molecular Signatures of the Aging Brain: Finding the Links Between Genes and Phenotypes. *Neurotherapeutics* **2019**, *16*, 543–553. [[CrossRef](#)] [[PubMed](#)]
7. Beck, D.; de Lange, A.-M.G.; Maximov, I.I.; Richard, G.; Andreassen, O.A.; Nordvik, J.E.; Westlye, L.T. White matter microstructure across the adult lifespan: A mixed longitudinal and cross-sectional study using advanced diffusion models and brain-age prediction. *Neuroimage* **2021**, *224*, 117441. [[CrossRef](#)] [[PubMed](#)]
8. Cox, S.R.; Harris, M.A.; Ritchie, S.J.; Buchanan, C.R.; Valdés Hernández, M.C.; Corley, J.; Taylor, A.M.; Madole, J.W.; Harris, S.E.; Whalley, H.C.; et al. Three major dimensions of human brain cortical ageing in relation to cognitive decline across the eighth decade of life. *Mol. Psychiatry* **2021**. [[CrossRef](#)]
9. Fu, T.; Kobeleva, X.; Bronzlik, P.; Nösel, P.; Dadak, M.; Lanfermann, H.; Petri, S.; Ding, X.-Q. Clinically Applicable Quantitative Magnetic Resonance Morphologic Measurements of Grey Matter Changes in the Human Brain. *Brain Sci.* **2021**, *11*, 55. [[CrossRef](#)]
10. Hrybouski, S.; Cribben, I.; McGonigle, J.; Olsen, F.; Carter, R.; Seres, P.; Madan, C.R.; Malykhin, N.V. Investigating the effects of healthy cognitive aging on brain functional connectivity using 4.7 T resting-state functional magnetic resonance imaging. *Brain Struct. Funct.* **2021**. [[CrossRef](#)]
11. Lin, H.-Y.; Huang, C.-C.; Chou, K.-H.; Yang, A.C.; Lo, C.-Y.Z.; Tsai, S.-J.; Lin, C.-P. Differential Patterns of Gyral and Sulcal Morphological Changes During Normal Aging Process. *Front. Aging Neurosci.* **2021**, *13*, 625931. [[CrossRef](#)]
12. Zhang, Y.; Wang, Y.; Chen, N.; Guo, M.; Wang, X.; Chen, G.; Li, Y.; Yang, L.; Li, S.; Yao, Z.; et al. Age-Associated Differences of Modules and Hubs in Brain Functional Networks. *Front. Aging Neurosci.* **2020**, *12*, 607445. [[CrossRef](#)]
13. Breunig, J.J.; Guillot-Sestier, M.-V.; Town, T. Brain injury, neuroinflammation and Alzheimer’s disease. *Front. Aging Neurosci.* **2013**, *5*, 26. [[CrossRef](#)] [[PubMed](#)]
14. DeKosky, S.T.; Asken, B.M. Injury cascades in TBI-related neurodegeneration. *Brain Inj.* **2017**, *31*, 1177–1182. [[CrossRef](#)] [[PubMed](#)]
15. Beishon, L.; Clough, R.H.; Kadicheeni, M.; Chithiramohan, T.; Panerai, R.B.; Haunton, V.J.; Minhas, J.S.; Robinson, T.G. Vascular and haemodynamic issues of brain ageing. *Pflug. Arch.* **2021**, *1–17*. [[CrossRef](#)]
16. Hort, J.; Vališ, M.; Kuča, K.; Angelucci, F. Vascular Cognitive Impairment: Information from Animal Models on the Pathogenic Mechanisms of Cognitive Deficits. *Int. J. Mol. Sci.* **2019**, *20*, 2405. [[CrossRef](#)] [[PubMed](#)]
17. Winder, N.R.; Reeve, E.H.; Walker, A.E. Large artery stiffness and brain health: Insights from animal models. *Am. J. Physiol. Heart Circ. Physiol.* **2021**, *320*, H424–H431. [[CrossRef](#)]
18. Noori, A.; Mezlini, A.M.; Hyman, B.T.; Serrano-Pozo, A.; Das, S. Systematic review and meta-analysis of human transcriptomics reveals neuroinflammation, deficient energy metabolism, and proteostasis failure across neurodegeneration. *Neurobiol. Dis.* **2021**, *149*, 105225. [[CrossRef](#)]

19. Landfield, P.W.; Thibault, O.; Mazzanti, M.L.; Porter, N.M.; Kerr, D.S. Mechanisms of neuronal death in brain aging and Alzheimer's disease: Role of endocrine-mediated calcium dyshomeostasis. *J. Neurobiol.* **1992**, *23*, 1247–1260. [CrossRef] [PubMed]
20. Vecchio, F.; Miraglia, F.; Maria Rossini, P. Connectome: Graph theory application in functional brain network architecture. *Clin. Neurophysiol. Pract.* **2017**, *2*, 206–213. [CrossRef]
21. Schlachetzki, J.C.M.; Toda, T.; Mertens, J. When function follows form: Nuclear compartment structure and the epigenetic landscape of the aging neuron. *Exp. Gerontol.* **2020**, *133*, 110876. [CrossRef]
22. Beckvordersandforth, R.; Rolando, C. Untangling human neurogenesis to understand and counteract brain disorders. *Curr. Opin. Pharmacol.* **2020**, *50*, 67–73. [CrossRef]
23. Jinno, S. Aging affects new cell production in the adult hippocampus: A quantitative anatomic review. *J. Chem. Neuroanat.* **2016**, *76*, 64–72. [CrossRef] [PubMed]
24. Vasic, V.; Barth, K.; Schmidt, M.H.H. Neurodegeneration and Neuro-Regeneration-Alzheimer's Disease and Stem Cell Therapy. *Int. J. Mol. Sci.* **2019**, *20*, 4272. [CrossRef]
25. Yang, Q.-Q.; Zhou, J.-W. Neuroinflammation in the central nervous system: Symphony of glial cells. *Glia* **2019**, *67*, 1017–1035. [CrossRef]
26. Verkerke, M.; Hol, E.M.; Middeldorp, J. Physiological and Pathological Ageing of Astrocytes in the Human Brain. *Neurochem. Res.* **2021**. [CrossRef] [PubMed]
27. Rivera, A.D.; Chacon-De-La-Rocha, I.; Pieropan, F.; Papanikolau, M.; Azim, K.; Butt, A.M. Keeping the ageing brain wired: A role for purine signalling in regulating cellular metabolism in oligodendrocyte progenitors. *Pflug. Arch.* **2021**. [CrossRef] [PubMed]
28. Rodríguez-Gómez, J.A.; Kavanagh, E.; Engskog-Vlachos, P.; Engskog, M.K.R.; Herrera, A.J.; Espinosa-Oliva, A.M.; Joseph, B.; Hajji, N.; Venero, J.L.; Burguillos, M.A. Microglia: Agents of the CNS Pro-Inflammatory Response. *Cells* **2020**, *9*, 1717. [CrossRef]
29. Webers, A.; Heneka, M.T.; Gleeson, P.A. The role of innate immune responses and neuroinflammation in amyloid accumulation and progression of Alzheimer's disease. *Immunol. Cell Biol.* **2020**, *98*, 28–41. [CrossRef]
30. Marosova, L.; Neradil, P.; Zilka, N. How can viruses influence the neuroinflammation and neurodegeneration in the aged human brain. *Acta Virol.* **2013**, *2013*, 273–281. [CrossRef]
31. Abdullahi, A.M.; Sarmast, S.T.; Jahan, N. Viral Infections of the Central Nervous System in Children: A Systematic Review. *Cureus* **2020**, *12*, e11174. [CrossRef]
32. Rezaei, S.J.; Mateen, F.J. Encephalitis and meningitis in Western Africa: A scoping review of pathogens. *Trop. Med. Int. Health* **2021**, *26*, 388–396. [CrossRef] [PubMed]
33. Yuan, J.; Yang, S.; Wang, S.; Qin, W.; Yang, L.; Hu, W. Mild encephalitis/encephalopathy with reversible splenial lesion (MERS) in adults—a case report and literature review. *BMC Neurol.* **2017**, *17*, 103. [CrossRef] [PubMed]
34. Khandaker, G.; Jung, J.; Britton, P.N.; King, C.; Yin, J.K.; Jones, C.A. Long-term outcomes of infective encephalitis in children: A systematic review and meta-analysis. *Dev. Med. Child Neurol.* **2016**, *58*, 1108–1115. [CrossRef] [PubMed]
35. Chhatbar, C.; Prinz, M. The roles of microglia in viral encephalitis: From sensome to therapeutic targeting. *Cell. Mol. Immunol.* **2021**, *18*, 250–258. [CrossRef]
36. Shemer, A.; Jung, S. Differential roles of resident microglia and infiltrating monocytes in murine CNS autoimmunity. *Semin. Immunopathol.* **2015**, *37*, 613–623. [CrossRef]
37. Batterman, K.V.; Cabrera, P.E.; Moore, T.L.; Rosene, D.L. T Cells Actively Infiltrate the White Matter of the Aging Monkey Brain in Relation to Increased Microglial Reactivity and Cognitive Decline. *Front. Immunol.* **2021**, *12*, 607691. [CrossRef]
38. Gagnon, M.-M.; Savard, M. Limbic Encephalitis Associated with GAD65 Antibodies: Brief Review of the Relevant literature. *Can. J. Neurol. Sci.* **2016**, *43*, 486–493. [CrossRef]
39. Sonar, S.; Lal, G. Role of Tumor Necrosis Factor Superfamily in Neuroinflammation and Autoimmunity. *Front. Immunol.* **2015**, *6*, 364. [CrossRef]
40. Viviani, B.; Boraso, M. Cytokines and neuronal channels: A molecular basis for age-related decline of neuronal function? *Exp. Gerontol.* **2011**, *46*, 199–206. [CrossRef]
41. Zuena, A.R.; Casolini, P.; Lattanzi, R.; Maftei, D. Chemokines in Alzheimer's Disease: New Insights into Prokineticins, Chemokine-Like Proteins. *Front. Pharmacol.* **2019**, *10*, 622. [CrossRef] [PubMed]
42. Singh, H.; Koury, J.; Kaul, M. Innate Immune Sensing of Viruses and Its Consequences for the Central Nervous System. *Viruses* **2021**, *13*, 170. [CrossRef] [PubMed]
43. Keogh, C.E.; Rude, K.M.; Gareau, M.G. Role of pattern recognition receptors and the microbiota in neurological disorders. *J. Physiol.* **2021**, *599*, 1379–1389. [CrossRef]
44. Guan, Y.; Han, F. Key Mechanisms and Potential Targets of the NLRP3 Inflammasome in Neurodegenerative Diseases. *Front. Integr. Neurosci.* **2020**, *14*, 37. [CrossRef] [PubMed]
45. Chiarini, A.; Armato, U.; Hu, P.; Dal Prà, I. Danger-Sensing/Patten Recognition Receptors and Neuroinflammation in Alzheimer's Disease. *Int. J. Mol. Sci.* **2020**, *21*, 9036. [CrossRef]
46. Balança, B.; Desmurs, L.; Grelier, J.; Perret-Liaudet, A.; Lukaszewicz, A.-C. DAMPs and RAGE Pathophysiology at the Acute Phase of Brain Injury: An Overview. *Int. J. Mol. Sci.* **2021**, *22*, 2439. [CrossRef] [PubMed]
47. Aiello, A.; Farzaneh, F.; Candore, G.; Caruso, C.; Davinelli, S.; Gambino, C.M.; Ligotti, M.E.; Zareian, N.; Accardi, G. Immunosenescence and Its Hallmarks: How to Oppose Aging Strategically? A Review of Potential Options for Therapeutic Intervention. *Front. Immunol.* **2019**, *10*, 2247. [CrossRef]

48. Bruce, M.; Streifel, K.M.; Boosalis, C.A.; Heuer, L.; González, E.A.; Li, S.; Harvey, D.J.; Lein, P.J.; van de Water, J. Acute peripheral immune activation alters cytokine expression and glial activation in the early postnatal rat brain. *J. Neuroinflamm.* **2019**, *16*, 200. [[CrossRef](#)]
49. De Maeyer, R.P.H.; Chambers, E.S. The impact of ageing on monocytes and macrophages. *Immunol. Lett.* **2021**, *230*, 1–10. [[CrossRef](#)]
50. Azhari, H.; Swain, M.G. Role of Peripheral Inflammation in Hepatic Encephalopathy. *J. Clin. Exp. Hepatol.* **2018**, *8*, 281–285. [[CrossRef](#)]
51. Badal, V.D.; Vaccariello, E.D.; Murray, E.R.; Yu, K.E.; Knight, R.; Jeste, D.V.; Nguyen, T.T. The Gut Microbiome, Aging, and Longevity: A Systematic Review. *Nutrients* **2020**, *12*, 3759. [[CrossRef](#)] [[PubMed](#)]
52. Costello, H.; Gould, R.L.; Abrol, E.; Howard, R. Systematic review and meta-analysis of the association between peripheral inflammatory cytokines and generalised anxiety disorder. *BMJ Open* **2019**, *9*, e027925. [[CrossRef](#)] [[PubMed](#)]
53. Li, L.; Acioglu, C.; Heary, R.F.; Elkabes, S. Role of astrogliat toll-like receptors (TLRs) in central nervous system infections, injury and neurodegenerative diseases. *Brain Behav. Immun.* **2021**, *91*, 740–755. [[CrossRef](#)] [[PubMed](#)]
54. Mishra, R.; Banerjea, A.C. Neurological Damage by Coronaviruses: A Catastrophe in the Queue! *Front. Immunol.* **2020**, *11*, 565521. [[CrossRef](#)]
55. Pajares, M.; Rojo, A.I.; Manda, G.; Boscá, L.; Cuadrado, A. Inflammation in Parkinson’s Disease: Mechanisms and Therapeutic Implications. *Cells* **2020**, *9*, 1687. [[CrossRef](#)]
56. Sánchez-Sarasúa, S.; Fernández-Pérez, I.; Espinosa-Fernández, V.; Sánchez-Pérez, A.M.; Ledesma, J.C. Can We Treat Neuroinflammation in Alzheimer’s Disease? *Int. J. Mol. Sci.* **2020**, *21*, 8751. [[CrossRef](#)] [[PubMed](#)]
57. Liao, X.; Liu, Y.; Fu, X.; Li, Y. Postmortem Studies of Neuroinflammation in Autism Spectrum Disorder: A Systematic Review. *Mol. Neurobiol.* **2020**, *57*, 3424–3438. [[CrossRef](#)]
58. Nagy, E.E.; Frigy, A.; Szász, J.A.; Horváth, E. Neuroinflammation and microglia/macrophage phenotype modulate the molecular background of post-stroke depression: A literature review. *Exp. Ther. Med.* **2020**, *20*, 2510–2523. [[CrossRef](#)] [[PubMed](#)]
59. De Picker, L.J.; Morrens, M.; Chance, S.A.; Boche, D. Microglia and Brain Plasticity in Acute Psychosis and Schizophrenia Illness Course: A Meta-Review. *Front. Psychiatry* **2017**, *8*, 238. [[CrossRef](#)] [[PubMed](#)]
60. Troubat, R.; Barone, P.; Leman, S.; Desmidt, T.; Cressant, A.; Atanasova, B.; Brizard, B.; El Hage, W.; Surget, A.; Belzung, C.; et al. Neuroinflammation and depression: A review. *Eur. J. Neurosci.* **2021**, *53*, 151–171. [[CrossRef](#)]
61. van Mierlo, H.C.; Schot, A.; Boks, M.P.M.; de Witte, L.D. The association between schizophrenia and the immune system: Review of the evidence from unbiased ‘omic-studies’. *Schizophr. Res.* **2020**, *217*, 114–123. [[CrossRef](#)] [[PubMed](#)]
62. Bobbo, V.C.D.; Jara, C.P.; Mendes, N.F.; Morari, J.; Velloso, L.A.; Araújo, E.P. Interleukin-6 Expression by Hypothalamic Microglia in Multiple Inflammatory Contexts: A Systematic Review. *Biomed. Res. Int.* **2019**, *2019*, 1365210. [[CrossRef](#)] [[PubMed](#)]
63. Chen, J.; Liu, X.; Zhong, Y. Interleukin-17A: The Key Cytokine in Neurodegenerative Diseases. *Front. Aging Neurosci.* **2020**, *12*, 566922. [[CrossRef](#)] [[PubMed](#)]
64. He, J.-J.; Sun, F.-J.; Wang, Y.; Luo, X.-Q.; Lei, P.; Zhou, J.; Zhu, D.; Li, Z.-Y.; Yang, H. Increased expression of interleukin 17 in the cortex and hippocampus from patients with mesial temporal lobe epilepsy. *J. Neuroimmunol.* **2016**, *298*, 153–159. [[CrossRef](#)]
65. Katayama, H. Anti-interleukin-17A and anti-interleukin-23 antibodies may be effective against Alzheimer’s disease: Role of neutrophils in the pathogenesis. *Brain Behav.* **2020**, *10*, e01504. [[CrossRef](#)]
66. Liu, G.; Guo, J.; Liu, J.; Wang, Z.; Liang, D. Toll-like receptor signaling directly increases functional IL-17RA expression in neuroglial cells. *Clin. Immunol.* **2014**, *154*, 127–140. [[CrossRef](#)]
67. Sommer, A.; Marxreiter, F.; Krach, F.; Fadler, T.; Grosch, J.; Maroni, M.; Graef, D.; Eberhardt, E.; Riemschneider, M.J.; Yeo, G.W.; et al. Th17 Lymphocytes Induce Neuronal Cell Death in a Human iPSC-Based Model of Parkinson’s Disease. *Cell Stem Cell* **2018**, *23*, 123–131.e6. [[CrossRef](#)]
68. Soytürk, H.; Yilmaz, M. A comparison of IL-17 and IL-34 concentrations in the cerebrospinal fluid of patients with acute inflammatory demyelinating neuropathy and chronic inflammatory demyelinating polyneuropathy. *Rev. Assoc. Med. Bras.* **2020**, *66*, 1583–1588. [[CrossRef](#)]
69. Waisman, A.; Hauptmann, J.; Regen, T. The role of IL-17 in CNS diseases. *Acta Neuropathol.* **2015**, *129*, 625–637. [[CrossRef](#)]
70. Su, F.; Bai, F.; Zhang, Z. Inflammatory Cytokines and Alzheimer’s Disease: A Review from the Perspective of Genetic Polymorphisms. *Neurosci. Bull.* **2016**, *32*, 469–480. [[CrossRef](#)]
71. Borsini, A.; Cattaneo, A.; Malpighi, C.; Thuret, S.; Harrison, N.A.; Zunszain, P.A.; Pariante, C.M. Interferon-Alpha Reduces Human Hippocampal Neurogenesis and Increases Apoptosis via Activation of Distinct STAT1-Dependent Mechanisms. *Int. J. Neuropsychopharmacol.* **2018**, *21*, 187–200. [[CrossRef](#)]
72. Stampanoni Bassi, M.; Iezzi, E.; Mori, F.; Simonelli, I.; Gilio, L.; Buttari, F.; Sica, F.; de Paolis, N.; Mandolesi, G.; Musella, A.; et al. Interleukin-6 Disrupts Synaptic Plasticity and Impairs Tissue Damage Compensation in Multiple Sclerosis. *Neurorehabil. Neural Repair* **2019**, *33*, 825–835. [[CrossRef](#)]
73. Lannes, N.; Eppler, E.; Etemad, S.; Yotovski, P.; Filgueira, L. Microglia at center stage: A comprehensive review about the versatile and unique residential macrophages of the central nervous system. *Oncotarget* **2017**, *8*, 114393–114413. [[CrossRef](#)]
74. Lloyd, A.F.; Davies, C.L.; Miron, V.E. Microglia: Origins, homeostasis, and roles in myelin repair. *Curr. Opin. Neurobiol.* **2017**, *47*, 113–120. [[CrossRef](#)] [[PubMed](#)]

75. Okonogi, N.; Nakamura, K.; Suzuki, Y.; Suto, N.; Suzue, K.; Kaminuma, T.; Nakano, T.; Hirai, H. Cranial irradiation induces bone marrow-derived microglia in adult mouse brain tissue. *J. Radiat. Res.* **2014**, *55*, 713–719. [CrossRef] [PubMed]
76. Leovsky, C.; Fabian, C.; Naaldijk, Y.; Jäger, C.; Jang, H.J.; Böhme, J.; Rudolph, L.; Stolzing, A. Biodistribution of in vitro-derived microglia applied intranasally and intravenously to mice: Effects of aging. *Cytotherapy* **2015**, *17*, 1617–1626. [CrossRef] [PubMed]
77. Moravan, M.J.; Olschowka, J.A.; Williams, J.P.; O'Banion, M.K. Brain radiation injury leads to a dose-and time-dependent recruitment of peripheral myeloid cells that depends on CCR2 signaling. *J. Neuroinflamm.* **2016**, *13*, 30. [CrossRef] [PubMed]
78. Jin, N.; Gao, L.; Fan, X.; Xu, H. Friend or Foe? Resident Microglia vs Bone Marrow-Derived Microglia and Their Roles in the Retinal Degeneration. *Mol. Neurobiol.* **2017**, *54*, 4094–4112. [CrossRef]
79. Kim, J.-S.; Kolesnikov, M.; Peled-Hajaj, S.; Scheyltjens, I.; Xia, Y.; Trzebanski, S.; Haimon, Z.; Shemer, A.; Lubart, A.; van Hove, H.; et al. A Binary Cre Transgenic Approach Dissects Microglia and CNS Border-Associated Macrophages. *Immunity* **2021**, *54*, 176–190. [CrossRef]
80. Hashemiaghdam, A.; Mroczek, M. Microglia heterogeneity and neurodegeneration: The emerging paradigm of the role of immunity in Alzheimer's disease. *J. Neuroimmunol.* **2020**, *341*, 577185. [CrossRef] [PubMed]
81. Franco, R.; Lillo, A.; Rivas-Santisteban, R.; Reyes-Resina, I.; Navarro, G. Microglial Adenosine Receptors: From Preconditioning to Modulating the M1/M2 Balance in Activated Cells. *Cells* **2021**, *10*, 1124. [CrossRef]
82. Casali, B.T.; Reed-Geaghan, E.G. Microglial Function and Regulation during Development, Homeostasis and Alzheimer's Disease. *Cells* **2021**, *10*, 957. [CrossRef] [PubMed]
83. Augusto-Oliveira, M.; Arrifano, G.P.; Lopes-Araújo, A.; Santos-Sacramento, L.; Takeda, P.Y.; Anthony, D.C.; Malva, J.O.; Crespo-Lopez, M.E. What Do Microglia Really Do in Healthy Adult Brain? *Cells* **2019**, *8*, 1293. [CrossRef] [PubMed]
84. Ai, S.; Klein, R.S. Update on T cells in the virally infected brain: Friends and foes. *Curr. Opin. Neurol.* **2020**, *33*, 405–412. [CrossRef]
85. Garber, C.; Soung, A.; Vollmer, L.L.; Kanmogne, M.; Last, A.; Brown, J.; Klein, R.S. T cells promote microglia-mediated synaptic elimination and cognitive dysfunction during recovery from neuropathogenic flaviviruses. *Nat. Neurosci.* **2019**, *22*, 1276–1288. [CrossRef] [PubMed]
86. Dulken, B.W.; Buckley, M.T.; Navarro Negredo, P.; Saligrama, N.; Cayrol, R.; Leeman, D.S.; George, B.M.; Boutet, S.C.; Hebestreit, K.; Pluviniage, J.V.; et al. Single-cell analysis reveals T cell infiltration in old neurogenic niches. *Nature* **2019**, *571*, 205–210. [CrossRef] [PubMed]
87. Faridar, A.; Thome, A.D.; Zhao, W.; Thonhoff, J.R.; Beers, D.R.; Pascual, B.; Masdeu, J.C.; Appel, S.H. Restoring regulatory T-cell dysfunction in Alzheimer's disease through ex vivo expansion. *Brain Commun.* **2020**, *2*, fcaa112. [CrossRef] [PubMed]
88. Gemechu, J.M.; Bentivoglio, M. T Cell Recruitment in the Brain during Normal Aging. *Front. Cell. Neurosci.* **2012**, *6*, 38. [CrossRef] [PubMed]
89. Kovacs, M.A.; Harris, T.H. Long-'Trm' protection of the CNS. *Nat. Immunol.* **2020**, *21*, 825–826. [CrossRef]
90. Merlini, M.; Kirabali, T.; Kulic, L.; Nitsch, R.M.; Ferretti, M.T. Extravascular CD3+ T Cells in Brains of Alzheimer Disease Patients Correlate with Tau but Not with Amyloid Pathology: An Immunohistochemical Study. *Neurodegener. Dis.* **2018**, *18*, 49–56. [CrossRef]
91. Nakahara, H.; Konishi, Y.; Beach, T.G.; Yamada, N.; Makino, S.; Tooyama, I. Infiltration of T lymphocytes and expression of icam-1 in the hippocampus of patients with hippocampal sclerosis. *Acta Histochem. Cytochem.* **2010**, *43*, 157–162. [CrossRef] [PubMed]
92. Ritzel, R.M.; Crapser, J.; Patel, A.R.; Verma, R.; Grenier, J.M.; Chauhan, A.; Jellison, E.R.; McCullough, L.D. Age-Associated Resident Memory CD8 T Cells in the Central Nervous System Are Primed to Potentiate Inflammation after Ischemic Brain Injury. *J. Immunol.* **2016**, *196*, 3318–3330. [CrossRef]
93. Schøller, A.S.; Nazera, L.; Christensen, J.P.; Thomsen, A.R. Functionally Competent, PD-1+ CD8+ Trm Cells Populate the Brain Following Local Antigen Encounter. *Front. Immunol.* **2020**, *11*, 595707. [CrossRef]
94. Urban, S.L.; Jensen, I.J.; Shan, Q.; Pewe, L.L.; Xue, H.-H.; Badovinac, V.P.; Harty, J.T. Peripherally induced brain tissue-resident memory CD8+ T cells mediate protection against CNS infection. *Nat. Immunol.* **2020**, *21*, 938–949. [CrossRef]
95. Neal, J.W. Flaviviruses are neurotropic, but how do they invade the CNS? *J. Infect.* **2014**, *69*, 203–215. [CrossRef] [PubMed]
96. Michalicová, A.; Bhide, K.; Bhide, M.; Kováč, A. How viruses infiltrate the central nervous system. *Acta Virol.* **2017**, *61*, 393–400. [CrossRef] [PubMed]
97. Richards, A.L.; Sollars, P.J.; Pitts, J.D.; Stults, A.M.; Heldwein, E.E.; Pickard, G.E.; Smith, G.A. The pUL37 tegument protein guides alpha-herpesvirus retrograde axonal transport to promote neuroinvasion. *PLoS Pathog.* **2017**, *13*, e1006741. [CrossRef]
98. Grigoryan, S.; Kinchington, P.R.; Yang, I.H.; Selariu, A.; Zhu, H.; Yee, M.; Goldstein, R.S. Retrograde axonal transport of VZV: Kinetic studies in hESC-derived neurons. *J. Neurovirol.* **2012**, *18*, 462–470. [CrossRef]
99. Antinone, S.E.; Smith, G.A. Retrograde axon transport of herpes simplex virus and pseudorabies virus: A live-cell comparative analysis. *J. Virol.* **2010**, *84*, 1504–1512. [CrossRef] [PubMed]
100. Filgueira, L.; Lannes, N. Review of Emerging Japanese Encephalitis Virus: New Aspects and Concepts about Entry into the Brain and Inter-Cellular Spreading. *Pathogens* **2019**, *8*, 111. [CrossRef]
101. Buckner, C.M.; Luers, A.J.; Calderon, T.M.; Eugenin, E.A.; Berman, J.W. Neuroimmunity and the blood-brain barrier: Molecular regulation of leukocyte transmigration and viral entry into the nervous system with a focus on neuroAIDS. *J. Neuroimmune Pharmacol.* **2006**, *1*, 160–181. [CrossRef]
102. Al-Obaidi, M.M.J.; Bahadoran, A.; Wang, S.M.; Manikam, R.; Raju, C.S.; Sekaran, S.D. Disruption of the blood brain barrier is vital property of neurotropic viral infection of the central nervous system. *Acta Virol.* **2018**, *62*, 16–27. [CrossRef]

103. Bohmwald, K.; Soto, J.A.; Andrade-Parra, C.; Fernández-Fierro, A.; Espinoza, J.A.; Ríos, M.; Eugenin, E.A.; González, P.A.; Opazo, M.C.; Riedel, C.A.; et al. Lung pathology due to hRSV infection impairs blood-brain barrier permeability enabling astrocyte infection and a long-lasting inflammation in the CNS. *Brain Behav. Immun.* **2021**, *91*, 159–171. [CrossRef]
104. Schweighardt, B.; Atwood, W.J. Virus receptors in the human central nervous system. *J. Neurovirol.* **2001**, *7*, 187–195. [PubMed]
105. Römer, C. Viruses and Endogenous Retroviruses as Roots for Neuroinflammation and Neurodegenerative Diseases. *Front. Neurosci.* **2021**, *15*, 648629. [CrossRef]
106. Jurgens, H.A.; Amacherla, K.; Johnson, R.W. Influenza infection induces neuroinflammation, alters hippocampal neuron morphology, and impairs cognition in adult mice. *J. Neurosci.* **2012**, *32*, 3958–3968. [CrossRef] [PubMed]
107. Von Rüden, E.-L.; Avemary, J.; Zellinger, C.; Algermissen, D.; Bock, P.; Beineke, A.; Baumgärtner, W.; Stein, V.M.; Tipold, A.; Potschka, H. Distemper virus encephalitis exerts detrimental effects on hippocampal neurogenesis. *Neuropathol. Appl. Neurobiol.* **2012**, *38*, 426–442. [CrossRef]
108. Sochocka, M.; Zwolińska, K.; Leszek, J. The Infectious Etiology of Alzheimer’s Disease. *Curr. Neuropharmacol.* **2017**, *15*, 996–1009. [CrossRef]
109. Lin, C.-H.; Chien, W.-C.; Chung, C.-H.; Chiang, C.-P.; Wang, W.-M.; Chang, H.-A.; Kao, Y.-C.; Tzeng, N.-S. Increased risk of dementia in patients with genital warts: A nationwide cohort study in Taiwan. *J. Dermatol.* **2020**, *47*, 503–511. [CrossRef] [PubMed]
110. Miller, K.D.; Matullo, C.M.; Milora, K.A.; Williams, R.M.; O'Regan, K.J.; Rall, G.F. Immune-Mediated Control of a Dormant Neurotropic RNA Virus Infection. *J. Virol.* **2019**, *93*. [CrossRef]
111. Clements, J.E.; Babas, T.; Mankowski, J.L.; Suryanarayana, K.; Piatak, M.; Tarwater, P.M.; Lifson, J.D.; Zink, M.C. The central nervous system as a reservoir for simian immunodeficiency virus (SIV): Steady-State levels of SIV DNA in brain from acute through asymptomatic infection. *J. Infect. Dis.* **2002**, *186*, 905–913. [CrossRef] [PubMed]
112. Brew, B.J.; Barnes, S.L. The impact of HIV central nervous system persistence on pathogenesis. *AIDS* **2019**, *33* (Suppl. 2), S113–S121. [CrossRef] [PubMed]
113. Patterson, C.E.; Daley, J.K.; Rall, G.F. Neuronal survival strategies in the face of RNA viral infection. *J. Infect. Dis.* **2002**, *186* (Suppl. 2), S215–S219. [CrossRef] [PubMed]
114. Reuter, D.; Sparwasser, T.; Hünig, T.; Schneider-Schaulies, J. Foxp3+ regulatory T cells control persistence of viral CNS infection. *PLoS ONE* **2012**, *7*, e33989. [CrossRef] [PubMed]
115. Majde, J.A. Neuroinflammation resulting from covert brain invasion by common viruses—A potential role in local and global neurodegeneration. *Med. Hypotheses* **2010**, *75*, 204–213. [CrossRef]
116. World Health Organisation. The Global Health Observatory: Explore the World of Health Data: HIV/AIDS. Available online: <https://www.who.int/data/gho/data/themes/hiv-aids> (accessed on 14 June 2021).
117. Xu, R.; El-Hage, N.; Dever, S.M. Fluorescently-labeled RNA packaging into HIV-1 particles: Direct examination of infectivity across central nervous system cell types. *J. Virol. Methods* **2015**, *224*, 20–29. [CrossRef] [PubMed]
118. Tauber, S.C.; Staszewski, O.; Prinz, M.; Weis, J.; Nolte, K.; Bunkowski, S.; Brück, W.; Nau, R. HIV encephalopathy: Glial activation and hippocampal neuronal apoptosis, but limited neural repair. *HIV Med.* **2016**, *17*, 143–151. [CrossRef]
119. Liu, D.; Zhao, C.; Wang, W.; Wang, Y.; Li, R.; Sun, J.; Liu, J.; Liu, M.; Zhang, X.; Liang, Y.; et al. Altered Gray Matter Volume and Functional Connectivity in Human Immunodeficiency Virus-Infected Adults. *Front. Neurosci.* **2020**, *14*, 601063. [CrossRef]
120. Kato, T.; Yoshihara, Y.; Watanabe, D.; Fukumoto, M.; Wada, K.; Nakakura, T.; Kuriyama, K.; Shirasaki, T.; Murai, T. Neurocognitive impairment and gray matter volume reduction in HIV-infected patients. *J. Neurovirol.* **2020**, *26*, 590–601. [CrossRef]
121. Kaalund, S.S.; Johansen, A.; Fabricius, K.; Pakkenberg, B. Untreated Patients Dying with AIDS Have Loss of Neocortical Neurons and Glia Cells. *Front. Neurosci.* **2019**, *13*, 1398. [CrossRef]
122. Dastgheyb, R.M.; Sacktor, N.; Franklin, D.; Letendre, S.; Marcotte, T.; Heaton, R.; Grant, I.; McArthur, J.C.; Rubin, L.H.; Haughey, N.J. Cognitive Trajectory Phenotypes in Human Immunodeficiency Virus-Infected Patients. *J. Acquir. Immune Defic. Syndr.* **2019**, *82*, 61–70. [CrossRef]
123. Anderson, S.G.; McCaul, M.; Khoo, S.; Wiesner, L.; Sacktor, N.; Joska, J.A.; Decloedt, E.H. The neurologic phenotype of South African patients with HIV-associated neurocognitive impairment. *Neurol. Clin. Pract.* **2020**, *10*, 15–22. [CrossRef] [PubMed]
124. Mackiewicz, M.M.; Overk, C.; Achim, C.L.; Masliah, E. Pathogenesis of age-related HIV neurodegeneration. *J. Neurovirol.* **2019**, *25*, 622–633. [CrossRef]
125. Jha, N.K.; Sharma, A.; Jha, S.K.; Ojha, S.; Chellappan, D.K.; Gupta, G.; Kesari, K.K.; Bhardwaj, S.; Shukla, S.D.; Tambuwala, M.M.; et al. Alzheimer’s disease-like perturbations in HIV-mediated neuronal dysfunctions: Understanding mechanisms and developing therapeutic strategies. *Open Biol.* **2020**, *10*, 200286. [CrossRef] [PubMed]
126. Guo, M.-L.; Buch, S. Neuroinflammation & pre-mature aging in the context of chronic HIV infection and drug abuse: Role of dysregulated autophagy. *Brain Res.* **2019**, *1724*, 146446. [CrossRef]
127. Borrajo, A.; Spuch, C.; Penedo, M.A.; Olivares, J.M.; Agís-Balboa, R.C. Important role of microglia in HIV-1 associated neurocognitive disorders and the molecular pathways implicated in its pathogenesis. *Ann. Med.* **2021**, *53*, 43–69. [CrossRef]
128. Goulding, D.R.; Kraft, A.; Mouton, P.R.; McPherson, C.A.; Avdoshina, V.; Mochetti, I.; Harry, G.J. Age-Related Decrease in Tyrosine Hydroxylase Immunoreactivity in the Substantia Nigra and Region-Specific Changes in Microglia Morphology in HIV-1 Tg Rats. *Neurotox. Res.* **2019**, *36*, 563–582. [CrossRef]

129. Fulop, T.; Witkowski, J.M.; Larbi, A.; Khalil, A.; Herbein, G.; Frost, E.H. Does HIV infection contribute to increased beta-amyloid synthesis and plaque formation leading to neurodegeneration and Alzheimer's disease? *J. Neurovirol.* **2019**, *25*, 634–647. [CrossRef] [PubMed]
130. Hategan, A.; Masliah, E.; Nath, A. HIV and Alzheimer's disease: Complex interactions of HIV-Tat with amyloid β peptide and Tau protein. *J. Neurovirol.* **2019**, *25*, 648–660. [CrossRef] [PubMed]
131. Jensen, B.K.; Roth, L.M.; Grinspan, J.B.; Jordan-Sciutto, K.L. White matter loss and oligodendrocyte dysfunction in HIV: A consequence of the infection, the antiretroviral therapy or both? *Brain Res.* **2019**, *1724*, 146397. [CrossRef] [PubMed]
132. Harris, M.; Sidhu, S.; Rowland, A.; Eli, J.L.; Bridges, R.; Khanna, P. Worldwide Measles Deaths Climb 50% from 2016 to 2019—Claiming Over 207 500 Lives in 2019. Available online: <https://www.who.int/news/item/12-11-2020-worldwide-measles-deaths-climb-50-from-2016-to-2019-claiming-over-207-500-lives-in-2019> (accessed on 14 June 2021).
133. Lawrence, D.M.P.; Patterson, C.E.; Gales, T.L.; D'Orazio, J.L.; Vaughn, M.M.; Rall, G.F. Measles Virus Spread between Neurons Requires Cell Contact but Not CD46 Expression, Syncytium Formation, or Extracellular Virus Production. *J. Virol.* **2000**, *74*, 1908–1918. [CrossRef]
134. Sato, Y.; Watanabe, S.; Fukuda, Y.; Hashiguchi, T.; Yanagi, Y.; Ohno, S. Cell-to-Cell Measles Virus Spread between Human Neurons Is Dependent on Hemagglutinin and Hyperfusogenic Fusion Protein. *J. Virol.* **2018**, *92*. [CrossRef]
135. Welsch, J.C.; Charvet, B.; Dussurgey, S.; Allatif, O.; Aurine, N.; Horvat, B.; Gerlier, D.; Mathieu, C. Type I Interferon Receptor Signaling Drives Selective Permissiveness of Astrocytes and Microglia to Measles Virus during Brain Infection. *J. Virol.* **2019**, *93*. [CrossRef]
136. Schubert, S.; Möller-Ehrlich, K.; Singethan, K.; Wiese, S.; Duprex, W.P.; Rima, B.K.; Niewiesk, S.; Schneider-Schaulies, J. A mouse model of persistent brain infection with recombinant Measles virus. *J. Gen. Virol.* **2006**, *87*, 2011–2019. [CrossRef] [PubMed]
137. Reuter, D.; Schneider-Schaulies, J. Measles virus infection of the CNS: Human disease, animal models, and approaches to therapy. *Med. Microbiol. Immunol.* **2010**, *199*, 261–271. [CrossRef]
138. Abe, Y.; Hashimoto, K.; Watanabe, M.; Ohara, S.; Sato, M.; Kawasaki, Y.; Hashimoto, Y.; Hosoya, M. Characteristics of viruses derived from nude mice with persistent measles virus infection. *J. Virol.* **2013**, *87*, 4170–4175. [CrossRef] [PubMed]
139. Norby, E.; Kristensson, K. Measles Virus in the Brain. *Brain Res. Bull.* **1997**, *39*, 213–220. [CrossRef]
140. Rima, B.K.; Duprex, W.P. Molecular mechanisms of measles virus persistence. *Virus Res.* **2005**, *111*, 132–147. [CrossRef] [PubMed]
141. Kühne Simmonds, M.; Brown, D.W.G.; Jin, L. Measles viral load may reflect SSPE disease progression. *Virol. J.* **2006**, *3*, 49. [CrossRef] [PubMed]
142. Garg, R.K.; Mahadevan, A.; Malhotra, H.S.; Rizvi, I.; Kumar, N.; Uniyal, R. Subacute sclerosing panencephalitis. *Rev. Med. Virol.* **2019**, *29*, e2058. [CrossRef]
143. Figueiredo, C.P.; Barros-Aragão, F.G.Q.; Neris, R.L.S.; Frost, P.S.; Soares, C.; Souza, I.N.O.; Zeidler, J.D.; Zamberlan, D.C.; de Sousa, V.L.; Souza, A.S.; et al. Zika virus replicates in adult human brain tissue and impairs synapses and memory in mice. *Nat. Commun.* **2019**, *10*, 3890. [CrossRef]
144. Masmejan, S.; Musso, D.; Vouga, M.; Pomar, L.; Dashraath, P.; Stojanov, M.; Panchaud, A.; Baud, D. Zika Virus. *Pathogens* **2020**, *9*, 898. [CrossRef] [PubMed]
145. Pierson, T.C.; Diamond, M.S. The continued threat of emerging flaviviruses. *Nat. Microbiol.* **2020**, *5*, 796–812. [CrossRef] [PubMed]
146. Diop, F.; Vial, T.; Ferraris, P.; Wichit, S.; Bengue, M.; Hamel, R.; Talignani, L.; Liegeois, F.; Pompon, J.; Yssel, H.; et al. Zika virus infection modulates the metabolomic profile of microglial cells. *PLoS ONE* **2018**, *13*, e0206093. [CrossRef]
147. Potokar, M.; Korva, M.; Jorgačevski, J.; Avšič-Županc, T.; Zorec, R. Tick-borne encephalitis virus infects rat astrocytes but does not affect their viability. *PLoS ONE* **2014**, *9*, e86219. [CrossRef]
148. Wang, J.; Liu, J.; Zhou, R.; Ding, X.; Zhang, Q.; Zhang, C.; Li, L. Zika virus infected primary microglia impairs NPCs proliferation and differentiation. *Biochem. Biophys. Res. Commun.* **2018**, *497*, 619–625. [CrossRef]
149. Palus, M.; Vancova, M.; Sirmarova, J.; Elsterova, J.; Perner, J.; Ruzek, D. Tick-borne encephalitis virus infects human brain microvascular endothelial cells without compromising blood-brain barrier integrity. *Virology* **2017**, *507*, 110–122. [CrossRef]
150. Gelpi, E.; Preusser, M.; Laggner, U.; Garzuly, F.; Holzmann, H.; Heinz, F.X.; Budka, H. Inflammatory response in human tick-borne encephalitis: Analysis of postmortem brain tissue. *J. Neurovirol.* **2006**, *12*, 322–327. [CrossRef]
151. Chen, L.K.; Liao, C.L.; Lin, C.G.; Lai, S.C.; Liu, C.I.; Ma, S.H.; Huang, Y.Y.; Lin, Y.L. Persistence of Japanese Encephalitis Virus Is Associated with Abnormal Expression of the Nonstructural Protein NS1 in Host Cells. *Virology* **1996**, *217*, 220–229. [CrossRef]
152. Mladinich, M.C.; Schwedes, J.; Mackow, E.R. Zika Virus Persistently Infects and Is Basolaterally Released from Primary Human Brain Microvascular Endothelial Cells. *mBio* **2017**, *8*. [CrossRef] [PubMed]
153. Ireland, D.D.C.; Manangeeswaran, M.; Lewkowicz, A.P.; Engel, K.; Clark, S.M.; Laniyan, A.; Sykes, J.; Lee, H.-N.; McWilliams, I.L.; Kelley-Baker, L.; et al. Long-term persistence of infectious Zika virus: Inflammation and behavioral sequela in mice. *PLoS Pathog.* **2020**, *16*, e1008689. [CrossRef] [PubMed]
154. Palus, M.; Bílý, T.; Elsterová, J.; Langhansová, H.; Salát, J.; Vancová, M.; Růžek, D. Infection and injury of human astrocytes by tick-borne encephalitis virus. *J. Gen. Virol.* **2014**, *95*, 2411–2426. [CrossRef] [PubMed]
155. Lannes, N.; Neuhaus, V.; Scolari, B.; Kharoubi-Hess, S.; Walch, M.; Summerfield, A.; Filgueira, L. Interactions of human microglia cells with Japanese encephalitis virus. *Virol. J.* **2017**, *14*, 8. [CrossRef]

156. Gritsun, T.S.; Frolova, T.V.; Zhankov, A.I.; Armesto, M.; Turner, S.L.; Frolova, M.P.; Pogodina, V.V.; Lashkevich, V.A.; Gould, E.A. Characterization of a siberian virus isolated from a patient with progressive chronic tick-borne encephalitis. *J. Virol.* **2003**, *77*, 25–36. [[CrossRef](#)]
157. Yachou, Y.; El Idrissi, A.; Belaparov, V.; Ait Benali, S. Neuroinvasion, neurotropic, and neuroinflammatory events of SARS-CoV-2: Understanding the neurological manifestations in COVID-19 patients. *Neurol. Sci.* **2020**, *41*, 2657–2669. [[CrossRef](#)]
158. Zubair, A.S.; McAlpine, L.S.; Gardin, T.; Farhadian, S.; Kuruvilla, D.E.; Spudich, S. Neuropathogenesis and Neurologic Manifestations of the Coronaviruses in the Age of Coronavirus Disease 2019: A Review. *JAMA Neurol.* **2020**, *77*, 1018–1027. [[CrossRef](#)] [[PubMed](#)]
159. Lannes, N.; Larionov, A.; Mbagnwu, S.I.; Filgueira, L. How the Interaction of SARS-CoV-2 with the Interleukin-17A Receptor May Contribute to Neuropathology. *Open Access J. Neurol. Neurosurgery* **2021**, *2021*, 555896. [[CrossRef](#)]
160. Alonso-Lana, S.; Marquié, M.; Ruiz, A.; Boada, M. Cognitive and Neuropsychiatric Manifestations of COVID-19 and Effects on Elderly Individuals with Dementia. *Front. Aging Neurosci.* **2020**, *12*, 588872. [[CrossRef](#)]
161. Song, E.; Zhang, C.; Israelow, B.; Lu-Culligan, A.; Prado, A.V.; Skriabine, S.; Lu, P.; Weizman, O.-E.; Liu, F.; Dai, Y.; et al. Neuroinvasion of SARS-CoV-2 in human and mouse brain. *J. Exp. Med.* **2021**, *218*. [[CrossRef](#)]
162. Atluri, P.; Vasireddy, D.; Malayala, S. COVID-19 Encephalopathy in Adults. *Cureus* **2021**, *13*, e13052. [[CrossRef](#)]
163. ElBini Dhouib, I. Does coronaviruses induce neurodegenerative diseases? A systematic review on the neurotropism and neuroinvasion of SARS-CoV-2. *Drug Discov. Ther.* **2021**, *14*, 262–272. [[CrossRef](#)] [[PubMed](#)]
164. Miners, S.; Kehoe, P.G.; Love, S. Cognitive impact of COVID-19: Looking beyond the short term. *Alzheimers Res. Ther.* **2020**, *12*, 170. [[CrossRef](#)] [[PubMed](#)]
165. Pajo, A.T.; Espiritu, A.I.; Apor, A.D.A.O.; Jamora, R.D.G. Neuropathologic findings of patients with COVID-19: A systematic review. *Neurol. Sci.* **2021**, *42*, 1255–1266. [[CrossRef](#)]
166. Rodriguez, M.; Soler, Y.; Perry, M.; Reynolds, J.L.; El-Hage, N. Impact of Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) in the Nervous System: Implications of COVID-19 in Neurodegeneration. *Front. Neurol.* **2020**, *11*, 583459. [[CrossRef](#)] [[PubMed](#)]
167. Sulzer, D.; Antonini, A.; Leta, V.; Nordvig, A.; Smeyne, R.J.; Goldman, J.E.; Al-Dalahmah, O.; Zecca, L.; Sette, A.; Bubacco, L.; et al. COVID-19 and possible links with Parkinson's disease and parkinsonism: From bench to bedside. *NPJ Parkinsons Dis.* **2020**, *6*, 18. [[CrossRef](#)] [[PubMed](#)]
168. Yamamoto, V.; Bolanos, J.F.; Fiallos, J.; Strand, S.E.; Morris, K.; Shahrokhinia, S.; Cushing, T.R.; Hopp, L.; Tiwari, A.; Hariri, R.; et al. COVID-19: Review of a 21st Century Pandemic from Etiology to Neuro-psychiatric Implications. *J. Alzheimers Dis.* **2020**, *77*, 459–504. [[CrossRef](#)] [[PubMed](#)]
169. Sariol, A.; Mackin, S.; Allred, M.-G.; Ma, C.; Zhou, Y.; Zhang, Q.; Zou, X.; Abrahante, J.E.; Meyerholz, D.K.; Perlman, S. Microglia depletion exacerbates demyelination and impairs remyelination in a neurotropic coronavirus infection. *Proc. Natl. Acad. Sci. USA* **2020**, *117*, 24464–24474. [[CrossRef](#)]
170. Peters, C.E.; Carette, J.E. Return of the Neurotropic Enteroviruses: Co-Opting Cellular Pathways for Infection. *Viruses* **2021**, *13*, 166. [[CrossRef](#)] [[PubMed](#)]
171. Volle, R.; Archimbaud, C.; Couraud, P.-O.; Romero, I.A.; Weksler, B.; Mirand, A.; Pereira, B.; Henquell, C.; Peigue-Lafeuille, H.; Bailly, J.-L. Differential permissivity of human cerebrovascular endothelial cells to enterovirus infection and specificities of serotype EV-A71 in crossing an in vitro model of the human blood-brain barrier. *J. Gen. Virol.* **2015**, *96*, 1682–1695. [[CrossRef](#)]
172. Wang, S.-M.; Lei, H.-Y.; Liu, C.-C. Cytokine immunopathogenesis of enterovirus 71 brain stem encephalitis. *Clin. Dev. Immunol.* **2012**, *2012*, 876241. [[CrossRef](#)]
173. Zhang, X.; Zheng, Z.; Shu, B.; Liu, X.; Zhang, Z.; Liu, Y.; Bai, B.; Hu, Q.; Mao, P.; Wang, H. Human astrocytic cells support persistent coxsackievirus B3 infection. *J. Virol.* **2013**, *87*, 12407–12421. [[CrossRef](#)] [[PubMed](#)]
174. Endres, A.-S.; Helms, T.; Steinführer, S.; Meisel, H. Transient broca aphasia in an elderly man caused by coxsackievirus B5. *J. Neurol.* **2002**, *249*, 1318–1319. [[CrossRef](#)]
175. Desai, M.; Motta, M. Rapidly progressive encephalopathy caused by Coxsackie meningoencephalitis in an elderly male. *J. Neurovirol.* **2018**, *24*, 780–785. [[CrossRef](#)] [[PubMed](#)]
176. Hosseini, S.; Wilk, E.; Michaelson-Preusse, K.; Gerhauser, I.; Baumgärtner, W.; Geffers, R.; Schughart, K.; Korte, M. Long-Term Neuroinflammation Induced by Influenza A Virus Infection and the Impact on Hippocampal Neuron Morphology and Function. *J. Neurosci.* **2018**, *38*, 3060–3080. [[CrossRef](#)] [[PubMed](#)]
177. Park, C.H.; Matsuda, K.; Sundén, Y.; Ninomiya, A.; Takada, A.; Ito, H.; Kimura, T.; Ochiai, K.; Kida, H.; Umemura, T. Persistence of viral RNA segments in the central nervous system of mice after recovery from acute influenza A virus infection. *Vet. Microbiol.* **2003**, *97*, 259–268. [[CrossRef](#)]
178. Siegers, J.Y.; van de Bildt, M.W.G.; Lin, Z.; Leijten, L.M.; Lavrijssen, R.A.M.; Bestebroer, T.; Spronken, M.I.J.; de Zeeuw, C.I.; Gao, Z.; Schrauwen, E.J.A.; et al. Viral Factors Important for Efficient Replication of Influenza A Viruses in Cells of the Central Nervous System. *J. Virol.* **2019**, *93*. [[CrossRef](#)]
179. Bulakbasi, N.; Kocaoglu, M. Central nervous system infections of herpesvirus family. *Neuroimaging Clin. N. Am.* **2008**, *18*, 53–84. [[CrossRef](#)]
180. Doll, J.R.; Hoebe, K.; Thompson, R.L.; Sawtell, N.M. Resolution of herpes simplex virus reactivation in vivo results in neuronal destruction. *PLoS Pathog.* **2020**, *16*, e1008296. [[CrossRef](#)]

181. De Chiara, G.; Piacentini, R.; Fabiani, M.; Mastrodonato, A.; Marcocci, M.E.; Limongi, D.; Napoletani, G.; Protto, V.; Coluccio, P.; Celestino, I.; et al. Recurrent herpes simplex virus-1 infection induces hallmarks of neurodegeneration and cognitive deficits in mice. *PLoS Pathog.* **2019**, *15*, e1007617. [[CrossRef](#)]
182. Santpere, G.; Telford, M.; Andrés-Benito, P.; Navarro, A.; Ferrer, I. The Presence of Human Herpesvirus 6 in the Brain in Health and Disease. *Biomolecules* **2020**, *10*, 1520. [[CrossRef](#)]
183. Bae, S.; Yun, S.-C.; Kim, M.-C.; Yoon, W.; Lim, J.S.; Lee, S.-O.; Choi, S.-H.; Kim, Y.S.; Woo, J.H.; Kim, S.Y.; et al. Association of herpes zoster with dementia and effect of antiviral therapy on dementia: A population-based cohort study. *Eur. Arch. Psychiatry Clin. Neurosci.* **2020**. [[CrossRef](#)]
184. Duarte, L.F.; Farías, M.A.; Álvarez, D.M.; Bueno, S.M.; Riedel, C.A.; González, P.A. Herpes Simplex Virus Type 1 Infection of the Central Nervous System: Insights into Proposed Interrelationships with Neurodegenerative Disorders. *Front. Cell. Neurosci.* **2019**, *13*, 46. [[CrossRef](#)]
185. Epstein, A.L. Maladie d’Alzheimer, neuro-inflammation et virus herpétiques—Une piste qui trace son chemin. *Med. Sci.* **2020**, *36*, 479–486. [[CrossRef](#)]
186. Goldschmidt-Clermont, P.J.; Volinsky, F.G.; LaRosa, S.P.; Gilbert, J.R.; Peričak-Vance, M.A. Time for Well-Powered Controlled Prospective Studies to Test a Causal Role for Herpes Viruses in Alzheimer’s Disease Using Antiherpetic Drugs. *J. Gerontol. A Biol. Sci. Med. Sci.* **2020**, *75*, 1058–1060. [[CrossRef](#)]
187. Itzhaki, R.F. Herpes simplex virus type 1 and Alzheimer’s disease: Increasing evidence for a major role of the virus. *Front. Aging Neurosci.* **2014**, *6*, 202. [[CrossRef](#)]
188. Mancuso, R.; Cabinio, M.; Agostini, S.; Baglio, F.; Clerici, M. HSV-1-Specific IgG3 Titers Correlate with Brain Cortical Thinning in Individuals with Mild Cognitive Impairment and Alzheimer’s Disease. *Vaccines* **2020**, *8*, 255. [[CrossRef](#)] [[PubMed](#)]
189. Mangold, C.A.; Szpara, M.L. Persistent Infection with Herpes Simplex Virus 1 and Alzheimer’s Disease—A Call to Study How Variability in Both Virus and Host may Impact Disease. *Viruses* **2019**, *11*, 966. [[CrossRef](#)] [[PubMed](#)]
190. Wu, Q.; Chen, Y.; Zhang, W.; Song, S.; Xu, Z.; Zhang, H.; Liu, L.; Sun, J. Upregulation of Chemokines in the Paraventricular Nucleus of the Hypothalamus in Rats with Stress-Induced Hypertension. *Med. Sci. Monit.* **2020**, *26*, e926807. [[CrossRef](#)] [[PubMed](#)]
191. Ostrovská, S.S.; Shatorna, V.F.; Liholetov, E.O. Intracellular ways of development of Alzheimer’s disease against the background of herpes viral infections (literature review). *Med. Perspekt.* **2021**, *26*, 40–46. [[CrossRef](#)]
192. Chucair-Elliott, A.J.; Conrady, C.; Zheng, M.; Kroll, C.M.; Lane, T.E.; Carr, D.J.J. Microglia-induced IL-6 protects against neuronal loss following HSV-1 infection of neural progenitor cells. *Glia* **2014**, *62*, 1418–1434. [[CrossRef](#)] [[PubMed](#)]
193. World Health Organization. Massive Proportion of World’s Population are Living with Herpes Infection. Available online: <https://www.who.int/news-room/item/01-05-2020-massive-proportion-world-population-living-with-herpes-infection> (accessed on 14 June 2021).
194. Licastro, F.; Carbone, I.; Raschi, E.; Porcellini, E. The 21st century epidemic: Infections as inductors of neuro-degeneration associated with Alzheimer’s Disease. *Immun. Ageing* **2014**, *11*, 22. [[CrossRef](#)] [[PubMed](#)]
195. Dehhaghi, M.; Kazemi Shariat Panahi, H.; Guillemin, G.J. Microorganisms’ Footprint in Neurodegenerative Diseases. *Front. Cell. Neurosci.* **2018**, *12*, 466. [[CrossRef](#)]
196. Crapser, J.D.; Spangenberg, E.E.; Barahona, R.A.; Arreola, M.A.; Hohsfield, L.A.; Green, K.N. Microglia facilitate loss of perineuronal nets in the Alzheimer’s disease brain. *EBioMedicine* **2020**, *58*, 102919. [[CrossRef](#)] [[PubMed](#)]
197. Avdoshina, V.; Caragher, S.P.; Wenzel, E.D.; Taraballi, F.; Mochetti, I.; Harry, G.J. The viral protein gp120 decreases the acetylation of neuronal tubulin: Potential mechanism of neurotoxicity. *J. Neurochem.* **2017**, *141*, 606–613. [[CrossRef](#)]
198. Cafaro, A.; Barillari, G.; Moretti, S.; Palladino, C.; Tripiciano, A.; Falchi, M.; Picconi, O.; Pavone Cossut, M.R.; Campagna, M.; Arancio, A.; et al. HIV-1 Tat Protein Enters Dysfunctional Endothelial Cells via Integrins and Renders Them Permissive to Virus Replication. *Int. J. Mol. Sci.* **2020**, *22*, 317. [[CrossRef](#)]
199. Dos Reis, R.S.; Sant, S.; Keeney, H.; Wagner, M.C.E.; Ayyavoo, V. Modeling HIV-1 neuropathogenesis using three-dimensional human brain organoids (hBORGs) with HIV-1 infected microglia. *Sci. Rep.* **2020**, *10*, 15209. [[CrossRef](#)] [[PubMed](#)]
200. Gill, A.J.; Kolson, D.L. Chronic inflammation and the role for cofactors (hepatitis C, drug abuse, antiretroviral drug toxicity, aging) in HAND persistence. *Curr. HIV/AIDS Rep.* **2014**, *11*, 325–335. [[CrossRef](#)]
201. Rojas-Celis, V.; Valiente-Echeverría, F.; Soto-Rifo, R.; Toro-Ascuy, D. New Challenges of HIV-1 Infection: How HIV-1 Attacks and Resides in the Central Nervous System. *Cells* **2019**, *8*, 1245. [[CrossRef](#)]
202. Jehmlich, U.; Ritzer, J.; Grosche, J.; Härtig, W.; Liebert, U.G. Experimental measles encephalitis in Lewis rats: Dissemination of infected neuronal cell subtypes. *J. Neurovirol.* **2013**, *19*, 461–470. [[CrossRef](#)]
203. Steiner, I.; Livneh, V.; Hoffmann, C.; Nass, D.; Mor, O.; Chapman, J. Steroid-Responsive, progressive, focal measles virus brain infection. *Ann. Neurol.* **2014**, *75*, 967–970. [[CrossRef](#)]
204. Chang, C.-Y.; Li, J.-R.; Ou, Y.-C.; Chen, W.-Y.; Liao, S.-L.; Raung, S.-L.; Hsiao, A.-L.; Chen, C.-J. Enterovirus 71 infection caused neuronal cell death and cytokine expression in cultured rat neural cells. *IUBMB Life* **2015**, *67*, 789–800. [[CrossRef](#)] [[PubMed](#)]
205. Song, J.; Hu, Y.; Zheng, H.; Guo, L.; Huang, X.; Jiang, X.; Li, W.; Li, J.; Yang, Z.; Dong, S.; et al. Comparative analysis of putative novel microRNA expression profiles induced by enterovirus 71 and coxsackievirus A16 infections in human umbilical vein endothelial cells using high-throughput sequencing. *Infect. Genet. Evol.* **2019**, *73*, 401–410. [[CrossRef](#)] [[PubMed](#)]
206. Zhuang, J.; Zang, N.; Ye, C.; Xu, F. Lethal avian influenza A (H5N1) virus replicates in pontomedullary chemosensitive neurons and depresses hypercapnic ventilatory response in mice. *Am. J. Physiol. Lung Cell. Mol. Physiol.* **2019**, *316*, L525–L536. [[CrossRef](#)]

207. Armstrong, S.M.; Wang, C.; Tigdi, J.; Si, X.; Dumpit, C.; Charles, S.; Gamage, A.; Moraes, T.J.; Lee, W.L. Influenza infects lung microvascular endothelium leading to microvascular leak: Role of apoptosis and claudin-5. *PLoS ONE* **2012**, *7*, e47323. [CrossRef] [PubMed]
208. Mori, I. Herpes simplex virus type 1 persists in the aged brain through hypothetical expression of accessory genes. *J. Neurovirol.* **2010**, *16*, 203–207. [CrossRef] [PubMed]
209. He, Q.; Liu, H.; Huang, C.; Wang, R.; Luo, M.; Lu, W. Herpes Simplex Virus 1-Induced Blood-Brain Barrier Damage Involves Apoptosis Associated with GM130-Mediated Golgi Stress. *Front. Mol. Neurosci.* **2020**, *13*, 2. [CrossRef]
210. Cabrera, J.R.; Rodríguez-Izquierdo, I.; Jiménez, J.L.; Muñoz-Fernández, M.Á. Analysis of ALS-related proteins during herpes simplex virus-2 latent infection. *J. Neuroinflamm.* **2020**, *17*, 371. [CrossRef]
211. Cohrs, R.J.; Gilden, D.H.; Mahalingam, R. Varicella zoster virus latency, neurological disease and experimental models: An update. *Front. Biosci.* **2004**, *9*, 751–762. [CrossRef]
212. Athanasiou, E.; Gargalionis, A.N.; Boufidou, F.; Tsakris, A. The Association of Human Herpesviruses with Malignant Brain Tumor Pathology and Therapy: Two Sides of a Coin. *Int. J. Mol. Sci.* **2021**, *22*, 2250. [CrossRef]
213. Akinsoji, E.O.; Leibovitch, E.; Billiou, B.J.; Abath Neto, O.L.; Ray-Chaudhury, A.; Inati, S.K.; Zaghloul, K.; Heiss, J.; Jacobson, S.; Theodore, W.H. HHV-6 and hippocampal volume in patients with mesial temporal sclerosis. *Ann. Clin. Transl. Neurol.* **2020**, *7*, 1674–1680. [CrossRef]
214. Harry, G.J. Microglia during development and aging. *Pharmacol. Ther.* **2013**, *139*, 313–326. [CrossRef]
215. Szepesi, Z.; Manouchehrian, O.; Bachiller, S.; Deierborg, T. Bidirectional Microglia-Neuron Communication in Health and Disease. *Front. Cell. Neurosci.* **2018**, *12*, 323. [CrossRef] [PubMed]
216. Chen, Z.; Zhong, D.; Li, G. The role of microglia in viral encephalitis: A review. *J. Neuroinflamm.* **2019**, *16*, 76. [CrossRef] [PubMed]
217. Uyar, O.; Laflamme, N.; Piret, J.; Venable, M.-C.; Carboneau, J.; Zarrouk, K.; Rivest, S.; Boivin, G. An Early Microglial Response Is Needed to Efficiently Control Herpes Simplex Virus Encephalitis. *J. Virol.* **2020**, *94*. [CrossRef] [PubMed]
218. Izzy, S.; Brown-Whalen, A.; Yahya, T.; Sarro-Schwartz, A.; Jin, G.; Chung, J.Y.; Lule, S.; Morsett, L.M.; Alquraini, A.; Wu, L.; et al. Repetitive Traumatic Brain Injury Causes Neuroinflammation before Tau Pathology in Adolescent P301S Mice. *Int. J. Mol. Sci.* **2021**, *22*, 907. [CrossRef] [PubMed]
219. Enomoto, S.; Kato, T.A. Involvement of microglia in disturbed fear memory regulation: Possible microglial contribution to the pathophysiology of posttraumatic stress disorder. *Neurochem. Int.* **2021**, *142*, 104921. [CrossRef]
220. Doyle, K.P.; Buckwalter, M.S. Immunological mechanisms in poststroke dementia. *Curr. Opin. Neurol.* **2020**, *33*, 30–36. [CrossRef] [PubMed]
221. Hemonnot, A.-L.; Hua, J.; Ulmann, L.; Hirbec, H. Microglia in Alzheimer Disease: Well-Known Targets and New Opportunities. *Front. Aging Neurosci.* **2019**, *11*, 233. [CrossRef]
222. Molina-Martínez, P.; Corpas, R.; García-Lara, E.; Cosín-Tomás, M.; Cristòfol, R.; Kaliman, P.; Solà, C.; Molinuevo, J.L.; Sánchez-Valle, R.; Antonell, A.; et al. Microglial Hyperreactivity Evolved to Immunosuppression in the Hippocampus of a Mouse Model of Accelerated Aging and Alzheimer’s Disease Traits. *Front. Aging Neurosci.* **2020**, *12*, 622360. [CrossRef]
223. Shahidehpour, R.K.; Higdon, R.E.; Crawford, N.G.; Neltner, J.H.; Ighodaro, E.T.; Patel, E.; Price, D.; Nelson, P.T.; Bachstetter, A.D. Dystrophic microglia are associated with neurodegenerative disease and not healthy aging in the human brain. *Neurobiol. Aging* **2021**, *99*, 19–27. [CrossRef]
224. Sobue, A.; Komine, O.; Hara, Y.; Endo, F.; Mizoguchi, H.; Watanabe, S.; Murayama, S.; Saito, T.; Saido, T.C.; Sahara, N.; et al. Microglial gene signature reveals loss of homeostatic microglia associated with neurodegeneration of Alzheimer’s disease. *Acta Neuropathol. Commun.* **2021**, *9*, 1. [CrossRef] [PubMed]
225. Streit, W.J.; Khoshbouei, H.; Bechmann, I. Dystrophic microglia in late-onset Alzheimer’s disease. *Glia* **2020**, *68*, 845–854. [CrossRef]
226. Suh, H.-S.; Gelman, B.B.; Lee, S.C. Potential roles of microglial cell programulin in HIV-associated CNS pathologies and neurocognitive impairment. *J. Neuroimmune Pharmacol.* **2014**, *9*, 117–132. [CrossRef] [PubMed]
227. Jeffries, A.M.; Marriott, I. Cytosolic DNA Sensors and CNS Responses to Viral Pathogens. *Front. Cell. Infect. Microbiol.* **2020**, *10*, 576263. [CrossRef]
228. Chen, N.C.; Partridge, A.T.; Sell, C.; Torres, C.; Martín-García, J. Fate of microglia during HIV-1 infection: From activation to senescence? *Glia* **2017**, *65*, 431–446. [CrossRef]
229. Lannes, N.; Garcia-Nicolàs, O.; Démoulin, T.; Summerfield, A.; Filgueira, L. CX3CR1-CX3CL1-dependent cell-to-cell Japanese encephalitis virus transmission by human microglial cells. *Sci. Rep.* **2019**, *9*, 4833. [CrossRef] [PubMed]
230. Vargas, G.; Medeiros Geraldo, L.H.; Gedeão Salomão, N.; Viana Paes, M.; Regina Souza Lima, F.; Carvalho Alcantara Gomes, F. Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) and glial cells: Insights and perspectives. *Brain Behav. Immun. Health* **2020**, *7*, 100127. [CrossRef] [PubMed]
231. Ni, J.; Wu, Z.; Stoka, V.; Meng, J.; Hayashi, Y.; Peters, C.; Qing, H.; Turk, V.; Nakanishi, H. Increased expression and altered subcellular distribution of cathepsin B in microglia induce cognitive impairment through oxidative stress and inflammatory response in mice. *Aging Cell* **2019**, *18*, e12856. [CrossRef] [PubMed]
232. Ano, Y.; Sakudo, A.; Onodera, T. Role of microglia in oxidative toxicity associated with encephalomyocarditis virus infection in the central nervous system. *Int. J. Mol. Sci.* **2012**, *13*, 7365–7374. [CrossRef]

233. Samikkannu, T.; Ranjith, D.; Rao, K.V.K.; Atluri, V.S.R.; Pimentel, E.; El-Hage, N.; Nair, M.P.N. HIV-1 gp120 and morphine induced oxidative stress: Role in cell cycle regulation. *Front. Microbiol.* **2015**, *6*, 614. [[CrossRef](#)] [[PubMed](#)]
234. Suwanprinya, L.; Morales, N.P.; Sanvarinda, P.; Dieng, H.; Okabayashi, T.; Morales Vargas, R.E. Dengue Virus-Induced Reactive Oxygen Species Production in Rat Microglial Cells. *Jpn. J. Infect. Dis.* **2017**, *70*, 383–387. [[CrossRef](#)]
235. Schachtele, S.J.; Hu, S.; Lokensgard, J.R. Modulation of experimental herpes encephalitis-associated neurotoxicity through sulforaphane treatment. *PLoS ONE* **2012**, *7*, e36216. [[CrossRef](#)]
236. Von Bernhardi, R.; Eugenín-von Bernhardi, L.; Eugenín, J. Microglial cell dysregulation in brain aging and neurodegeneration. *Front. Aging Neurosci.* **2015**, *7*, 124. [[CrossRef](#)] [[PubMed](#)]
237. Simpson, D.S.A.; Oliver, P.L. ROS Generation in Microglia: Understanding Oxidative Stress and Inflammation in Neurodegenerative Disease. *Antioxidants* **2020**, *9*, 743. [[CrossRef](#)] [[PubMed](#)]
238. Maurya, S.K.; Bhattacharya, N.; Mishra, S.; Bhattacharya, A.; Banerjee, P.; Senapati, S.; Mishra, R. Microglia Specific Drug Targeting Using Natural Products for the Regulation of Redox Imbalance in Neurodegeneration. *Front. Pharmacol.* **2021**, *12*, 654489. [[CrossRef](#)]
239. Zhao, Z.; Xu, P.; Jie, Z.; Zuo, Y.; Yu, B.; Soong, L.; Sun, J.; Chen, Y.; Cai, J. $\gamma\delta$ T cells as a major source of IL-17 production during age-dependent RPE degeneration. *Investig. Ophthalmol. Vis. Sci.* **2014**, *55*, 6580–6589. [[CrossRef](#)]
240. Derkow, K.; Krüger, C.; Dembny, P.; Lehnardt, S. Microglia Induce Neurotoxic IL-17+ $\gamma\delta$ T Cells Dependent on TLR2, TLR4, and TLR9 Activation. *PLoS ONE* **2015**, *10*, e0135898. [[CrossRef](#)]
241. Ye, B.; Tao, T.; Zhao, A.; Wen, L.; He, X.; Liu, Y.; Fu, Q.; Mi, W.; Lou, J. Blockade of IL-17A/IL-17R Pathway Protected Mice from Sepsis-Associated Encephalopathy by Inhibition of Microglia Activation. *Mediat. Inflamm.* **2019**, *2019*, 8461725. [[CrossRef](#)]
242. Lobo-Silva, D.; Carriche, G.M.; Castro, A.G.; Roque, S.; Saraiva, M. Interferon- β regulates the production of IL-10 by toll-like receptor-activated microglia. *Glia* **2017**, *65*, 1439–1451. [[CrossRef](#)]
243. Hwang, M.; Bergmann, C.C. Neuronal Ablation of Alpha/Beta Interferon (IFN- α/β) Signaling Exacerbates Central Nervous System Viral Dissemination and Impairs IFN- γ Responsiveness in Microglia/Macrophages. *J. Virol.* **2020**, *94*. [[CrossRef](#)] [[PubMed](#)]
244. Huang, W.; Li, M.; Luo, G.; Wu, X.; Su, B.; Zhao, L.; Zhang, S.; Chen, X.; Jia, M.; Zhu, J.; et al. The Inflammatory Factors Associated with Disease Severity to Predict COVID-19 Progression. *J. Immunol.* **2021**, *206*, 1597–1608. [[CrossRef](#)] [[PubMed](#)]
245. Cyr, B.; de Rivero Vaccari, J.P. Age-Dependent Microglial Response to Systemic Infection. *Cells* **2021**, *10*, 1037. [[CrossRef](#)] [[PubMed](#)]
246. Rai, M.A.; Hammonds, J.; Pujato, M.; Mayhew, C.; Roskin, K.; Spearman, P. Comparative analysis of human microglial models for studies of HIV replication and pathogenesis. *Retrovirology* **2020**, *17*, 35. [[CrossRef](#)] [[PubMed](#)]