

CORRIGENDUM: Correction of the ethical statements

CORRIGENDUM: Training efficacy of robotic duct-to-mucosa pancreaticojejunostomy simulation using silicone models for surgical fellows

Mirang Lee¹, Youngmin Han¹, Jae Seung Kang^{1,2}, Yoo Jin Choi^{1,3}, Hee Ju Sohn^{1,4}, Wooil Kwon¹, Jin-Young Jang¹

¹Department of Surgery and Cancer Research Institute, Seoul National University College of Medicine, Seoul, Korea

²Department of Surgery, Korea University Guro Hospital, Korea University College of Medicine, Seoul, Korea

³Department of Surgery, Korea University Anam Hospital, Korea University College of Medicine, Seoul, Korea

⁴Department of Surgery, Chung-Ang University Gwangmyeong Hospital, Gwangmyeong, Korea

<https://doi.org/10.4174/astr.2024.106.1.45>

Annals of Surgical Treatment and Research 2024;106(1):45-50

The content of the ethical statements in the Methods section of the above-mentioned article contains an error that needs correction.

(Before correction) This study protocol was approved by the Institutional Review Board of the Seoul National University Hospital (No. H-2304-082-1423). It was performed in accordance with the Declaration of Helsinki **and written informed consent was waived due to its retrospective nature.**

(After correction) This study protocol was approved by the Institutional Review Board of the Seoul National University Hospital (No. H-2304-082-1423). It was performed in accordance with the Declaration of Helsinki, **and written informed consent was obtained from the subjects.**

The authors apologize for any inconvenience this may have caused to the readers.