STUDY PROTOCOL



The use of music as an arts-based method in migrant health

research: a scoping review protocol [version 1; peer review: 2

approved]

Fran Garry¹, Sylvia Murphy Tighe², Anne MacFarlane³, Helen Phelan⁴

¹Irish World Academy of Music and Dance, University of Limerick, Limerick, V94 T9PX, Ireland ²Department of Nursing & Midwifery and Health Research Institute (HRI), University of Limerick, Limerick, V94 T9PX, Ireland ³Public & Patient Involvement Research Unit, Graduate Entry Medical School and Health Research Institute (HRI), University of Limerick, Limerick, V94 T9PX, Ireland

⁴Irish World Academy of Music and Dance and Health Research Institute (HRI), University of Limerick, Limerick, V94 T9PX, Ireland

 First published: 12 Oct 2020, 3:75 https://doi.org/10.12688/hrbopenres.13121.1
Latest published: 12 Oct 2020, 3:75 https://doi.org/10.12688/hrbopenres.13121.1

Abstract

There is increasing recognition that people's lived experience needs to be incorporated into health decision-making. This has led to rising imperatives for involving the public in health processes, including research. While there have been significant advances in the field, patterns of exclusion still exist in some areas, including migrant participation in health research. Migration and mobility create challenges around social inclusion and this extends to social and cultural practices used in research. There is an emerging body of literature about improving meaningful, participatory spaces for migrants' involvement in health research using creative tools and techniques that are attuned to cultural diversity. These include the use of arts-based research methods. There is strong evidence for the use of music, particularly singing, as an effective arts-based participatory tool. The goal of this scoping review is to investigate the evidence for the use of music as an arts-based method in migrant health research. Developed by an interdisciplinary team specialising in public and patient involvement; nursing and midwifery; primary health care; and the performing arts, it aims to analyse existing evidence across disciplines that are not usually studied together, identify gaps in current knowledge and use these as a foundation to build effective strategies towards increasing access to and knowledge of participatory, arts-based methods using music in migrant health research.

Methods: The protocol for this scoping review follows the guidelines and stages set out in the JBI Reviewer's Manual (*Peters et al.,* 2017), and by Levac *et al*, (2010), which build on the methodological framework of Arksey and O'Malley (2005). This incorporates six stages: 1) Identifying the research question; 2) Identifying relevant studies; 3) Study selection; 4) Charting the data; 5) Collating, summarising, and



- 1. Kari Veblen, University of Western Ontario, London, Canada
- 2. Saras Henderson D, Griffith University, Southport, Australia

Any reports and responses or comments on the article can be found at the end of the article.

reporting results; and 6) Consultation.

Keywords

Music, migrant, health, well-being, arts-based research

Corresponding author: Fran Garry (frances.garry@ul.ie)

Author roles: Garry F: Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing; Murphy Tighe S: Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing; MacFarlane A: Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing; Phelan H: Conceptualization, Funding Acquisition, Writing – Original Draft Preparation, Writing – Review & Editing

Competing interests: No competing interests were disclosed.

Grant information: Health Research Board [PPI-2017-009]. This work is supported by the Health Research Institute Research Cluster Capacity Building Awards (2019), University of Limerick.

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Copyright: © 2020 Garry F *et al.* This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Garry F, Murphy Tighe S, MacFarlane A and Phelan H. The use of music as an arts-based method in migrant health research: a scoping review protocol [version 1; peer review: 2 approved] HRB Open Research 2020, 3:75 https://doi.org/10.12688/hrbopenres.13121.1

First published: 12 Oct 2020, 3:75 https://doi.org/10.12688/hrbopenres.13121.1

Introduction

There are rising imperatives for involving the public in health decision-making. The rationale comes from several sources (Gibson et al., 2012) but includes an increasing recognition that people have lived experience of health and, thus, are experts whose experiential knowledge needs to be incorporated into analysis to ensure a comprehensive epistemic baseline (Popay & Williams, 2006). This patient and public knowledge has a key role to play in the promotion of good health; (Ascenso et al., 2018; Brown et al., 2018; Jones et al., 2013; Roberts et al., 2017; Tarr et al., 2014) prevention of ill health; (Chabot et al., 2019; Conceição et al., 2016; Fancourt & Perkins, 2018a) managing and treating illness; (Cao et al., 2016; Gopalkrishnan 2016; Wan et al., 2010) the development of health services and strategy (WHO Europe, 2002; WHO, 2018) as well as health research (HRB Strategy 2016-2020; Horizon 2020; Ramsden et al., 2010; Wallerstein et al., 2018), which is the focus of this article.

There have been significant advances in the field of involving the public in health research. In spite of challenges with conceptualisation (Sarrami-Foroushami et al. 2014), there is an acknowledged need for expanding the evidence base around meaningful, rather than tokenistic, involvement drawing on a variety of research traditions and methods (Chew-Graham, 2015). There are specific areas that require further development including patterns of exclusion whereby migrant's involvement in health decisionmaking is rare (de Freitas & Martin, 2015; MacFarlane, 2019). However, there are complexities in accessing and understanding this experience. 'Migrants' are a heterogenous group of peoples. There is no agreed universal definition for a 'migrant'. The broadest one, from the International Organisation for Migration is 'anyone who has moved from their habitual residence (within or across borders)'. The term 'migrant' can refer to students, family reunification, labour migrants (moving to higher/lower paid employment), people seeking protection, people who are trafficked and so on. Further still, migrants' identities and experiences are not only defined by this issue of 'movement' but, also, by gender, ethnicity, class and culture. Intersectionality captures this complexity (Crenshaw, 1995). Finally, migrants have different health experiences but also share health experiences with the people in the communities in which they settled. While there are specific health implications of pre-migration and migration journeys (trauma, screening), migrants have non-communicable diseases and considerable health needs in relation to these, just like host populations (WHO Europe, 2018).

There is a view that these patterns of exclusion exist because migrants are hard to reach or easy to ignore (Lightbody, 2017). This view focuses on challenges in access and communication and concerns about the additional work and resources that health researchers would need to involve migrants. Certainly, there are issues to consider. These include cross-cultural interactions between migrants and health researchers (O'Reilly-De Brún *et al.*, 2018); concerns for migrants about safely interacting with academia/officialdom (van den Muijsenbergh *et al.*, 2016); and problems with representation of power, particularly given the heterogeneity of migrant experiences (De Freitas *et al.*, 2014; Vaughn *et al.*, 2017).

Given the ethical imperatives for migrants' involvement and the anticipated benefits for a more comprehensive knowledge base, which incorporates their expertise, a key question is how best to involve migrants in health research and, further, what is the evidence of best practice in terms of ethics, ontology and methodology? Migration and mobility create inevitable challenges around social inclusion and this extends to social and cultural practices used in research (Rubina et al., 2010). Therefore, in order to optimise migrants' involvement in health research we need to think creatively and innovatively about effective strategies to enable and ensure meaningful participation. Participatory Health Research is a paradigm which centralises participation from the outset to the completion and dissemination of research. It emphasises shared governance and community ownership (Wright, 2015). There is a rich tradition of participatory approaches that provide valuable tools, practices and techniques that have relevance for this endeavour (MacFarlane, 2019).

We know that participatory spaces are shaped by using these tools, practices and techniques to create and support dialogues between stakeholders (Cornwall & Schatten Coelho, 2007; Massey, 2005; Power, 2001). There is evidence that the use of inherently analytic and visual tools and techniques from the Participatory Learning and Action (PLA) research approach, for example, can be used to involve migrants in meaningful and impactful dialogues with stakeholders from universities and health care sectors (de Brún et al., 2017; O'Reilly-De Brún et al., 2018). PLA does still, however, centre around knowledge sharing via language so it is valuable to think about other forms of communication and interaction that may be useful to complement or augment such approaches. Within music research, there is compelling evidence that certain musical practices, such as singing, are particularly effective in fostering participation through increasing empathy (Ahlquist, 2006; Bithell, 2014; Clarke et al., 2015; Magowan, 2019; Phelan, 2017a), accelerating interaction within new and diverse groups (Pearce et al., 2015) and facilitating multi-modal communication beyond the semantic limits of language (Welch et al., 2014). Studies demonstrate the value of music as a participatory strategy in a wide range of health and well-being areas including mother-infant bonding (Cevasco, 2008; Fancourt & Perkins, 2017; Fancourt & Perkins, 2018b; Persico et al., 2017), speech and language (Brown et al., 2018; Cogo-Moreira et al., 2013; Flaugnacco et al., 2015), pain management (Chuang, 2018; Gokyildiz Surucu et al., 2018), hypertension (Cao et al., 2016; do Amaral et al., 2016; Kühlmann et al., 2016), cognitive decline (Gooding et al., 2014; Strong & Mast, 2019), ageing and frailty (Chabot et al., 2019; Trombetti et al., 2011; Ueda et al., 2013), trauma and abuse (Bronson et al., 2018; Carr et al., 2012; Landis-Shack et al., 2017), surgery (Dionigi & Gremigni, 2017; Jayakar & Alter, 2017; Nilsson, 2009), perinatal care (Chang et al., 2015b; Fancourt & Perkins, 2018b; McCaffrey et al., 2020; Perkins et al., 2018; Reilly et al., 2019), physiotherapy (Hsu et al., 2016; Lim et al., 2011), autism (Cook et al., 2018; LaGasse, 2017; Woodman et al., 2018), cerebral palsy (Alves-Pinto et al., 2017; Bringas et al., 2015; Marrades-Caballero, 2018), stroke (Fogg-Rogers et al., 2016; Forsblom et al., 2010; Raglio et al., 2017; Tamplin et al., 2013), other acquired brain injuries (Baker et al., 2018; Baker et al., 2019; Roddy et al., 2018; Tamplin et al., 2013), Parkinson's Disease

(Barnish *et al.*, 2016; Di Benedetto *et al.*, 2009; Evans *et al.*, 2012; Han *et al.*, 2018; Harrison *et al.*, 2017; Stegemöller *et al.*, 2017; Tanner *et al.*, 2016), and dementia (Chang *et al.*, 2015a; Daykin *et al.*, 2017; Dowlen *et al.*, 2018; Moss & O'Neill, 2019; Särkämö *et al.*, 2014). The specific literature around music and migrant health and well-being is also growing (Balsnes, 2016; Cain *et al.*, 2020; Henderson *et al.*, 2017; Phelan, 2017b; Phelan *et al.*, 2017).

Despite the numerous publications on the role of music in health and well-being, it is striking that an examination of reviews to date on the use of arts-based methods in health identify very few studies using music as an arts-based *research method*. The inclusion of artistic practices as methodological tools in research is frequently labelled arts-based research (ABR). A useful definition of ABR is provided by Leavy as, "a set of methodological tools used by qualitative researchers across the disciplines during all phases of social research, including data collection, analysis, interpretation and representation ... arts-based practices draw on literary writing, music, performance, dance, visual art, film and other mediums" (Leavy, 2009, p.ix).

The systematic review of arts-based methods in health research by Fraser & al Sayah, (2011) identified 30 articles using a variety of arts-based methods including photography (11), drawing (10), theatre (7) and poetry (2) but none of the studies specifically mentioned music. Boydell *et al.* (2016) identified 71 papers in their scoping review of arts-based health research using photography (23), theatre (21), drawing (8), film (8), poetry (3) and dance (1). Though eight studies used a variety of artistic practices, none of them mentioned music specifically. Coemans & Hannes, (2017) identified photography, theatre and poetry as the most often used artistic practices in ABR. Thus, while it is clear that music is being used as a tool of participation in health contexts, its role as a research tool is less well defined. A number of reasons may be suggested for this apparent anomaly.

Firstly, much of the research on the role of music in health and well-being is observational. For example, in the review carried out by Fraser and al Sayah, 30 articles were identified as using ABR but 56 were excluded as they did not use the artistic practice as part of the research method (Fraser & al Sayah, 2011). Such research observes and reports on the impact of music in health and well-being contexts, but does not use the arts as a research tool. In the case of music, the music practice becomes an object of study, rather than an intrinsic part of the research design, implementation or interpretation. Participation may be an important element of the observed practice, but not necessarily an aspect of the research method.

Secondly, there is a lack of consensus concerning the terminology used to describe research through the arts. The term arts-based research was first coined in the early 1990's by Elliot Eisner (Eisner, 2008; Barone & Eisner, 2012) and while it has steadily grown in usage since that time, there is still a great deal of research through the arts (including research in

areas such as music therapy, community music and music education) which does not use this terminology. This is especially the case in health research, which has adopted the use of ABR terminology more slowly than, for example, creative arts practices, education, community-based research (Ledger & McCaffrey, 2015). The growing area of practice as research (PaR), also variously known as arts practice research, artistic research, arts practice research and practice-based research, further complicates the terrain (Nelson, 2013; Smith & Dean, 2009). Debates regarding nuances of meaning have resulted in a plethora of terms which often confuse rather than clarify the discourse (Chilton, 2013).

Another important factor includes understandings of what constitutes health research. The WHO definitions of health (Fancourt & Finn, 2019, p.2) and art (ibid, p.1) note that health is inclusive of individual, social and cultural wellbeing and that artistic practices also extend across individual, social and cultural spaces. Blacking's definition of music as 'humanly organised sound' (1973, p.10) was a direct response to narrower, ethnocentric definitions based on Western European aesthetics. These inclusive definitions challenge researchers to look beyond traditionally recognised health literature and disciplines to include health research carried out through music but published in areas such as ethnomusicology, cultural and social anthropology or community arts among others.

Finally, as Coemans and Hannes note, ABR is sometimes applied quite narrowly within the research design: "traditionally, ABR methods have been applied either as a data collection technique or as a dissemination technique" (2017, p.35). However, in ABR approaches, "the arts play a primary role in any or all of the steps of the research method" (Austin & Forinash, 2005, p.458-459) in order to exploit "the capacities of expressive form to capture qualities of life that impact what we know and how we live" (Barone & Eisner, 2012, p.5). A narrow application of the term often describes a process whereby artistic participation starts at the point of data generation or collection, but music is also used very successfully as a tool for initiating and creating partnerships for research. Research frameworks or reviews which do not utilise an explicitly articulated participatory approach often fail to capture or identify this music-based research as ABR.

For these reasons, a scoping review conducted by an interdisciplinary team which focuses specifically on *the use of music as an arts-based method* is both necessary and challenging. In order to develop optimal modes of participatory research using music as an arts-based method to inform the field of migrant health research, we need to analyse existing evidence across disciplines that are not usually studied together by health researchers, identify gaps in current knowledge and use these as a foundation to build effective strategies towards increasing access to and knowledge of participatory, arts-based methods using music in migrant health research. These approaches should apply our knowledge of music as a participatory strategy and adapt it for the purposes of research so that it is ethically guided to yield knowledge that cannot be

accessed, analysed or represented through standard research frameworks and modes of communication (Barone & Eisner, 2012). In addition, it is important to document the capacity of music to facilitate participatory spaces for building trust, raising participant voices in their own words and ways, and triggering empathy and understanding that leads to action (Bartleet *et al.*, 2010; Bartleet & Higgins, 2018; Bonshor, 2018; Higgins *et al.*, 2010). This is very much in line with the aforementioned principles of PHR (Wright, 2015).

The purpose of the scoping review

The goal of this scoping review, therefore, is to investigate the evidence for the use of music as an arts-based method in migrant health research to advance knowledge about tools and techniques for participatory health research projects with migrants. In doing so, we have identified the following key objectives:

- Ascertain the extent of current publications using music in migrant health research and identifying itself as ABR.
- Identify the research stages (participating, generating data, analysing, interpreting, disseminating) in which music features as an ABR method or part thereof.
- Identify whether particular musical practices are used more than others as part of the research design and implementation.
- Identify the key strengths and challenges discussed in the literature around the use of music as a research tool in migrant health research.

• Identify gaps in current knowledge and use these as a foundation to build effective strategies towards increasing access to and knowledge of participatory, arts-based methods using music in migrant health research

Table 1 presents the definitions and boundaries that will guide how we utilise key concepts in our scoping review.

Methods

Due to the broad nature of the research question and objectives, we want to specifically capture the extent of the literature that utilises music as an ABR method in migrant health research in order to identify its evidence base. We aim to identify if and how music is being utilised as an ABR method in the field of migrant health research. With that in mind, a scoping review was identified as the most suitable methodology to help clarify key concepts and understand the extent of the evidence across disciplines around the use of music as an ABR tool in migrant health research. It is envisaged that a scoping review conducted in a systematic way can assist practitioners and policy makers in the area of migrant health research. To ensure rigour in our approach, the protocol for this scoping review follows the guidelines and stages set out in the JBI Reviewer's Manual (Peters et al., 2017), and by Levac et al., (2010), which consist of a further developed methodological framework from that of the widely cited Arksey & O'Malley (2005). The extended framework from Levac et al., incorporates six stages: 1) Identifying the research question; 2) Identifying relevant studies; 3) Study selection; 4) Charting the data;

Table 1. Concepts, definitions and boundaries. Concepts, definitions and boundaries for undertaking a scoping review to investigate the use of music as an arts-based method in migrant health research.

Concepts of the research question	Definitions attached to the research question	Boundaries of the research question (inclusion & exclusion criteria)
Arts-based research	Arts-based research is "a set of methodological tools used by qualitative researchers across the disciplines during all phases of social research, including data collection, analysis, interpretation and representation arts-based practices draw on literary writing, music, performance, dance, visual art, film and other mediums" (Leavy, 2009, p.ix). Barone & Eisner (2012) define arts-based research as 'an approach to research that exploits the capacities of expressive form to capture qualities of life that impact what we know and how we live' (p.5).	Any research approach that integrates music in the research design, and self identifies as arts-based research is included. Observational research where music (as an intervention, activity or participatory practice) is the object of study but not part of the research method used to harness and extend knowledge of human experience is excluded.
Music	Blacking (1973) states "Music is a product of the behaviour of human groups, whether formal or informal: it is humanly organised sound. And, although different societies tend to have different ideas about what they regard as music, all definitions are based on some consensus of opinion about the principles on which the sounds of music should be organised."	Studies that focus on human music-making are included. Studies that focus on music-making by non- humans are excluded.
Migrants	A broad definition of a migrant, as used by the International Organisation for Migration, is "anyone who has moved from their habitual residence (within or across borders)"	Studies that include migrants are included. Studies that focus on community populations without any representation of migrants are excluded.
Health	WHO (1948) defines health holistically as "a state of complete physical, mental and social well-being and not merely the absence of disease or infirmity", thus rooting health firmly within society and culture.	Studies that focus on physical, or mental or social well-being are included. Studies that are not focused on health are excluded.

5) Collating, summarising, and reporting results; and 6) Consultation. This protocol will outline how we will address each of the six stages.

Stage 1: Identifying the research question

In order to clearly identify the research question guiding the scope of the review, we iteratively searched and designed our key search terms to capture the most appropriate body of literature. In formulating our research question, we identified four key concepts that encompass the interdisciplinary nature of the scoping review. These are: ABR, music, health, and migrants. The principal contextual settings within which these concepts will be explored are: music as an ABR method, and migrant health. Our key objective is to use the literature to investigate if and how music of any genre (including singing, choirs, musical performance, solo music, ensemble music etc.) is being utilised as an ABR method in these contexts. The conceptualisation of novel or innovative approaches to health research and the utilisation of music as, or as a component of, an ABR method in research involving migrants is the focus of our enquiry. This led to the formulation of our research question: "What is the evidence for music as an arts-based method and its use in migrant health research?"

Stage 2: Identifying relevant studies

Recognising that a systematic and comprehensive approach is a key strength of a scoping review, we want to ensure data sources are heterogenous with due attention across relevant disciplines, while not compromising feasibility. We will include grey literature such as theses/dissertations and reports. With that in mind, we are considering searches in a number of places including Scopus, Medline, Web of Science, CINAHL, Academic Search Complete, Social Science Premium Collection, PsychINFO, Springer LINK, Taylor & Francis Online, Google Advanced Search, and ProQuest Dissertations and Theses A& I. We can also refine the list as part of the iterative nature of our review process, and report on this process in the results paper. The bibliographical references of included papers and reviews on the topic will be checked for eligible articles that did not appear in the search. Deliberation among all members of the research team regarding exclusion and inclusion criteria at the outset of the scoping review process will occur. Table 2 provides an overview of the eligibility criteria for the scoping review.

Stage 3: Search strategy and study selection

In line with Arksey & O'Malley's (2005) framework, we will clearly define the terminology we intend to use within our search strategy in order to identify the most appropriate body of literature relevant to our research question. As noted by Levac *et al.* (2010), designing our search strategy has been an iterative process prioritising teamwork, interdisciplinary knowledge sharing, discussions and joint decisions around the definitions, concepts, and terminology involved. In order to test the appropriateness of selected databases and keywords, we are

Table 2. Eligibility criteria. An overview of the eligibility criteria for the scoping review	Table 2. Eligibilit	y criteria. An o	overview of t	he eligibility	criteria for t	ne scoping review
---	---------------------	------------------	---------------	----------------	----------------	-------------------

Criterion	Inclusion	Exclusion	Justification
Population and sample	Human migrant	Any study population other than humans	Refers to human migrants of all ages
Language	Written in English	Any other language that is not in English	Reviewers only speak English
Time period	2009 to 2020	Any publications outside these dates	The publication of Leavy's 2009 definition is the basis of our review
Study focus	Articles that discuss music as a participatory arts-based research method in migrant health	Articles that do not self- identify as arts-based research and utilise music as an arts-based method in migrant health	To build an evidence base for music as an arts-based method in migrant health research
Type of article	Peer reviewed journal articles, or peer reviewed books and chapters, or reviews and grey literature. Specifically, grey literature will include theses/dissertations, reports, conference proceedings, and editorials.	Any other literature that is not listed in the inclusion criteria, such as websites.	Scoping reviews aim to capture a comprehensive body of literature in order to expansively explore a broad research question. Preliminary searches of electronic databases and grey literature generally revealed papers reflecting our inclusion criteria Acknowledging feasibility and time constraints, we considered that the criteria listed would sufficiently capture the necessary literature to inform our review.
Study location	Any location – an international context.	None	Arts-based research has applications globally

conducting preliminary searches in Taylor & Francis Online and CINAHL, searching article titles, abstracts, keywords and subject headings relating to our four key concepts: ABR, music, migrants and health. A comprehensive set of keywords will be used in the various databases encompassing the broad fields of arts, social science and health. If additional relevant keywords are identified, we will include these in our searches across all databases. Our search strategy will be further developed in collaboration with one of our faculty librarians.

Two independent reviewers will initially screen studies by title and abstract, and will subsequently conduct full-text reviews based on the pre-specified inclusion/exclusion criteria relevant to our research question. The two reviewers will meet at multiple stages of the review process to discuss any challenges, uncertainties or necessary refinements to the search strategy (Levac *et al.*, 2010). If disagreements arise regarding inclusion or exclusion of studies, and cannot be resolved by consensus, a third reviewer will make the final decision. All eligible studies will be managed using Mendeley reference manager. Table 3 provides an overview of search terms.

Stage 4: Preliminary charting elements and associated questions

Following guidelines from the JBI Reviewer's Manual, a tabular chart organised in Excel (see Table 4) will be used for data extraction. This is comprised of JBI recommended charting elements and associated questions to guide the charting process. Charting elements about interventions are not included as these are not the focus of the present review. The table also includes review specific rows that have been added to record how articles address core concepts of this review: ABR, music, migrants and health. These additional rows will support the next stage of the review process; collating, summarising, and reporting the results (identifying themes). The process of charting data will be iterative so that new data can be incorporated if it enhances charting and analysis for our review question. Table 4 provides a preliminary table of charting elements and associated questions for data.

Stage 5: Collating, summarising and reporting the results As recommended by the JBI Reviewer's Manual (Peters *et al.*, 2017), a narrative summary mapping the findings from the extracted data will complement the tabulated results and describe how they relate to the review's key question and objectives. As suggested by Levac *et al.*, (2010), we will engage in thematic construction, using qualitative descriptive methods to provide an overview of the breadth of the literature. Findings will be organised into thematic categories such as aims, methodological design, key findings, and gaps in the literature. We will consider the meaning of the results in terms of the broader implications for research, policy, and practice in the context of music as an arts-based method in migrant health research.

Stage 6: Consultation

As suggested by Levac *et al.*, (2010), we will include consultation with stakeholders to add methodological rigour to this study. This scoping review represents the work of the PART-IM

Study Population	Arts-based research (ABR)	Music	Health
asylum* "asylum seeker" refugee migrant migrat* emigrant emigrant emigrant nomad foreigner displaced stateless state-less noncitizen non-citizen outsider newcomer "newly arrived" "recent entrant" non-national (title)	Arts-based Arts-informed "Arts practice" ABR	Music "Music listening" "Music practice" Singing Songs "Choral music" Choirs "Solo music" "Instrumental music" "Ensemble music" Songwriting "Musical performance"	Health Wellbeing "Physical health" "Mental health" "Mental wellbeing" "Social wellbeing" "Quality of life"

Table 3. Search terms.

Charting elements Associated questions Publication details Author(s) Who wrote the study/document? Year of publication What year was the study/document published? Origin/country of origin Where was the study/document conducted and/or published? **Publication type** What type of publication is this? (empirical study, book/book chapter or grey literature) **General study details** What were the aims of the work reported in the study/document? Aims/purpose Methodological design What methodological design was used for this study? Study population and sample size (if Who is the target population of the study (i.e. what migrant group(s) and how many (n) were applicable) included in the study? Methods What specific methods (e.g. qualitative, quantitative, combined methods) were used in this study? Key findings that relate specifically to the concept of ABR using music in migrant health research Is there a definition of ABR from the How does the study define ABR? literature What form(s) of music are What are the forms of music that are used in the study? employed? Is music employed with other art forms? Who delivered the music component? Is music used at one/several stages of the study? What stage of the research process is music employed? Are different forms of music used at different stages? • Design Governance Data generation Data analysis Data (re)presentation Dissemination • Other Was there a detailed description of Were socio-demographic details provided? the migrant population? Was the sample comprised of migrants and host country participants or solely of migrants? Is a definition of the migrant population provided? What was the research setting? Was it a clinical setting? Was it a community-based setting? Was it an educational setting? Was a music specialist part of the research team/involved in delivering the music aspect of the Who were the study team? study. If so, what kind of specialist? Therapist? Community musician? Professional musician? Artist/researcher? Were there partners from academic/health/NGO sectors? Had they worked together in research/participation projects prior the study? Will they continue to work together after the study? Was there consideration of ethical Is there clear evidence of ethical approval? issues? Were there any specific ethical considerations around the partnership component? Were there any specific ethical considerations about the music component? What was the health focus of the Was the focus on physical/mental health? study? Was the focus on prevention, treatment, recovery, promotion? Was there an evaluation of the use What methods were used to evaluate the use of music? of music? Was it a process or retrospective evaluation? Was the evaluation positive/negative/mixed? Limitations/quality Issues Were there any reported limitations or quality issues? (not a critical appraisal)

Table 4. Preliminary table of charting elements and associated questions for data.

Edited from JBI Reviewer's Manual, 11.2.7 Data extraction (Nittas *et al.*, 2018; Peters *et al.*, 2017). ABR: arts-based research.

(Participatory and Arts-Based Methods Involving Migrants in Health Research) research cluster which is part of the Health Research Institute, Public and Patient Involvement capacity building theme at the University of Limerick. The research cluster brings together arts-based and participatory scholars from medicine, nursing & midwifery, and the performing arts, as well as a leading NGO for migrants. These stakeholders have expertise to inform our scoping review. They have been involved from the beginning in its planning, have commented on this protocol and will be invited to discuss preliminary findings, validate findings and inform ideas about future research.

Ethics and dissemination

Ethics

Ethical approval is not required for this scoping review.

Dissemination

This study integrates collaborative knowledge-sharing through the involvement of key stakeholders in a process of discussion and consultation. In addition, findings will be disseminated through academic conferences and peer review publications focused on participatory arts-based health research in the context of national and international migrant health research and policy.

Study status

Database searches have been completed. Titles and abstracts have been screened and full texts are being assessed against the eligibility criteria.

Data availability

No data are associated with this article.

Acknowledgements

We acknowledge our PART-IM (Participatory and Arts Based Methods for Involving Migrants in Health Research) research cluster colleagues for their comments on this protocol document. We also wish to acknowledge the contribution of the Arts, Humanities & Social Sciences librarian at the University of Limerick for the set-up of the scoping review search strategy.

References

Ahlquist K: Chorus and Community. Urbana: University of Illinois Press. 2006. Reference Source

Alves-Pinto A, Ehrlich S, Cheng G, et al.: Effects of short-term piano training on measures of finger tapping, somatosensory perception and motorrelated brain activity in patients with cerebral palsy. *Neuropsychiatr Dis Treat.* 2017; **13**: 2705–18.

PubMed Abstract | Publisher Full Text | Free Full Text

Arksey H, O'Malley L: Scoping studies: towards a methodological framework. Int J Soc Res Methodol. 2005; 8(1): 19–32. Publisher Full Text

Ascenso S, Perkins R, Atkins L, et al.: **Promoting well-being through group** drumming with mental health service users and their carers. Int J Qual Stud Health Well-being. 2018; **13**(1): 1484219.

PubMed Abstract | Publisher Full Text | Free Full Text

Austin D, Forinash M: **Arts-based inquiry.** In B. Wheeler (Ed.), Music therapy research (2nd ed., pp. 458–471). Gilsum, NH: Barcelona Publishers. 2005.

Baker FA, Tamplin J, Rickard N, et al.: Meaning making process and recovery journeys explored through songwriting in early neurorehabilitation: exploring the perspectives of participants of their self-composed songs through the interpretative phenomenological analysis. Front Psychol. 2018; 9: 1422.

PubMed Abstract | Publisher Full Text | Free Full Text

Baker FA, Tamplin J, Rickard N, et al.: A therapeutic songwriting intervention to promote reconstruction of self-concept and enhance well-being following brain or spinal cord injury: pilot randomized controlled trial. *Clin Rehabil.* 2019; **33**(6): 1045–55.

PubMed Abstract | Publisher Full Text

Balsnes AH: Hospitality in multicultural choral singing. International Journal of Community Music. 2016; 9(2): 171–189. Publisher Full Text

Barnish J, Atkinson RA, Barran SM, et al.: Potential benefit of singing for

people with Parkinson's disease: a systematic review. J Parkinsons Dis. 2016; 6(3): 473–84.

PubMed Abstract | Publisher Full Text

Barone T, Eisner EW: **Arts based research**. London: SAGE. 2012. **Reference Source**

Bartleet BL, Dunbar Hall P, Letts R, *et al.*: **Sound Links: Community Music in Australia**. Queensland: Griffith University. 2010; [accessed 6 May 2020] **Reference Source**

Bartleet BL, Higgins L: **The Oxford Handbook of Community Music**. Oxford: Oxford University Press. 2018. **Publisher Full Text** Bithell C: A Different Voice, A Different Song: Reclaiming Community through the Natural Voice and World Song. Oxford: Oxford University Press. 2014. Publisher Full Text

Blacking J: How Musical is Man? Seattle and London: University of Washington Press. 1973.

Reference Source

Bonshor M: **The Confident Choir: A Handbook for Leaders of Group Singing**. Lanham, Boulder, New York & London: Rowman & Littlefield. 2018. **Reference Source**

Boydell KM, Hodgins M, Gladstone BM, et al.: Arts-based health research and academic legitimacy: Transcending hegemonic conventions. Qualitative Research. 2016; 16: 681e700. Publisher Full Text

Bringas ML, Zaldivar M, Rojas PA, *et al.*: Effectiveness of music therapy as an aid to neurorestoration of children with severe neurological disorders. *Front Neurosci.* 2015; 9: 427.

PubMed Abstract | Publisher Full Text | Free Full Text

Bronson H, Vaudreuil R, Bradt J: Music therapy treatment of active duty military: an overview of intensive outpatient and longitudinal care programs. Music Ther Perspect. 2018; 36(2): 195–206. Publisher Full Text

Brown MI, Westerveld MF, Trembath D, et al.: Promoting language and social communication development in babies through an early storybook reading intervention. Int J Speech Lang Pathol. 2018; 20(3): 337–49. PubMed Abstract | Publisher Full Text

Cain M, Istvandity L, Lakhani A: **Participatory music-making and well-being** within immigrant cultural practice: exploratory case studies in South East Queensland, Australia. *Leisure Studies*. 2020; **39**(1): 68–82. Publisher Full Text

Cao S, Sun JJ, Wang Y, *et al.*: **Music therapy improves pregnancy-induced hypertension treatment efficacy.** *Int J Clin Exp Med.* 2016; **9**(5): 8833–8. **Reference Source**

Carr C, d'Ardenne P, Sloboda A, *et al.*: **Group music therapy for patients with persistent post-traumatic stress disorder--an exploratory randomized controlled trial with mixed methods evaluation.** *Psychol Psychother.* 2012; **85**(2): 179-202.

PubMed Abstract | Publisher Full Text

Cevasco AM: **The effects of mothers' singing on full-term and preterm infants and maternal emotional responses**. *J Music Ther.* 2008; **45**(3): 273–306.

PubMed Abstract | Publisher Full Text

Chabot J, Beauchet O, Fung S, et al.: Decreased risk of falls in patients

attending music sessions on an acute geriatric ward: results from a retrospective cohort study. BMC Complement Altern Med. 2019; 19(1): 76. PubMed Abstract | Publisher Full Text | Free Full Text

Chang YS, Chu H, Yang CY, *et al*.: The efficacy of music therapy for people with dementia: a meta-analysis of randomised controlled trials. *J Clin Nurs*. 2015a; 24(23-24): 3425-40.

PubMed Abstract | Publisher Full Text

Chang HC, Yu CH, Chen SY, et al.: The effects of music listening on psychosocial stress and maternal-fetal attachment during pregnancy. Complement Ther Med. 2015b; 23(4): 509-15. PubMed Abstract | Publisher Full Text

Chew-Graham C: Further Calls for PPI Expertise in HEX. Health Expect. 2015; 18(3): 301-302.

PubMed Abstract | Publisher Full Text | Free Full Text

Chilton G: Altered inquiry: Discovering arts-based research through an altered book. International Journal of Qualitative Methods. 2013; 12: 457e477. **Publisher Full Text**

Chuang CH, Chen PC, Lee CS, et al.: Music intervention for pain and anxiety management of the primiparous women during labour: a systematic review and meta-analysis. *J Adv Nurs*. 2018; **75**(4): 723–33. PubMed Abstract | Publisher Full Text

Clarke E, DeNora T, Vuoskoski J: Music, empathy and cultural understanding.

Phys Life Rev. 2015; 15: 61-88.

PubMed Abstract | Publisher Full Text

Coemans S, Hannes K: Researchers under the spell of the arts: Two decades of using arts-based methods in community-based inquiry with vulnerable populations. Educational Research Review. 2017; 22: 34–49. Publisher Full Text

Cogo-Moreira H, Brandão de Ávila CR, Ploubidis GB, et al.: Effectiveness of music education for the improvement of reading skills and academic achievement in young poor readers: a pragmatic cluster-randomized, controlled clinical trial. *PLoS One*. 2013; **8**(3): e59984. PubMed Abstract | Publisher Full Text | Free Full Text

Conceição LS, Neto MG, do Amaral MA, et al.: Effect of dance therapy on blood pressure and exercise capacity of individuals with hypertension: a systematic review and meta-analysis. *Int J Cardiol.* 2016; **220**: 553–7. PubMed Abstract | Publisher Full Text | Free Full Text

Constitution of the World Health Organization. New York: United Nations; 1948.

Reference Source

Cook A, Ogden J, Winstone N: The impact of a school-based musical contact intervention on prosocial attitudes, emotions and behaviours: a pilot trial with autistic and neurotypical children. *Autism.* 2018; **23**(4): 933–42. PubMed Abstract | Publisher Full Text

Cornwall A, Coelho VS: Spaces for change?: the politics of citizen participation in new democratic arenas. Zed Books, 2007; 4. **Reference Source**

Crenshaw K: Mapping the Margins: Intersectionality, Identity Politics, and Violence Against Women of Color, In: *Critical Race Theory*, eds. Crenshaw K, Gotanda N, Peller G, and K Thomas. New York, NY: New Press. 1995; 357–83. **Reference Source**

Daykin N, Parry B, Ball K, et al.: The role of participatory music making in supporting people with dementia in hospital environments. Dementia (London). 2017; **17**(6): 686–701.

PubMed Abstract | Publisher Full Text

De Brún T, O'Reilly-De Brun M, Van Weel-Baumgarten E, et al.: 'Using Participatory Learning & Action (PLA) research techniques for interstakeholder dialogue in primary healthcare: an analysis of stakeholders' experiences', Res Involv Engagem. 2017; 3: 28. PubMed Abstract | Publisher Full Text | Free Full Text

De Freitas C, Martin G: Inclusive public participation in health: policy, practice and theoretical contributions to promote the involvement of marginalised groups in healthcare. Soc Sci Med. 2015; 135: 31-9. PubMed Abstract | Publisher Full Text

De Freitas C, Garcia-Ramirez M, Aambo A, et al.: Transforming health policies through migrant user involvement: Lessons learnt from three European countries. Psychosocial Intervention. 2014; 23(2): 105-113. **Publisher Full Text**

Di Benedetto P, Cavazzon M, Mondolo F, et al.: Voice and choral singing treatment: a new approach for speech and voice disorders in Parkinson's disease. Eur J Phys Rehabil Med. 2009; 45(1): 13-19. PubMed Abstract

Dionigi A, Gremigni P: A combined intervention of art therapy and clown visits to reduce preoperative anxiety in children. J Clin Nurs. 2017; 26(5-6): 632-40.

PubMed Abstract | Publisher Full Text

do Amaral MA, Neto MG, de Queiroz JG, *et al.*: Effect of music therapy on blood pressure of individuals with hypertension: a systematic review and meta-analysis. *Int J Cardiol.* 2016; **214**: 461–4. PubMed Abstract | Publisher Full Text

Dowlen R, Keady J, Milligan C, et al.: The personal benefits of musicking for people living with dementia: a thematic synthesis of the qualitative literature. Arts Health. 2018; 10(3): 197-212. Publisher Full Text

Eisner E: 'Art and Knowledge'. In: Knowles, J. G. & Cole, A. L. Handbook of the arts in qualitative research perspectives, methodologies, examples, and issues. Los Angeles: SAGE, 2008; 3–12. **Publisher Full Text**

Evans C, Canavan M, Foy C, *et al.*: **Can group singing provide effective speech therapy for people with Parkinson's disease?** *Arts Health.* 2012; **4**(1): 83–95. **Publisher Full Text**

Fancourt D, Finn S: **What is the evidence on the role of the arts in improving health and well-being? A scoping review.** Copenhagen: WHO Regional Office for Europe; 2019 (Health Evidence Network (HEN) synthesis report 67). 2019. **Reference Source**

Fancourt D, Perkins R: Associations between singing to babies and symptoms of postnatal depression, wellbeing, self-esteem and mother-infant bond. Public Health. 2017; 145: 149–52. PubMed Abstract | Publisher Full Text

Fancourt D, Perkins R: Effect of singing interventions on symptoms of postnatal depression: three-arm randomised controlled trial. Br / Psychiatry. 2018a; 212(2): 119-21.

PubMed Abstract | Publisher Full Text

Fancourt D, Perkins R: The effects of mother-infant singing on emotional closeness, affect, anxiety, and stress hormones. *Music & Science*. 2018b; 1: 2059204317745746 **Publisher Full Text**

Flaugnacco E, Lopez L, Terribili C, et al.: Music training increases phonological awareness and reading skills in developmental dyslexia: a randomized control trial. *PLoS One*. 2015; **10**(9): e0138715. PubMed Abstract | Publisher Full Text | Free Full Text

Fogg-Rogers L, Buetow S, Talmage A, et al.: Choral singing therapy following stroke or Parkinson's disease: an exploration of participants' experiences. Disabil Rehabil. 2016; 38(10): 952–62.

PubMed Abstract | Publisher Full Text

Forsblom A, Särkämö T, Laitinen S, *et al.*: **The effect of music and audiobook listening on people recovering from stroke: the patient's point of view.** *Mus Med.* 2010; **2**: 229–34.

Publisher Full Text

Fraser K, al Sayah F: Arts-based methods in health research: A systematic review of the literature. Arts & Health. 2011; 3(2): 110-145. **Publisher Full Text**

Gibson A, Britten N, Lynch J: Theoretical directions for an emancipatory concept of patient and public involvement. Health (London). 2012; 16(5): 531-47

PubMed Abstract | Publisher Full Text

Gokyildiz Surucu S, Ozturk M, Avcibay Vurgec B, *et al.*: **The effect of music on pain and anxiety of women during labour on first time pregnancy: a study from Turkey.** *Complement Ther Clin Pract.* 2018; **30**: 96–102. PubMed Abstract | Publisher Full Text

Gooding LF, Abner EL, Jicha GA, et al.: Musical training and late-life cognition. Am J Alzheimers Dis Other Demen. 2014; 29(4): 333-43. PubMed Abstract | Publisher Full Text | Free Full Text

Gopalkrishnan N: Multicultural arts and integrative medicine: empowering refugees in the healing process. Electronic J Study Trop. 2016; 12(2): 119-33. **Publisher Full Text**

Han EY, Yun JY, Chong HJ, et al.: Individual therapeutic singing program for vocal quality and depression in Parkinson's disease. J Mov Disord. 2018; 11(3): 121-8

PubMed Abstract | Publisher Full Text | Free Full Text

Harrison EC, McNeely ME, Earhart GM: The feasibility of singing to improve gait in Parkinson disease. *Gait Posture.* 2017; **53**: 224–9. PubMed Abstract | Publisher Full Text | Free Full Text

Henderson S, Cain M, Istvandity L: The role of music participation in positive health and wellbeing outcomes for migrant populations: A systematic review. Psychology of Music. 2017; **45**(4): 459–478. Publisher Full Text

Higgins L, Shehan Campbell P: **Free to Be Musical: Group Improvisation in Music.** Lanham, MD: Rowman & Littlefield. 2010.

Reference Source

Horizon 2020-European Commission . **Reference Source**

HRB Strategy 2016-2020. **Reference S**

International Organisation for Migration: Who is a Migrant? **Reference Source**

Hsu CC, Chen WM, Chen SR, et al.: Effectiveness of music listening in patients with total knee replacement during CPM rehabilitation. Biol Res Nurs. 2016; **18**(1): 68-75.

PubMed Abstract | Publisher Full Text

Jayakar JP, Alter DA: Music for anxiety reduction in patients undergoing cardiac catheterization: a systematic review and meta-analysis of randomized controlled trials. Complement Ther Clin Pract. 2017; 28: 122-30. PubMed Abstract | Publisher Full Text

Jones M, Kimberlee R, Deave T, et al.: The role of community centre-based arts, leisure and social activities in promoting adult well-being and healthy lifestyles. Int J Environ Res Public Health. 2013; 10(5): 1948–62. PubMed Abstract | Publisher Full Text | Free Full Text

Kühlmann AY, Etnel JR, Roos-Hesselink JW, et al.: Systematic review and metaanalysis of music interventions in hypertension treatment: a quest for answers. BMC Cardiovasc Disord. 2016; 16(1): 69.

PubMed Abstract | Publisher Full Text | Free Full Text

LaGasse AB: Social outcomes in children with autism spectrum disorder: a review of music therapy outcomes. Patient Relat Outcome Meas. 2017; 8: 23-32

PubMed Abstract | Publisher Full Text | Free Full Text

Landis-Shack N, Heinz AJ, Bonn-Miller MO: Music therapy for posttraumatic stress in adults: a theoretical review. Psychomusicology. 2017; 27(4): 334-42. PubMed Abstract | Publisher Full Text

Leavy P: Method Meets Art: Arts-based Research Practice. New York and London: The Guildford Press 2009

Reference Source

Ledger A, McCaffrey T: **Performative**, **arts-based**, **or arts-informed? Reflections on the development of arts-based research in music therapy**. *J* Music Ther. 2015; 52(4): 441-56.

PubMed Abstract | Publisher Full Text

Levac D, Colquhoun H, O'Brien KK: Scoping studies: advancing the methodology. Implement Sci. 2010; 5(1): 69

PubMed Abstract | Publisher Full Text | Free Full Text

Lightbody R: Hard-to-reach or easy-to-ignore? A review of evidence about equality in community engagement launch. 2017.

Reference Source

Lim HA, Miller K, Fabian C: The effects of therapeutic instrumental music performance on endurance level, self-perceived fatigue level, and selfperceived exertion of inpatients in physical rehabilitation. J Music Ther. 2011; 48(2): 124–48. PubMed Abstract | Publisher Full Text

McCaffrey T, Cheung PS, Barry M, et al.: The role and outcomes of music listening for women in childbirth: An integrative review. Midwifery. 2020; 83: 102627

PubMed Abstract | Publisher Full Text

MacFarlane A: The Helen Lester Memorial Lecture 2018: the leper squint: spaces for participation in primary health care. Br J Gen Pract. 2019; 69(682): 255-256

PubMed Abstract | Publisher Full Text | Free Full Text

Magowan F: Resonance, Resilience and Empathy in Music Production with Asylum Seekers in Australia. Music and Arts in Action. 2019; 7(1): 98-112. **Reference Source**

Marrades-Caballero E, Santonja-Medina CS, Sanz-Mengibar JM, et al.: Neurologic music therapy in upper-limb rehabilitation in children with severe bilateral cerebral palsy: a randomized controlled trial. Eur J Phys Rehabil Med. 2018; 54(6): 866–72.

PubMed Abstract | Publisher Full Text

Massey D: For Space. London: Sage, 2005. **Reference Source**

Moss H. O'Neill D: Narratives of health and illness: Arts-based research

capturing the lived experience of dementia. Dementia. 2019; 18(6): 2008-2017. PubMed Abstract | Publisher Full Text

Nelson R: Practice as Research in the Arts: Principles, Protocols, Pedagogies, Resistances. Hants: Palgrave Macmillan. 2013. **Publisher Full Text**

Nilsson U: Soothing music can increase oxytocin levels during bed rest after open-heart surgery: a randomised control trial. J Clin Nurs. 2009; **18**(15): 2153-61.

PubMed Abstract | Publisher Full Text

Nittas V, Mütsch M, Ehrler F, et al.: Electronic patient-generated health data to facilitate prevention and health promotion: a scoping review protocol. BMJ open. 2018; 8(8): e021245.

PubMed Abstract | Publisher Full Text | Free Full Text

O'Reilly-De Brún M, De Brún T, O'Donnell CA, et al.: Material practices for meaningful engagement: An analysis of participatory learning and action research techniques for data generation and analysis in a health research partnership. Health Expectations. 2018; 21: 159-170.

PubMed Abstract | Publisher Full Text | Free Full Text

Pearce E, Launay J, Dunbar RIM: The ice-breaker effect: singing mediates fast social bonding. *R Soc open sci.* 2015; **2**: 150221. PubMed Abstract | Publisher Full Text | Free Full Text

Perkins R, Yorke S, Fancourt D: How group singing facilitates recovery from

the symptoms of postnatal depression: a comparative qualitative study. BMC Psychol. 2018; 6(1): 41. PubMed Abstract | Publisher Full Text | Free Full Text

Persico G, Antolini L, Vergani P, et al.: Maternal singing of lullabies during pregnancy and after birth: effects on mother-infant bonding and on newborns' behaviour. Concurrent Cohort Study. Women Birth. 2017; **30**(4): e214-20

PubMed Abstract | Publisher Full Text

Peters MDJ, Godfrey C, McInerney P, et al.: Chapter 11: Scoping Reviews. In:

Aromataris E, Munn Z (Editors). Joanna Briggs Institute Reviewer's Manual. The Joanna Briggs Institute, 2017. [Accessed 15 May 2020]. **Reference Source**

Phelan H: Singing the Rite to Belong: Music, Ritual and the New Irish. Oxford: Oxford University Press. 2017a. **Publisher Full Text**

Phelan H: The Untidy Playground: An Irish Congolese Case Study in Sonic Encounters with the Sacred Stranger. *Religions*. 2017b; 8: 249. **Publisher Full Text**

Phelan H, Hennelly J, Chappell D, *et al.*: **The Irish World Music Café**: **Performing and Recording as Tools for Sustainable Social Integration.** *Voices: A World Forum for Music Therapy*. 2017; **17**(3).

Publisher Full Text

Popay J, Williams G: Lay knowledge and the privilege of experience. In: Kelleher DGJ, Williams G, editor. Challenging medicine. London: Routledge; 2006; 122-45

Reference Source

Power KU: Knowledge and social control in participatory development. In: B Cooke (ed.). Participation: the New Tyranny? London: ZED Books; 2001; 139-52. Reference Source

Raglio A, Zaliani A, Baiardi P, et al.: Active music therapy approach for stroke patients in the post-acute rehabilitation. *Neurol Sci.* 2017; **38**(5): 893–7. PubMed Abstract | Publisher Full Text

Ramsden VR, McKay S, Crowe J: The pursuit of excellence: engaging the community in participatory health research. *Global Health Promotion*. 2010; **17**(4): 32–42.

PubMed Abstract | Publisher Full Text

Reilly N, Turner G, Taouk J, et al.: "Singing with your baby": an evaluation of group singing sessions for women admitted to a specialist mother-baby unit. Arch Womens Ment Health. 2019; 22(1): 123-7.

PubMed Abstract | Publisher Full Text

Roberts M, Lobo R, Sorenson A: Evaluating the Sharing Stories youth theatre program: an interactive theatre and drama-based strategy for sexual health promotion among multicultural youth. Health Promot J Aust. 2017; 28(1): 30-6.

PubMed Abstract | Publisher Full Text

Roddy C, Rickard N, Tamplin J, et al.: Exploring self-concept, wellbeing and distress in therapeutic songwriting participants following acquired brain injury: a case series analysis. *Neuropsychol Rehabil.* 2018; 1–21. (Epub ahead of print).

PubMed Abstract | Publisher Full Text

Rubina M, Paolinia S, Crisp RJ: A processing fluency explanation of bias against migrants. J Exp Soc Psychol. 2010; 46: 21–28. Publisher Full Text

Särkämö T, Tervaniemi M, Laitinen S, et al.: Cognitive, emotional, and social benefits of regular musical activities in early dementia: randomized controlled study. *Gerontologist.* 2014; **54**(4): 634–50. PubMed Abstract | Publisher Full Text

Sarrami-Foroushani P, Travaglia J, Debono D, et al.: Key concepts in consumer and community engagement: a scoping meta-review. BMC HSR. 2014; 14(1): 250

PubMed Abstract | Publisher Full Text | Free Full Text

Stegemöller EL, Hibbing P, Radig H, et al.: Therapeutic singing as an early intervention for swallowing in persons with Parkinson's disease. Complement Ther Med. 2017; **31**: 127–33. PubMed Abstract | Publisher Full Text

Smith H, Dean RT: Practice-led Research, Research-led Practice in the Creative Arts. Edinburgh: Edinburgh University Press. 2009. **Reference Source**

Strong JV, Mast BT: The cognitive functioning of older adult instrumental musicians and non-musicians. Neuropsychol Dev Cogn B Aging Neuropsychol Cogn. 2019; 26(3): 367-86.

PubMed Abstract | Publisher Full Text

Tamplin J, Baker FA, Jones B, et al.: 'Stroke a Chord': the effect of singing in a community choir on mood and social engagement for people living with aphasia following a stroke. NeuroRehabilitation. 2013; 32(4): 929-41 PubMed Abstract | Publisher Full Text

Tanner M, Rammage L, Liu L: Does singing and vocal strengthening improve vocal ability in people with Parkinson's disease? Arts Health. 2016; 8(3): 199-212.

Publisher Full Text

Tarr B, Launay J, Dunbar RIM: Music and social bonding: "self-other" merging and neurohormonal mechanisms. Front Psychol. 2014; 5: 1096. PubMed Abstract | Publisher Full Text | Free Full Text

Trombetti A, Hars M, Herrmann FR, *et al.*: Effect of music-based multitask training on gait, balance, and fall risk in elderly people: a randomized controlled trial. *Arch Intern Med.* 2011; **171**(6): 525–33. PubMed Abstract | Publisher Full Text

Ueda T, Suzukamo Y, Sato M, et al.: Effects of music therapy on behavioral and psychological symptoms of dementia: a systematic review and metaanalysis. Ageing Res Rev. 2013; **12**(2): 628–41. PubMed Abstract | Publisher Full Text

van den Muijsenbergh M, Teunissen E, van Weel-Baumgarten E, et al.: Giving

voice to the voiceless: how to involve vulnerable migrants in healthcare research. BJGP. 2016; 66(647): 284–5. PubMed Abstract | Publisher Full Text | Free Full Text

Vaughn LM, Jacquez F, Lindquist-Grantz R, *et al.*: **Immigrants as Research Partners: A Review of Immigrants in Community-Based Participatory Research (CBPR).** *J Immigrant Minority Health.* 2017; **19**: 1457–1468. **Publisher Full Text**

Wallerstein N, Duran B, Oetzel J, et al.: Community-Based Participatory Research for Health: Advancing Social and Health Equity. San Franscisco, CA: Jossey-Bass. 2018.

Wan CY, Rüber T, Hohmann A: The therapeutic effects of singing in neurological disorders. Music Percept. 2010; 27(4): 287-95.

PubMed Abstract | Publisher Full Text | Free Full Text

Welch GF, Himonides E, Saunders J, et al.: Singing and social inclusion. Front Psychol. 2014; 5: 803.

PubMed Abstract | Publisher Full Text | Free Full Text

WHO Europe: Community participation in local health and sustainable development: approaches and techniques. WHO: Geneva. 2002; [accessed 12 May 2020]. **Reference Source**

WHO Declaration of Astana: from Alma-Ata towards universal health Global Conference on Primary Health Care. Astana, Kazakhstan. 2018; [accessed

12 May 2020]. **Reference Source**

WHO Europe: Report on the health of refugees and migrants in the WHO European Region. 2018; [accessed 12 May 2020]. **Reference Source**

Woodman AC, Breviglia E, Mori Y, *et al*.: The effect of music on exercise intensity among children with autism spectrum disorder: a pilot study. J Clin Med. 2018; 7(3): 38.

PubMed Abstract | Publisher Full Text | Free Full Text

Wright MT: What is Participatory Health Research? A Position Paper of the International Collaboration for Participatory Health Research. Michael T. Wright, European Journal of Public Health. 2015; 25(suppl_3): ckv167.066. Publisher Full Text

Open Peer Review

Current Peer Review Status:

Version 1

Reviewer Report 21 April 2021

https://doi.org/10.21956/hrbopenres.14230.r29264

© **2021 Henderson S.** This is an open access peer review report distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Saras Henderson 匝

School of Nursing and Midwifery, Griffith University, Southport, Australia

This paper provides a scoping review to ascertain the extent to which music is used as an artsbased research method for heath research in migrant communities. The authors present a robust case for this review highlighting the dearth of available data in this area. The authors show how music has been reported as being an intervention outcome rather than being the research method. The protocol and eligibility criteria for publication are described. How articles were assessed for quality would be useful.

Is the rationale for, and objectives of, the study clearly described?

Yes

Is the study design appropriate for the research question?

Yes

Are sufficient details of the methods provided to allow replication by others? $\ensuremath{\mathsf{Yes}}$

Are the datasets clearly presented in a useable and accessible format?

Not applicable

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Health research in culturally and linguistically diverse communities including refugees. Health service research in preventing life style and chronic diseases in the community.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Reviewer Report 05 November 2020

https://doi.org/10.21956/hrbopenres.14230.r28099

© **2020 Veblen K.** This is an open access peer review report distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Kari Veblen

Don Wright Faculty of Music, University of Western Ontario, London, ON, Canada

Thank you for the opportunity to review this paper.

This article describes the rationale and qualitative method employed in a cross-disciplinary investigation. The study examines music being used as an arts-based research method for health/wellness research in migrant communities. The authors make a convincing case for their inquiry, noting that music is amply documented as a powerful tool for social engagement, connection, and wellness. The use of music as an arts-based method in health research is less clear, although other forms such as theatre and visual arts are established in this use.

Using a scoping review based on Levac *et al* (2010), the authors survey current publications against a template of eligibility criteria. While the study collection is completed, the results are still in process of collation, summarization, dissemination.

Is the rationale for, and objectives of, the study clearly described?

Yes

Is the study design appropriate for the research question?

Yes

Are sufficient details of the methods provided to allow replication by others? Yes

Are the datasets clearly presented in a useable and accessible format? Not applicable

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Music education, ethnomusicology, community music, social media and music learning, sociology of music

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.