



Contents lists available at ScienceDirect

Journal of Microscopy and Ultrastructure

journal homepage: www.elsevier.com/locate/jmau



Original Article

Ultrastructural characterizations of DNA nanotubes using scanning tunneling and atomic force microscopes



Adele Rafati ^{a,b,c}, Pooria Gill ^{b,d,*}

^a Department of Medical Biotechnology, Faculty of Advanced Medical Technologies, Golestan University of Medical Sciences, Gorgan, Iran

^b Department of Nanobiomedicine, Faculty of Medicine, Mazandaran University of Medical Sciences, Mazandaran, Iran

^c Department of Nanobiotechnology, Faculty of New Sciences and Technologies, University of Isfahan, Isfahan, Iran

^d Nanomedicine Group, Immunogenetics Research Center, Mazandaran University of Medical Sciences, Sari, Iran

ARTICLE INFO

Article history:

Received 11 April 2015

Received in revised form 13 August 2015

Accepted 20 August 2015

Available online 28 September 2015

Keywords:

atomic force microscope

DNA nanotube

scanning tunneling microscope

transmission electron microscope

ABSTRACT

The potential applications of scanning tunneling microscopy and atomic force microscopy for the characterizations of DNA nanotubes in nanoscale have been described here. The nanotubes were designed using the Cadnano software according to M₁₃mp₁₈ DNA as a scaffold. DNA nanotubes were fabricated using the origami technique assisted with ligase treatment subsequently. Transmission electron microscopy confirmed the morphology of DNA nanotubes. For the topographic characterization of DNA nanotubes, an atomic force microscope was used in comparison to a scanning tunneling microscope. The scanning tunneling microscopy results revealed a high-resolution topography of DNA nanotubes in the constant-current mode; however, more details of the self-assembly in DNA strands in nanotubes were explored by atomic force microscopy with contact mode (or constant height). Our findings suggested that those two microscopes could be candidates for ultrastructural characterizations of DNA nanotubes for obtaining two- and three-dimensional micrographs

© 2015 Saudi Society of Microscopes. Published by Elsevier Ltd. All rights reserved.

1. Introduction

The potential applications of DNA nanotubes in nanotechnology and medicine, particularly as intracellular delivery vehicles, need simplified procedures for fabrication and characterization of DNA nanotubes [1]. These architectures have recently been candidates as peptide-delivery vehicles for enhancing the differentiation of neural stem cells into neurons [2]. DNA nanotubes are filamentous structures formed from double-stranded DNA helix [3]. The

high aspect ratio, the long and narrow central channel, and the sidewalls from the DNA material are characteristics of DNA nanotubes [4]. Since the fabrication of DNA nanotubes is an interesting subject in DNA nanobiotechnology, different methods for the fabrication of DNA nanotubes have been developed [5–15]. Recently, we described a simplified method for the fabrication of DNA nanotubes with minimum numbers of staples using an origami technique assisted with a ligation treatment of sticky-ended DNA nanostructures (Fig. 1) [16].

There are limited methods for the microscopic characterization of DNA nanotubes. The most well-known microscope is the transmission electron microscope (TEM) [7,8]; however, the TEM could not demonstrate more details of these DNA nanostructures, especially in topographic mode. Hence, scanning probe microscopes,

* Corresponding author at: Nanomedicine Group, Immunogenetics Research Center, Mazandaran University of Medical Sciences, Sari 4847191971, Iran.

E-mail addresses: pooriagill@yahoo.com, p.gill@mazums.ac.ir (P. Gill).




Fig. 1. Schematic of fabrication DNA nanotubes via integration of sticky-ended DNA nanostructures by ligation treatment. (A) Sticky-ended DNA nanostructure; (B) Ligase-treated sticky-ended DNA nanostructures; (C) Fabricated DNA nanotube.

particularly the atomic force microscope (AFM), have commonly been employed for this purpose [17]. For the characterization of DNA nanotubes, the AFM needs specialized cantilever probes that are expensive and need carefulness in practice [18].

However, the scanning tunneling microscope (STM) is another scanning probe microscope that gives more details of DNA nanostructures in topographic mode [19,20]. In addition, the STM could partially explore the electrical characteristics of the nanostructures via the tunneling effect of electrons between the sample and surface molecules [21]. Moreover, the cost of tips for the STM is less than those probes in the AFM. Here, we compared the performance of the AFM and STM for the ultrastructural characterizations of DNA nanotubes. In addition, the critical factors that strongly affect the quality of the DNA-nanotube structural information are introduced.

2. Materials and methods

2.1. Chemicals and instruments

The thermal condition for self-assembly in origami reaction was set using C1000 thermal cycler (Bio-Rad, California, USA). Transmission electron microscopy was done using Philips EM028 TEM, Aachen, Germany. The micrographs were obtained by JPK-AFM (JPK Instruments AG, Berlin, Germany). Mica was prepared from Nanotechnology Systems Corporation, Tehran, Iran. M₁₃mp₁₈

phage genome and T4 DNA ligase were purchased from New England Biolabs (Massachusetts, USA). Desired single-stranded oligonucleotides were synthesized and desalting by Sigma-Aldrich Chemie GmbH (Munich, Germany). Quantum Prep Freeze 'N Squeeze DNA gel-extraction spin columns were from Bio-Rad. SYBR Gold nucleic-acid gel stain was purchased from Molecular Probes Inc. (Eugene, Oregon, USA). GeneRuler DNA Ladder Mix was from Thermo Fisher Scientific, Inc. (Waltham, MA, USA).

2.2. Fabrication of DNA nanotubes

Using the Cadnano software with honeycomb style, staple sequences for the folding and fabrication of DNA nanotubes were selected (Table 1). The M₁₃mp₁₈ phage genome was used as the scaffolded DNA, and the staples were designed based on their complementarities with the special sites of the scaffold sequence for shaping sticky-ended nanostructures [16].

The origami reaction was prepared by combining 20 nM DNA scaffold (M₁₃mp₁₈ single-stranded DNA) and 100 nM of each staple oligonucleotide that were diluted in 1× Tris base, acetic acid, and EDTA buffer (40 mM Tris-acetic acid buffer, pH 8.0, and 12.5 mM magnesium acetate), and then the mixtures were kept at 95 °C for 5 minutes, and then annealed from 95 °C to 20 °C with a constant rate of -1 °C/min in the thermocycler [16]. For the fabrication of DNA nanotubes, the origami products were treated by ligase. The ligation-reaction mix was prepared

Table 1

Staple results obtained from the Cadnano software for self-assembly of desired DNA nanotubes.

No.	Sequence (5' to 3')
1	CCACAGTCAGGTCTATTGTA
2	CACTATCCGGTTCATGGTCG
3	TTCAGTTCCCTAAAGCAGGC
4	GAGATAGGGTTGACGCCGGGGAGAGCGGT
5	ACGCCAGTGCCTGTTCTG
6	CATGCCCTCAAAGGGCGCTCA
7	GAGATCAAAGAACGTCGGGA
8	GGCAAATGGAACGCTCAT
9	ATCATGGCTCACAAATGAGTGAGCTAACTCAC
10	GGTACCGACGAGCCAGTGAA
11	GAAAATCTGCCCCCTACCAGT
12	ACGGTCCACGCTGGTIGAGAGACGCCAGG
13	TGTGAAATTGTTATCCTCATAGCAAGCTTG
14	ACAACATAGCTGGAGACTCTA
15	CAGCTGACTGTTGCGAAATC
16	CTGGCCCTTGCCCCCTAAATCAAAGAACAGCCC
17	AGCCTGGCTTCCAGTGGACT
18	GAGACGGCTGCCAAAGAGCTC
19	GTGTTTCGCCCAAGTGTG
20	TTGCGTATTGGGGTGCAGCA
21	ATTAATTGCGTCGAAAAACGCTCTATCAGC
22	CTGGCCGGGTGCCTATCCAC
23	AACCTGTGCCATAAGGAAGAA
24	CCAACGTCAGGTCTATTGTA

containing 2 μ L of 10 \times T4 DNA ligase reaction buffer, 10 μ L of self-assembled DNA nanotubes, 2 μ L of 50% polyethylene glycol, and 1 μ L of T4 DNA ligase enzyme. Finally, the ligation mix was incubated at 16 °C for 2 hours [16,22].

2.3. Transmission electron microscopy of DNA nanotubes

The TEM was used to determine the size and morphology of DNA nanotubes. For this purpose, the gel-extracted DNA nanotubes by Quantum Prep Freeze 'N Squeeze DNA gel-extraction spin columns were immobilized by syringe spraying on Agar Scientific (Stansted, Essex CM24 8GF, United Kingdom) holey carbon film with 300-mesh Cu₍₅₀₎.

2.4. Atomic force microscopy of DNA nanotubes

Five microliters of the gel-extracted DNA nanotubes was immobilized on a mica surface for 4 hours at room temperature (25 °C) to be dried. The samples were imaged using contact mode with JPK-AFM, with 150 Hz IGain, 0.0048 PGain, and 1.0 V set point via a JPK NanoWizard control. The cantilever was ACTA-10 probe model (material: silicon, N-type, 0.01–0.025 Ω /cm). Rough data were graphically processed with the JPK Nanoanalyzer software.

2.5. Characterization of DNA nanotubes by STM

The gel-extracted DNA nanotubes were diluted 10³-folds in Tris base, acetic acid, and EDTA-Mg²⁺ buffer (pH 8.0). Then, 5 μ L of diluted sample was immobilized on the highly ordered pyrolytic graphite (HOPG) by drying for 3 hours at room temperature [21,23]. The samples were imaged using topographic mode with STM, with 0.1 nA current set point and 0.2 V sample bias through a platinum-iridium tip. Rough data were first processed by using line adjust, plain adjust, and average filters of the




Fig. 2. Transmission-electron-microscope micrograph of DNA nanotubes. The nanotubes have micron lengths with nanoscale widths. The micrograph was obtained with Philips EM028 transmission electron microscope equipped with field-emission gun.

NAMA-STM Nanoanalyzer software (Nanotechnology System Corporation, Tehran, Iran). Then, the coloring process was tested on the obtained micrographs for different levels [21].

3. Results

3.1. TEM micrograph of DNA nanotubes

The TEM micrograph of DNA nanotubes is shown in Fig. 2. The nanotubes were in filamentous shapes. The nanotubes were in micron sizes in lengths, and their morphologies confirmed their fabrication efficiently.

3.2. AFM micrograph of DNA nanotubes

The AFM was used for the characterization of the produced DNA nanotubes. The atomic force micrograph of the fabricated DNA nanotubes demonstrated the tube-shaped nanostructures of the DNAs (Fig. 3). The presence of these filamentous nanostructures confirmed efficiently the self-assemblies and ligations of DNA nanotubes; however, the ultrastructures of DNA nanotubes have been magnified at the inset.

3.3. STM micrograph of DNA nanotubes

Fig. 4 shows the three-dimensional micrograph of DNA nanotubes by STM with zoom-in ultrastructures. The micrograph (inset) indicates the two-dimensional micrograph of the nanotubes. This micrograph demonstrated highly ordered nanotemplates clearly; moreover, the sticky ends of the primary nanotemplates could be joined successfully together among the elongated DNA nanotubes.

Table 2

Parameters affecting capabilities of atomic force microscope and scanning tunneling microscope in ultrastructural microscopy of DNA nanotubes.

Microscope	Scanning range	Scanning frequency	Scanning mode	Probe	Figuration of micrographs	Scanning phase	Substrate for sampling
AFM	Wide ($50 \times 50 \mu\text{m}$)	Slow	Contact, noncontact, tapping	Silicon cantilever	Two- & three-dimensional	Vacuum, air, liquid	Mica
STM	Limited ($8 \times 8 \mu\text{m}$)	Slow	Constant current, constant height	Pt–Ir tip	Two- & three-dimensional	Vacuum, air	HOPG

AFM = atomic force microscope; HOPG = highly ordered pyrolytic graphite; Pt–Ir = platinum–iridium; STM = scanning tunneling microscope.




Fig. 3. Atomic force micrograph of a DNA nanotube on mica surface. Two-dimensional micrograph of DNA nanotubes; inset, high-resolution micrograph of DNA nanotube ultrastructures. The image has been obtained and analyzed using nanoatomic force microscopy with 150 Hz IGain, 0.0048 PGain, and 1.0 V set point via a JPK NanoWizard control.

The color diagram demonstrates the nearly 46-nm height of nanotubes from the HOPG surface.

4. Discussion

One of the many exciting prospects of DNA nanotechnology lies in the design of DNA nanostructures, which, under the right conditions, are self-assembled into discrete nanotools with novel applications [3]. The nanotubes are promising nanomaterials not only at the nanoscale applications [1,2], but also their fabrication methodologies are important based on their components and designs [4,5]. DNA nanotubes have the advantage of being readily self-assembled in the liquid phase and easily functionalized on their outer surface through modification of the side chains [2]. This allows their physical and chemical characteristics to be tailored for specific medical or other technological applications [1,2]. A challenging aspect of this new nanomaterial, however, is their characterization, since they are sensitive to damage by traditional microscopy techniques [24–26]. Here, we aimed to introduce the capabilities of the AFM and STM for an in-depth analysis of DNA-nanotube ultrastructures with standard dimensions. The ultrastructural characteristics of DNA nanotubes give invaluable information about the correct shaping of these




Fig. 4. High resolution of a scanning tunneling microscope micrograph from DNA nanotubes on highly ordered pyrolytic graphite surface. Three-dimensional micrograph of DNA nanotubes with ultrastructures; inset, two-dimensional micrograph of DNA nanotubes with more details of their structures. The image has been obtained by NAMA-STM SS-3L1 (Nanotechnology Systems Corporation). Current set point and sample bias voltage were set at 0.1 nA and 0.2 V, respectively. Rough data were filtered by line, plain adjusts, and average filters of NAMA-STM SS-3L1 Nanoanalyzer software.

nanostructures, and give topographic data with more precise measurements than those data via the electron microscopes. Among the myriad of characterization methods for studying materials with smaller dimensions, we discuss here the capabilities of AFM and STM for the characterization of self-assembled DNA nanotubes (Table 2).

As demonstrated in Fig. 2, the TEM provided some information about the DNA nanotubes in cross-sectional and longitudinal dimensions; however, it did not provide direct information about their topologies. The technique that was therefore utilized to access this information was the AFM; however, it was important to consider several factors for characterizations by the AFM, such as sample preparation, appropriate tips, and the optimized compression power. For obtaining the optimized height profile, silicon cantilevers with low spring constants were used in soft tapping mode, because the DNA nanotubes were soft and easily compressed. A clear image from the surface can be realized using a low scan rate and amplitude set point during the measurement. Fig. 3 shows an example of an AFM image

of DNA nanotubes deposited on a mica substrate. It was therefore important to carefully identify the single-DNA nanotube in order to obtain accurate aspect profiles.

For a successful STM investigation of the DNA nanotubes, a well-defined sharp tip, evenly dispersed DNA nanotubes on the conductive surface of HOPG, and the optimized operating conditions of the STM were considered. The STM image shown in Fig. 4 was scanned using the constant-current mode with a low scan rate. Fig. 4 clearly indicates that the DNA nanotubes have a helical surface structure. Interestingly, compared to most of the STM investigations described in the literature that were done under an ultrahigh-vacuum condition with constant-current mode [27,28], the detailed helical molecular structure of the DNA nanotubes and measurements between the stacks were obtained using the constant-current mode with a slow scan rate under ambient conditions.

In conclusion, DNA nanotubes have been successfully characterized using the TEM, AFM, and STM. Whereas the TEM was useful for providing images and measurements of the DNA-nanotube diameters, the STM revealed the details of the molecular organization. By combining all of the information, we now have a clearer understanding of the DNA-nanotube ultrastructures, which are essential for designing and fabricating DNA nanotubes for new applications in biomedicine [1,2]. As with many systems though, the new characterization methodologies would certainly be explored in order to understand other features of DNA nanotubes, such as their electrical and mechanical characteristics.

Conflicts of interest

The authors declare no conflicts of interest.

Acknowledgments

This study was supported by the Vice Chancellor of Research and Technology, Golestan University of Medical Sciences grant number 352438. Also, the Iran Nanotechnology Initiative supported this project partially. The authors also thank Fatemeh Ghadami for her assistance in atomic-force-microscope imaging in Central Research Laboratory, Mazandaran University of Medical Sciences.

References

- [1] Sellner S, Kocabey S, Nekolla K, Krombach F, Liedl T, Rehberg M. DNA nanotubes as intracellular delivery vehicles *in vivo*. *Biomaterials* 2015;53:453–63.
- [2] Stephanopoulos N, Freeman R, North HA, Sur S, Jeong SJ, Tantakitti F, et al. Bioactive DNA-peptide nanotubes enhance the differentiation of neural stem cells into neurons. *Nano Lett* 2015;15:603–9.
- [3] Hillebrenner H, Buyukserin F, Stewart JD, Martin CR. Template synthesized nanotubes for biomedical delivery applications. *Nanomedicine* 2006;1:39–50.
- [4] O'Neill P, Rothmund PWK, Kumar A, Fygenson DK. Sturdier DNA nanotubes via ligation. *Nano Lett* 2006;6:1379–83.
- [5] Kuzuya A, Wang R, Sha R, Seeman NC. Six-helix and eight-helix DNA nanotubes assembled from half-tubes. *Nano Lett* 2007;7:1757–63.
- [6] Graur F, Pitu F, Neagoe I, Katona G, Diudea M. Applications of nanotechnology in medicine. *Acad J Manufac Eng* 2010;8:36–42.
- [7] Wilner OI, Orbach R, Henning A, Teller C, Yehezkel O, Mertig M, et al. Self-assembly of DNA nanotubes with controllable diameters. *Nat Commun* 2011;2(1):Article number 540.
- [8] Rothmund PWK, Ekani-Nkodo A, Papadakis N, Kumar A, Fygenson DK, Winfree E. Design and characterization of programmable DNA nanotubes. *J Am Chem Soc* 2004;126:16344–52.
- [9] Yan H, La Bean TH, Feng L, Reif JH. Directed nucleation assembly of DNA tile complexes for barcode-patterned lattices. *Proc Natl Acad Sci U S A* 2003;100:8103–8.
- [10] Liu D, Reif JH, La Bean TH. DNA nanotubes: construction and characterization of filaments composed of TX-tile lattice. *Lecture Notes in Computer Science*, Springer; 2003:10–21.
- [11] Yan H, Park SH, Finkelstein G, Reif JH, La Bean TH. DNA-templated self-assembly of protein arrays and highly conductive nanowires. *Science* 2003;301:1882–4.
- [12] Mathieu F, Liao S, Kopatsch J, Wang T, Mao C, Seeman NC. Six-helix bundles designed from DNA. *Nano Lett* 2005;5:661–5.
- [13] Ke Y, Liu Y, Zhang J, Yan H. A study of DNA tube formation mechanisms using 4-, 8-, and 12-helix DNA nanostructures. *J Am Chem Soc* 2006;128:4414–21.
- [14] Wang T, Schiessels D, Cuesta MS, Fygenson DK, Seeman NC. Design and characterization of 1D nanotubes and 2D periodic arrays self-assembled from DNA multi-helix bundles. *J Am Chem Soc* 2012;134:1606–16.
- [15] Wilner OI, Henning A, Shlyahovsky B, Willner I. Covalently linked DNA nanotubes. *Nano Lett* 2010;10:1458–65.
- [16] Mousavi-Khattat M, Rafati A, Gill P. Fabrication of DNA nanotubes using origami-based nanostructures with sticky ends. *J Nanostruct Chem* 2015;5:177–83.
- [17] Eliseev EA, Kalinin SV, Jesse S, Bravina SL, Morozovska AN. Electromechanical detection in scanning probe microscopy: tip models and materials contrast. *J Appl Phys* 2007;102(1):Article number 014109.
- [18] Kalinin SV, Rodriguez BJ, Jesse S, Karapetian E, Mirman B, Eliseev EA, et al. Nanoscale electromechanics of ferroelectric and biological systems: a new dimension in scanning probe microscopy. *Ann Rev Mater Res* 2007;37:189–238.
- [19] Douglas SM, Marblestone AH, Teerapittayanon S, Vazquez A, Church GM, Shih WM. Rapid prototyping of 3D DNA-origami shapes with caDNAno. *Nucleic Acids Res* 2009;37:5001–6.
- [20] Castro CE, Kilchherr F, Kim D-N, Shiao EL, Wauer T, Wortmann P, et al. A primer to scaffolded DNA origami. *Nat Methods* 2011;8:221–9.
- [21] Saber R, Sarkar S, Gill P, Nazari B, Faridani F. High resolution imaging of IgG and IgM molecules by scanning tunneling microscopy in air condition. *Sci Iran* 2012;18:1643–6.
- [22] Goffin C, Verly WG. T4 DNA ligase can seal a nick in double-stranded DNA limited by a 5'-phosphorylated base-free deoxyribose residue. *Nucleic Acids Res* 1983;11:8103–9.
- [23] Gill P, Ranjbar B, Saber R. Scanning tunneling microscopy of cauliflower-like DNA nanostructures synthesised by loop-mediated isothermal amplification. *IET Nanobiotechnol* 2011;5:8–13.
- [24] Borzsonyi G, Johnson RS, Myles AJ, Cho J-Y, Yamazaki T, Beingisser RL, et al. Rosette nanotubes with 1.4 nm inner diameter from a tricyclic variant of the Lehn-Mascal G-C base. *Chem Commun* 2010;46:6527–9.
- [25] Morales JC, Raez J, Yamazaki T, Motkuri RK, Kovalenko A, Fenniri H. Helical rosette nanotubes with tunable stability and hierarchy. *J Am Chem Soc* 2005;127:8307–9.
- [26] Fenniri H, Mathivanan P, Vidale KL, Sherman DM, Hallenga K, Wood KV, et al. Helical rosette nanotubes: design, self-assembly, and characterization. *J Am Chem Soc* 2001;123:3854–5.
- [27] Li S-S, Northrop BH, Yuan Q-H, Wan L-J, Stang PJ. Surface confined metallosupramolecular architectures: formation and scanning tunneling microscopy characterization. *Acc Chem Res* 2009;42:249–59.
- [28] Cañas-Ventura ME, Xiao W, Wasserfallen D, Müllen K, Brune H, Barth JV, et al. Self-assembly of periodic bicomponent wires and ribbons. *Angew Chem Int Ed* 2007;46:1814–8.