



CORRECTION

Open Access

Correction: The composition and stability of the vaginal microbiota of normal pregnant women is different from that of non-pregnant women

Roberto Romero^{1,2,3*}, Sonia S Hassan^{1,4}, Paweł Gajer^{5,6}, Adi L Tarca¹, Douglas W Fadrosh⁵, Lorraine Nikita¹, Marisa Galuppi^{1,4}, Ronald F Lamont^{1,7,8}, Piya Chaemsathong¹, Jezid Miranda¹, Tinnakorn Chaiworapongsa^{1,4} and Jacques Ravel^{5,6*}

Correction

We have identified an error in Additional file 1: Table S1 in this article [1], whereby the ethnicities were inverted for some of the subjects. An amended Additional file 1: Table S1 is published here, with the corrected ethnicities highlighted.

Additional file

Additional file 1: Table S1. Taxonomic assignments, total 16S rRNA gene sequences per taxa, and metadata.

Reference

1. Romero R, Hassan SS, Gajer P, Tarca AL, Fadrosh DW, Nikita L, Galuppi M, Lamont RF, Chaemsathong P, Miranda J, Chaiworapongsa T, Ravel J: The composition and stability of the vaginal microbiota of normal pregnant women is different from that of non-pregnant women. *Microbiome* 2014, 2:4.

doi:10.1186/2049-2618-2-10

Cite this article as: Romero et al.: Correction: The composition and stability of the vaginal microbiota of normal pregnant women is different from that of non-pregnant women. *Microbiome* 2014 2:10.

Author details

¹Perinatology Research Branch, Program for Perinatal Research and Obstetrics, Division of Intramural Research, Eunice Kennedy Shriver National Institute of Child Health and Human Development, NIH, Detroit, MI, USA. ²Department of Obstetrics and Gynecology, University of Michigan, Ann Arbor, MI, USA. ³Department of Epidemiology and Biostatistics, Michigan State University, East Lansing, MI, USA. ⁴Department of Obstetrics and Gynecology, Wayne State University School of Medicine, Detroit, MI, USA. ⁵Institute for Genome Sciences, University of Maryland School of Medicine, Baltimore, MD, USA. ⁶Department of Microbiology and Immunology, University of Maryland School of Medicine, Baltimore, MD, USA. ⁷Department of Obstetrics and Gynaecology, University of Southern Denmark, Odense, Denmark. ⁸Division of Surgery, University College, Northwick Park Institute for Medical Research Campus, London, UK.

Received: 3 April 2014 Accepted: 3 April 2014

Published: 15 April 2014

* Correspondence: romeror@mail.nih.gov; jravel@som.umaryland.edu

¹Perinatology Research Branch, Program for Perinatal Research and Obstetrics, Division of Intramural Research, Eunice Kennedy Shriver National Institute of Child Health and Human Development, NIH, Bethesda, MD and, Detroit, MI, USA

⁵Institute for Genome Sciences, University of Maryland School of Medicine, Baltimore, MD, USA

Full list of author information is available at the end of the article