

CORRECTION

Cite this: *Chem. Sci.*, 2021, 12, 487

DOI: 10.1039/d0sc90261f

rsc.li/chemical-science

Correction: Deep in blue with green chemistry: influence of solvent and chain length on the behaviour of *N*- and *N,N'*-alkyl indigo derivativesDaniela Pinheiro,^a Marta Pineiro,^a Adelino M. Galvão^b and J. Sérgio Seixas de Melo^{*a}Correction for 'Deep in blue with green chemistry: influence of solvent and chain length on the behaviour of *N*- and *N,N'*-alkyl indigo derivatives' by Daniela Pinheiro *et al.*, *Chem. Sci.*, 2020, DOI: 10.1039/d0sc04958a.

The authors regret that incorrect compound names and values are reported in Table 5 of the original article. The corrected Table 5 is shown below.

Table 5 Comparison of the fluorescence decay times, τ_i , obtained from the ultrafast time-resolved TA studies and from the ps-TCSPC technique for *N,N'*C₁Ind and *N,N'*C₂Ind in *n*-dodecane and 2MeTHF at $T = 293$ K

Compound	Solvent	fs-TA		TCSPC	
		τ_1 (ps)	τ_2 (ps)	τ_1 (ps)	τ_2 (ps)
<i>N,N'</i> C ₁ Ind	<i>n</i> -Dodecane		2387		2690
	2MeTHF	1.3	76		76.6
<i>N,N'</i> C ₂ Ind	<i>n</i> -Dodecane	129.9	1078	309	1064
	2MeTHF		51		62.4

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aUniversity of Coimbra, CQC, Department of Chemistry, Rua Larga, 3004-535 Coimbra, Portugal. E-mail: sseixas@ci.uc.pt

^bCentro de Química Estrutural, Departamento de Engenharia Química, Instituto Superior Técnico (IST), Universidade de Lisboa, Av. Rovisco Pais, 1049-001 Lisboa, Portugal

