Original Article

Check for updates

OPEN ACCESS

Received: Jul 3, 2022 Revised: Aug 9, 2022 Accepted: Aug 12, 2022 Published online: Sep 13, 2022

*Correspondence:

Jin-Ha Yoon, MD, PhD

Department of Preventive Medicine, Yonsei University College of Medicine, 50-1, Yonsei-ro, Seodaemun-gu, Seoul 03722, Korea. Email: flyinyou@yuhs.ac

Copyright © 2022 Korean Society of Occupational & Environmental Medicine This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (https:// creativecommons.org/licenses/by-nc/4.0/) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

ORCID iDs

Myeong-Hun Lim https://orcid.org/0000-0002-1731-962X Jong-Uk Won https://orcid.org/0000-0002-9200-3297 Won-Tae Lee https://orcid.org/0000-0001-7438-3153 Min-Seok Kim https://orcid.org/0000-0002-6975-5677 Seong-Uk Baek https://orcid.org/0000-0002-0882-8326 Jin-Ha Yoon https://orcid.org/0000-0003-4198-2955

Abbreviations

CES-D-10: 10-item Center for Epidemiological Studies Depression Scale, Short Form; CI:

The effect of job insecurity, employment type and monthly income on depressive symptom: analysis of Korean Longitudinal Study on Aging data

Myeong-Hun Lim 💿 ^{1,2}, Jong-Uk Won 💿 ^{1,2,3}, Won-Tae Lee 💿 ^{1,2,3}, Min-Seok Kim 💿 ^{1,2,3}, Seong-Uk Baek 💿 ^{1,2,4}, and Jin-Ha Yoon 💿 ^{1,2,5*}

¹Department of Occupational and Environmental Medicine, Severance Hospital, Yonsei University College of Medicine, Seoul, Korea

²The Institute for Occupational Health, Yonsei University College of Medicine, Seoul, Korea ³Graduate School of Public Health, Yonsei University College of Medicine, Seoul, Korea ⁴Graduate School, Yonsei University College of Medicine, Seoul, Korea ⁵Department of Preventive Medicine, Yonsei University College of Medicine, Seoul, Korea

ABSTRACT

Background: In modern society, depression is serious issue that causes socioeconomic and family burden. To decrease the incidence of depression, risk factors should be identified and managed. Among many risk factors for depression, this study examined socioeconomic risk factors for depression.

Methods: We utilized first (2006), second (2008), and third (2010)-wave data from the Korean Longitudinal Study of Aging (KLoSA). Depressive symptom was measured with the 10-item Center for Epidemiological Studies Depression Scale, Short Form (CES-D-10) in the survey in 2008 and 2010. Three risk factors including job security, employment type and monthly income were measured in the survey in 2006. The association between risk factors and depressive symptom was analyzed by Cox proportional-hazard model.

Results: We analyzed data from 1,105 workers and hazard ratios (HRs) for 3 risk factors were significant entirely. In addition, regular worker with high income group is the most vulnerable group of poor job insecurity on depression among male workers (HR: 1.73; 95% confidence interval [CI]: 1.07–2.81). Finally, HRs for 7 groups who had at least 1 risk factor had higher HRs compared to groups who had no risk factors after stratifying 3 risk factors. In the analysis, significantly vulnerable groups were total 5 groups and the group who had highest HR was temporary/daily workers with poor job security (HR: 2.51; 95% CI: 1.36–4.64). The results concerning women, regardless of job type, were non-significant. **Conclusions:** This study presented one or more risk factors among poor job security, low income, temporary/daily employment type increase hazard for depressive symptom in 2 or 4 years after the exposure. These results inform policy to screen for and protect against the risk of depression in vulnerable groups.

Keywords: Depressive symptom; Job security; Employment type; Monthly income

Annals of Occupational and Environmental Medicine

confidence interval; COVID-19: coronavirus disease 2019; HR: hazard ratio; KLoSA: Korean Longitudinal Study of Aging; VIF: variance inflation factors.

Funding

This study was supported under the framework of international cooperation program managed by the National Research Foundation of Korea (FY2O21) (NRF-2021K2A9A1A01102239).

Competing interests

The authors declare that they have no competing interests.

Author Contributions

Conceptualization: Lim MH, Yoon JH. Data curation: Lim MH. Formal analysis: Lim MH, Yoon JH. Investigation: Lim MH, Lee WT, Kim MS, Baek SU. Methodology: Lim MH, Yoon JH. Supervision: Yoon JH, Won JU. Visualization: Lim MH. Writing - original draft: Lim MH. Writing - review & editing: Lim MH, Yoon JH, Won JU, Lee WT, Kim MS, Baek SU.

BACKGROUND

Depression is a mood disorder that can cause considerable socioeconomic burden and familial strain.¹ Many countries have executed screening programs to address depression; however the prevalence of depression has rapidly increased. In South Korea, the lifetime prevalence of major depressive disorder increased gradually from 5.6% in 2006 to 6.7% in 2011.² The World Health Organization has warned that, among all diseases, depression will likely have the highest economic burden in 2030.¹ In addition, those with depressive disorder have a 20-fold higher risk for suicide than risk of general population.³ Furthermore, the prevalence of depression in the elderly is higher than in the general population.⁴ Depression in the elderly is higher than dementia.⁵

Depression has various causes, especially disturbances of neurotransmitters in microscopically. In macroscopically, the risk factors of depression are known as environmental, genetic, and socioeconomic factors.⁶ In recent years, the socioeconomic risk factors of depression have been emphasized because of the coronavirus disease 2019 (COVID-19) crisis. According to International Labour Organization report, labor income loss was estimated at 3.7 trillion US dollar and 114 million workers lost their jobs in 2020.⁷ Thus, the risk increment of risk factors on depression, especially job security and monthly income that are related to the current socioeconomic problems should be analyzed. In addition, the various socioeconomic problems which were caused by the COVID-19 crisis closely resembled employment conditions in the economic crisis of 2006–2008.⁸ Therefore, analysis of the data which was conducted during the economic crisis is meaningful for handling the crisis. Furthermore, selection of vulnerable group who easily suffered from depression is needed to provide screening test.

Two articles suggested that socioeconomic status could increase one's risk of depression,⁹ especially among the elderly.¹⁰ Numerous articles have also revealed the association between job insecurity and depression; that is, poor job security increased participants risk of depression by 1.58 times.¹¹ However, a comprehensive analysis of the interaction between job insecurity and other socioeconomic risk factors on depression has not been conducted. It is meaningful for vulnerable groups that have much higher risks than generable population and needed to assess for depressive symptoms. We also aim to reveal additional effects of interaction of risk factors, compared to risk elevation of single factor. Hence, a well-designed comprehensive study is needed to clarify the interaction effect between monthly income, perceived job insecurity and employment type on depressive symptom.

Poor job security is a term that is located between the employment and unemployment. Current employee who had poor job security is threatened with the unemployment.¹² On the other hand, temporary or daily work is a condition that period of the contract is less than 1 year, indicating the objective job security. The past research has revealed that job insecurity leads to decrease of job satisfaction only in regular workers and not in temporary workers and the results imply the difference of adverse effect of job insecurity between employment types.¹³ Thus, we included job insecurity and employment type as risk factors to analyze the interaction effect of variables.

This study used 4-year follow-up data from 1,105 participants to assess the risk of each group based on monthly income, perceived job insecurity and employment type. We controlled for variables such as age, sex, education level, working hours, smoking history, alcohol

consumption history and job stress. We hope to provide scientific evidence that can be used to design policy for the early detection and prevention of depression for vulnerable groups.

METHODS

Study design and study population

We utilized first, second, and third-wave data from the Korean Longitudinal Study of Aging (KLoSA). The KLoSA is a prospective cohort study that collects information from adults (aged ≥ 45 years) including their health status, occupational history and status, educational background, income, and personal property. It is conducted by the Ministry of Labor of Korea every 2 years (since 2006) to establish and mediate welfare policy by analyzing the data. The data are publicly available (https://survey.keis.or.kr/klosa/klosa02.jsp).

One thousand regions were selected after stratification by geographical area and housing type, and 12–15 households in each region were randomly selected. In the first- (2006), second- (2008), and third-wave (2010) surveys, 10,254, 8,688, and 7,920 individuals participated in the KLoSA, respectively. The survey was performed through computer-assisted personal interviewing. The household response rate was 70.7%, and the individual response rate was 75.4%.

In this study, 1,855 participants who were regular, temporary, or daily employees were included. A total of 350 individuals who had a score \geq 4 on the 10-item Center for Epidemiological Studies Depression Scale, Short Form(CES-D-10) in the first wave were excluded. Moreover, missing cases (n = 371) and participants who did not provide answers concerning monthly income (n = 27) were excluded; thus, we analyzed data from 1105 workers.

Measures

Depressive symptoms

The outcome variable was depressive symptoms, which were measured with the CES-D-10, a widely used screening test. The scores for the responses were as follows: "for a brief moment or never" and "sometimes" (0) and "frequently" and "always" (1). Scores thus range from 0 to 10, and 4 is the cut-off score that indicates probable depression.^{14,15} In this study, CES-D-10 scores from 2008 and 2010 were used, and participants whose CES-D-10 score was \geq 4 at least once in 2008 or 2010 were classified as the depression group. Thus, participants were divided into 2 groups: depression group (CES-D-10 score \geq 4 at least once in 2008 or in 2010) and non-depression group (CES-D-10 score \leq 4 in 2008 and in 2010).

Employment type

The independent variables were employment type, monthly income, and job security. Employment type was assessed with the following question: "What type of employee are you?" Possible answers were regular worker, temporary worker, and daily worker. A regular worker was defined as a worker who had a work contract for at least 1 year and who could keep working if said contract did not exist. A temporary worker was defined as a worker who had a work contract for less than 1 year but more than 1 month and who could no longer work past the 1 year. A daily worker was defined as a worker who had a work contract for less than 1 month, was hired on a daily basis, or who had no specific workplace. In this study, temporary and daily workers were merged into 1 group. Thus, participants were divided into 2 groups: regular worker and temporary/daily worker.

Monthly income

Monthly income was assessed with the following question: "What is your average monthly income from your work?" Participants provided their average monthly income after excluding tax, national pension, medical insurance, and employment insurance deductions. The median monthly income was 1,800,000 won for men and 900,000 won for women. Participants were divided into 2 groups: low-income group (< 1,800,000 won/month for male and < 900,000 won for female) and high-income group (≥ 1,800,000 won for male and ≥ 900,000 won for female).

Job security

Job security was assessed with the following item: "My Job is stable." Possible answers were definitely yes, almost yes, almost no, and definitely no. In this study, participants were divided into 2 groups: good job security group (definitely yes and almost yes) and poor job security (definitely no and almost no).

Covariates

Sociodemographic variables were included as covariates: age (< 50, 50–59, 60–69, and \geq 70 years), sex (male or female), education (< high school, or \geq high school). Occupational variables were also included: average weekly working time (< 40 hours, 40–52 hours, and \geq 52 hours). In addition, smoking history (current smoker, past smoker, or never smoker) was included. Job stress was assessed by the following item: "I get a lot of stress during the working hours" and the possible answers were "Extremely yes," "Yes," "No," and "Extremely no." "Extremely yes" and "Yes" were classified as the high job stress group and "No" and "Extremely no" were classified as the low job stress group.

Statistical analysis

First, the frequencies of participants' general characteristics (age, sex, education, weekly working hours, smoking history, job stress, and job security) were calculated in the subsamples by employment type; then, these were analyzed with γ^2 tests. Second, the frequency of general characteristics was calculated in the subsamples by sex and CES-D-10 score (i.e., depression and non-depression groups), which were also analyzed with χ^2 tests. Finally, hazard ratios (HRs) of group who have each risk factor that is low job security, temporary/daily employment type, low monthly income were calculated. Furthermore, analysis of effect of job security was conducted after stratifying employment type and monthly income. Also, we made 7 groups by job security, employment type and monthly income and the HRs of each group were analyzed. HRs and 95% confidence intervals (95% CIs) were calculated with a Cox proportional-hazard regression model after stratifying sex. Sociodemographic variables included age, sex,16 education level,17 health-related behavior included smoking,18 alcohol consumption history,19 weekly working time,20 and job stress,21 which revealed as important factors of depression were considered as confounder and adjusted in our model. In our analysis, participants who developed depressive symptom in 2008 were treated as censored at 2008, regardless of CES-D score in 2010.

Proportional hazards assumption was performed in this study with Schoenfeld residual test to confirm consistency of HR over observation time. None of covariates violated the assumption. To exclude the problem of multicollinearity, variance inflation factors (VIF) were calculated for all variables which used in each model. All the VIF values were smaller than 5, indicating that multicollinearity problem was not existed in this study. All analyses were performed using R software (version 3.6.2; R Foundation for Statistical Computing, Vienna, Austria) using 'survival' packages.

A sensitivity analyses with generalized linear mixed models were performed to check the robustness of results in this study. Using generalized linear mixed model, we estimated the cross-sectional association between repeated measured depressive symptoms among participants and main variables. The result for sensitivity analyses were presented in **Supplementary Tables 1-4**.

Ethics statement

The present study protocol was reviewed and approved by the Institutional Review Board of Severance Hospital (approval number: 4-2022-0509).

RESULTS

Table 1 shows participants' demographic and job-related characteristics according to job type. Those who were older (vs. younger), men (vs. women), and more educated (vs. less) were significantly more likely to be regular workers. Regular workers were significantly more likely to be current smokers than temporary/daily workers. Finally, regular workers had significantly higher job security than did temporary/daily workers.

Table 2 presents the prevalence of depressive symptom in each group. There were 489 cases(44.3%) of depressive symptom during the study period. Female (vs. male) workers weresignificantly more likely to be depressed. Those who were aged \geq 70 years were significantly

Characteristics	Total	Employment type		p (χ²)
		Regular	Temporary/daily	-
Age (yr) < 50	375 (33.9)	284 (36.6)	91 (27.7)	< 0.001
50-59 60-69	498 (45.1) 212 (19.2)	361 (46.5) 123 (15.9)	137 (41.6) 89 (27.1)	
≥ 70	20 (1.8)	8 (1.0)	12 (1.5)	0.001
Male Female	750 (67.9) 355 (32.1)	570 (73.5) 206 (26.5)	180 (54.7) 149 (45.3)	< 0.001
Education ≤ Middle ≥ High	453 (41.0) 652 (59.0)	250 (32.2) 526 (67.8)	203 (61.7) 126 (38.3)	< 0.001
Norking hours < 40 40-51 ≥ 52	165 (14.9) 611 (55.3) 329 (29.8)	62 (8.0) 473 (61.0) 241 (31.0)	103 (31.3) 138 (41.9) 88 (26.7)	< 0.001
Smoking history Current Past Never	328 (29.7) 134 (12.1) 643 (58.2)	225 (29.0) 109 (14.0) 442 (57.0)	103 (31.3) 25 (7.6) 201 (61.1)	0.011
Drinking history Current Past Never	656 (59.4) 51 (4.6) 398 (36.0)	482 (62.1) 34 (4.4) 260 (33.5)	174 (52.9) 17 (5.2) 138 (41.9)	0.017
Job security Stable Unstable	669 (60.5) 436 (39.5)	573 (73.8) 203 (26.2)	96 (29.2) 233 (70.8)	< 0.001
Monthly income Low High	567 (51.3) 538 (48.7)	285 (58.3) 204 (41.7)	282 (45.8) 334 (54.2)	0.010

Table 1. Participants' demographic and job-related characteristics based on job type

Values are presented as number (%).

Characteristics		Men		Women		
	Depr	Depression		Depre	Depression	
_	Yes	No	_	Yes	No	
Age (yr)			0.004			0.047
< 50	91 (41.5)	128 (58.5)		70 (44.9)	86 (55.1)	
50-59	126 (36.6)	218 (63.4)		77 (50.0)	77 (50.0)	
60-69	89 (52.4)	81 (47.6)		24 (57.1)	18 (42.9)	
≥ 70	10 (58.8)	7 (41.2)		2 (66.7)	1 (33.3)	
Education			< 0.001			0.004
≤ Middle	128 (50.8)	124 (49.2)		103 (51.2)	98 (48.8)	
≥ High	188 (37.8)	310 (62.2)		103 (66.9)	51 (33.1)	
Working hours			0.009			< 0.001
< 40	45 (37.9)	49 (52.1)		21 (29.6)	50 (70.4)	
40-51	165 (37.5)	275 (62.5)		116 (67.8)	55 (32.2)	
≥ 52	106 (49.1)	110 (50.9)		69 (61.1)	44 (38.9)	
Monthly income			< 0.001			0.428
Low	195 (49.9)	196 (50.1)		90 (51.1)	86 (48.9)	
High	121 (33.7)	238 (66.3)		83 (46.4)	96 (53.6)	
Smoking history			0.003			0.239
Current	157 (49.2)	162 (50.8)		7 (77.8)	2 (22.2)	
Past	51 (38.1)	83 (61.9)		0	0	
None	108 (36.4)	189 (63.6)		166 (48.0)	180 (52.0)	
Drinking history			0.807			0.768
Current	240 (42.6)	323 (57.4)		44 (47.3)	49 (52.7)	
Past	20 (43.5)	26 (56.5)		1 (20.0)	4 (80.0)	
None	56 (39.7)	85 (60.3)		128 (49.8)	129 (50.2)	
Job security			< 0.001			< 0.001
Stable	161 (34.4)	307 (65.6)		93 (46.3)	108 (53.7)	
Unstable	155 (55.0)	127 (45.0)		80 (52.0)	74 (48.0)	
Employment type			< 0.001			0.293
Regular	212 (37.2)	358 (62.8)		95 (46.1)	111 (53.9)	
Temporary/daily	104 (57.8)	76 (42.2)		78 (52.4)	71 (47.6)	

Table 2. Prevalence of depressive symptom among the study sample

Values are presented as number (%).

more likely to be depressed than their younger counterparts, regardless of sex. In men, the incidence rate of depressive symptom significantly decreased as education level increased. In both sexes, the incidence rate of depressive symptom significantly increased as working hours increased and when job security was unstable. Lastly, in both sexes, the temporary/daily worker group had a significantly higher incidence rate than did the regular worker group.

Table 3 presents the association between depressive symptom and job security and job type using a Cox proportional-hazard regression analysis. Concerning poor job security, the HRs (95% CIs) of depressive symptom were 1.67 (1.32–2.11) in men and 1.09 (0.80–1.49)

Table 3. The association between depressive symptom and job security and job type by Cox proportional-haze	ard
regression analysis	

Variables	Men (n = 750)	Women (n = 355)
Job security		
Good (stable)	1.00 (Referent)	1.00 (Referent)
Poor (unstable)	1.67*** (1.32–2.11)	1.09 (0.80–1.49)
Income		
High	1.00 (Referent)	1.00 (Referent)
Low	1.40* (1.07–1.83)	1.08 (0.78–1.51)
Job type		
Regular worker	1.00 (Referent)	1.00 (Referent)
Temporary/daily worker	1.74*** (1.33–2.27)	1.21 (0.88–1.66)

in women after adjusting for age, education, working hours, drinking status, and smoking status. Concerning income, the HRs (95% CI) of depressive symptom were 1.40 (1.07–1.83) in men and 1.08 (0.78–1.51) in women. Concerning job type, the HRs (95% CI) of depressive symptom were 1.74 (1.33–2.27) in men and 1.21 (0.88–1.66) in women.

Table 4 showed the effect of job security on male workers after stratifying employment type and income. We divided male worker into 4 groups as Regular workers with high income and low income, Temporary/daily workers with high income and low income. Good job security group is selected as referent group for each group, and we obtained HRs that showed the effect of job security. Only 1 group showed significant difference between good job security group and poor job security. Among regular male workers with high income, poor job security group had higher hazard than referent group (HR: 1.73; 95% CI: 1.07–2.81). Also, this group had the highest HR than the others.

Table 5 presents the association using Cox proportional-hazard regression analyses. We further stratified the groups according to sex; then, we analyzed the effect of income, job security and employment type among groups. We set regular worker who have good job security and high income as a referent group.

First of all, we analyzed the effect of 3 risk factors in man regular worker group. Poor job security with high income group (HR: 1.66; 95% CI: 1.05–2.61) had a significantly higher hazard of depressive symptom compared to referent group.

Furthermore, poor job security with low income group (HR: 1.76; 95% CI: 1.19–2.61) had significantly a higher hazard of depressive symptom than referent group. Compared to 2 groups, a HR of depressive symptom was not significantly in good job security with low income group (HR: 1.28; 95% CI: 0.88–1.86).

Secondly, we analyzed the effect of 3 risk factors in male temporary/daily group. Good job security with low-income group (HR: 1.81; 95% CI: 1.02–3.22) had a significantly higher hazard of depressive symptom compared to referent group. In addition, poor job security with high income group (HR: 2.51; 95% CI: 1.36–4.64) had the highest hazard of depressive

 Table 4. The effect of job security on male workers after stratifying employment type and income on depressive

 symptom among the study sample

Men	Regular		Temporary/daily		
	High income (n = 353)	Low income (n = 217)	High income (n = 28)	Low income (n = 152)	
Good job security	1.00 (Referent)	1.00 (Referent)	1.00 (Referent)	1.00 (Referent)	
Poor job security	1.73* (1.07–2.81)	1.37 (0.91–2.07)	0.45 (0.08-2.50)	1.28 (0.73–2.26)	

Adjusted for age, education, working hours, smoking status, drinking status and job stress. *p < 0.05.

Table 5. The effect of job security, income and employment type on male and female workers

Variables	Regular		Temporary/daily		
	High income	Low income	High income	Low income	
Men (n = 750)					
Good job security	1.00 (Referent)	1.28 (0.88–1.86)	2.30 (0.91–5.77)	1.81* (1.02–3.22)	
Poor job security	1.66* (1.05–2.61)	1.76** (1.19–2.61)	2.51** (1.36-4.64)	2.27*** (1.57-3.27)	
Women (n = 355)					
Good job security	1.00 (Referent)	1.13 (0.65–1.96)	1.70 (0.90-3.21)	1.61 (0.89–2.92)	
Poor job security	1.43 (0.81-2.52)	1.36 (0.75–2.47)	1.23 (0.61–2.48)	1.24 (0.76-2.00)	

Adjusted for age, education, working hours, smoking status, drinking status and job stress. *p < 0.05, **p < 0.01, ***p < 0.001. symptom among all combinations. Poor job security with low income group (HR: 2.27; 95% CI: 1.57–3.27) had significantly a higher hazard of depressive symptom than referent group. The results concerning women, regardless of job type, were non-significant.

In addition, we analyzed the demographic characteristics among the exclusion group who had depressive symptom in 2006 to confirm that the selection bias was negligible. According to **Supplementary Table 1**, all the characteristics did not have significant association with depressive symptom among male workers who were in exclusion group. In the case of female workers, age and education level were the only covariates that had significant association with depressive symptom.

Finally, in the sensitivity analysis, the same association was derived compared to the result by Cox proportional-hazard regression model. According to **Supplementary Tables 2** and **4**, additional significant result in female was found while the result showed no significant HRs in female. The difference might be caused by increment of analysis number in Generalized linear mix model.

DISCUSSION

The association between depressive symptom and 3 risk factors, especially job security was analyzed after stratification by sex using data from KLoSA. In this study, we showed that among male workers, job insecurity, low income and temporary/daily employment type were risk factors for depressive symptom. HRs for 3 risk factors were significant entirely. Several studies indicate the relationship between poor job security and depressive symptom. One study demonstrates that the job insecurity effects on the severe depressive symptoms after 5 years among male workers.²² Also, one meta-analysis demonstrates that poor job security is significant risk factor for depression 2 years, 3–4 years, over 4 years after the exposure.²³ We also proved exposure to poor job security as a risk factor for depressive symptom after the exposure. The result in this study showed male workers who had exposed to poor job security were vulnerable to develop of depressive symptom after 2 or 4 years of exposure.

In this study, temporary/daily employment type increased risk for depression after 2 or 4 years of exposure which was consistent to the previous study. Quesnel-Vallée et al.²⁴ also revealed that temporary work experience in the preceding 2 years is associated with elevation of depression symptom score in United States. However, they present non-significant relationship between temporary work and depressive symptom after 2–4 years.²⁴ We showed that the long-lasting effects for 4 years of temporary/daily work on depressive symptom.

Furthermore, the past research has showed that workers whose income is less than \$19,999 have higher hazard for depression in 3 years after exposure than workers with income of more than \$70,000.²⁵ The result was consistent to our study which use lag time of 2 and 4 years. In addition, higher income is associated with decreasing of psychological distress and psychological distress may influence the occurrence of depressive symptoms.²⁶

In fact, average period of service of regular workers is 8 years compared to 2 years and 4 months of temporary/daily workers in Korea according to National Statistics Office in 2020.²⁷ Temporary worker had to be concern about unemployment and make effort to apply for another position and this process may act as a mental stress that effect on depressive symptoms.

In addition, risk increment for depressive symptom was the highest in regular worker with high income after stratifying income and employment type among male workers. Regular worker with high income had HR of 1.73 which was the highest and the only significant among 4 groups in **Table 4**. The results suggested poor job security was critical risk factor of depressive symptom in workers who had good occupational conditions.

According to **Table 4**, poor job security decreased the risk of depressive symptom in temporary/daily workers with high income, although the HR was not significant. According to previous study, the mental health of workers who had worked in unfavorable working conditions improved in the year of becoming unemployed.²⁸ In the same context, workers who had poor job security in the condition of unfavorable working condition may show lower risk for depression because of the expectation of change or termination of stressful experience. Also, considering the very small size of the group (temporary/daily workers with high income; n = 28), the result should be interpreted with caution.

Further, we posited that the group who had more risk factors have higher risk for depressive symptom except groups who had nonsignificant HRs. In **Table 5**, group who contained only 1 risk factor had HR of 1.66 and groups who contained 2 risk factors had HRs of 1.76, 1.81, and 2.51. Group who had 3 risk factors had HR of 2.27. One exception group that did not accept the proposition was group who had poor job security, Temporary/daily employment type and high income. This group had HR of 2.51 that was higher than HR of group who had all risk factors. It indicated high income group had factors that increase risk for depressive symptoms in temporary/daily workers with poor job security. High income group tended to be in charge of more difficult tasks than previously compared to low-income group. (34.8% vs. 13.4%) Physical and mental strain to deal with their assigned tasks would act as a stressor and risk factor for depressive symptom and this occupational condition made the paradoxical results in this analysis.

Poor job security is inner experience that is not realized and is differed from external experience such as receiving income and working in their current job. Thus, these perceived risks for job loss effect on the employee to be more uncertain for anticipate their future, because the job is closely connected with social and financial status in the modern society.²⁹ For this reason, the effect of poor job security is comparable with it of job loss,³⁰ and produces heavier burden and more critical factor of anxiety.³¹ Also, social and financial damage from the job loss is higher in the group who had greater occupational conditions such as high income and regular employment type than the counterparts. This theory could explain that poor job security is more important risk factor than low income or temporary/ daily employment type. The theory could also explain risk increment for depressive symptom is the highest in regular worker with high income group.

This study did not find the significant relationship between job insecurity and depressive symptom in female workers. Various studies showed that the sex difference in prevalence, risk factor, pathophysiology of depression. The reason for sex stratification in the analysis is that the extent that the low job insecurity affect depression is differ across the sex.³² However, risk factors for depression in female include low job security were not significant and the female had lower HRs than male. The sex difference was expected to be caused by the proportion of monthly income to the total household income. Consistent with result of sex difference, previous studies have reported that precarious employment has no significant association with suicidal ideation and severe psychological distress in female workers.^{33,34}

Furthermore, Jang et al.³⁵ have found that transition from non-precarious to precarious work is associated with development of depressive symptom in only breadwinners who are head of household. Considering the most of main earners were male in East Asia, the sex difference in this study was explained by difference of psychological burden from resignation in the future. Other study for clarifying the relationship between depression and job insecurity after stratified by sex and main earner is needed.

According to this study, regular check-ups for workers who have one or more risk factors in this study were needed to screen depressive symptom. Currently, Patient Health Questionnaire-9, tool for screening depressive symptom is included every ten years in national health screening program. Workers who are age of 20, 30, 40, 50, 60, 70 take screening for depressive symptom. In this study, workers who have one or more risk factors have higher HRs for depressive symptom in 2 or 4 years after exposure of risk factors. Thus, interval for screening test for high-risk groups should be shortened to 2 years to early detection and proper management. Secondly, question for perceived job insecurity should be included in regular check-up. To sum up, we suggested that the biennial screening test for depressive symptom is needed for workers who have more than 1 risk factor among poor job security, temporary/daily employment type and low monthly income.

This study had some limitations. We did not consider participants' job changes or unemployment. A previous study showed that transitions in job security status are not significantly associated with depression, and chronic job insecurity is an important factor for depression.³⁶ Moreover, there was a policy change concerning temporary/daily workers between the first and second waves of the KLoSA; specifically, fixed-term and part-time employees were better protected against discrimination and unfavorable treatment than they were before. Moreover, a law was passed to encourage employers to hire part-time employees if they are unable to recruit regular employees. After this law was established in 2007, the level of perceived job insecurity likely changed, which may have affected our analysis.

The strength of this study is that it was the first study that examined the difference of several risk factors for depressive symptom after stratifying by employment type and income in South Korea. In this study, we showed that job security is more important risk factor than other risk factors for depressive symptom.

CONCLUSIONS

In conclusion, the association between workers' job insecurity, temporary/daily employment type, low monthly income and depressive symptom is clear. Also, groups who have more risk factors trend to have higher HRs. Finally, the most vulnerable group for job insecurity is regular workers with high income. These results can inform policy to screen for and protect against the risk of depressive symptom in vulnerable groups. Furthermore, adequate economic and psychological support for those who have job instability should be essential when the society face an economic crisis.

ACKNOWLEDGEMENTS

The authors thank to all of the participants and working groups at Korean employment information service of Korean Longitudinal Study of Aging (KLoSA).

SUPPLEMENTARY MATERIALS

Supplementary Table 1

Prevalence of depressive symptom among the exception group who had depressive symptom at the baseline

Click here to view

Supplementary Table 2

The association between depressive symptom and job security and job type by generalized linear mixed model

Click here to view

Supplementary Table 3

The effect of job security on male workers after stratifying employment type and income on depressive symptom among the study sample by generalized linear mixed model

Click here to view

Supplementary Table 4

The effect of job security, income and employment type on male and female workers by generalized linear mixed model

Click here to view

REFERENCES

- Greenberg PE, Kessler RC, Birnbaum HG, Leong SA, Lowe SW, Berglund PA, et al. The economic burden of depression in the United States: how did it change between 1990 and 2000? J Clin Psychiatry 2003;64(12):1465-75.
 PUBMED | CROSSREF
- Cho MJ, Seong SJ, Park JE, Chung IW, Lee YM, Bae A, et al. Prevalence and correlates of DSM-IV mental disorders in South Korean adults: the Korean epidemiologic catchment area study 2011. Psychiatry Investig 2015;12(2):164-70.
 - PUBMED | CROSSREF
- Too LS, Spittal MJ, Bugeja L, Reifels L, Butterworth P, Pirkis J. The association between mental disorders and suicide: a systematic review and meta-analysis of record linkage studies. J Affect Disord 2019;259:302-13.
 PUBMED | CROSSREF
- Park JH, Lee JJ, Lee SB, Huh Y, Choi EA, Youn JC, et al. Prevalence of major depressive disorder and minor depressive disorder in an elderly Korean population: results from the Korean Longitudinal Study on Health and Aging (KLoSHA). J Affect Disord 2010;125(1-3):234-40.
 PUBMED | CROSSREF
- Hasselbalch BJ, Knorr U, Hasselbalch SG, Gade A, Kessing LV. Cognitive deficits in the remitted state of unipolar depressive disorder. Neuropsychology 2012;26(5):642-51.
 PUBMED | CROSSREF

- Schaakxs R, Comijs HC, van der Mast RC, Schoevers RA, Beekman AT, Penninx BW. Risk factors for depression: differential across age? Am J Geriatr Psychiatry 2017;25(9):966-77.
 PUBMED | CROSSREF
- 7. International Labour Organization. COVID-19 and the World of Work. Update estimates and analysis. Geneva, Switzerland: International Labour Organization; 2020.
- Matilla-Santander N, Ahonen E, Albin M, Baron S, Bolíbar M, Bosmans K, et al. COVID-19 and precarious employment: consequences of the evolving crisis. Int J Health Serv 2021;51(2):226-8.
 PUBMED | CROSSREF
- Freeman A, Tyrovolas S, Koyanagi A, Chatterji S, Leonardi M, Ayuso-Mateos JL, et al. The role of socioeconomic status in depression: results from the COURAGE (aging survey in Europe). BMC Public Health 2016;16(1):1098.
 PUBMED | CROSSREF
- Han KM, Han C, Shin C, Jee HJ, An H, Yoon HK, et al. Social capital, socioeconomic status, and depression in community-living elderly. J Psychiatr Res 2018;98:133-40.
- Meltzer H, Bebbington P, Brugha T, Jenkins R, McManus S, Stansfeld S. Job insecurity, socio-economic circumstances and depression. Psychol Med 2010;40(8):1401-7.
- De Witte H. Job insecurity: review of the international literature on definitions, prevalence, antecedents and consequences. SA J Ind Psychol 2005;31(4):a200.
 CROSSREF
- De Cuyper N, De Witte H. Job insecurity in temporary versus permanent workers: Associations with attitudes, well-being, and behaviour. Work Stress 2007;21(1):65-84.
 CROSSREF
- Irwin M, Artin KH, Oxman MN. Screening for depression in the older adult: criterion validity of the 10item Center for Epidemiological Studies Depression Scale (CES-D). Arch Intern Med 1999;159(15):1701-4.
 PUBMED | CROSSREF
- Cheng ST, Chan AC. The center for epidemiologic studies depression scale in older Chinese: thresholds for long and short forms. Int J Geriatr Psychiatry 2005;20(5):465-70.
 PUBMED | CROSSREF
- Patten SB, Wang JL, Williams JV, Currie S, Beck CA, Maxwell CJ, et al. Descriptive epidemiology of major depression in Canada. Can J Psychiatry 2006;51(2):84-90.
 PUBMED | CROSSREF
- Akhtar-Danesh N, Landeen J. Relation between depression and sociodemographic factors. Int J Ment Health Syst 2007;1(1):4.
 PUBMED | CROSSREF
- Breslau N, Peterson EL, Schultz LR, Chilcoat HD, Andreski P. Major depression and stages of smoking. A longitudinal investigation. Arch Gen Psychiatry 1998;55(2):161-6.
 PUBMED | CROSSREF
- Gémes K, Forsell Y, Janszky I, László KD, Lundin A, Ponce De Leon A, et al. Moderate alcohol consumption and depression - a longitudinal population-based study in Sweden. Acta Psychiatr Scand 2019;139(6):526-35.
 PUBMED | CROSSREF
- Park S, Kook H, Seok H, Lee JH, Lim D, Cho DH, et al. The negative impact of long working hours on mental health in young Korean workers. PLoS One 2020;15(8):e0236931.
- Pflanz SE, Ogle AD. Job stress, depression, work performance, and perceptions of supervisors in military personnel. Mil Med 2006;171(9):861-5.
 PUBMED | CROSSREF
- Rugulies R, Bültmann U, Aust B, Burr H. Psychosocial work environment and incidence of severe depressive symptoms: prospective findings from a 5-year follow-up of the Danish work environment cohort study. Am J Epidemiol 2006;163(10):877-87.
 PUBMED | CROSSREF
- Kim TJ, von dem Knesebeck O. Perceived job insecurity, unemployment and depressive symptoms: a systematic review and meta-analysis of prospective observational studies. Int Arch Occup Environ Health 2016;89(4):561-73.
 PUBMED | CROSSREF
- Quesnel-Vallée A, DeHaney S, Ciampi A. Temporary work and depressive symptoms: a propensity score analysis. Soc Sci Med 2010;70(12):1982-7.
 PUBMED | CROSSREF

- Sareen J, Afifi TO, McMillan KA, Asmundson GJ. Relationship between household income and mental disorders: findings from a population-based longitudinal study. Arch Gen Psychiatry 2011;68(4):419-27.
 PUBMED | CROSSREF
- 26. Shields-Zeeman L, Collin DF, Batra A, Hamad R. How does income affect mental health and health behaviours? A quasi-experimental study of the earned income tax credit. J Epidemiol Community Health 2021;75(10):929-35.
 PUBMED | CROSSREF
- 27. Statistics Korea. Supplementary results of the economically active population survey by employment type in August 2020. http://kostat.go.kr/portal/eng/pressReleases/5/5/index. board?bmode=download&bSeq=&aSeq=385878&ord=2. Updated 2020. Accessed June 24, 2022.
- van de Ven D, Robroek SJ, Oude Hengel KM, Burdorf A, Schuring M. Changes in health among 45-64-year-old Dutch persons before, during and after becoming unemployed or employed: a seven year follow-up study. Scand J Work Environ Health 2022;48(4):283-92.
 PUBMED | CROSSREF
- Sverke M, Hellgren J, Näswall K. No security: a meta-analysis and review of job insecurity and its consequences. J Occup Health Psychol 2002;7(3):242-64.
 PUBMED | CROSSREF
- 30. Latack JC, Dozier JB. After the ax falls: job loss as a career transition. Acad Manage Rev 1986;11(2):375-92. CROSSREF
- Bracci A, Riva E. Perceived job insecurity and anxiety. a multilevel analysis on male and female workers in European countries. Front Sociol 2020;5:573549.
 PUBMED | CROSSREF
- 32. Stegenga BT, King M, Grobbee DE, Torres-González F, Švab I, Maaroos HI, et al. Differential impact of risk factors for women and men on the risk of major depressive disorder. Ann Epidemiol 2012;22(6):388-96.
 PUBMED | CROSSREF
- 33. Han KM, Chang J, Won E, Lee MS, Ham BJ. Precarious employment associated with depressive symptoms and suicidal ideation in adult wage workers. J Affect Disord 2017;218:201-9.
 PUBMED | CROSSREF
- Kachi Y, Otsuka T, Kawada T. Precarious employment and the risk of serious psychological distress: a population-based cohort study in Japan. Scand J Work Environ Health 2014;40(5):465-72.
 PUBMED | CROSSREF
- 35. Jang SY, Jang SI, Bae HC, Shin J, Park EC. Precarious employment and new-onset severe depressive symptoms: a population-based prospective study in South Korea. Scand J Work Environ Health 2015;41(4):329-37.
 PUBMED | CROSSREF
- 36. Kim Y, Kim SS. Job insecurity and depression among automobile sales workers: a longitudinal study in South Korea. Am J Ind Med 2018;61(2):140-7.
 PUBMED | CROSSREF