

REVIEW ARTICLE

Mussel-inspired biomaterials: From chemistry to clinic

Ali Taghizadeh¹ | Mohsen Taghizadeh¹ | Mohsen Khodadadi Yazdi² |
Payam Zarrintaj³ | Joshua D. Ramsey³ | Farzad Seidi⁴ | Florian J. Stadler⁵ |
Haeshin Lee⁶ | Mohammad Reza Saeb⁷ | Masoud Mozafari⁸ 

¹Institute of Tissue Regeneration Engineering (ITREN), Dankook University, Cheonan, Republic of Korea

²Center of Excellence in Electrochemistry, School of Chemistry, College of Science, University of Tehran, Tehran, Iran

³School of Chemical Engineering, Oklahoma State University, Stillwater, Oklahoma, USA

⁴Jiangsu Co-Innovation Center of Efficient Processing and Utilization of Forest Resources and International Innovation Center for Forest Chemicals and Materials, Nanjing Forestry University, Nanjing, China

⁵College of Materials Science and Engineering, Shenzhen Key Laboratory of Polymer Science and Technology, Guangdong, China

⁶Department of Chemistry, Korea Advanced Institute of Science and Technology (KAIST), Daejeon, Republic of Korea

⁷Department of Polymer Technology, Faculty of Chemistry, Gdańsk University of Technology, Gdańsk, Poland

⁸Department of Tissue Engineering & Regenerative Medicine, Iran University of Medical Sciences, Tehran, Iran

Correspondence

Farzad Seidi, Jiangsu Co-Innovation Center of Efficient Processing and Utilization of Forest Resources and International Innovation Center for Forest Chemicals and Materials, Nanjing Forestry University, Nanjing 210037, China.
Email: f_seidi@njfu.edu.cn

Mohammad Reza Saeb, Department of Polymer Technology, Faculty of Chemistry, Gdańsk University of Technology, G. Narutowicza 11/12, 80233 Gdańsk, Poland.
Email: mrsaeb2008@gmail.com

Masoud Mozafari, Department of Tissue Engineering & Regenerative Medicine, Iran University of Medical Sciences, Tehran, Iran.
Email: mozafari.masoud@gmail.com

Present address

Masoud Mozafari, Lunenfeld-Tanenbaum Research Institute, Mount Sinai Hospital, University of Toronto, Toronto, ON, Canada.

Abstract

After several billions of years, nature still makes decisions on its own to identify, develop, and direct the most effective material for phenomena/challenges faced. Likewise, and inspired by the nature, we learned how to take steps in developing new technologies and materials innovations. Wet and strong adhesion by *Mytilidae* mussels (among which *Mytilus edulis*—blue mussel and *Mytilus californianus*—California mussel are the most well-known species) has been an inspiration in developing advanced adhesives for the moist condition. The wet adhesion phenomenon is significant in designing tissue adhesives and surgical sealants. However, a deep understanding of engaged chemical moieties, microenvironmental conditions of secreted proteins, and other contributing mechanisms for outstanding wet adhesion mussels are essential for the optimal design of wet glues. In this review, all aspects of wet adhesion of *Mytilidae* mussels, as well as different strategies needed for designing and fabricating wet adhesives are discussed from a chemistry point of view. Developed muscle-inspired chemistry is a versatile technique when designing not only wet adhesive, but also, in several more applications, especially in the bioengineering area. The applications of muscle-inspired biomaterials in various medical applications are summarized for future developments in the field.

KEYWORDS

biomaterials, biomedical applications, catechol, coacervation, mussel-inspired chemistry, pyrogallol, wet adhesion

Ali Taghizadeh, Mohsen Taghizadeh, and Mohsen Khodadadi Yazdi contributed equally to this work.

This is an open access article under the terms of the [Creative Commons Attribution](https://creativecommons.org/licenses/by/4.0/) License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

© 2022 The Authors. *Bioengineering & Translational Medicine* published by Wiley Periodicals LLC on behalf of American Institute of Chemical Engineers.

1 | INTRODUCTION

From antiquity and ancient times, humankind has always been inspiring by the nature to make proficient use and design materials. Natural evolution has spent millions of years balancing and optimizing almost everything. Correspondingly, every aspect of natural phenomena has been inspired by scientists to mimic the nature from chameleons to leaves. Scientists have deeply been mimicking mechanisms underlying natural changes to find an optimum and lasting solution for addressing different issues engaged with the human body. Researchers who work in the medical field have been attempting to use animals and plants to extract biocompatible materials with minimum toxicity and high efficiency, which could be applied for human disease diagnosis and therapy. These materials must have human tissue characteristics such as matched hydrophilicity and porosity for providing a microenvironment for suitable cell proliferation and food/waste/drug exchanges.¹⁻³

Since almost two-third of the human body consists of chameleons adhesives, designing and applying biocompatible materials to firmly adhere to wet surfaces and be capable of holding a significant amount of water in their networks, preserving high mechanical properties against burst and purge pressure, and showing the ability to facile functionalization is in the center has become of particular attention.⁴ Firm adhesion to the wet surfaces along with to severe wave conditions by blue mussels has been an inspiration for the development of novel, sophisticated wet adhesives. Since the degree of interaction between wet adhesive and tissue is the most key factor controlling and determining adhesion efficiency (particularly when repairing tissue is the target), dealing with chemistry of such adhesives is of critical importance in fabrication of bio-based adhesives. The mussel chemistry sheds light on the mechanisms of adhesion and helps scientists to design better hydrogels and complexes for biomedical applications.⁵⁻⁷

2 | MUSSEL INSPIRED CHEMISTRY

Mytilidae mussels have inspired scientists to find a proper attachment in wet conditions, which usually is a complicated process. Blue mussels (*Mytilus edulis*) attach to rocks strong enough such that wind and waves are quite often unable to detach them. This wet adhesion phenomenon has attracted much interest, and numerous investigations have been devoted to reveal the mechanisms and chemicals responsible for this natural adhesion process.^{8,9}

The mussel's foot is similar to chemical plants that produce constructing materials for manufacturing byssus (i.e., a bundle of hundreds of threads) (Figure 1a). The raw materials are produced within three glands (i.e., phenol, collagen, and accessory glands) in the foot and are delivered through a microfluidic channel known as a ventral groove in which byssal threads are made in a process similar to injection molding of polymers. The foot, like a chemical reactor, provides controlled conditions for the raw materials to react at a defined ratio and makes the core, cuticle, and plaque. In adult mussels, each byssal thread is approximately 2–6 cm in length, composed of three parts of different morphology: (1) adhesive plaque, (2) distal, and (3) proximal sections (Figure 1b).¹⁰ The elastic proximal section, which is attached

to the foot and spread from the stem, is made of loosely packed collagen proteins with a helical structure endowing threads with elasticity and load-bearing properties.¹⁰

On the other hand, the distal section is primarily made of tightly packed aligned collagen fibrils (i.e., prepolymerized collagen or Pre-Cols), which provide threads with three kinds of critical flanking regions; silk (truly rigid, 10 GPa), elastin (gentle, 2 GPa), and polyglycine (amorphous and intermediate; Figure 1c).¹¹ Such a structure provides a gradual movement from the soft tissue of the foot to the hard substrates (i.e., rocks) at the spatulate plaques.^{12,13} The adhesive plaque, which originates mainly from phenol glands, is the first protein that is injected, followed by the thread core (from collagen glands) and, finally, the cuticle layer (from accessory glands). Cuticle, a 2–5 micron thick layer with granular morphology (Figure 1d), is primarily composed of Mfp-1, which contains approximately 1 wt% metal ions resulting in high stiffness (2 GPa, compared to underlying collagen fibrils with ~0.5 GPa) and hardness (0.1 GPa). It is worth noting that elongation at break for byssal threads is around 120%.¹⁴

The adhesive plaque has a porous structure where its voids pattern depends on habitat conditions. This structure is proven to reduce crack propagation and enhance plaque ductility.¹⁶ However, plaque's chemical structure is the most prominent factor in plaque adhesion. Mussel adhesive proteins (MAPs) secreted from blue mussels, known as mussel foot proteins (Mfp), are responsible for firmly adhering mussels to various surfaces under wet conditions. Six different types of MAP proteins have been identified (Table 1).^{17,18} These proteins are highly cationic (i.e., the MAPs are polyelectrolytes) and have a high content of glycine and 3,4-dihydroxy-L-alanine (DOPA).¹⁹ Besides, the DOPA has distinguished in secreted materials from *Phragmatopoma californica* (sandcastle worm) and tunicates as well.¹⁰ DOPA has also been observed in proteins of coral reefs, seashells, and eggshells, where tyrosine oxidation results in DOPA creation.²⁰ Other amino acids—namely lysine, phosphoserine, and histidine—appear to contribute to MAP adhesion. DOPA is an amino acid used as a drug for Parkinson's disease. It contains functional OH, COOH, and NH₂. DOPA contributes to cohesive and adhesive properties that are essential for any adhesive/glue system. Oxidized DOPA contributes to cohesion while nonoxidized DOPA adheres.²¹

Despite the understanding, the chemical composition of MAPs is fundamental when scrutinizing the mechanism of wet adhesion but realizing the physiochemical conditions of the microenvironment where these MAPs are secreted is also critical. Distal depression of mussel foot resembles inverted cups, which create a cavity of controlled condition for the injection of proteins and further physical and chemical processes. In general, seawater has a high pH value of ~8.1, high ion concentration (~0.7 M), and is saturated with oxygen, while the mussel foot cavities have a lower ion concentration (0.15 M), a lower oxygen concentration, and, thus, a highly reducing and acidic microenvironment (pH = 1–3).²⁵⁻²⁸ The development of negative gauge pressure in the mussel foot cavity, which triggers suction, enables temporary attachment to the surface, and facilitates protein entry. After these processes, Mfp-3, Mfp-5, and Mfp-6 are secreted and adsorb on the surface while undergoing a liquid–liquid phase separation, known as coacervation, which exhibits the way that cells




FIGURE 1 Structure of blue mussel. (a) Different parts and components of the blue mussel and its foot, (b) different parts of the byssal, (c) molecular thread gradients, and (d) SEM image of the plaque adhered to the surface¹⁵

TABLE 1 General chemical and physical characteristics of mussel adhesive proteins

	Molecular weight (kDa)	DOPA%	Most abundant proteins	Features	References
Mfp-1	108	13		Highest weight	22,23
Mfp-2	42–47	3		Most abundant in plaques (25 wt%), provide mechanical integrity	22,23
Mfp-3-f	5–7	19%	Glycine (25%), lysine (15%)	DOPA protection against oxidation, diverse variant	23
Mfp-3-s		8%	Glycine (29%), tyrosine (19%), Asparagine (18%)		24
Mfp-4	80	4		Bridging between plaque and byssal thread	22
Mfp-5	8.9	30.4%	DOPA (30.4%), Lysine (19.8%), Glycine (19.6%)	least polymorphic plaque proteins, hydrophilicity	23
Mfp-6		3.2%	Tyrosine (19%), Glycine (23.7%), Asparagine (13.4%)		24

gather proteins in their fluid-controlled state. This separated phase will not dissolve easily in aqueous media and shows poor interfacial tension in seawater.¹⁰ The term coacervation refers to an electrostatically induced liquid–liquid phase separation, for example, when two oppositely charged polyelectrolytes are mixed. All MAPs are positively charged with a high isoelectric point (pI).²⁹ However, Mfp-3S is the unique MAP that can self-coacervate (Figure 2).^{10,17} Under the physiochemical conditions inside the mussel foot cavity, colloidal suspensions of Mfp-3S undergo a liquid–liquid phase separation, which results in coacervate formation.³⁰ This self-coacervation process also has a key role in certain biological systems like squid beak formation.³⁰ It seems that electrostatic and hydrophobic interactions

between nonpolar Mfp-3S polymers are responsible for phase separation.²⁹ Coacervation of MAPs is believed to be the method used by mussels for their initial adhesion to wet surfaces.²⁹ The immediate adhesion mechanism of the mussel is characterized by a close correlation connecting the coacervate's easy secretion/surface wetting characteristics and the primordial interface sticky function of the Mfp-5 and Mfp-3 as surface MAPs, effectively contacting aquatic surfaces.^{11,29} These metastable fluidic coacervates can further undergo phase inversion, crosslinking, and solidification. All in all, the adhesive protein coacervation operation includes several steps. At first, the negative isoelectric point of proteins and positive charges aggregate at acidic region (pH ~ 5); then, the neutralization of opposite charges




FIGURE 2 (a) Schematic of various coacervation processes, (b) scheme of adhesive protein coacervation operation, and (c) different types of proteins in byssal plaque¹⁷

forms two isolated phases; next, desolvation of equilibrium phase leads to suction and adhesion onto the surface; in the end, secretion and gelation onto the surface take place, thus fixing the byssus thread firmly to the substrate (Figure 2).¹¹

Then, the foot is lifted off and seawater, saturated with O_2 , diffuses in, which results in some DOPA (from Mfp-3 or Mfp-5) oxidizing to DOPA-quinone. DOPA-quinone has poor adhesive but strong cohesive properties due to chemical crosslinking. Mfp-6 has a low




FIGURE 3 Mussel adhesion to the surface at various pH. (a-1) at pH < 7, MAPs readily transfer to the surface; Lysine and DOPA facilitate the development of bident H bonds and surface oxide coordination interactions. (a-2) DOPA's auto-oxidation at the basic region (pH = 7.5–8.2) is an issue that could cause adhesion to reduce by more than 75% or 95% in comparison to low pH such as 3 and 5, respectively. Along with the formation of dopaquinone, catechol oxidase, and redox transfer between DOPA and iron (III) ions, trigger the formation of crosslinks in the plaque^{34,35}

DOPA (3.2%) and a high tyrosine content (19%), while its charged residues (anionic (23%) and cationic (16%) amino acids) are the highest among other types of MAPs.²⁴ Further, thiol groups in Mfp-6, primarily present in cysteine, control the oxidation and reduction reactions DOPA in Mfp-3 and Mfp-5.^{31,32} Then, Mfp-2 and Mfp-4 are secreted, which form the structure of the adhesive plaque followed by the secretion of other proteins that make threads as discussed earlier. Finally, Mfp-1 is secreted, which creates the cuticle.

Note that Mfp-3s, due to possessing higher proportion of hydrophobic amino acid residues compared to Mfp-3f is capable of inhibiting DOPA from oxidation, especially at pH > 7.³³ It was observed that DOPA moieties have a significantly higher oxidizing ability in Mfp-3s compared to Mfp-3f, that is, DOPA is less suspicious of oxidation in the presence of Mfp-3s, which result in improved adhesion in neutral to basic environments. It is believed that this phenomenon is related to hydrophobic interactions of Mfp-3s, which results in the creation of a hydrophobic microenvironment encompassing DOPA residues and protecting them from the surrounding environment. The whole process for byssal threads formation takes about 5 min. After 8–12 days of this process, the plaque's adhesive strength increases 100% due to seawater exposure.³⁴ This postprocessing phenomenon depends on physiochemical conditions of seawater such as oxygen concentration and




FIGURE 4 Different positions of threads in various situations

pH (Figure 3).³⁵ Figure 4 indicates various byssal positions when mussels faced different external forces.

From this perspective, nature using biological processes based on chemical functionality such as dopamine and eugenol inspires scientists to design a material based on mussel chemistry for various uses such as adhesive for biological media. Catechol is the central part of such molecules responsible for adhesiveness. In this regard, we will




FIGURE 5 Chemical structures of catechols found in human plasma. Cys 5-S-cysteiny, DOPAC 3,4-dihydroxy phenylacetic acid, DHPG 3, and 4-dihydroxy phenyl glycol⁴³

describe the mussel-inspired chemistry to pave the way to design appropriate substrates for biomedical applications.

3 | CATECHOL CONTAINING MATERIALS

There are numerous naturally occurring catechol derivatives with different functionalities, including neurotransmission, pigmentation, surface adhesion, creation of beak and cuticle, crosslinking of proteins, and iron acquisition. For instance, urushiol, catecholamines (such as DOPA, dopamine, norepinephrine, and epinephrine), catechol melanins, catechin, caffeic acid, and tannic acid are some of the natural derivatives of the catechol.^{36,37}

Catecholamines are a set of chemical neurotransmitters that contribute to regulating physiological processes while also contributing to several diseases, including cardiovascular, neurological, and endocrine diseases.³⁸ Tyrosine and DOPA are the main precursors for manufacturing catecholamines in living organisms.³⁹ Dopamine is a neurotransmitter that is very important in the brain and the human blood plasma (Figure 5). Besides, it is a precursor of norepinephrine

and epinephrine hormones.⁴⁰ Unbalanced dopamine levels lead to various disorders and illnesses like Parkinson's disease.⁴¹ Dopamine is found in the central nervous system (CNS), where its axon terminal concentration is maximum for all body parts.⁴²

3,4-Dihydroxy-catechols are predominantly found in dopamine and its derivatives, such as DOPA, while 2,3-dihydroxy-catechols (especially 2,3-dihydroxybenzoic acid) are found in siderophores secreted by microorganisms, which strongly chelate Fe^{3+} when transporting it through the cell membrane.⁴⁴ Enterobactin is the siderophore of high affinity found primarily in Gram-negative bacteria such as *Salmonella typhimurium*. The primary function of this siderophore is acquiring iron, as shown in the following figure. Besides animal species, catechol structure can be observed in plant species such as natural dyes like flavonoids (e.g., quercetin), which results in antioxidant and strong radical scavenging potential.^{45,46} Tannic acid, which is a polyphenolic compound, has been recently at the center of attention in biomedical applications.^{47,48} This weak acid rich in pyrogallol/catechol functional groups endow the acid with antioxidant, radical scavenging, and adhesive properties.^{49,50} Caffeic acid is another catechol-containing carboxylic acid, which is a precursor to the




FIGURE 6 Different interactions between catechol and other moieties

synthesis of lignin in plants.⁵¹ This natural polyphenol is also found in coffee and certain fruits, oils, and herbs and possesses antioxidant properties.⁵²

On the other hand, different catechol-containing derivatives such as dopamine can be manufactured through substitution on the benzene ring or the side chain.⁵³ These substituted functional groups affect the charge distribution on the benzene ring, which alters the

reactivity and adhesion properties of catechol groups. Besides, acrylamide derivatives such as N-(3,4-dihydroxyphenethyl)methacrylamide have also been used in manufacturing MI polymers.⁵⁴ These derivatives, which have been intensely used in polymer synthesis, would be studied in more detail.

The vicinal hydroxyl groups (catechols) of DOPA are a critical factor in its wet adhesion. The maximum adhesion of Mfp-3 and Mfp-5

occurs when pH is less than 3. The adhesion strength significantly diminishes at pH = 5.5 and completely disappears at neutral pH.^{25,55} Thanks to the redox properties of catechol, DOPA serves not only in surface adhesion but also in cohesive forces within the bulk of the adhesive plaque.

4 | CATECHOL INTERACTIONS

The catechol group consists of two adjacent hydroxyl groups attached to an aromatic ring. There are π -electrons systems below and above the benzene ring, resulting in a quadrupole load distribution and thus allowing electrostatic interactions. In other words, this electron-rich system can interact with various species, including cations, anions, neutral metals, and other systems like aromatics. Some of these possible interactions are metal- π interactions, polar molecules- π interactions, aromatic-aromatic interactions (π stacking), donor-acceptor interactions, anion- π interactions, cation- π interactions, C-H- π interactions. It is expected that catechol groups which are composed of two neighboring hydroxyls attached to a benzene ring experience similar interactions.⁵⁶ Besides, OH groups would endow their new interactions with other species. Figure 4. shows different interactions of catechol with other species, some of which are reversible while the others are irreversible, that is, covalent bonds. Chemical interactions between ortho-quinones and catechol-based materials are generally grouped into (1) noncovalent and (2) covalent interactions.⁵⁷

Briefly, the noncovalent interactions related to catechols are subdivided into six classes that are illustrated in Figure 6a-f. The powerful hydrogen bonding between the ortho-dihydroxy moiety of catechol and polar tails (F, O, N) of surfaces (almost all types of substances, including rocks, hydroxyapatite, and even body tissues) leads to a high adsorbability on surfaces (Figure 6a). Despite the hydrogen bonding, as a polar-polar interaction, catechols, due to the existence of benzene units in their structures (Figure 6b), enable them to build strong π - π interactions with aromatic ring-containing platforms (e.g., polystyrene).^{56,58} Also, catechols, through an attraction between their benzene rings and cations (cation- π interactions), are capable of adhering to cation-containing surfaces (Figure 6c).⁵⁷ Figure 6d illustrated that catechols play a role as a robust anchor to modify and functionalize the surface of diverse metal oxides (silver, gold, silicon, and titanium oxides) to nickel-titanium alloys via the reversible interfacial bonds.⁵⁹ Figure 6e explains that the chelation of various metal cations by catechols is suitable to fabricate stable yet reversible complexes, which have many applications in the synthesis of pH-responsive drug delivery systems, hydrogels with self-healing features, and soft actuators.⁶⁰⁻⁶² Also, the reaction between catechols and the boronic acids results in the creation of dynamic covalent bonds between oxygen and boron atoms (Figure 6f).⁶³ Catechol can be oxidized in the presence of oxidation agents (e.g., sodium periodate) to produce a radical form of an ortho-quinone structure (Figure 6g).^{57,64} In addition, catechol oxidase can catalyze the reaction between catechol derivatives and oxygen. In mildly basic aqueous solutions or even in the air, catechols are capable of oxidizing spontaneously. Figure 6h

exhibits the fact that dimers were formed whenever quinone molecules start to react with each other or have interactions with other catechols molecules through crosslinking polymerization.⁵⁷

5 | PHYSICAL/REVERSIBLE INTERACTIONS


Noncovalent interactions (i.e., electrostatic forces, π -effects, van der Waals [vdW], hydrophobic effect) significantly contribute to biological systems in various ways including fixing protein 3D structure and other biomolecules.^{65,66} These dynamic reversible interactions may also be utilized when designing stimuli-responsive hydrogels for biomedical applications.⁶⁷ Catechol functional groups contribute to many of these physical interactions summarized in this section.

Catechol benzene interactions with other aromatic species such as polymers (e.g., polystyrene⁶⁸), carbon-based nanomaterials (e.g., nanotubes and graphenic materials⁶⁹), organic dyes are very common. It was recently revealed that substitution of electron-donating and removing groups, particularly -OH, on the benzene ring could increase adsorption on graphene sheets.⁶⁹ More interestingly, the adsorption is further enhanced when the number of hydroxyl groups is increased. Adsorption is also weakly related to positions of a disubstituted benzene ring where hydroxyls in para-position (e.g., hydroquinone) more strongly adhere to graphene compared to ortho-position (e.g., catechol).⁶⁹

Hydrogen bonds are created between hydrogen atoms, which are bonded to small, highly electronegative atoms (i.e., N-, O-, and F-molecules known as NOF) and adjacent groups with lone pair of electrons (e.g., NH₃). Strong electrostatic interactions between positively charged hydrogen atoms with negatively charged species carrying single pairs of electrons make H-bonds stronger than vdW, but weaker than ionic and covalent bonding. Hydrogen bonds can be intermolecular or intramolecular, responsible for exciting phenomena such as the high boiling point of water and secondary and tertiary structures of proteins. In catechol where hydrogen atoms are attached to oxygen atoms, hydrogen bonding can be created. Two hydroxyl groups next to each other can result in various catechol-water clusters in which the strength of hydrogen bonds is different.⁷⁰ Intramolecular hydrogen bonding can endow the catechol-containing systems with significant antioxidant activity, as well.⁷¹

Metal complexation crosslinking is common in nature's and nature-derived bioadhesive, mechanically stressed, and protective coatings with high strength, toughness, self-healing, wet adhesion, hardness, wear resistance, high extensibility, and adjustable mechanical properties.^{72,73} High hardness, extensibility, and stiffness of the cuticle of byssal mussel threads originate from metal-L-DOPA complexes, especially Fe²⁺ and Ca²⁺ ions, which account for approximately 1 wt% of Mfp-1.⁷⁴ Physical interactions between catechol and metallic ions (i.e., coordination complexes) supply a dynamic physical crosslinking mechanism with high strength.⁷⁵ DOPA-Fe³⁺ complexation not only contributes to adhesion but also cohesion, but not simultaneously.⁷⁶ Indeed, mussels used Dopa-Fe³⁺ complexation to shift

FIGURE 7 Mechanism of catechol oxidation in (a) water and (b) air⁸²



dopamine functionality from surface adhesion to plaque/substrate interface cohesion. In other words, the complexation of DOPA- Fe^{3+} leads to the innate surface adhesion that is generated in acidic environments ($\text{pH} \approx 2\text{--}4$) completely fading and strong cohesion between proteins and proteins emerges under basic pH conditions ($\text{pH} \approx 8$) similar to seawater.

Regardless of the kind of multivalent cations ions, catechol-containing compounds have a tendency toward adhering to metal and metal oxide surfaces in which the adhesion strength is significantly

affected by metal.^{15,23} The metal-catechol bond is one of the strongest physical (or reversible) interactions in biological systems in which 0.8 nN is needed for breaking one single metal-catechol bond compared to covalent bonds such as silicon-carbon (2 nN) and gold-sulfur (1.4 nN).^{73,77} However, the presence of adsorbed water or solvent molecules would affect catechol adsorption on different surfaces.¹⁵

On the other hand, dihydroxylated compounds with neighboring hydroxyl moieties such as 2-hydroxy carboxylates, diols, enolizable α -ketocarboxylates, and catechol derivatives can interact effectively

with boronic acids.⁷⁸ Boronate–catechol complexes can prevent DOPA from oxidation.⁷⁹ Thus, these complexes have been used as a temporary protecting group when modifying monomers or polymers with catechol.⁸⁰

6 | CHEMICAL INTERACTIONS

Metallic cations, especially with high charge density, can interact with the electron-rich region below/above benzene rings. Electron-donating groups (e.g., NH₂, -OH) strengthen this interaction while electron-withdrawing groups (e.g., CN, NO₂) weaken it.

6.1 | Oxidation

Catechol can be oxidized in the presence of oxidation agents (e.g., sodium periodate, ammonium persulfate, hydrogen peroxide, mushroom tyrosinase, and horseradish peroxidase) into their quinone form. For example, catechol oxidase can catalyze the reaction between catechol derivatives and oxygen. In aqueous, mildly basic solutions, catechol is prone to auto-oxidation (Figure 7a). Besides, as shown in Figure 7b catechol also spontaneously oxidizes when exposed to air or water.⁸¹ In all cases, the oxidation is accompanied by a clear “catechol tanning”—the color turns dark red to almost black.⁶³

Quinones are highly reactive intermediates that can be covalently attached to the nucleophilic functional groups (e.g., thiol, thiol acids, primary and secondary amines, cyanamide, or imidazole) via nucleophilic addition reactions (Michael addition or Schiff base substitution as shown in Figure 8).⁸³ The reaction of quinones with water yields a 1,4-addition product which is an unstable intermediate.³⁹ Besides, quinones can react with alcohol functional groups through Michael-1,4-addition. The reaction between quinones and carboxyl functional groups yields esters.³⁹

Furthermore, catecholamine derivatives could be easily oxidized.³⁹ Catecholamines (except norepinephrine) oxidize to form semi-quinone and eventually to quinone form. Quinones reactivity is essential in biological systems. Moreover, a controlled condition in the dopamine microenvironment is essential for adequate brain function.³⁸ The oxidation of dopamine may result in Parkinson's disease.⁸⁶ Dopamine is a qualified antioxidant that acts as a free radical scavenger protecting neurocytes from oxidative stress.³⁸

Auto-oxidation of DOPA at neutral pH is problematic, which can result in more than a 95% decrease in adhesion. DOPA is converted to dopaquinone under oxidizing conditions such as chemical or elevated pH. Nonoxidized DOPA contributes to adhesion, while oxidized DOPA mainly contributes to cohesion.⁸⁷ Oxidation of N-acetyl dopamine and N-β-alanyl dopamine usually occurs during cuticular sclerotization (Figure 9).⁸⁸ The functionalization of the catechol with electron-withdrawing groups increases the oxidation rate with oxygen, while electron-donating groups decrease the oxidation rate.

6.2 | Nucleophilic interactions

Oxidation intermediates like quinone and quinone methide may react with nucleophilic groups like thiol and amines. The reaction of amine and catechol is critical in many biological systems, including mussel adhesive proteins, polymerization of specific protein subunits to create cytoskeleton in insects, and the synthesis of melanin pigments.⁸⁹ As discussed earlier, along with DOPA, the L-lysine amino acid is found extensively in blue-mussel Mfaps. The primary amine groups in L-lysine may undergo reaction with o-quinone moieties by Schiff-type reaction, which helps to solidify secreted proteins in blue mussels.⁸⁹ The beak material in jumbo squids is a mineral-free sclerotized chitinous (the protective outer layer of some species of insects and crustaceans) composite in which covalent crosslinking between DOPA and histidine amino acid is observed in the form of multimers⁹⁰ (Figure 10). Histidine is an essential amino acid that can change into histamine upon decarboxylation. Amine-catechol chemistry, which is common in biological systems, has focused on References 91 and 92.

The reaction between catechol and thiol is found in many biological systems.³¹ Orthoquinones from the oxidation of catecholamines can react with thiol-containing cysteine resulting in neurotoxic cysteinyl catecholamine.^{93,94}

6.3 | Oligomerization

The following figure illustrated that DOPA (free amine attached to the catechol group) could undergo intramolecular cyclization after oxidation followed by oligomerization, which results in eumelanin, a group of melanin (Figure 11).⁹⁵

Tyrosinase (A) transforms tyrosine and DOPA into dopaquinone. Dopaquinone undergoes instant intramolecular, nonenzymatic cyclization forming leucochrome, and rapidly oxidizing dopaquinone to dopachrome. Red-colored dopachrome is transformed as the primary component of 5,6-dihydroxyindole (DHI) and 5,6-dihydroxyindole-2-carboxylic acid (DHICA). Oxidative dihydroxyindol polymerization produces melanin, the same moiety making human skin darker. Tyrosinase is thought to be the only enzyme associated with this pathway, and the remaining reactions (B) are believed to be nonenzymatic.

6.4 | Polymerization

Autoxidative dopamine polymerization usually occurs in basic media under oxygen presence.⁹⁶ However, it has recently been reported that dopamine could be polymerized under acidic conditions (pH <5.5).⁹⁷ Plasma-activated water (PAW), prepared through a micro hollow cathode discharge device, was used as a polymerization medium. The obtained acidic PDA has a similar chemistry to the basic PDA, which is routinely synthesized in basic conditions, but the particles of acidic PDA show superior stability at different pH conditions. This PAW-PDA seems important for large biomedical applications.

FIGURE 8 Schematic of Michael addition and Schiff base reaction can occur between quinone and primary amines^{84,85}




FIGURE 9 Oxidation of (left) N-acetyl dopamine and (right) N-β-alanyl dopamine




FIGURE 10 Chemical structure of (left) L-histidine and (right) DOPA-histidine⁸²

DOPA residues can undergo polymerization reactions while forming oligomers with up to six attached monomers, which is responsible for the rapid curing of catechol-containing adhesives.⁹²

6.5 | Crosslinking

Crosslinking and reactivity of catechols strongly depend on the pH. In mild acidic environments (i.e., pH = 5.7–6.7), quinone methide, which

is a highly reactive intermediate, becomes more stable and retard further reactions resulting in a slower rate of crosslinking.⁹⁸ Under neutral to mild basic conditions (pH = 7.4–8), the rate of crosslinking reaction is high. In this range, quinone directly transforms to α,β-dehydrodopamine, which may react with dopamine quinone, O₂, or oxidation agent to yield its quinone form. At higher pH values, dicatchol species have been observed. Aryloxy radicals, which are generated by both catechol and quinone moieties, are responsible for the fast cross-linking of catechol-modified polymers.⁹⁹ In quinone methide (Figure 12), there is one carbonyl oxygen substituted on the benzene ring. This makes it more polar and extremely reactive compared to quinone with two carbonyl oxygen. Para-quinone methides are related to catecholamines.

7 | CATECHOL-BASED CHEMISTRY FOR MODIFICATION OF BIOMATERIALS

Catechol-containing species may as side chains, chain caps, or it may be a co-monomer. DOPA and other catechol-containing chemicals induce wet adhesion and self-healing properties to the polymers. Besides, they endow fast curing properties. Natural polymers and some synthetic polymers may be functionalized with catecholic




FIGURE 11 Raper-Mason pathway for the biosynthesis of melanin




FIGURE 12 Schematic illustration of dopamine quinone methide

derivatives as side chains or end-caps. On the other hand, monomers or oligomers may also be functionalized with catecholic derivatives before polymerization to yield copolymers. Besides, catechol-modified initiators may also be used to create catechol-containing polymers.³⁹

7.1 | Premodification strategies

As discussed in the introduction section, the mussel's foot should provide a cavity of controlled condition before the secretion of MAPs. Adjusting the pH, oxygen concentration, and ionic strength

are prerequisites for successful adhesion. In this regard, adjusting and controlling the conditions of the reaction medium is very important when designing and synthesizing catechol functionalized polymers and monomers or other catecholic compounds. Besides, several methods may be utilized to protect OH or amine in catechol groups during functionalization or polymerization. Protecting the α -amino groups is critical in peptide chemistry. These protecting groups should be removed efficiently and fast while yielding easily removable byproducts.¹⁰⁰ 9-Fluorenyl methoxycarbonyl (Fmoc) and *tert*-butyloxycarbonyl (Boc) group are the most frequently used protecting groups for α -amino in peptide synthesis which are used in Fmoc/*tert*-butyl (tBu) and Boc/benzyl (Bn) methods, respectively. In organic chemistry, 9-fluorenylmethoxycarbonyl (Fmoc) is a base-labile protecting group that is used for protecting α -amino groups.¹⁰¹ In this regard, several protecting groups have been utilized to protect amino groups (e.g., Fmoc, Boc, carbobenzyloxy, acetyl, benzoyl, benzyl, and carbamate), the carboxylic acid groups (methyl esters, benzyl esters, *tert*-butyl esters, and silyl esters), and phenolic hydroxyl groups (e.g., *tert*-butyl ether, methoxymethyl, tetrahydropyranyl) after a modification with catechol. Acetyl,¹⁰² *t*-butyldimethylsilyl chlorides (TBDMS-Cl),¹⁰³ cyclic ethyl orthoformate (Ceof),¹⁰¹ carboxybenzyl,¹⁰⁴ acetonide,^{105,106} methyl ether¹⁰⁷ have been used as protecting groups for catechol during multistep organic synthesis methods.

Diethers or diesters can be used to protect catechol similar to strategies that are used to protect phenols from yielding cyclic esters, and cyclic acetals and ketals.¹⁰⁸ Furthermore, several strategies (e.g., by using acids for Boc or bases for Fmoc) have been developed to remove these protecting groups after synthesis.¹⁰⁰

7.2 | Natural polymers

Natural polymers can be classified into polysaccharides, proteins, and polyesters. A beak mimic (which is based on DOPA) has resulted in manufacturing water processable chitosan composites.¹⁰⁹

α -Amino acid N-carboxy anhydrides (NCAs) are reactive derivatives of amino acids that could be prepared through phosgene treatment.¹⁰⁴ Polypeptides can be prepared through ring-opening polymerization of NCAs. Copolymerization of NCA monomers of L-lysine and L-DOPA yields water-soluble copolymers. After crosslinking with oxidants, these copolymers create adhesives that are resistant to moisture and show high adhesion to steel, glass, and synthetic polymers.¹⁰⁴ Pluronic L-31 will serve as an initiator of NCAs ring-opening polymerization to yield thermosensitive hyperbranched poly(amino acid).¹¹⁰ However, there are a few research works on the functionalization of proteins with catechol, gelatin,¹¹¹ silk fibroin,¹¹² and collagen.¹⁸

Polysaccharides such as alginate,¹¹³ chitosan,¹¹⁴ hyaluronic acid,¹¹⁵ dextran,¹¹⁶ chondroitin sulfate,¹¹⁷ and cellulose,¹¹⁸ have also been modified using catechol chemistry. Since these are water-soluble polymers, the catechol modification is usually carried out using EDC/NHS chemistry to create side chains with catechol functionality

using $-NH_2$, OH , and $COOH$ groups on the sidechains of polymers. Alginate is one of the most studied polysaccharides in biomedical applications. Unmodified alginate can immediately change into a gel in the presence of Ca^{2+} or other divalent cations because of ionic cross-linking (electrostatic interactions) with the carboxylic groups.¹¹⁹ This phenomenon is fundamental for the encapsulation of drugs and cells. However, because of physical cross-linking, the dissociation of ionic bonds between cations and carboxylic acid groups on the alginate is facile, resulting in ion dissolution.¹¹⁹ On the other hand, chemical crosslinking increases the physical stability of the gel, while chemical coupling agents can damage cells and proteins when encapsulating.¹²⁰ Accordingly, a combined approach has been used in which cell encapsulation is triggered by an ionic coupling agent followed by a gradual substitution by covalent crosslinking.¹²¹ The gels' stability and mechanical properties (known as Stable Alginate Gel Prepared by Linkage Exchange [STAPLE]) increase gradually. STAPLE is based on the oxidation chemistry of catechol side groups that are gradually oxidized and create catecholquinone intermediates. As shown in Figure 13 when ionic bonds dissociate at physiological conditions (i.e., $pH = 7.4$ and $37^\circ C$), the crosslinking of catecholquinone occurs at a similar rate. Thus, gel maintains its integrity in contrast to common alginate hydrogels, which can "dissolve" in excess of water. The relative swelling for alginate-catechol gels was measured to be 660% compared to 350% for ordinary alginate gels.¹²¹

7.3 | Synthetic polymers

Catechol may be used to manufacture copolymers, or it may be grafted to synthetic polymers. Besides, it may be used to synthesize end-capped polymers.

DOPA was also used for various copolymers. Stable and biocompatible DOPA and lactide block and graft copolymers (i.e., PDOPA-g-PLA and PDOPA-b-PLA) can be generated using lactide ring-opening polymerization in the presence of PDOPA, which also acts as an initiator.¹²² The LA:DOPA molar ratio, determine the molecular weight and composition of the obtained copolymers. It was observed that the thermal stability and degradation rate of graft copolymers are higher compared to block. Besides, increasing DOPA in copolymer results in faster degradation in which catechol functional groups bear oxidation and chemical crosslinking reactions. When polymerization of DOPA, it is possible for the amine groups to react with carboxyl groups such that the amine should be protected using Boc- or Fmoc-strategies (i.e., Boc-DOPA and Fmoc-DOPA) in which Boc and Fmoc denote *tert*-butyloxycarbonyl, 9-fluorenylmethyloxycarbonyl. Besides, catecholic oxygen could be protected using labile acid groups such as *tert*-butyldimethylsilyl (TBDMS).¹⁰¹ DOPA-derivatives protected by Fmoc-DOPA(TBDMS)₂ were used to create DOPA-modified peptides.¹²³ Amine and hydroxyl groups of DOPA were protected by N-(ethoxycarbonyl)phthalimide and acetyl chloride, respectively (Ac-N-Phth-DOPA), to synthesize a hyperbranched PDOPA polyester.

The T_g of the polymer is $106^\circ C$, while its melting point is surprisingly higher than $200^\circ C$. the molecular weight was reported to be

around 12,000 g/mol. High degradability and excellent biocompatibility were also observed. Cell adhesion of PDOPA was comparable to that of tissue culture polystyrene (TCP). In this study, pyrene and PLA have also been grafted to PDOPA. Reactive amine groups on the PDOPA enable its functionalization with other chemicals and polymers. Poly(ethylene glycol) (PEG-g-catechol) (with grafted catechol) can be prepared through polymerization of PEG in the presence of dopamine.¹²⁴ The obtained copolymer can be used for the PEGylation of different surfaces and manufacturing antifouling coatings. Catechol acetone glycidyl ether (CAGE) is a protected catechol derivative that has been utilized to endow catechol functionalities to hydrophilic polyethers.¹²⁵ Both linear PEG and hyperbranched polyglycerol copolymers can be synthesized through the polymerization of CAGE with ethylene oxide and glycidol, respectively. PCAGE-b-PEG-bPCAGE triblock copolymers create hydrogels with iron ions. Catechol-containing chemicals can be used with polymerization initiators. Sadaba et al. synthesized end-capped polylactide using dopamine as an initiator. They conducted lactide ring-opening polymerization (ROP) in the presence of unregulated dopamine (i.e., without using protective groups). In some research studies, monomers or oligomers have been modified with catechol-containing groups before polymerization. In another study, Lee and colleagues attempted to synthesize N-methacrylated DOPA monomers and photopolymerized DOPA with poly(ethylene glycol) diacrylate (PEG-DA) to create hydrogel under UV or visible light irradiation.¹⁰³ Copolymerization of DOPA and PEG-DA resulted in better improvement of mechanical properties of PEG-DA for biomedical demands.

Glass et al.¹²⁶ have introduced the synthesis of dopamine methacrylate (DMA), a monomer bearing the DOPA-group in the side chain, which can be copolymerized with a variety of vinyl-monomers easily. For example, Vatankhah-Varnoosfaderani et al.^{63,127} have synthesized copolymers of DMA and thermosensitive N-isopropylacrylamide, which has proven to be a triple ion-responsive polymer, able to form hydrogels as well as organogels with various metal and polymeric¹²⁸⁻¹³¹ ions and also through hydrogen bonding. Copolymers of DMA with methylmethacrylate were synthesized for their drug-releasing and metal oxide absorbing properties, to be applied in hyperthermic cancer therapy.

7.4 | Biomolecules

Peptides and proteins are created from amino acids and are essential components in cells. However, peptides are smaller compared to proteins, and they are structurally different. Oligopeptides (with 2–20 amino acids) and polypeptides are subgroups of peptides. Joining one or more polypeptides can result in forming proteins. DOPA-modified short peptides have been synthesized using DOPA-DOPA (two DOPA attached through amide bond) and Fmoc-DOPA-DOPA species as raw materials. These peptides can self-assemble to create fibers with high catechol groups. Besides, Fmoc-DOPA-DOPA can act as low-molecular-weight hydrogelators. Fmoc-DOPA-DOPA-Lysine tripeptide exhibited superior adhesion properties.¹³²⁻¹³⁴




FIGURE 13 The crosslinking of catechol quinone in various conditions (ionic, linkage-type, and covalent)

Protein-bound DOPA (PB-DOPA) can be created through enzyme reactions in the mammalian cell.¹³⁵ When oxidative damage *in vivo*, the creation of PB-DOPA is enhanced significantly as a defense mechanism.¹³⁶

7.5 | Zwitterions

Zwitterions are organic salts containing two or more functional groups, containing at least one positive and at least one negatively charged functional group.¹³⁷ They have been used in biomedical applications.¹³⁸ More interestingly, phospholipid as a major comprising component of cell membranes can be considered a zwitterionic derivative. The hydrophilic head of phospholipids is made of a covalently bonded pair of the cation (cholinium) and anion (phosphonate; Figure 14).¹³⁹

Copolymers of zwitterionic and dopamine have been used for multifunctional coatings.¹⁴¹ They synthesized dopamine methacrylamide (DA-MA) monomer and polymerized it in the presence of N-(methacryloxypropyl)-N,N-dimethyl-N-(3-sulfopropyl) ammonium betaine (SBMA), which is a zwitterion, to obtain microgels. They used AIBN as a polymerization initiator and PVP as a stabilizer. Besides, N,N'-methylene bisacrylamide (BIS) was added as cross-linker after the initial nucleation of the polymer, as shown in Figure 15, the resulting microgels have dual functionalities of dopamine and zwitterion. The former functionality, thanks to catechol chemistry, contributes both to the attachment of microgels (i.e., like an intraparticle cross-linker) and adhering to diverse surfaces. The latter (i.e., zwitterion) enhances the water absorption capability on the surface, which results in antifouling and anti-fogging characteristics.¹⁴¹

Wet adhesives based on catechol chemistry may be limited due to strictly controlled steps and complex and costly chemicals used when functionalization of polymers with catechol groups. However, catecholic zwitterionic surfactants containing catechol functional




FIGURE 14 Schematic of Zwitterionic functional groups and one zwitterated siloxane¹⁴⁰

groups can be used as an alternative for MI wet adhesives with high adhesion performance.¹⁴²

7.6 | Modified nanoparticles/surfaces

Surface functionalization of substrate or particle may be done for different purposes. Enhancing interactions with matrix and dispersibility is one of the major reasons for the functionalization of nanoparticles. In this regard, functionalization nanoparticles using diverse functional groups such as alkyl, aryl, amine, carboxyl acids, phenols, and alcohols have been used. Catechol functional groups with diverse chemistry and various interactions can be utilized in the surface functionalization of different nanoparticles.




FIGURE 15 Microgelation of dopamine and zwitterion

As discussed earlier, dopamine is a unique chemical that can undergo autoxidation polymerization and create a polymerized layer on every particle regardless of its surface chemistry.⁵ This allows surfaces such as noble metals, metal oxides, metals, semiconductors, ceramics, and synthetic polymers to be coated.¹⁴³ This modification can enhance wettability, biocompatibility, enhanced cellular uptake, altered surface morphology, and cell affinity of nanoparticles.¹⁴⁴ Besides, dopamine-coated surfaces contain reactive moieties that can react with different materials. For example, biomolecules can be attached through nucleophilic interactions with amine and thiols, as discussed earlier.^{31,32} Thus, the immobilization of various biological molecules such as DNA, drugs, peptides, proteins, and cells also on PDA-coated inert surfaces is possible.¹⁴⁴⁻¹⁴⁶

Magnetic particles were used extensively in biomedical systems, including magnetic resonance imaging (MRI) contrast agents, hyperthermia, drug targeting, bioseparation, tumor detection, and ferrofluids.¹⁴⁷ Ferrofluids, which are colloidal liquids of surfactant-coated magnetic nanoparticles in an organic solvent or water, are usually used in biomedical applications. Iron oxide nanoparticles can be functionalized through catechol chemistry in which dopamine is a strong anchor for iron oxide. However, the reaction between Fe^{3+} and dopamine results in the degradation of iron oxide nanoparticles and limits its application as a ferrofluid.¹⁴⁸ Ultrasmall superparamagnetic iron oxide nanoparticles (USPIOs) (diameter < 20 nm) can be used as a contrast agent for MRI. Catechol, phosphonates, and carboxylates are among the most commonly used anchoring groups for designing ligands for the surface of USPIOs.^{149,150} Multidentate block copolymer (MDBC) or oligomers with catechol and other functionalities have been used to increase the performance of USPIOs.¹⁵¹⁻¹⁵³ For example, multidentate ligands based on oligomers of poly(acrylic acid) containing several PEG derivatives and catechol groups were used to increase the biocompatibility and stability of Fe_3O_4 nanoparticles.¹⁵¹ Catechol groups firmly adhere to nanoparticles, while PEG functionalities improve nanoparticles' hydrophilicity, resulting in increased stability in a wide pH range (i.e., pH = 4–11) and under excess salt. The MIR results showed significant T2 contrast enhancement of these nanoparticles, while no cytotoxicity was observed for them.

Xiao et al. found that linear-PEG/MDBC-coated USPIOs have superior properties (i.e., improved signal performance in T1-weighted imaging, high longitudinal relaxivities, good blood half-lives [2–5 h], fast and efficient excretion in the liver and spleen in a few days after injection) compared to brushed-PEG/MDBC-coated counterparts.¹⁵⁴ Thus, linear PEG moieties seem to be more promising when designing MDBC-coated USPIOs. Besides, they inhibit protein adsorption on nanoparticles as well, which will be discussed then.

On the other hand, manganese carbonate nanoparticles coated with polydopamine have been used in magnetic resonance image (MRI)-guided photothermal therapy (PTT).¹⁵⁵ MR contrast is greatly improved when applying PDA coating because much more water molecules can be entrapped around nanoparticles. Lanthanide nanoparticles containing polymer coatings have been used for both diagnostics and therapies of cancers, while there are concerns about their biocompatibility and effectiveness. Coating with PDA (thickness ~ 1.5 to ~ 18 nm) can enhance biocompatibility and photothermal conversion efficiency.¹⁵⁶ NIR-II optical image and x-ray CT dual images improve when the coating is applied.

Considering that the fate of nanoparticles in biofluids and cells is very important when assessing their effectiveness and possible side effects, engineering and designing the nanoparticles is of utmost importance to control their fate from entering the body through their clearance from the body. Cell/tissue targeting and cell uptake/trafficking of the nanoparticles depends on their physicochemical properties of them.¹⁵⁷ Protein corona is a layer of proteins adsorbed onto various surfaces such as particles which results in disadvantages such as masking surface properties of nanoparticles (i.e., the chemical or biological functionalities that were deliberately imparted to nanoparticles) and providing nanoparticles with a biological identity that is detectable by the immune system.¹⁵⁸ PEG coating has been utilized to control protein corona and cellular uptake of nanoparticles.¹⁵⁹⁻¹⁶¹ Interestingly, the type of proteins that adsorb on PDA-coated gold nanoparticles depends on the dopamine concentration.¹⁴⁴

The diffusion of nanoparticles into the cells, known as cellular uptake, is critical in diagnostic and therapeutic applications. Besides, their fate in the physiological environment and the intracellular condition is of prime importance to do their functions effectively.^{157,162} For

intracellular applications, they are usually designed to deliver specific chemicals to the nucleus or cytosol. However, the diffusion of nanoparticles into the cells in a controlled manner is challenging. Cellular uptake of PDA-coated gold nanoparticles is highly dependent on the polymerization time of dopamine. In other words, limited polymerization time results in enhanced diffusion of nanoparticles into Neuro-2a and HeLa cancer cells. PDA coating can significantly improve the cell entering capability of nanoparticles compared to polymeric coatings.¹⁴⁴ However, our knowledge about the nature of protein corona around coated nanoparticles with polydopamine is minimal, while it will significantly affect the fate of nanoparticles. There is a close relation between types of adsorbed proteins (corona), in the serum-containing medium, and the concentration of dopamine, while it did not observe any meaningful relationship with polymerization time.¹⁵⁹⁻¹⁶¹ More interestingly, serum-stabilized Au@PDA nanoparticles enter the cells more easily while maintaining their morphology compared to Au@PDA prepared in a serum-free medium.¹⁴⁴

Multifunctional coatings can be designed and manufactured based on polymers containing different side groups where catechol provides adhesion to different surfaces. For example, antimicrobial coatings can be engineered using catechol, quaternary ammonium, and methoxyethyl side chains, which endow them with adhesion, antibacterial activity, and adjusting the amphiphilic balance, respectively.¹⁶³

Titanium (Ti) is a biocompatible and inert metal with high corrosion resistance properties. These properties, along with high mechanical strength, have made it a promising bone substitute material. However, it has limited osteoconduction and osteoinduction capacities.¹⁶⁴ The surface of Ti can also be modified by PDA-coated Fe₃O₄ nanoparticles to enhance osteogenesis.¹⁶⁵ PDA-coated Ti implants, with enhanced corrosion resistance, higher cell viability, and lower contact angle was used in dental implants applications.¹⁶⁶ Besides, the integration of hard medical implants (e.g., Ti) with soft tissue and the wound healing process can be improved through a layer of gelatin hydrogel on a PDA-coated implant.¹⁴⁵

Silicon, due to its biocompatibility, low surface energy, smooth surface, and chemical, thermal, and biological stability, has been used in biomedical applications such as bio-implants, coating for cardiac pacemakers, shunts, and microfluidic devices.¹⁶⁷ However, there are still concerns, especially adverse immunological reactions, about the long-term utilization of silicon-based implants in the body.^{168,169} Coating the implants with various biomolecules can reduce these concerns. Biocompatible PDA coating can adhere to the PDMS surface, increasing cell attachment, proliferation, and differentiation. Besides, the hemocompatibility of silicone-based implants can be enhanced using PDA and hyaluronic acid (HA) coatings.¹⁷⁰ Moreover, PDMS-based organ-on-a-chip devices can be more effectively designed using PDA coating, which can improve cell metabolism.¹⁷¹

Besides, polymeric scaffolds have been coated with PDA to improve its cellular interactions and immobilization of biomolecules.^{172,173} This will be covered in the section on biomedical applications. PDA has been used as a general approach for bio-surface modification.

8 | BEYOND CATECHOL CHEMISTRY

Electrophilic substitution reaction with chlorine in para position results in stronger adhesion. This is observed in cement proteins secreted by sandcastle worms in which there is a remarkable amount of chlorinated derivative of DOPA.¹⁷⁴ Such electron-withdrawing groups, reduce the dissociation constants (pK_a) of hydroxyl groups of the phenolic ring (which promotes catechol-metal complex at lower pH and higher stoichiometry) and decrease their redox potential which makes catechol oxidation harder.¹⁷⁵ Similarly, substitution with the nitro group also enhances the adhesion and reactivity of catechol while improving the thermal and oxidation stability of catechol.¹⁷⁵⁻¹⁷⁹ Nitrodopamine can quickly cure and attach to biological surfaces in acidic pH (compared to dopamine), making it a promising candidate for manufacturing bioadhesives for acidic tissues.¹⁷⁶ Increased degradation rate, degradation by light, and reducing pK_a are other properties induced by nitro substitution.¹⁷⁸⁻¹⁸⁰

Adding one extra OH group to the benzene ring makes trihydroxybenzenes, which has a remarkably enhanced tendency toward complexation with metal ions and boronic acid as well.^{181,182} As discussed earlier, this characteristic is utilized by some bacteria siderophores for iron acquisition in scarce environments. Pyrogallol or gallol is a trihydroxy benzene with three vicinal hydroxyl groups on the benzene ring (Figure 16). In other words, this organic compound has one more OH relative to catechol. Like catechol, pyrogallol is an allelochemical, that is, produced by living organisms. Despite all structural similarities between pyrogallol and catechol compounds, they exhibit different characteristics. For example, the antioxidant activities of gallol-conjugated compounds are higher than that of widely used catechol-functionalized materials. Moreover, it is suggested that catechol-containing platforms show both antibacterial and antifungal properties while pyrogallol only may be effective against only bacterial diseases. Tannic acid contains pyrogallol. Both catechol and gallol show antimicrobial properties and antioxidant radical scavenging activity.¹⁸³⁻¹⁸⁵

Tunicates (subphylum Tunicata) are a kind of marine invertebrate species, including sea squirts and salps but not jellyfish. Their tough and flexible outer covering (i.e., tunic) is secreted from the body wall. Its major components are cellulose nanofiber (CNF) and proteins containing TOPA (trihydroxyphenylalanine) which include gallol functionality.^{186,187} Gallol groups, like catechol, can chelate metal ions and perform chemical cross-linking reactions such that they can contribute to wound healing of tunicate. This makes tunicate-inspired (TI) chemistry for designing bioadhesives. Using TI coupled with MI chemistry (i.e., catechol and gallol functionalities), Zhan et al.¹⁸⁷ manufactured an underwater adhesive. They synthesize a family of poly(vinylgallol-co-*n*-butyl acrylate) [p(VGal-co-BA)] copolymers. Interestingly, the designed bioadhesive copolymer is seven times stronger than catechol-functionalized copolymers. Besides, its performance in seawater is superior compared to isocyanate-based adhesives.




FIGURE 16 Synthesis route for trihydroxybenzenes from the benzene ring

9 | BIOMEDICAL APPLICATIONS

9.1 | Catechol-tissue interactions

As discussed before, various mechanisms of cross-linking such as metal complexation and oxidative, incorporated with different influential factors, including pH, and the concentration of oxidants are controlling the kinetics, catechol reactivity, and crosslinking ability of systems. The catechol reactivity and crosslinking ability depend on the pH of the environment. Barrett et al.¹⁸⁸ investigated the relationship between the reaction pH and behavior of materials created by reacting ferric ions (Fe^{3+}) with synthetic catechol polymers. In this work, gel-permeation chromatography (GPC) validated the polymerization phase of catechol-containing polymer (PEG) (mPEG-cat) has been slowed down, as the pH of the reaction is increased from pH = 3 to pH = 5. The mPEG-cat polymerization degree was significantly higher at pH 5 after 1 day of reaction. By raising the pH value to 7, the outcomes of the polymerization process, as well as the multimerization, were qualitatively comparable to those at pH = 5, albeit a slower-moving rate of crosslinking was reported. At both pH 7 and pH 5, the amount of multimer fraction after 24 h of reaction was independent of the Fe^{3+} :catechol ratio, when this ratio was in the range of 1:3–3:3 (Figure 17a). After 1 day, all of the mPEG-cat solutions with Fe^{3+} contained 25%–30% and 10% multimer for the reactions that happened at pH 5 and pH 7, respectively (Figure 17b). Also, four-armed PEG bioadhesive with dopamine end-caps strongly depends on the pH. Briefly, in the mildly acidic region, due to the increase in the extent of stabilized transient oxidation intermediates, a slower curing rate of four-armed PEG was observed, while under basic conditions (pH = 8), it was cured quickly.⁹⁹ Thus, when catechol-containing hydrogels or bioadhesives are used in vivo, they may undergo different reactions depending on the physiological pH levels. From the body tissues' point of view, the pH ranges for skin, subcutaneous tissue, and dysoxic tissue (due to blood loss) are 4–6,¹⁸⁹ 6.7–7.1,¹⁹⁰ and 7,¹⁹¹ respectively. For oxygenated blood and internal tissues, pH is 7.4, while tumor tissues and skin are acidic.⁹⁹

9.2 | Scaffolds

Polymeric scaffolds were commonly used in tissue engineering and regenerative medicine. Scaffolds, as a temporary matrix, primarily

provide the cells with structural support and an adequate microenvironment to accomplish any adhesion, development, proliferation, and differentiation measures, just like the native ECM.¹⁹² Different polymer materials with various structures may be used to fabricate scaffolds. Selecting proper polymers are based on their unique properties such as the chemistry of polymers, average molecular weight, the length of chain prolongation of polymer, hydrophilicity, and hydrophobicity, solubility in various solvents, the adsorption capacity of H_2O , biocompatibility, erosion mechanism, and biodegradability.^{192,193} Also, biodegradation feature, biocompatibility, physical structure (i.e., 2D or 3D skeleton, tailorable surface: volume ratio and tunable porosity), chemical structure (e.g., the versatility of chemistry, constructing materials, and embedded biomolecules), mechanical properties (e.g., stiffness, modulus), degradation (e.g., degradation rate and products), or the biological properties of the scaffolds directly affect cell behavior and viability.

3D scaffolds may be designed based on fibers, hydrogels, or sintered particles. Electrospinning processes were used to fabricate PCL/gelatin nanofibers, followed by crosslinking and surface modification using PDA.¹⁹⁴ PDA coating results in surface roughness on nanofibers decreasing and hydrophilicity increasing (i.e., water contact angle declines). The obtained nanofibrous membranes were cultured with adipose-derived stem cells (ADSC) from mice where cell adhesion, spreading, and viability was improved. After cell culture and incubation, three membranes were stacked through layer-by-layer (LBL) assembly to create 3D scaffolds. It was also observed that cell growth and ADSC differentiation to osteoblasts are improved for PDA-modified 3D scaffolds. Nowadays, the application of PDA as a coating agent to level up the characteristics of prefabricated 3D scaffolds for better cell adhesion, growth, and proliferation, is a hot research topic.¹⁹⁵

Razavi et al.¹⁹⁶ manufactured collagen-based hydrogels at sub-zero temperatures (i.e., cryogel) and coated the obtained scaffolds with PDA. It was observed that water absorption, swelling rate, and degree of dissolution of the scaffolds decrease while their mechanical properties (i.e., stiffness and compression strength) increase upon PDA coating. The survival and multiplication of Adipose-derived mesenchymal stem cells (ADMSCs) for coated scaffolds are higher. These findings suggest, for example, that PDA-modified cryogels may be used as a matrix material for storing and transporting ADMSCs in cell therapy applications.¹⁹⁶




FIGURE 17 Correlation between pH in the polymerization process of catechol-containing polymers and the degree of polymerization (a). Multimer fraction versus time at a 1:1 Fe³⁺:catechol ratio (b)¹⁸⁸

3D printing technology is frequently used in the biomedical engineering field, especially in engineered bone tissue, since many printable biomaterials and biopolymers are designed and manufactured in this area of research. 3D printers have attracted great attention in tissue engineering applications, especially manufacturing polymeric scaffolds, because they can overcome some limitations of traditional methods.¹⁹⁷ Besides, bioactivity and cellular interactions of the designed scaffolds may be increased via the incorporation of catechol-containing moieties.¹⁹⁸ Based on this idea, PDA-coated 3D printed PLA scaffolds with enhanced bioactivity were fabricated using a relatively simple one-step procedure.¹⁹⁹

Furthermore, PDA coating facilitates the immobilization of type I collagen (COL I) onto the surface. Surface morphology was significantly changed such that surface roughness decreased upon coating. The ECM deposition on scaffolds, osteoinductivity of scaffolds, cell adhesion, and metabolism (bone marrow stem cells of porcine) in an early stage of culturing improves when the scaffold is coated by a COL I-PDA layer. Not only the catechol functionalities can significantly promote the adhesion of the cells, but also they can profoundly enhance the spreading of cardiomyocyte progenitor on supramolecular surfaces, which could be potentially applied in cases related to cardiac tissue damages.²⁰⁰ Mai et al.²⁰¹ designed and prepared a bioceramic scaffold using a 3D printing technique for bone cancer treatment and tissue regeneration. By taking into account the benefits of using biocompatible PDA with outstanding biodegradability and its elevated photothermal capability, they prepared uniform PDA nanolayers via its self-assembling process onto an as-prepared 3D bioceramic (Nagel) scaffold. This scaffold provided an exquisite environment for osteoblastic stem cells of rabbit bone to attach, differentiate, and proliferate. According to this report, the regeneration of bone tissue was highly accelerated and desired, whereas photothermal therapy was in progress.²⁰¹

9.3 | Biointerfaces

In several applications, such as neural prostheses, neurons on a chip, and tissue engineering, the interfacial contact between neuron cells and other surfaces is inevitable, which results in inflammatory responses.²⁰²⁻²⁰⁴ Consequently, surface modification strategies (e.g., immobilization of biomolecules on the surface) have been utilized to decrease such responses.²⁰¹ However, several metals (e.g., gold, stainless steel, platinum, titanium, tungsten) and insulating materials (e.g., parylene, polyimides, SU-8, iridium oxide, and titanium nitride) have been utilized for the development of neural probes and arrays.^{205,206} However, modification strategies are still needed, especially for prolonged usage. PDA as ubiquitous coatings could be applied to modify neural interfaces. Using this strategy, Kang et al.²⁰⁷ coated the surface of a variety of neural interfaces by PDA, followed by polylysine immobilization through chemical crosslinking. In neuron culture experiments the neuron does not survive on PDA, while polylysine-linked PDA shows good viability and growth for neurons that form neuronal networks. Planar microelectrode arrays (MEA) were coated by polylysine-linked PDA coating. These coated MEAs can adequately record the neural signals. Thus, PDA coating does not interfere with the electrode function indicating that PDA is a promising material for neural electrode surface modification. After that, these researchers adapted the PDA deposition system and used an electrochemical deposition system (with +0.5 V applied voltage) to render PDA films.²⁰⁸ The electrochemical method was performed under mildly acidic conditions (i.e., pH = 6), while the solution polymerization of dopamine routinely is performed under basic conditions (pH = 8.2). Inherently conductive polymers (ICPs) were used to modify electrode surfaces for various applications, such as storing energy and biomedical applications.²⁰⁹ However, the poor adhesion of ICP films on the electrode is a challenging issue that limits their application. A possible solution is to utilize catechol chemistry to overcome this problem. The electrochemical deposition technique has been




FIGURE 18 Schematic illustration of polydopamine coating of different substrates and subsequent conjugating of amine molecules (a). Hippocampal neurons are cultured on PDA-modified substrate (b) and polylysine immobilization PDA (c). Scale bar²⁰⁷

utilized to fabricate a composite coating containing PDA and polypyrrole.²¹⁰ The adhesion strength of PPy was greatly enhanced while electrochemical impedance was significantly reduced, indicating the potential of this strategy for manufacturing high-quality electrodes for various applications, including neural electrodes. In another study, to robust the differentiation of neuron-like PC12 cells, norepinephrine (NE), a common moiety in both mussel adhesive proteins and neurotransmitters, was introduced as a specific and multi-functional bio-interface integrating agent to the surfaces of poly(L-lactic acid-co-ε-caprolactone) (PLCL) fiber-based scaffold fabricated by electrospinning technique.¹⁹⁴ Poly(norepinephrine) coated PLCL (pNE/PLCL) indicates a high capacity as a substrate for differentiation of PC12 cells (similar to neurons) and improves the practical use of growth factor, pharmaceutical agents, and other bioactive molecules with a lower dosage, leading to a decrease in the side effects of both drugs and drugs (Figure 18).²¹¹

9.4 | Organic/inorganic composites

Combination with organic/inorganic compounds to create robust biomedical applicable materials, mussel-inspired chemicals represent a pretty new, critical challenge. According to the literature,^{212,213} a vast range of bioactive minerals hybrid composites (e.g., calcium-based ones) has been fabricated using biomaterials secreted from mussels for regenerative medicine uses, especially for therapy application in teeth and bone tissue defects. Many researchers in the bone defects field, by exploiting nontoxic, adhesive biomaterials that can emulate mussel-inspired proteins (especially catechol-containing PDA), tried to coat the concentrated calcium cations onto various kinds of platforms. Generally, the flat and clean substrates such as ceramics (SiO₂ glass), polymers (polystyrene, poly[methyl methacrylate], polydimethylsiloxane), semiconducting material (Si₃N₄), and noble metal and metal oxides (Ti, Si, Au, TiO₂) have been used to enhance and facilitate the formation of the skeletal frame by formation of natural inorganic crystals of hydroxyapatite. Kim and Park²¹⁴ introduced a new methodology to stabilize the synthesis of vaterite spheres with the aid of

the oxidative polymerization of dopamine onto flat clean substrates while the CaCO₃ gets biomineralized. Their findings indicated that taking a different route containing PDA, as an excellent biocompatible, bioresorbable polymeric platform for carbonated hydroxyapatite formation, could be immensely effective and impressive for the engineered bone tissue abnormalities and bone regenerative applications. Also, reports justify that the hydroxyapatite crystals have been applied to treat bone infections and for cancer therapy, as an effective drug delivery system.

According to the previous reports, catechol conjunction and polydopamine coating enhance the feasibility and biocompatibility of organic and inorganic materials applied in the various fields related to medicine such as cancer therapy, wound healing, regenerative medicine, and drug delivery. Catechol conjunction ensures the needed hydrophilicity of materials for better recapitulation of real tissue conditions via hydrogen bond. The o-quinone groups formed from oxidative catechol groups in polydopamine at pH > 7 and bind with the surfaces which contain amine or thiol groups through Schiff-base reaction or Michael-type addition.²¹⁵ Polydopamine exhibits negative and positive charges at pH ranges above and below 4, respectively. Polydopamine can increase the hydrophilicity of materials via its various hydration mechanism (Figure 19).²¹⁶ Furthermore, in the alkaline region, quinone groups facilitate the immobilization of different biomaterials like peptides, proteins, and growth factors, which contain amino or thiol groups. All in all, the outstanding features of catechol and polydopamine, such as excellent interaction with cells and high mechanical properties, lead to an increase in the application of these materials in biomedical engineering.

A combination of biodegradable and adhesive poly(L-lysine)/polydopamine with hydroxyapatite leads to better cell migration, proliferation, and protection as well as sustained release of the bioactive BMP2 as an osteoinductive growth factor.²¹⁷ The interaction between hydroxyl molecules of dopamine which are immobilized on bacterial cellulose surface and rGO/Ag particles leads to the fabrication of a strong antimicrobial and wound-healing dress. The in vitro study exhibited that the existence of rGO and Ag particles enhanced the regeneration process.²¹⁸




FIGURE 19 A different mechanism of (a) catechol group reaction, (b) Polydopamine hydration²¹⁶

Recently, researchers found that the composition of ϵ -poly-L-lysine and catechol at mild condition by oxidative crosslinking at $\text{pH} = 8.5$, show desired antibacterial properties versus *Escherichia coli* and *Staphylococcus aureus*, minimizing the pro-inflammatory cytokines, and enhanced tissue regeneration (Figure 20).²¹⁹ Similarly, combining methacrylamide dopamine, 2-(dimethylamino)ethyl methacrylate, and quaternized chitosan made the hydrogel contact-active antimicrobial against both Gram-negative and Gram-positive bacterium. The presence of interior cross-linking of dopamine in the complex increases its mechanical properties, toughness, and cell/tissue affinity.

9.5 | Hydrogels

High-water polymeric hydrogels and tissue-imitating mechanical properties were used as cell attachment, growth, and delivery scaffolds. They also have numerous biomedical implementations, including drug/gene delivery, wound management, soft contact lenses, tissue engineering, and hygiene products.²²⁰ Until now, different kinds of natural and synthetic hydrophilic polymers were used to make hydrogels. Stimulus-responsive hydrogels belong to a wide range of smart hydrogels that can be adjusted using different stimuli such as temperature, pH, and light.²²¹




FIGURE 20 Representation of preparation of the composition of ϵ -poly-L-lysine and catechol and its application for tissue engineering

Injectable hydrogels that could be efficiently delivered to the target site using a syringe are very interesting for minimally invasive therapies.²²² The injectable hydrogels may also carry cells, genes, or theranostic agents. When injected into the body, they experience phase transformation (i.e., sol-gel transition) as a result of *in vivo* stimuli such as temperature and pH. Self-healing ability may also help the hydrogel to maintain its integrity *in vivo* where mechanical stresses are present. The toughness, mechanical strength, wet adhesion target tissue, and cytocompatibility of the hydrogels are also very important factors when applied *in vivo*. Besides, the absence of chemical crosslinking agents, which may be suspicious of cytotoxicity, and also the absence of metallic ions may enhance the hydrogel applicability.

Furthermore, wet adhesion properties of hydrogels are essential when used in the human body where water-based biological fluids (e.g., extracellular fluid) make up a significant portion of total body weight. Wet adhesion allows the hydrogel to be fixed at the target area and prevents its movement upon exposure to frequent mechanical stimuli *in vivo*. MI chemistry can be used not only in designing wet adhesive hydrogels but also can endow hydrogels with self-healing properties. Besides, MI chemistry allows us to design and manufacture stimuli-responsive hydrogels. The thermosensitive nature of pluronic has had with high biocompatibility and water absorption of hyaluronic acid (HA) in manufacturing thermosensitive and injectable tissue adhesive hydrogels based on catechol-thiol chemistry.²²³ Thiol-capped pluronic F127 and dopamine-modified HA can create a highly crosslinked hydrogel based on Michael's addition of catechol and thiol moieties. The obtained hydrogels show long-term *in vivo* stability (mice model), superior

tissue adhesion and mucoadhesion, and temperature-induced gelation, which is appealing in tissue engineering and drug delivery application.

In addition, bio-fouling in biological fluids is detrimental to hydrogels. Li et al. developed injectable, self-healing, and thermosensitive hydrogels with anti-fouling properties.²²⁴ Using a RAFT polymerization technique, they fabricate an ABA tri-block architecture in which catechol conjugated PNIPAM is the A block (thermosensitive block) while poly(ethylene oxide) (PEO) creates the B block (hydrophilic block). The self-assembly of the synthesized ABA triblock result in a thermosensitive hydrogel. PEO segments, endow the copolymer with antifouling characteristics which inhibit the adhesion of nonspecific cells. More fascinating, when temperature increase beyond LCST, the hydrophobic domains within PNIPAM provide a local hydrophobic microenvironment to preserve catechol from oxidation. This is similar to MFP-3s in blue mussels in which high content of hydrophobic amino acid residues creates a local microenvironment and protects DOPA moieties from oxidation, as discussed in Section 1.

Tannic acid discussed earlier is rich in catechol and gallol functional groups. Abundant hydroxyl groups enable it to make a hydrogen bond with hydrogen-bond donor polymers such as polyvinylpyrrolidone (PVP). Physically crosslinked reversible hydrogels can therefore be designed, showing pH-dependent switching. In other words, as the oxidation of catechol to quinone depends on pH, hydrogen bonds forming and dissociating are also pH-dependent, resulting in a reversible and dynamic hydrogel. According to this idea, pH-responsive hydrogels were manufactured using tannic acid PVP, which exhibits shear-thinning, self-healing, and quick self-recovery properties, which are prerequisites for injectable hydrogels.²²⁵ Furthermore, catechol and gallol functionalities enable metal complexation such that these

hydrogels can be further cross-linked using Fe^{3+} ions, resulting in a dual-responsive reversible hydrogel. Avoiding chemical crosslinkers indicates these hydrogels' high biocompatibility for applications in various biomedical fields.

Chitosan is a mucoadhesive polymer that can be used for drug delivery, including Buccal mucoadhesive systems.²²⁶ In addition, MI chemistry can enhance the mucoadhesiveness of chitosan and its derivatives. In this regard, the mucoadhesive hydrogel was fabricated based on chitosan modified with hydrocaffeic acid as catechol-containing chemicals.¹¹⁴ Besides, genipin was used as the crosslinker, which is a naturally occurring aglycone with low cytotoxicity.²²⁷ Contrary to neat CS hydrogels, which are released from the porcine mucosal membrane only after 1.5 h, the catechol-functionalized CS exhibited long-lasting adhesion. CS-cat hydrogels were successfully used in a sustained buccal drug delivery system on the rabbit model.¹¹⁴

9.6 | Wound management

Skin is the body's largest organ, comprising several layers of ectodermal tissue. The skin provides a controlled condition for the underneath organs, tissues, and cells while protecting them from harmful germs and toxic chemicals. However, it may be damaged, resulting in different problems such as bleeding and infection. Thus, caring for the incisions created through trauma, burn, and surgery is critical in healthcare. The wound may also be created by surgery. Over 312 million surgeries are estimated in 2012.²²⁸

Wound closure is usually done through suture. However, deforming the tissue, blocking the blood flow, remaining residual forces even after removing the suture, air/biofluids leakage, microbial infection, foreign body reactions that impede healing, being painful, damage to surrounding healthy tissue, poor cosmetic outcome, and being impossible in conditions are some of the disadvantages related to conventional sutures and staples.²²⁹ In this regard, different groups of tissue adhesives have been developed for surgery and tissue engineering applications.²³⁰ This adhesive is more easily applied and can be absorbed gradually. Besides, they are more economical, remove residual forces, act as a sealant by preventing fluid leakage, and possess better cosmetic outcomes.

Tissue glues are classified as hemostatic agents, sealants, and adhesives according to their function, which is expected to hit USD 7.4 billion in the year 2022. Hemostatic agents such as collagen-based and gelatin-based topical hemostats, only act in the presence of blood. The sealants, such as fibrin and protein-based sealants, create a barrier layer to prevent fluids leakage, such as gastrointestinal anastomosis,²³¹ and adhesives are used for bonding biological surfaces.²³²

Hemorrhaging (bleeding) is one of the significant problems associated with blood leakage from blood vessels. Massive hemorrhage can cause serious health problems and even death. Thus, preventing blood loss is very important in these cases. A process that causes the bleeding to discontinue is known as Hemostasis, which is considered the

first step in the wound healing process. The various hemostatic agent has been developed based on a different mechanism of action which are commercially available.²³³ Blocking the blood flow through strong adhesion to the tissue surface is the main mechanism of action of some hemostatic agents. However, strong adhesion under the wet condition of bleeding can be quite challenging. The MI chemistry has been considered as a potential for this problem. Catechol-modified chitosan has been used in manufacturing hemostatic swabs to stop bleeding.²³⁴ PDA coated silica nanoparticle was also developed for bleeding control.²³⁵ These antibacterial hemostatic agents show good degradation as well. Hemostatic agents based on catechol-modified chitosan and thiolated poloxamer hydrogels show strong adhesion to soft tissues and mucous as well.²³⁶

A multilayer polysaccharide-based membrane modified with catechol has been used to modify skin wound healing.²³⁷

Alginate-based hydrogels have also been used as MI tissue adhesive for wound dressing. For example, hybrid hydrogels containing dopamine-grafted oxidized sodium alginate (OSA-DA) and polyacrylamide have been used in wound dressing applications.²³⁸ The synthesized hydrogel is very tough and shows self-healing properties. The hydrogel toughening originates not only from chemical interactions between OSA and PAAM, but also the physical interactions between catechol moieties in side chains of OSA-DA. In a similar work, OSA-DA was utilized as a novel crosslinker for PAAM/collagen hydrogel systems, which are used in wound healing applications.²³⁹ Catechol functionalized chitosan with superior mucoadhesive and enhanced antibacterial activity (compared to pure chitosan) can be synthesized using hydrocaffeic acid.²⁴⁰ Antioxidant properties were also observed for this dressing which makes it more interesting for wound care applications.

PNIPAM-polydopamine nanoparticles hydrogels were also applied to wound healing.²⁴¹ These thermosensitive hydrogels show improved cell affinity, self-healing properties, and tissue adhesive properties, and they can immobilize epidermal growth factors as well. When imposing NIR radiation, the composite hydrogels show volume contractions, which indicate a photothermal phase transition, while similar behavior was not observed for pristine PNIPAM hydrogels. This contraction was used in drug delivery too.

Healing chronic wounds like pressure sores, diabetic foot ulcers, chronic venous ulcers, and arterial insufficiency are very difficult.²⁴² The healing of chronic wounds is inhibited because of constant agitation of the inflammatory system induced by protease enzyme, reactive oxygen species (ROS), and exudates. Diabetic foot ulcers are the most common chronic wounds which impose a high cost on the healthcare system of countries. Approximately two-thirds of amputations are in diabetic patients.²⁴³ The high concentration of protease can degrade different species such as elastin, collagen, and growth factors while ROS oxidizes biomolecules followed by triggering the inflammatory system. It was reported that naturally derived phenolic compounds show antioxidant properties.²⁴⁴ This antioxidant behavior was also observed for different catecholamines. Thus, catechol-containing chemicals may also show antioxidant behavior along with wet adhesion. Hydrocaffeic acid (HCA) grafted to random copolymers of N-vinyl

caprolactam (V) and 2-hydroxyethyl methacrylate was used as a bioadhesive resorbable membrane for chronic wound healing. Catechol-containing HCA side chains provide wet adhesion for the copolymer. The biocompatible membrane shows an anti-inflammatory effect and ultraviolet screening properties as well.¹⁹⁸

Conjugated N-vinyl caprolactam (V) and 2-hydroxyethyl methacrylate (H) with catechol to produce a biocompatible tissue adhesive for wound healing.¹⁹⁸

The scar is a fibrous connective tissue that may replace the healthy tissues after the wound heals. In scar tissue, small collagen bundles are aligned parallel to each other while normal tissue is composed of collagens with a random basketweave structure.²⁴⁵ Jeon et al.²⁴⁶ fabricated a scar-preventing glue based on collagen type I and mussel adhesive protein (MAPs). The glue improves wound healing at an early stage (i.e., accelerated regeneration) and successfully prevents scar formation by adjusting the growth of collagen fibrils and fibrogenic factors expression. PDA-modified polymers have also been used to develop tissue adhesives for wound closure. A variety of catechol-containing poly(amidoamine) (CPAA) and catechol-containing poly(amino ester) (CPAE) with different degradation rates were produced by adding Michael reactions.²⁴⁷ To produce CPAE, PEG diacrylates with a different number of EG units were used. In addition, CPAA hydrophilicity was adjusted by conjugating zwitterionic sulfobetaine groups via tertiary amine groups, resulting in a range of different hydrophilic CPAA-ZS. Hydrophilicity affects the hydrolysis of the polymer through fascinating water absorption. The obtained CPAA polymers showed tunable biodegradability (through zwitterionic sulfobetaine groups), low cytotoxicity, and proper wet adhesion. Wet adhesion of CPAA was higher compared to CPAE, which was correlated to the higher catechol content of CPAA. In vivo investigations on the rat model, exhibited that CPAA glue is managed to hasten the wound healing process while preventing scar formation. Accordingly, these glues can be potentially used in wound closure applications such as cosmetic surgeries.

Scar management after severe burn injuries has attracted much attention. Stem cell-based therapies, pharmacological methods, and surgical methods have been utilized for burn scar management.²⁴⁸ Catechol chemistry can also be used to burn injuries.

9.7 | Drug/gene/cell delivery

Controlled drug delivery systems (CDDS) have been focused on since the 1950s.²⁴⁹ More recently, CDDS based on nanomaterials has attracted many interests. The releasing may be based on diffusion-controlled, chemically controlled, solvent-controlled, and stimuli-controlled delivery systems are the most important delivery mechanisms. Besides, the delivery can be externally activated/modulated for stimuli-controlled systems. These CDDSs have been vastly applied for different types of applications, such as ocular diseases, and periodontal diseases. Light/wave, pH, redox reactions, temperature, electric/magnetic fields, and ultrasound irradiation are important stimuli used in CDDSs.^{250,251}

As stated above, catechol moieties depend on environmental pH. This enables pH-responsive drug delivery system design. PD-coated PCL nanofibers were used for pH-triggered drug delivery systems, where positively charged molecules release faster in acidic media.²⁵²

Thiol-catechol chemistry has been utilized to manufacture pH-responsive mussel-inspired polydopamine capsules for cancer therapy. The CDDS contains an anticancer drug that releases endosomal/lysosomal pH in the cells while its release rate is very slow at physiological pH. pH-responsive Dox-loaded protein nanoparticles were manufactured using Iron(III)-DOPA complexes.²⁵³ Doxorubicin release is mainly controlled by the structural alternation of the Iron(III)-DOPA complexes caused by acidic pH. In vitro assays validated that using the Iron(III)-DOPA complexes due to the cellular uptake efficiency and excellent cytosolic release, showed wonderful cytotoxicity toward tumor cells. Mucoadhesive MI hydrogels were also used to deliver drugs for application areas like mucin and buccal.^{229,230} Extended localized effects of medication, prevention of gastrointestinal drug metabolism, and high patient compliance are listed as the advantages of using buccal mucosa for drug delivery systems. Suhair Sunoqrot et al.²²⁹ to achieve an enhanced gastro-retentive oral drug delivery system, designed a mussel-inspired chemistry/methoxy poly(ethylene oxide)-block-poly(ϵ -caprolactone) (PEO-b-PCL) copolymer having different mass ratios and evaluated them through in vitro tests. In another study, chitosan, as a subclass of mucoadhesive hydrogels, was functionalized using MI chemistry, then the polymer was crosslinked using genipin to be utilized as a novel drug carrier. Although catechol groups do not influence the gelation time and the mechanical properties of chitosan hydrogel, using these composite patches will not result in any inflammation. A new kind of patch for cardiac issues was introduced by Young Min Shin et al.²⁵⁴ This research group successfully used PDA-coated cell-adhesive peptides to functionalize a fibrous platform fabricated using the electrospinning technique. Through the in vivo tests, they applied the biomimetic fibrous cardiac patch for C2C12 myoblasts delivery. A combination of collagen/alginate core-shell was utilized as mesenchymal stem cells (MSCs) delivery structure.²⁵⁵ This composite is supposed to perfectly encapsulate and deliver the tissue cells into damaged points including defective bone tissues.²⁵⁶

9.8 | Antibacterial activity

A vast demand for wound healing bandages, bone replacement surgeries, and implanted medical devices have now developed into a significant, continuing issue that is sincerely concerned with the persistent existence of a vast variety of bacteria in the vicinity of these impaired locations. It is proven that the infections induced by these bacteria following surgical intervention can be fatal. Novel and useful antibacterial agents are, therefore, desperately needed to be introduced by pharmaceutical and researchers in the medical field to assure the success of implantation and organ substitution (Figure 21). For example, the orthopedic implant infectious diseases could occur




FIGURE 21 Various types of PDA-coated materials for antimicrobial applications^{146,257}

mainly by staphylococcus bacteria while they colonize in the gap between tissues and the orthopedic prosthesis, causing chronic osteomyelitis and decreasing the success rate of implantation. Hence, addressing this dearth, spurred a substantial development of metallic and multimetallic antimicrobial agents (especially silver) coated with mussel-inspired biomaterials. In general, the active catechol moieties and existing amine groups of PDA, have made it a natural, strong adhesion, and a gentle reducing agent for noble metallic cations, which is so fitted as a promising coating agent. Immobilization of tunable size silver nanoparticles onto the surface of PDA spheres, as the well-known MI chemistry, leads to finding an excellent antibacterial material which is emerged vigorously against both classifications of Gram for bacteria.²⁵⁷

Su et al.²⁵⁸ investigated the antimicrobial activity of PDA coated onto plastic, glass, stainless steel, and gauze. These polymer coatings were manufactured by a quick shaking-assisted approach and their bactericidal ability against two different classes of Gram-positive/Gram-negative bacteria (Gammaproteobacteria: *P. aeruginosa* and *E. coli*; and Bacilli: *S. aureus*). The obtained results indicate the alteration in morphology of PDA coatings with a smooth surface (sPDA) by applying a mechanical shaking technique thorough the process of self-polymerization of dopamine in the mild basic region to roughened polydopamine (rPDA) coatings, appreciably enhanced the antimicrobial ability of it. Also, steam sterilization has been discovered ineffective in the antibacterial characteristics of the rPDA coatings. Ying Cong et al. synthesized a new antimicrobial agent using metal nanocrystals (Ag) onto polystyrene spheres, which were coated and covered by PDA. Their study showed that polystyrene-PDA/Ag composites have a great bactericidal capability against the mostly known bacterial species.²⁵⁹ Also, many biomedical researchers tried to combine various 3D scaffolds with PDA for tissue engineering applications and mussel-inspired hydrogels incorporation with Ag nanoparticles, which also resulted in the improvement of their antibacterial features of them.²⁶⁰ Moreover, for the garment industry and textile applications, Zhisong Lu et al.¹⁴⁶ and his colleagues introduced

an antibacterial material based on the synthesis of AgNPs through a redox reaction of Ag cation onto PDA-coated silk fibers surface. Their study expects that for as-prepared AgNPs-PDA-coated silk, there be a more antibacterial lasting impact than the AgNPs-coated silk due to a greater dosage and more extended period of silver cation release demonstrating AgNPs loading in high content. In the following figure, various types of PDA-coated materials for bactericidal uses were illustrated.

9.9 | Therapeutic agents and cancer therapy

Application of the mussel-inspire strategy to fabricate super materials for photothermal therapeutic (PTT) uses (e.g., cancer therapy, self-healing hydrogels), has recently drawn increasing interest. According to the latest news of the World Cancer Report, the population who are suffering from cancer will increase to 15 million cases by 2020, so cancer therapy using photothermal methodology has become so important. Diagnostic (e.g., contrast agents) and therapeutic agents (e.g., photothermal therapy agents) coating with PDA were discussed earlier. Here, we emphasize catechol-based chemicals which are directly used as therapeutic agents. PDA can absorb NIR radiation.

Radiotherapy and chemotherapy strategies are standard cancer treatment methods that can cause systemic cytotoxicity. However, as a minimally invasive method and with minor side effects, phototherapy (PTT) has attracted much attention.²⁶¹ In combined photodynamic (PDT) and photothermal (PTT) therapy, hydrophilic PDA nanoparticles can be used as drug nanocarriers to kill bladder cancer cells.²⁶² The therapeutic agent consists of a hydrophobic photosensitizer drug (chlorine e6, Ce6) dispersed through interaction with PDA nanoparticles. The interaction between PDA and drug is proposed as the mechanism for long-lasting drug release. It was observed that cell uptake of PDA nanoparticles remarkably increases when Ce6 is incorporated. After irradiation with 665 nm red light, more effective therapy was observed for combined therapy. This strategy was proposed as a




FIGURE 22 Mussel-inspired therapeutic agents for cancer therapy²⁶³

general method for mucosal drug delivery (such as intestine and bladder) in which much penetration of hydrophobic photosensitizer is very limited.

Combined PDT, PTT, and chemotherapy using multifunctional therapeutic agents have also been used for cancer treatments.²⁶³ Magnetic Fe_3O_4 coated nanoparticles with a PDA-layer and surrounding PEG corona were used for cancer treatment applications (Figure 22). In addition, indocyanine green (a diagnostic dye approved by the FDA) and doxorubicin (a naturally based anti-cancer drug) were loaded into nanoparticles through hydrophobic interactions and $\pi-\pi$ interactions. Under NIR irradiation, the obtained biocompatible nanocarriers produce singlet-oxygen. Furthermore, *in vitro* investigations revealed that synergistic effects (such as ROS generation and DOX release) result in the effective killing of HeLa cells. Accordingly, these nanosystems can act as multifunctional therapeutic agents for multimodal cancer treatments.

CD44 receptors are glycoproteins that are overexpressed by cancer cells and are believed to contribute to cancer development and progression.²⁶⁴ Hyaluronic acid is one of the significant CD44 ligands. Thus, hyaluronic acid has been vastly used in cancer therapy applications.²⁶⁵ Kim et al. fabricated carbonized fluorescent polydopamine nanoparticles (FNPs-PDA) coated with an HA-based shell.²⁶⁶ A prestigious study on organic PDA coated on

inorganic $\text{NaYF}_4:\text{Nd}^{3+}@\text{NaLuF}_4$ cores indicates that PDA shell thickness plays an important role in photothermal conversion efficiency. Unique characteristics of synthesized $\text{PDA}@\text{NaYF}_4:\text{Nd}^{3+}@\text{NaLuF}_4$ such as its biocompatibility and temporal-specific tumor imaging induced in a wonderful tumor ablation by PTT approach.¹⁵⁶ Liu et al.²⁶⁷ with their colleagues, introduced a strong PTT agent consisting of PDA-coated melanin, a nature-inspired biopolymer, which is synthesized in a mixture of ammonia aqueous solution and ethanol. Without any side effects on healthy tissues, they provided dopamine-melanin colloidal nanospheres, which show a quick, high efficiency of tumor cells ablation even under low laser power density conditions. The synergistic effect of immobilization of polydopamine/boron nitride nanosheets (BN) onto poly-p-phenylene benzobisoxazole (PBO) fibers leads to the formation of a recyclable, interfacial self-healing composite with elevated PTT properties.²⁶⁸

9.10 | Implantable devices

Polytetrafluoroethylene (PTFE) is a well-known, superior biomaterial, which is widely applied as a prosthesis to treat Congenital Diaphragmatic Hernia defects.²⁶⁹ Considering the advantages of covering

porous expanded PTFE (ePTFE) implants in a face-specific manner through the smart use of polydopamine, many efforts are being made to manufacture new implants featured by high cell adhesion, high biocompatibility, and excellent biodegradability for diaphragmatic replacements.^{270,271} An ePTFE membrane can contain two sides with different functionalities. The side which is supposed to be in contact with the abdominal face required a weak ability of cell adhesive the same as the nature of ePTFE.

Conversely, the other side, thoracic exposed faced, should possess an excellent tissue adhesive property. So, the smart coating method is so important in this issue, and MI chemistry plays a pivotal role in this regard. Wang et al.²⁷² did a large study on surface modifications of various platforms for implantation such as biopolymer, bio-metal, and bioceramic through bio-interfacial functionalization of polydopamine self-assembly process for implant uses.

Implanted devices such as electrodes could be manufactured using MI chemistry.²⁷³ A general scheme for biofunctionalization of the neural interface was proposed by Kang et al.²⁰⁷ The most important advantage of MI conductive hydrogels for application in implantable devices is that they can tolerate both wet conditions and temperature fluctuations.²⁷⁴

9.11 | Electronic skin/wearable electronic

Human skin includes a network of different sensors, which obtain various environmental information and send them to the brain. The information is in particular concerned with thermal and tactile stimuli. An ambitious goal is to manufacture an electronic skin (named E-skin) inspired by human skin, which means to develop a network of sensing elements embedded in tough, high stretchable, skin adhering, and biocompatible materials with good cell affinity. More ambitious goals are to supply these artificial skins with more functionalities such as chemical sensing, diagnostic and monitoring capabilities, odor, and taste sensing (electronic nose and tongue).²⁷⁵ More efficient robots can be designed through the application of these smart skins. Self-healing and adhesion to human skin capabilities are essential for E-skins. Catechol moieties, as discussed earlier, show self-healing capabilities. High stretching also can be achieved using catechol-containing hydrogels. These properties have made them attractive materials for developing electronic skin and wearable electronic applications. For example, a strain sensor with high sensitivity has been manufactured using polyacrylamide hydrogel and dopamine-modified talc nanoflakes.²⁷⁶ This hydrogel shows enhanced cell affinity compared to pure PAAM.

For electronic applications such as E-skins, electrical conductivity is an essential property.²⁷⁷ In this regard, conductive species, such as carbon nanomaterials and conducting polymers, can be included in catechol-modified hydrogels. A sensor for monitoring human motion was designed through the incorporation of single-wall carbon nanotubes in polyvinyl alcohol and polydopamine hydrogel.²⁷⁸ The hydrogel shows self-healing and skin adhesiveness while it creates no cytotoxicity.

Conductive hydrogels based on dopamine-modified reduced graphene oxide and PAAM can be used in motion monitoring and as an electromyography (EMG) electrode, as well.²⁷³ The hydrogel was used as an implanted EMG electrode. Furthermore, it was observed that the conductive hydrogel improves the proliferation and adhesion of the stem-cell of the bone marrow (BMSC), which was also associated with catechol interactions with amine and thiol groups on the cell membrane and with the membrane. Electrical stimulation also affects the cell growth rate on the conductive hydrogel.²⁷⁹

9.12 | Tissue engineering

9.12.1 | Tissue adhesives

Fibrin glue and cyanoacrylates are marketed, and conventional tissue adhesives are often used in surgery. However, poor wet adhesion, poor cytocompatibility, and higher suture costs are disadvantages that lead to new biomimetic tissue adhesives.²³⁰ These adhesives have been inspired by barnacles, caddis fly larvae, sandcastle worms, and mussels.²⁸⁰ Sealing the tissues, wound closure, and stopping bleeding are some applications of bioadhesives in surgery. Many mussel-inspired bioadhesives have been designed using MI chemistry. Figure 23 shows possible reactions between the tissue surface and dopamine.²²⁹

The adhesive strength of the MAP is 400–1000 kPa, considerably better than commercial fibrin glue (~15 kPa).^{281–283} Most commercial glues are concerned with developing bioadhesives by imparting catechol-containing moieties into biocompatible polymers, usually as side chains. Figure 24 presents the adhesive strength of diversified biopolymers versus storage modulus. Polysaccharide-based mussel-inspired bioadhesives, including dextran, alginate, and chitosan, have been manufactured through catechol functionalization.²⁸⁴

9.12.2 | Bone, cartilage, and dental replacement materials

Bone is the most rigid body part found in vertebrates, responsible for supporting and protecting various body organs and giving us the ability for numerous motions. It produces red and white blood cells and stores minerals. Bone tissue, also known as osseous tissue, is composed of cells (e.g., osteocytes, osteoblasts, and osteoclasts), fibers (e.g., type I collagen), ECM, and embedded blood vessels and nerve fibers. The ECM of bone tissue is composed of organic materials (e.g., collagen fibers which make up 90% of the organic bone fraction, proteins, and polysaccharides) and minerals (e.g., hydroxyapatite which accounts for 50–70 wt% of bone,²⁸⁵ calcium carbonate, and various ions such as magnesium, sodium, sulfate, and fluoride).²⁸⁶ Collagen fiber supplies the osseous tissue with tensile strength while small platelet-like hydroxyapatite crystals ($\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$) endow the compressive strength, while synergistic effects are also observed. A biomimetic approach has resulted in the design of scaffolds




FIGURE 23 Illustration of reaction between tissue and dopamine functional groups²²⁹




FIGURE 24 Adhesive strength versus storage modulus for different biomaterials²⁸⁴

composed of hydroxyapatite and collagen.²⁸⁷ Adhesion of osteoblast onto the implant's surface determines the implant's biocompatibility.²⁸⁸ Surface modification was considered a key strategy to increase the aptness of bone implants in orthopedics and dentistry.²⁸⁹ Also, implant surface modification using calcium phosphate derivatives such as hydroxyapatite has been widely used in bone implants and bone regeneration.^{290,291} Hybrid composites were fabricated successfully with desired characteristics to optimize their condition for bio application goals, including bone tissue engineering purposes. The test results exhibited that hydroxyapatite tended to grow faster in porous structures like zeolite crystals than in pure polymeric scaffolds with low porosity like chitosan where few hydroxyapatites were detected. Microporous surface assisted hydroxyapatite cells to grow more extensively and shape hydroxyapatite layers on targeted bone cultures. Also, calcium cations in crystal structures of zeolites elevated the process of hydroxyapatite mineralization in comparison with the samples without any calcium in their framework.

Bone-like apatite layers in tissue-implant interfaces can enhance biocompatibility. Simulated body fluid (SBF) immersion is a biomimetic process widely used in the creation of apatite-based coatings.²⁹² However, it has recently been reported that the formation kinetics of amorphous calcium phosphate (ACP) (raw material for bone-like apatite) deposition on tricalcium silicate (TCS) can be improved through MI chemistry.²¹² In this regard, they modified the TCS using a

polydopamine coating. SBF immersion results showed a nearly two-fold enhancement in the thickness of bone-like apatite for PDA-modified TCS relative to bare TCS. They pointed out that the abundance of calcium ions and decreased interface energy of ACP and PDA-coated TCS are contributing mechanisms for this phenomenon. Wei et al. also investigated the exceptionally high capacity of coacerbated Mfp-3S for hydroxyapatite.¹⁷

Many researchers used different nanomaterials to mimic bone tissue's high mechanical properties.^{293–295} Graphene and its derivatives gained much interest in bone tissue engineering due to their unique properties and structure.^{296,297} GO's biocompatibility allows scaffold adhesion, proliferation, and differentiation.^{296,298} Accordingly, prepared composites exhibited high mechanical strength, too. This is mostly attributed to the extremely strong graphene oxide bonds that endured high amounts of tension.²⁹⁷

On the other hand, GO coatings can modify the bio-inert nature of Titanium (Ti) scaffolds to increase their insufficient osteoinductivity and enable it to integrate with the bone tissue. However, due to the inert chemical surface of Ti, the uniform deposition of GO onto the Ti is very hard. Nevertheless, MI chemistry is a robust strategy for surface modification of versatile surfaces, including inert metals. Accordingly, Han et al.⁵⁰ coated the porous Ti scaffolds using polydopamine, followed by a coating of GO nanosheets. Graphene oxide nanosheets and other materials like that such as zeolites²⁹⁹ and gelatin polymer blends which have proved to be applicable composites in different internal tissue media³⁰⁰ coatings make them perfect choices for toxic substances and ion removal from alloy implants area. Combining titanium within the high surface area and porous framework of zeolites provides perfect adhesion to the substrates by replacing the titanium with its rather hydrophobic surface with hydrophilic interconnected pores that can inhibit implant loosening, which is considered a very satisfying quality for bio-implants. These coatings, in addition to titanium implants, decrease the modulus mismatch with bone tissue and improve implant osseointegration.

Chen et al.³⁰¹ manufactured a 3D-printed scaffold with poly(caprolactone) (PCL) loaded with polydopamine-modified calcium silicate (PDACS) and Wharton's jelly mesenchymal stem cells (WJMSCs). The scaffold's pores were filled with a hydrogel of alginate and gelatin containing human umbilical vein endothelial cells

(HUVEC), which shows improved mechanical properties and tissue adhesion. Furthermore, cell incorporation has resulted in enhanced osteogenesis and angiogenesis as well. Observation showed oxidative cross-linking of dopamine coated on alginate 3D scaffold decreased cytotoxicity and improved the preservation of different stem cells in the gel framework for osteogenesis tissue regeneration.

Gelatin-based hydrogels methacryloyl attracted considerable attention in cartilage regenerative engineering due to high biocompatibility. However, these hydrogels' mechanical properties do not meet the requirements so modifications are necessary to increase mechanical properties. Gan et al.³⁰² modified gelatin methacryloyl using MI chemistry for regenerating the cartilage. The intercalated dopamine methacrylamide (DMA) oligomers as a polymerizable precursor into the GelMA network to enhance the final hydrogel's mechanical properties. DMA oligomers interact with each other through different physical interactions while bonding to GelMA chains covalently. Consequently, robust and resilient hydrogels with excellent stability are created. Besides, enhanced cell affinity and improved tissue adhesion were observed.

Glycosaminoglycan is a significant component of cartilage ECM. Chondroitin sulfate is sulfated glycosaminoglycan used in osteoarthritis.^{303,304} However, hydrogels which are based on glycosaminoglycan repel cells due to negative surface charges. Han et al. made a tissue-adhesive hydrogel with polydopamine, chondroitin sulfate, and polyacrylamide for growth-free cartilage TE.³⁰⁵ While polydopamine improves cell affinity and tissue adhesiveness, chondroitin sulfate promotes chondrogenesis.

Wang et al. also researched bioactive peptide application to alter bone tissue engineering materials,³⁰⁶ where they investigated different routes of synthesis for modification of bone tissue repairs. Such mechanisms include electrodeposition, covalent immobilization, physical adsorption, and other modern literature methods. Different types of peptides were suggested and examined as solid nominees for the bone repair treatment, including ECM-derived tissues, BMP-derived ones, and some other limited-use samples. These peptides can trigger some unique signaling points that regulate osteogenic-related cellular interactions.

Dental applications of new series of tissue technologies have recently gathered much attention. For example, Lee et al.³⁰⁷ fabricated catechol-functionalized synthetic polymers for composite restoration purposes emplaced for playing the role of dental adhesive to contaminated dentin culture. The study showed that the extending of polymer chains by this approach could as well ease physical crosslinking for a variety of polymer chains by entanglement. Furthermore, the catechol moieties undergo chemical coupling reactions leading to crosslinking, although there is no definitive reason to suggest the involvement of catechols in this adhesive. These impacts will enhance the polymer film layer's mechanical performance, which elevates cohesive bonding. The improved interfacial and cohesive bonding enhanced the shear strength when the solvent was removed from the adhesive after drying than in the wet condition. From another point of view, adding water to the control adhesive sample diluted the monomer concentration, which could have induced incomplete polymerization, thus decreasing the bond's mechanical strength.^{307,308}

To increase hydroxyapatite formation, scientists also recommended a template-free electrochemical polymerization method, which founded to be efficient in implants' success. For instance, Wang et al.³⁰⁹ followed this synthesis route to fabricate catechol-embedded electroactive polypyrrole nanowires on the interface section of titanium implants to enhance hydroxyapatite formation. Adhesion degree is a crucial feature inside the human body for the bioactive layer-coated metallic implants. Results of the study revealed that only 15 min of ultra-sonication does not kill composite nanowire coatings. The CaP agglomerations were created on the PPy/PDA nanograins' surface after 3 days of incubation, and the agglomerates sheltered most of the PPy/PDA nanowire composite surface within 3 days, mostly associated with the free PPy/PDA nanowires concentration of catechols much larger than the calculated PPy/PDA nanograins. The number of agglomerates on the surface of PPy/NSA nanowires was much lower than on PPy/PDA nanograins and nanowires, showing that PDA catechols are important for the CaP nucleation process. A week after incubation, CaP minerals smoothly covered the titanium substrate enhanced by the PPy/PDA nanowires, improving the formation of hydroxyapatite by improving morphological characteristics. The high surface area of the microporous structure seems to be a key point of cell proliferation and its uniform roughness, and the semi-hydrophilic surface increases the adhesion amounts between them.

9.12.3 | Vascular system

There are increasing demands for vascular scaffolds for clinical applications. Electrospun scaffolds with high mechanical strength and flexibility have gained much attention. Lee et al.³¹⁰ fabricated a three-dimensional bi-layered scaffold using PCL and manufactured vascular grafts with porous structure. Immobilizing vascular endothelial growth factor (VEGF) on PDA-modified tubular scaffolds also increased vascular cell proliferation and enhanced angiogenesis. Biotin-induced immobilized VEGF labeling revealed that fluorescence peaks increased as a function of VEGF solution content. VEGF's effects on HUVEC adhesion were inconsiderable, which should have been protected by creating polydopamine film, which also supported cell adhesion.

Coating polydopamine on the surface of PLCL improved its tissue adhesion and simplified the immobilization of dual factors (RGD peptide and bFGF), which can be used as endothelial vascular graft components.³¹¹ Likewise, after oxygen plasma treatment of polytetrafluoroethylene surface to increase its hydrophilicity, dopamine was coated on the surface to facilitate immobilization of RGD and heparin. The resulting increment of platelet adhesion to the complex was remarkable after dopamine coating and RGD immobilization (Figure 25).²¹⁵

9.12.4 | Neural system

The central m (CNS) and peripheral nervous systems (PNS) create our entire nervous network. Traumatic injuries may result in damage to CNS or PNS. While CNS possesses a minimal regeneration capability,




FIGURE 25 Schematic immobilization of RGD/heparin on dopamine/polytetrafluoroethylene film³⁰⁹

PNS can regenerate itself to some extent.³¹² Improving the regeneration process in PNS has triggered numerous research works resulting in various therapeutic strategies such as grafting autologous and nerve guidance conduits (NGCs). NGCs make a bridge between nerve defects and support adequate growth of axons. Chen et al. manufactured a 3D-printed nerve conduit using PCL coated by a decellularized extracellular matrix (dECM) and PDA.³¹³ dECM, which is a biomaterial secreted by cells, has been recently focused on biomedical applications.^{314,315} The PDA coatings facilitate the immobilization of dECM onto the conduit.

On the other hand, electrical stimulation can improve the growth rate of axons and neurite differentiation such that conductive materials (e.g., graphene and CNT) have been used for manufacturing scaffolds for nerve regeneration. PCL loaded with 3D porous graphene (SG) or multi-layer graphene (MG) scaffolds were fabricated using a 3D printer and layer-by-layer casting (LBLC) techniques.³¹⁶ PCL scaffolds were treated with PDA and arginyl glycol aspartic acid (RGD) to facilitate cell binding. In vitro and in vivo studies showed remarkable neural expression enhancement, axon production, and demyelination.

9.12.5 | Skeletal muscle

Skeletal muscle endogenous progenitor cells, that is, satellite cells, show a substantial degree of proneness to muscle differentiation, showing similar characteristics and associations to the muscle of the parent. This indicates that using a suitable progenitor cell, specifically in facial muscles, tissue engineering seems to be crucial, which possesses a unique anatomical and fiber blend, if it is analyzed according to other skeletal muscles. Muscle tissue engineering needs a well-structured scaffold for its configuration support and modulates the proliferation and differentiation of muscle progenitor cells.

In a research conductive nanofibers in which their architectures were manually well balanced were studied for their use in skeletal

muscle tissue engineering.³¹⁷ Polyaniline (PANI) and poly- π -caprolactone (PCL) composites were synthesized by electrospinning in presence of a directed magnetic field. The outcome suggested that this kind of tissue sample has the capability of ordering myoblast orientation and improving myotube generation.

In another research, surface improvement and topographical signals of mussel-inspired samples were demonstrated to understand their influence on skeletal myoblasts manners.³¹⁸ Cell proliferation tests have been performed on PDA-modified samples by MTT assay. For the PDA-modified condition, the absorbance measured at 595 nm, used for measuring cell density, increased by almost 24% within 2 days and by 50% within 4 days in comparison with results obtained for unmodified glass. This indicates further improved myoblast proliferation by the PDA modification of the glass substrate. The physical parameters of the PDA layer, like its thickness, surface roughness, and surface coverage, maybe differed by altering the rates of dopamine concentration and its solution immersing time. The significant improvement of myoblast proliferation is associated with the rectification of surface chemistry after PDA modification.

9.12.6 | Ocular tissue

Dopamine can be found in human aqueous humor, trabecular meshwork, tear, iris, uveo-sclera, intermediate as well as peripheral parts of the cornea, and plasma. Dopamine participates in the cascade that regulates visual development. It is released due to retinal responding to light, which has a pivotal role in light adaption and induced myopia. Interaction of dopamine with myopia restricts myopia growth.

Drug-resistant saprophytic fungal pathogens and bacteria have caused severe pain, lasting cell damage, infections, and ulceration, which can lead to loss of vision and various other ocular diseases. Newly designed contact lenses, not only can sustain and targeted release of the drugs, more effective curative efficiency at a longer rate than eye drops but also cause smaller side effects.

Due to the unique characteristics of dopamine, such as the functionalization ability, wet adhesion, antimicrobial properties, noninflammatory properties, and high visible light transmittance, MI-compounds are applied widely as a suitable coating for ocular disease treatments. An *in vivo* analysis of the multilayer development of silver nanoparticles on the contact lens surface coated by dopamine found that due to the higher release rate of silver cations from the dopamine layer, the antibacterial behavior of the lens and the auto-oxidation of dopamine led to a higher visible light transmission of the lens.³¹⁹ Optimizing the silver particle size and concentration, which is covered by the optimal amount of dopamine, exhibits a practical curative impact on bacterial and fungal keratitis hybrid treatments.³¹⁹

10 | CLINICAL APPLICATIONS

Although mussel-inspired biomaterials have vastly been studied and exploited on the lab scale, still several practical challenges are remained unsolved to improve the translation of these compounds for human trials. Noteworthy, one of the most important issues is to protect catechol moieties from unwanted oxidation. Moreover, the biodegradability of PDA is another factor that should be considered to ensure the success of dopamine-conjugated biomaterials for clinical trials.^{320,321}

Nevertheless, a few numbers of clinical trials on catecholamine chitosan-based hemostatic pads have been undertaken. For instance, InnoSEAL Plus which is introduced by InnoTherapy in 2015 is a coagulation factor-free catecholamine chitosan-based bioadhesive to control intraoperative/postoperative bleeding. The proposed mechanism for this inexpensive product is based on a quick reaction with plasma protein in the blood and simultaneously production of the hemostatic pellicle. This mechanism is independent of the human blood coagulation system and thereby is expected to excel other fibrin-based sealants when it comes to dealing with patients with the disorder in normal blood coagulation. To date, this FDA-approved pad has been subjected to different single and multi-center open-label randomized controlled clinical trials in high-income economy countries such as South Korea, as well as lower-middle-income countries such as Pakistan.^{322,323} In 2020, Aijaz et al.³²³ studied the efficacy of InnoSEAL pad in a combination with the transracal band (TRB) on 714 randomly selected adult patients to enhance hemorrhage and better control bleeding. Their findings justify a significant improvement of this combinative method in terms of ease of use, short hemostasis time, and less discomfort for patients. The following figure demonstrates photography images of the InnoSEAL pad applied in human trials at Tabba Heart Institute (THI) Karachi, Pakistan.³²² Very recently in 2021, Choi and coworkers³²² have been reported a multicenter single-blinded clinical study on the efficacy of InnoSEAL Plus to stop postoperative bleeding in 96 hepatectomy patients. This nontoxic bioadhesive showed comparable results in controlling the oozing hemorrhage from the transected liver surface only in 3 min compared to fibrin-based TachoSil sealant. Furthermore, the one-month follow-up study on the applicants confirms the high efficacy success rate of

InnoSEAL pads with no reported rebleeding or any other adverse events.

Expectantly, ever-increasing in research efforts on mussel-inspired materials in all fields of biomedical engineering from drug delivery and tissue engineering to cancer research has increased the hope for more patents and FDA-approved products for clinical trials and real-life applications in near future.

11 | SUMMARY

Understanding MI chemistry as a nature-selected mechanism has opened a new window with limitless applications for broad-ranging of requests from environmental to medicine. From the biomedical application perspective, to develop advanced materials such as wearable devices, drug delivery systems, and surgical glues with strong adhesion to wet surfaces (e.g., chronic wounded tissues) while still keeping high mechanical properties, there is an essential need to acquire profound knowledge about MI chemistry and comprehensively study of distinctive adhesiveness of the mussel foot proteins. In this review article, we summarized and thoroughly discussed different aspects of mussel chemistry and the sophisticated mechanism of wet adhesion which could provide an excellent guideline for the design of future functional materials for diversified biomedical applications.

AUTHOR CONTRIBUTIONS

Ali Taghizadeh: Investigation (equal); resources (equal); writing – original draft (supporting). **Mohsen Taghizadeh:** Investigation (equal); methodology (supporting); resources (supporting); visualization (equal); writing – original draft (equal). **Mohsen Khodadadi Yazdi:** Investigation (equal); methodology (supporting); writing – original draft (supporting). **Payam Zarrintaj:** Investigation (supporting); methodology (supporting); software (equal); validation (equal); writing – original draft (equal). **Joshua D. Ramsey:** Investigation (supporting); methodology (supporting); writing – review and editing (supporting). **Farzad Seidi:** Conceptualization (equal); investigation (supporting); supervision (supporting); writing – original draft (equal); writing – review and editing (supporting). **Florian J. Stadler:** Investigation (supporting); methodology (supporting); validation (supporting); writing – original draft (supporting). **Haeshin Lee:** Investigation (supporting); software (supporting); supervision (supporting); writing – original draft (supporting); writing – review and editing (supporting). **Mohammad Reza Saeb:** Investigation (supporting); methodology (supporting); supervision (lead); writing – review and editing (supporting). **Masoud Mozafari:** Methodology (lead); project administration (lead); supervision (lead); writing – review and editing (lead).

CONFLICT OF INTEREST

There is no conflict of interest to declare.

DATA AVAILABILITY STATEMENT

Data sharing is not applicable to this article as no datasets were generated or analyzed during the current study.

ORCID

Masoud Mozafari  <https://orcid.org/0000-0002-0232-352X>

REFERENCES

- Dzobo K, Thomford NE, Senthebane DA, et al. Advances in regenerative medicine and tissue engineering: innovation and transformation of medicine. *Stem Cells Int.* 2018;2018:1-24. doi:10.1155/2018/2495848
- Ige OO, Umoru LE, Aribio S. Natural products: a minefield of biomaterials. *ISRN Mater Sci.* 2012;2012:1-20. doi:10.5402/2012/983062
- Wegst UGK, Bai H, Saiz E, Tomsia AP, Ritchie RO. Bioinspired structural materials. *Nat Mater.* 2015;14(1):23-36. doi:10.1038/nmat4089
- Wheatley DN. Water: biology's forgotten molecule. *Biologist.* 1991;38(2):45-49.
- Lee H, Dellatore SM, Miller WM, Messersmith PB. Mussel-inspired surface chemistry for multifunctional coatings. *Science (80-).* 2007;318(5849):426-430. doi:10.1126/science.1147241
- Ryu JH, Messersmith PB, Lee H. Polydopamine surface chemistry: A decade of discovery. *ACS Appl Mater Interfaces.* 2018;10:7523-7540. doi:10.1021/acsami.7b19865
- Yang X, Yuan L, Zhao Y, et al. Mussel-inspired structure evolution customizing membrane interface hydrophilization. *J Membr Sci.* 2020;612:118471. doi:10.1016/j.memsci.2020.118471
- Lockwood BL, Somero GN. Transcriptomic responses to salinity stress in invasive and native blue mussels (genus *Mytilus*). *Mol Ecol.* 2011;20(3):517-529. doi:10.1111/j.1365-294X.2010.04973.x
- De Vooy CGN. Effect of a tripeptide on the aggregational behaviour of the blue mussel *Mytilus edulis*. *Mar Biol.* 2003;142(6):1119-1123. doi:10.1007/s00227-003-1039-2
- Waite JH. Mussel adhesion—essential footwork. *J Exp Biol.* 2017;220(4):517-530. doi:10.1242/jeb.134056
- Hwang DS, Zeng H, Masic A, Harrington MJ, Israelachvili JN, Waite JH. Protein-and metal-dependent interactions of a prominent protein in mussel adhesive plaques. *J Biol Chem.* 2010;285(33):25850-25858. doi:10.1074/jbc.M110.133157
- Suhre MH, Gertz M, Steegborn C, Scheibel T. Structural and functional features of a collagen-binding matrix protein from the mussel byssus. *Nat Commun.* 2014;5(1):3392. doi:10.1038/ncomms4392
- Coyne KJ, Qin XX, Waite JH. Extensible collagen in mussel byssus: a natural block copolymer. *Science (80-).* 1997;277(5333):1830-1832. doi:10.1126/science.277.5333.1830
- Holten-Andersen N, Zhao H, Waite JH. Stiff coatings on compliant biofibers: the cuticle of *Mytilus californianus* Byssal threads. *Biochemistry.* 2009;48(12):2752-2759. doi:10.1021/bi900018m
- Saiz-Poseu J, Mancebo-Aracil J, Nador F, Busqué F, Ruiz-Molina D. The chemistry behind catechol-based adhesion. *Angew Chem Int Ed.* 2019;58:696-714. doi:10.1002/anie.201801063
- Ghareeb A, Elbanna A. On the role of the plaque porous structure in mussel adhesion: implications for adhesion control using bulk patterning. *J Appl Mech Trans ASME.* 2018;85(12):121003. doi:10.1115/1.4041223
- Yang X, Yan L, Ran F, et al. Mussel-/diatom-inspired silicified membrane for high-efficiency water remediation. *J Membr Sci.* 2020;597:117753. doi:10.1016/j.memsci.2019.117753
- Martinez Rodriguez NR, Das S, Kaufman Y, Wei W, Israelachvili JN, Waite JH. Mussel adhesive protein provides cohesive matrix for collagen type-1 α . *Biomaterials.* 2015;51:51-57. doi:10.1016/j.biomaterials.2015.01.033
- Kayitmazer AB, Seeman D, Minsky BB, Dubin PL, Xu Y. Protein-polyelectrolyte interactions. *Soft Matter.* 2013;9:2553-2583. doi:10.1039/c2sm27002a
- Sever MJ, Wilker JJ. Synthesis of peptides containing DOPA. *Tetrahedron.* 2001;57:6139-6146.
- Yu M, Hwang J, Deming TJ. Role of 1-3,4-Dihydroxyphenylalanine in mussel adhesive proteins. *J Am Chem Soc.* 1999;121(24):5825-5826. doi:10.1021/ja990469y
- Moulay S. Dopa/catechol-tethered polymers: Doadhesives and biomimetic adhesive materials. *Polym Rev.* 2014;54(3):436-513. doi:10.1080/15583724.2014.881373
- Liu Y. *Design of Robust Hydrogel Based on Mussel-Inspired Chemistry [Dissertation]*. Michigan Technological University; 2017.
- Kord Forooshani P, Lee BP. Recent approaches in designing bioadhesive materials inspired by mussel adhesive protein. *J Polym Sci A Polym Chem.* 2017;55:9-33. doi:10.1002/pola.28368
- Yu J, Wei W, Danner E, Ashley RK, Israelachvili JN, Waite JH. Mussel protein adhesion depends on Interprotein thiol-mediated redox modulation. *Nat Chem Biol.* 2011;7(9):588-590. doi:10.1038/nchembio.630
- Miller DR, Spahn JE, Waite JH. The staying power of adhesion-associated antioxidant activity in *Mytilus californianus*. *J R Soc Interface.* 2015;12(111):20150614. doi:10.1098/rsif.2015.0614
- Rodriguez NRM, Das S, Kaufman Y, Israelachvili JN, Waite JH. Interfacial PH during mussel adhesive plaque formation. *Biofouling.* 2015;31(2):221-227. doi:10.1080/08927014.2015.1026337
- Nicklisch SCT, Spahn JE, Zhou H, Gruian CM, Waite JH. Redox capacity of an extracellular matrix protein associated with adhesion in *Mytilus californianus*. *Biochemistry.* 2016;55(13):2022-2030. doi:10.1021/acs.biochem.6b00044
- Yang B, Jin S, Park Y, Jung YM, Cha HJ. Coacervation of interfacial adhesive proteins for initial mussel adhesion to a wet surface. *Small.* 2018;14(52):e1803377. doi:10.1002/smll.201803377
- Cai H, Gabryelczyk B, Manimekalai MSS, Grüber G, Salentinig S, Miserez A. Self-Coacervation of modular squid beak proteins—a comparative study. *Soft Matter.* 2017;13(42):7740-7752. doi:10.1039/c7sm01352c
- Zhao H, Waite JH. Linking adhesive and structural proteins in the attachment plaque of *Mytilus californianus*. *J Biol Chem.* 2006;281(36):26150-26158. doi:10.1074/jbc.M604357200
- Yu J. *Adhesive Interactions of Mussel Foot Proteins*. Springer; 2014. doi:10.1007/978-3-319-06031-6
- Wei W, Yu J, Broomell C, Israelachvili JN, Waite JH. Hydrophobic enhancement of Dopa-mediated adhesion in a mussel foot protein. *J Am Chem Soc.* 2013;135(1):377-383. doi:10.1021/ja309590f
- Yu J, Wei W, Menyo MS, Masic A, Waite JH, Israelachvili JN. Adhesion of mussel foot protein-3 to TiO₂ surfaces: the effect of pH. *Biomacromolecules.* 2013;14(4):1072-1077. doi:10.1021/bm301908y
- George MN, Pedigo B, Carrington E. Hypoxia weakens mussel attachment by interrupting DOPA cross-linking during adhesive plaque curing. *J R Soc Interface.* 2018;15(147):20180489. doi:10.1098/rsif.2018.0489
- Lee BP, Messersmith PB, Israelachvili JN, Waite JH. Mussel-inspired adhesives and coatings. *Annu Rev Mat Res.* 2011;41(1):99-132. doi:10.1146/annurev-matsci-062910-100429
- Rodriguez NM, Das S, Biofouling YK. *Interfacial PH during Mussel Adhesive Plaque Formation*. Taylor&Francis; 2015.
- Iuga C, Alvarez-Idaboy JR, Vivier-Bunge A. ROS initiated oxidation of dopamine under oxidative stress conditions in aqueous and Lipidic environments. *J Phys Chem B.* 2011;115(42):12234-12246. doi:10.1021/jp206347u
- Sugumaran M. Reactivities of quinone Methides versus O-quinones in catecholamine metabolism and eumelanin biosynthesis. *Int J Mol Sci.* 2016;17(9):1576. doi:10.3390/ijms17091576
- Sidharthan NP, Minchin RF, Butcher NJ. Cytosolic sulfotransferase 1A3 is induced by dopamine and protects neuronal cells from dopamine toxicity: role of D1 receptor-n-methyl-d-aspartate receptor coupling. *J Biol Chem.* 2013;288(48):34364-34374. doi:10.1074/jbc.M113.493239
- Henry C, Wilson JA, Xie T, Ho SL, Ramsden D. Catechol-O-methyltransferase inhibitors in Parkinson's disease (multiple letters)

- [9]. *Lancet*. 1998;351:1965-1966. doi:10.1016/S0140-6736(05)78659-1
42. Andén N-E, Fuxe K, Hamberöer B, Hökfelt T. A quantitative study on the Nigro-neostriatal dopamine neuron system in the rat. *Acta Physiol Scand*. 1966;67(3-4):306-312. doi:10.1111/j.1748-1716.1966.tb03317.x
43. Goldstein DS, Cheshire WP. Roles of catechol neurochemistry in autonomic function testing. *Clin Auton Res*. 2018;28:273-288. doi:10.1007/s10286-018-0528-9
44. Sandy M, Butler A. Microbial iron acquisition: marine and terrestrial siderophores. *Chem Rev*. 2009;109(10):4580-4595. doi:10.1021/cr9002787
45. Kumar S, Pandey AK. Chemistry and biological activities of flavonoids: an overview. *Sci World J*. 2013;2013:1-16. doi:10.1155/2013/162750
46. Amorati R, Baschieri A, Cowden A, Valgimigli L. The antioxidant activity of quercetin in water solution. *Biomimetics*. 2017;2(3):9. doi:10.3390/biomimetics2030009
47. Shin M, Lee HA, Lee M, et al. Targeting protein and peptide therapeutics to the heart via tannic acid modification. *Nat Biomed Eng*. 2018;2(5):304-317. doi:10.1038/s41551-018-0227-9
48. Lee JU, Yeo M, Kim WJ, Koo YW, Kim GH. Development of a tannic acid cross-linking process for obtaining 3D porous cell-laden collagen structure. *Int J Biol Macromol*. 2018;110:497-503. doi:10.1016/j.jbiomac.2017.10.105
49. Gülçin I, Huyut Z, Elmastaş M, Aboul-Enein HY. Radical scavenging and antioxidant activity of tannic acid. *Arab J Chem*. 2010;3(1):43-53. doi:10.1016/j.arabjc.2009.12.008
50. Guo J, Sun W, Kim JP, et al. Development of tannin-inspired antimicrobial bioadhesives. *Acta Biomater*. 2018;72:35-44. doi:10.1016/j.actbio.2018.03.008
51. Eckardt NA. Probing the mysteries of lignin biosynthesis: the crystal structure of Caffeic acid/5-Hydroxyferulic acid 3/5-O-Methyltransferase provides new insights. *Plant Cell*. 2002;14(6):1185-1189. doi:10.1105/tpc.140610
52. Khan FA, Maalik A, Murtaza G. Inhibitory mechanism against oxidative stress of Caffeic acid. *J Food Drug Anal*. 2016;24(4):695-702. doi:10.1016/j.jfda.2016.05.003
53. Rote JC, Malkowski SN, Cochrane CS, et al. Catechol reactivity: synthesis of dopamine derivatives substituted at the 6-position. *Synth Commun*. 2017;47(5):435-441. doi:10.1080/00397911.2016.1269350
54. Zhang F, Liu S, Zhang Y, Wei Y, Xu J. Underwater bonding strength of marine mussel-inspired polymers containing DOPA-like units with amino groups. *RSC Adv*. 2012;2(24):8919-8921. doi:10.1039/c2ra21312e
55. Danner EW, Kan Y, Hammer MU, Israelachvili JN, Waite JH. Adhesion of mussel foot protein Mefp-5 to mica: An underwater superglue. *Biochemistry*. 2012;51(33):6511-6518. doi:10.1021/bi3002538
56. Yildiz R, Ozen S, Sahin H, Akdogan Y. The effect of DOPA hydroxyl groups on wet adhesion to polystyrene surface: An experimental and theoretical study. *Mater Chem Phys*. 2020;243:122606. doi:10.1016/j.matchemphys.2019.122606
57. Patil N, Jérôme C, Detrembleur C. Recent advances in the synthesis of catechol-derived (bio)polymers for applications in energy storage and environment. *Prog Polym Sci*. 2018;82:34-91. doi:10.1016/j.progpolymsci.2018.04.002
58. Jung JP, Lee C, Lee JH, Lee SY, Kim JH. Block copolymer membranes with catecholic bolaamphiphile assemblies. *J Membr Sci*. 2018;566:35-43. doi:10.1016/j.memsci.2018.08.030
59. De Marchi F, Galeotti G, Simenas M, et al. Room-temperature surface-assisted reactivity of a melanin precursor: silver metal-organic coordination: versus covalent dimerization on gold. *Nanoscale*. 2018;10(35):16721-16729. doi:10.1039/c8nr04002h
60. Wang W, Xu Y, Li A, et al. Zinc induced polyelectrolyte coacervate bioadhesive and its transition to a self-healing hydrogel. *RSC Adv*. 2015;5(82):66871-66878. doi:10.1039/c5ra11915d
61. Shi L, Ding P, Wang Y, Zhang Y, Ossipov D, Hilborn J. Self-healing polymeric hydrogel formed by metal-ligand coordination assembly: design, fabrication, and biomedical applications. *Macromol Rapid Commun*. 2019;40(7):1800837. doi:10.1002/marc.201800837
62. Zhong QZ, Richardson JJ, Li S, et al. Expanding the toolbox of metal-phenolic networks via enzyme-mediated assembly. *Angew Chem Int Ed*. 2020;59(4):1711-1717. doi:10.1002/anie.201913509
63. Vatankhah-Varnoosfaderani M, Ghavaminejad A, Hashmi S, Stadler FJ. Mussel-inspired PH-triggered reversible foamed multi-responsive gel—the surprising effect of water. *Chem Commun*. 2013;49(41):4685-4687. doi:10.1039/c3cc41332b
64. Vatankhah-Varnoosfaderani M, Hashmi S, Stadler FJ, GhavamiNejad A. Mussel-inspired 3D networks with stiff-irreversible or soft-reversible characteristics—it's all a matter of solvent. *Polym Test*. 2017;62:96-101. doi:10.1016/j.polymtest.2017.06.007
65. Riley KE, Hobza P. Noncovalent interactions in biochemistry. *Wiley Interdiscip Rev Comput Mol Sci*. 2011;1(1):3-17. doi:10.1002/wcms.8
66. Frieden E. Non-covalent interactions key to biological flexibility and specificity. *J Chem Educ*. 1975;52(12):754-761. doi:10.1021/ed052p754
67. Picchioni F, Muljana H. Hydrogels based on dynamic covalent and non covalent bonds: A chemistry perspective. *Gels*. 2018;4(1):21. doi:10.3390/gels4010021
68. Baty AM, Leavitt PK, Siedlecki CA, et al. Adsorption of adhesive proteins from the marine mussel, *Mytilus edulis*, on polymer films in the hydrated state using angle dependent x-ray photoelectron spectroscopy and atomic force microscopy. *Langmuir*. 1997;13(21):5702-5710. doi:10.1021/la9610720
69. Li Y, Liao M, Zhou J. Catechol and its derivatives adhesion on graphene: insights from molecular dynamics simulations. *J Phys Chem C*. 2018;122(40):22965-22974. doi:10.1021/acs.jpcc.8b06392
70. Ahn DS, Jeon IS, Jang SH, Park SW, Lee S, Cheong W. Hydrogen bonding in aromatic alcohol-water clusters: a brief review. *Bull Korean Chem Soc*. 2003;24:695-702. doi:10.5012/bkcs.2003.24.6.695
71. Foti MC, Johnson ER, Vinqvist MR, Wright JS, Barclay LRC, Ingold KU. Naphthalene diols: a new class of antioxidants intramolecular hydrogen bonding in Catechols, naphthalene diols, and their aryloxy radicals. *J Org Chem*. 2002;67(15):5190-5196. doi:10.1021/jo020184v
72. Harrington MJ, Masic A, Holten-Andersen N, Waite JH, Fratzl P. Iron-clad fibers: a metal-based biological strategy for hard flexible coatings. *Science (80-)*. 2010;328(5975):216-220. doi:10.1126/science.1181044
73. Li Y, Wen J, Qin M, Cao Y, Ma H, Wang W. Single-molecule mechanics of catechol-iron coordination bonds. *ACS Biomater Sci Eng*. 2017;3(6):979-989. doi:10.1021/acsbmaterials.7b00186
74. Holten-Andersen N, Mates TE, Toprak MS, Stucky GD, Zok FW, Waite JH. Metals and the integrity of a biological coating: the cuticle of mussel byssus. *Langmuir*. 2009;25(6):3323-3326. doi:10.1021/la8027012
75. Holten-Andersen N, Jaishankar A, Harrington MJ, et al. Metal-coordination: using one of nature's tricks to control soft material mechanics. *J Mater Chem B*. 2014;2(17):2467-2472. doi:10.1039/c3tb21374a
76. Yang B, Lim C, Hwang DS, Cha HJ. Switch of surface adhesion to cohesion by Dopa-Fe³⁺ complexation, in response to microenvironment at the mussel plaque/substrate Interface. *Chem Mater*. 2016;28(21):7982-7989. doi:10.1021/acs.chemmater.6b03676

77. Grandbois M, Beyer M, Rief M, Clausen-Schaumann H, Gaub HE. How strong is a covalent bond. *Science* (80-). 1999;283(5408):1727-1730. doi:10.1126/science.283.5408.1727
78. Zhang L, Kerszulis JA, Clark RJ, Ye T, Zhu L. Catechol boronate formation and its electrochemical oxidation. *Chem Commun*. 2009;16:2151-2153. doi:10.1039/b900016j
79. Kan Y, Danner EW, Israelachvili JN, Chen Y, Waite JH. Boronate complex formation with Dopa containing mussel adhesive protein retards pH-induced oxidation and enables adhesion to mica. *PLoS One*. 2014;9(10):e108869. doi:10.1371/journal.pone.0108869
80. Lee H, Lee BP, Messersmith PB. A reversible wet/dry adhesive inspired by mussels and geckos. *Nature*. 2007;448(7151):338-341. doi:10.1038/nature05968
81. Harry Wagerich B, Nelson JM. On the oxidation product of catechol when oxidized by means of tyrosinase. *J Biol Chem*. 2017;115:459-465.
82. Wu Q, Yan D, Chen Y, et al. A redox-neutral catechol synthesis. *Nat Commun*. 2017;8(1):1.
83. Kutyrev AA. Nucleophilic reactions of quinones. *Tetrahedron*. 1991;47(38):8043-8065. doi:10.1016/S0040-4020(01)91002-6.
84. Andersen SO, Jacobsen JP, Bojesen G, Roepstorff P. Phenoloxidase catalyzed coupling of Catechols. Identification of novel coupling products. *Biochim Biophys Acta (BBA)/Protein Struct Mol*. 1992;1118(2):134-138. doi:10.1016/0167-4838(92)90140-9
85. Waite JH. The phylogeny and chemical diversity of Quinone-tanned glues and varnishes. *Comp Biochem Physiol Part B Biochem*. 1990;97(1):19-29. doi:10.1016/0305-0491(90)90172-P
86. Graumann R, Paris I, Martinez-Alvarado P, et al. Erratum: Oxidation of dopamine to aminochrome as a mechanism for neurodegeneration of dopaminergic systems in parkinson's disease. Possible neuroprotective role of DT-diaphorase (Polish Journal of Pharmacology (2002) Vol. 54 (6) (573-579)). *Pol J Pharmacol*. 2005;57:556.
87. Salomäki M, Marttila L, Kivelä H, Ouvinen T, Lukkari J. Effects of pH and oxidants on the first steps of Polydopamine formation: a thermodynamic approach. *J Phys Chem B*. 2018;122(24):6314-6327. doi:10.1021/acs.jpcc.8b02304
88. Andersen SO. Insect cuticular sclerotization: a review. *Insect Biochem Mol Biol*. 2010;40:166-178. doi:10.1016/j.ibmb.2009.10.007
89. Yang J, Saggiomo V, Velders AH, Stuart MAC, Kamperman M. Reaction pathways in catechol/primary amine mixtures: a window on crosslinking chemistry. *PLoS One*. 2016;11(12):166490. doi:10.1371/journal.pone.0166490
90. Miserez A, Rubin D, Waite JH. Cross-linking chemistry of squid beak. *J Biol Chem*. 2010;285(49):38115-38124. doi:10.1074/jbc.M110.161174
91. Wu J, Zhang L, Wang Y, et al. Mussel-inspired chemistry for robust and surface-modifiable multilayer films. *Langmuir*. 2011;27:13684-13691. doi:10.1021/la2027237
92. Lee BP, Dalsin JL, Messersmith PB. Synthesis and gelation of DOPA-modified poly(ethylene glycol) hydrogels. *Biomacromolecules*. 2002;3(5):1038-1047. doi:10.1021/bm025546n
93. LaVoie MJ, Ostaszewski BL, Weihofen A, Schlossmacher MG, Selkoe DJ. Dopamine covalently modifies and functionally inactivates Parkin. *Nat Med*. 2005;11(11):1214-1221. doi:10.1038/nm1314
94. Salauze L, van der Velden C, Lagroye I, Veyret B, Geffard M. Circulating antibodies to cysteinyl catecholamines in amyotrophic lateral sclerosis and Parkinson's disease patients. *Amyotroph Lateral Scler Other Motor Neuron Disord*. 2005;6:226-233. doi:10.1080/14660820510044469
95. Kuang J, Guo JL, Messersmith PB. High ionic strength formation of DOPA-melanin coating for loading and release of cationic antimicrobial compounds. *Adv Mater Interfaces*. 2014;1(6):1400145. doi:10.1002/admi.201400145
96. Maruthapandi M, Natan M, Jacobi G, Banin E, Luong JHT, Gedanken A. Antibacterial activity against methicillin-resistant *Staphylococcus aureus* of colloidal polydopamine prepared by carbon dot stimulated polymerization of dopamine. *Nanomaterials*. 2019;9(12):1731. doi:10.3390/nano9121731
97. Chen TP, Liu T, Su TL, Liang J. Self-polymerization of dopamine in acidic environments without oxygen. *Langmuir*. 2017;33(23):5863-5871. doi:10.1021/acs.langmuir.7b01127
98. García-Moreno M, Rodríguez-López J, Martínez-Ortiz F, Tudela J, Varón R, García-Cánovas F. Effect of PH on the oxidation pathway of dopamine catalyzed by tyrosinase. *Arch Biochem Biophys*. 1991;288(2):427-434. doi:10.1016/0003-9861(91)90216-6
99. Cencer M, Liu Y, Winter A, Murley M, Meng H, Lee BP. Effect of pH on the rate of curing and bioadhesive properties of dopamine functionalized poly(ethylene glycol) hydrogels. *Biomacromolecules*. 2014;15(8):2861-2869. doi:10.1021/bm500701u
100. Isidro-Llobet A, Álvarez M, Albericio F. Amino acid-protecting groups. *Chem Rev*. 2009;109(6):2455-2504. doi:10.1021/cr800323s
101. Hu BH, Messersmith PB. Protection of 3,4-dihydroxyphenylalanine (DOPA) for Fmoc solid-phase peptide synthesis. *Tetrahedron Lett*. 2000;41(31):5795-5798. doi:10.1016/S0040-4039(00)00957-6
102. Lee BP, Chao CY, Nelson Nunalee F, Motan E, Shull KR, Messersmith PB. Rapid gel formation and adhesion in photocurable and biodegradable block copolymers with high DOPA content. *Macromolecules*. 2006;39(5):1740-1748. doi:10.1021/ma0518959
103. Lee BP, Huang K, Nunalee FN, Shull K, Messersmith PB. Synthesis of 3,4-Dihydroxyphenylalanine (DOPA) containing monomers and their co-polymerization with PEG-Diacrylate to form hydrogels. *J Biomater Sci Polym Ed*. 2004;15:449-464. doi:10.1163/156856204323005307
104. Yu M, Deming TJ. Synthetic polypeptide mimics of marine adhesives. *Macromolecules*. 1998;31(15):4739-4745. doi:10.1021/ma980268z
105. Black KCL, Liu Z, Messersmith PB. Catechol redox induced formation of metal core-polymer shell nanoparticles. *Chem Mater*. 2011;23:1130-1135. doi:10.1021/cm1024487
106. Liu Z, Hu BH, Messersmith PB. Acetonide protection of dopamine for the synthesis of highly pure N-docosahexaenoyldopamine. *Tetrahedron Lett*. 2010;51(18):2403-2405. doi:10.1016/j.tetlet.2010.02.089
107. Westwood G, Horton TN, Wilker JJ. Simplified polymer mimics of cross-linking adhesive proteins. *Macromolecules*. 2007;40:3960-3964. doi:10.1021/ma0703002
108. Wuts P, Greene T. *Greene's Protective Groups in Organic Synthesis*. Vol 44. Wiley; 2007. doi:10.5860/choice.44-5067
109. Zhang X, Hassanzadeh P, Miyake T, Jin J, Rolandi M. Squid beak inspired water Processable chitosan composites with tunable mechanical properties. *J Mater Chem B*. 2016;4(13):2273-2279. doi:10.1039/c6tb00106h
110. Lu D, Zhang Y, Li T, et al. The synthesis and tissue adhesiveness of temperature-sensitive hyperbranched poly(amino acid)s with functional side groups. *Polym Chem*. 2016;7(10):1963-1970. doi:10.1039/c5py01844g
111. Yang X, Zhu L, Tada S, et al. Mussel-inspired human gelatin nano-coating for creating biologically adhesive surfaces. *Int J Nanomedicine*. 2014;9:2753-2765. doi:10.2147/IJN.S60624
112. Burke KA, Roberts DC, Kaplan DL. Silk fibroin aqueous-based adhesives inspired by mussel adhesive proteins. *Biomacromolecules*. 2016;17(1):237-245. doi:10.1021/acs.biomac.5b01330
113. Lee C, Shin J, Lee JS, et al. Bioinspired, calcium-free alginate hydrogels with tunable physical and mechanical properties and improved biocompatibility. *Biomacromolecules*. 2013;14:2004-2013. doi:10.1021/bm400352d

114. Kim K, Kim K, Ryu JH, Lee H. Chitosan-catechol: a polymer with long-lasting mucoadhesive properties. *Biomaterials*. 2015;52(1):161-170. doi:10.1016/j.biomaterials.2015.02.010
115. Park HJ, Jin Y, Shin J, et al. Catechol-functionalized hyaluronic acid hydrogels enhance angiogenesis and osteogenesis of human adipose-derived stem cells in critical tissue defects. *Biomacromolecules*. 2016;17(6):1939-1948. doi:10.1021/acs.biomac.5b01670
116. Jeong Y, Kim KA, Kang SM. Effect of catechol content in catechol-conjugated dextrans on antiplatelet performance. *Polymers (Basel)*. 2017;9:376. doi:10.3390/polym9080376
117. Zhu W, Iqbal J, Wang DA. A DOPA-functionalized chondroitin sulfate-based adhesive hydrogel as a promising multi-functional bioadhesive. *J Mater Chem B*. 2019;7(10):1741-1752. doi:10.1039/c8tb01990h
118. Kim SY, Zille A, Murkovic M, Güebitz G, Cavaco-Paulo A. Enzymatic polymerization on the surface of functionalized cellulose fibers. *Enzyme Microb Technol*. 2007;40(7):1782-1787. doi:10.1016/j.enzmictec.2007.01.001
119. Lee KY, Mooney DJ. Alginate: properties and biomedical applications. *Prog Polym Sci*. 2012;37(1):106-126. doi:10.1016/j.progpolymsci.2011.06.003
120. Hu W, Wang Z, Xiao Y, Zhang S, Wang J. Advances in crosslinking strategies of biomedical hydrogels. *Biomater Sci*. 2019;7:843-855. doi:10.1039/c8bm01246f
121. Hong SH, Shin M, Lee J, et al. STAPLE: stable alginate gel prepared by linkage exchange from ionic to covalent bonds. *Adv Healthc Mater*. 2016;5:75-79. doi:10.1002/adhm.201400833
122. Shi D, Shen J, Zhao Z, Shi C, Chen M. Studies on preparation of poly(3,4-dihydroxyphenylalanine)-polylactide copolymers and the effect of the structure of the copolymers on their properties. *Polymers (Basel)*. 2016;8(3):92. doi:10.3390/polym8030092
123. Sever MJ, Wilker JJ. Synthesis of peptides containing DOPA (3,4-dihydroxyphenylalanine). *Tetrahedron*. 2001;57(29):6139-6146. doi:10.1016/S0040-4020(01)00601-9
124. Lee H, Lee KD, Pyo KB, Park SY, Lee H. Catechol-grafted poly(ethylene glycol) for PEGylation on versatile substrates. *Langmuir*. 2010;26(6):3790-3793. doi:10.1021/la904909h
125. Niederer K, Schüll C, Leibig D, Johann T, Frey H. Catechol acetonide glycidyl ether (CAGE): a functional epoxide monomer for linear and hyperbranched multi-catechol functional polyether architectures. *Macromolecules*. 2016;49(5):1655-1665. doi:10.1021/acs.macromol.5b02441
126. Glass P, Chung H, Washburn NR, Sitti M. Enhanced reversible adhesion of dopamine methacrylamide-coated elastomer microfibrillar structures under wet conditions. *Langmuir*. 2009;25(12):6607-6612. doi:10.1021/la9009114
127. Vatankhah-Varnoosfaderani M, Hashmi S, Ghavaminejad A, Stadler FJ. Rapid self-healing and triple stimuli responsiveness of a supramolecular polymer gel based on boron-catechol interactions in a novel water-soluble mussel-inspired copolymer. *Polym Chem*. 2014;5(2):512-523. doi:10.1039/c3py00788j
128. Du L, Namvari M, Stadler FJ. Large amplitude oscillatory shear behavior of graphene derivative/polydimethylsiloxane nanocomposites. *Rheol Acta*. 2018;57(5):429-443. doi:10.1007/s00397-018-1087-7
129. Stadler FJ, Hashmi S, GhavamiNejad A, Vatankhah Varnoosfaderani M. Rheology of dopamine containing polymers. *Annu Trans Nord Rheol Soc*. 2017;25:115-120.
130. Biswas CS, Wang Q, Du B, Stadler FJ. Testing of the effect of parameters on the conolvency of random copolymer gels of N-Isopropylacrylamide and N-Ethylacrylamide in methanol-water mixed solvents by simple gravimetric method. *Polym Test*. 2017;62:177-188. doi:10.1016/j.polymertesting.2017.06.028
131. Vatankhah-Varnoosfaderani M, GhavamiNejad A, Hashmi S, Stadler FJ. Hydrogen bonding in aprotic solvents, a new strategy for gelation of bioinspired catecholic copolymers with N-Isopropylamide. *Macromol Rapid Commun*. 2015;36(5):447-452. doi:10.1002/marc.201400501
132. Wang D, Ding W, Zhou K, Guo S, Zhang Q, Haddleton DM. Coating titania nanoparticles with epoxy-containing catechol polymers via Cu(0)-living radical polymerization as intelligent enzyme carriers. *Biomacromolecules*. 2018;19(7):2979-2990. doi:10.1021/acs.biomac.8b00544
133. Ham HO, Liu Z, Lau KHA, Lee H, Messersmith PB. Facile DNA immobilization on surfaces through a catecholamine polymer. *Angew Chem Int Ed*. 2011;50(3):732-736. doi:10.1002/anie.201005001
134. Lee H, Rho J, Messersmith PB. Facile conjugation of biomolecules onto surfaces via mussel adhesive protein inspired coatings. *Adv Mater*. 2009;21(4):431-434. doi:10.1002/adma.200801222
135. Rodgers KJ, Dean RT. Metabolism of protein-bound DOPA in mammals. *Int J Biochem Cell Biol*. 2000;32(9):945-955. doi:10.1016/S1357-2725(00)00034-0
136. Nelson M, Foxwell AR, Tyrer P, Dean RT. Protein-bound 3,4-dihydroxy-phenylalanine (DOPA), a redox-active product of protein oxidation, as a trigger for antioxidant defences. *Int J Biochem Cell Biol*. 2007;39(5):879-889. doi:10.1016/j.biocel.2006.10.004
137. Ichikawa T. Zwitterions as building blocks for functional liquid crystals and block copolymers. *Polym J*. 2017;49(5):413-421. doi:10.1038/pj.2017.6
138. Izquierdo-Barba I, Colilla M, Vallet-Regí M. Zwitterionic ceramics for biomedical applications. *Acta Biomater*. 2016;40:201-211. doi:10.1016/j.actbio.2016.02.027
139. Ohno H, Yoshizawa-Fujita M, Kohno Y. Design and properties of functional zwitterions derived from ionic liquids. *Phys Chem Chem Phys*. 2018;20:10978-10991. doi:10.1039/c7cp08592c
140. Schlenoff JB. Zwitteration: coating surfaces with Zwitterionic functionality to reduce nonspecific adsorption. *Langmuir*. 2014;30:9625-9636. doi:10.1021/la500057j
141. Vatankhah-Varnoosfaderani M, Hu X, Li Q, Adelnia H, Ina M, Sheiko SS. Universal coatings based on Zwitterionic-dopamine copolymer microgels. *ACS Appl Mater Interfaces*. 2018;10(24):20869-20875. doi:10.1021/acsami.8b05570
142. Ahn BK, Das S, Linstadt R, et al. High-performance mussel-inspired adhesives of reduced complexity. *Nat Commun*. 2015;6:8663. doi:10.1038/ncomms9663
143. Madhurakkat Perikamana SK, Lee J, Lee YB, et al. Materials from mussel-inspired chemistry for cell and tissue engineering applications. *Biomacromolecules*. 2015;16:2541-2555. doi:10.1021/acs.biomac.5b00852
144. Sy KHS, Ho LWC, Lau WCY, Ko H, Choi CHJ. Morphological diversity, protein adsorption, and cellular uptake of polydopamine-coated gold nanoparticles. *Langmuir*. 2018;34(46):14033-14045. doi:10.1021/acs.langmuir.8b02572
145. Dinh TN, Hou S, Park S, Shalek BA, Jeong KJ. Gelatin hydrogel combined with polydopamine coating to enhance tissue integration of medical implants. *ACS Biomater Sci Eng*. 2018;4(10):3471-3477. doi:10.1021/acsbiomaterials.8b00886
146. Lu Z, Xiao J, Wang Y, Meng M. In situ synthesis of silver nanoparticles uniformly distributed on polydopamine-coated silk fibers for antibacterial application. *J Colloid Interface Sci*. 2015;452:8-14. doi:10.1016/j.jcis.2015.04.015
147. Banerjee R, Katsenovich Y, Lagos L, McIntosh M, Zhang X, Li C-Z. Nanomedicine: magnetic nanoparticles and their biomedical applications. *Curr Med Chem*. 2010;17(27):3120-3141. doi:10.2174/092986710791959765
148. Shultz MD, Ulises Reveles J, Khanna SN, Carpenter EE. Reactive nature of dopamine as a surface functionalization agent in iron oxide nanoparticles. *J Am Chem Soc*. 2007;129(9):2482-2487. doi:10.1021/ja0651963

149. Smolensky ED, Park HYE, Berquó TS, Pierre VC. Surface functionalization of magnetic iron oxide nanoparticles for MRI applications—effect of anchoring group and ligand exchange protocol. *Contrast Media Mol Imaging*. 2011;6(4):189-199. doi:10.1002/cmmi.417
150. Zeng J, Jing L, Hou Y, et al. Anchoring group effects of surface ligands on magnetic properties of Fe₃O₄ nanoparticles: towards high performance MRI contrast agents. *Adv Mater*. 2014;26(17):2694-2698. doi:10.1002/adma.201304744
151. Na HB, Palui G, Rosenberg JT, Ji X, Grant SC, Mattoussi H. Multidentate catechol-based polyethylene glycol oligomers provide enhanced stability and biocompatibility to iron oxide nanoparticles. *ACS Nano*. 2012;6(1):389-399. doi:10.1021/nn203735b
152. Wu Y, Gao D, Zhang P, et al. Iron oxide nanoparticles protected by NIR-active multidentate-polymers as multifunctional nanoprobes for NIRF/PA/MR trimodal imaging. *Nanoscale*. 2016;8(2):775-779. doi:10.1039/c5nr06660c
153. Li P, Xiao W, Chevallier P, et al. Extremely small iron oxide nanoparticles stabilized with catechol-functionalized multidentate block copolymer for enhanced MRI. *Chem Select*. 2016;1(13):4087-4091. doi:10.1002/slct.201601035
154. Xiao W, Legros P, Chevallier P, Lagueux J, Oh JK, Fortin M-A. Superparamagnetic iron oxide nanoparticles stabilized with multidentate block copolymers for optimal vascular contrast in T1-weighted magnetic resonance imaging. *ACS Appl Nano Mater*. 2018;1:894-907. doi:10.1021/acsnm.7b00300
155. Cheng Y, Zhang S, Kang N, et al. Polydopamine-coated manganese carbonate nanoparticles for amplified magnetic resonance imaging-guided photothermal therapy. *ACS Appl Mater Interfaces*. 2017;9(22):19296-19306. doi:10.1021/acsnm.7b03087
156. Dai Y, Yang D, Yu D, et al. Mussel-inspired polydopamine-coated lanthanide nanoparticles for NIR-II/CT dual imaging and photothermal therapy. *ACS Appl Mater Interfaces*. 2017;9(32):26674-26683. doi:10.1021/acsnm.7b06109
157. Behzadi S, Serpooshan V, Tao W, et al. Cellular uptake of nanoparticles: journey inside the cell. *Chem Soc Rev*. 2017;46(14):4218-4244. doi:10.1039/c6cs00636a
158. Ke PC, Lin S, Parak WJ, Davis TP, Caruso F. A decade of the protein Corona. *ACS Nano*. 2017;11:11773-11776. doi:10.1021/acsnano.7b08008
159. Oh JY, Kim HS, Palanikumar L, et al. Cloaking nanoparticles with protein Corona shield for targeted drug delivery. *Nat Commun*. 2018;9(1):4548. doi:10.1038/s41467-018-06979-4
160. Pelaz B, Del Pino P, Maffre P, et al. Surface functionalization of nanoparticles with polyethylene glycol: effects on protein adsorption and cellular uptake. *ACS Nano*. 2015;9(7):6996-7008. doi:10.1021/acsnano.5b01326
161. Torrisi V, Graillot A, Vitorazi L, et al. Preventing Corona effects: multiphosphonic acid poly(ethylene glycol) copolymers for stable stealth iron oxide nanoparticles. *Biomacromolecules*. 2014;15(8):3171-3179. doi:10.1021/bm500832q
162. Hemmerich PH, von Mikecz AH. Defining the subcellular interface of nanoparticles by live-cell imaging. *PLoS One*. 2013;8(4):e62018. doi:10.1371/journal.pone.0062018
163. Han H, Wu J, Avery CW, et al. Immobilization of amphiphilic polycations by catechol functionality for antimicrobial coatings. *Langmuir*. 2011;27(7):4010-4019. doi:10.1021/la1046904
164. De Vicente JC, López-Arranz E, López-Arranz JS. Tissue regeneration in bone defects adjacent to endosseous implants: an experimental pilot study. *Int J Periodontics Restor Dent*. 2000;20(1):41-49. doi:10.11607/prd.00.0352
165. Huang Z, Wu Z, Ma B, et al. Enhanced in vitro biocompatibility and osteogenesis of titanium substrates immobilized with dopamine-assisted superparamagnetic Fe₃O₄ nanoparticles for HBMSCs. *R Soc Open Sci*. 2018;5(8):172033. doi:10.1098/rsos.172033
166. Lee JJ, Park IS, Shin GS, et al. Effects of polydopamine coating on the bioactivity of titanium for dental implants. *Int J Precis Eng Manuf*. 2014;15(8):1647-1655. doi:10.1007/s12541-014-0515-6
167. Siddiqui S, Chandrasekaran A, Lin N, Tufenkji N, Moraes C. Microfluidic shear assay to distinguish between bacterial adhesion and attachment strength on stiffness-tunable silicone substrates. *Langmuir*. 2019;35(26):8840-8849. doi:10.1021/acs.langmuir.9b00803
168. Kappel RM, Klunder AJH, Puijig GJM. Silicon chemistry and silicone breast implants. *Eur J Plast Surg*. 2014;37:123-128. doi:10.1007/s00238-013-0914-4
169. Fu J, Chuah YJ, Ang WT, Zheng N, Wang DA. Optimization of a Polydopamine (PD)-based coating method and polydimethylsiloxane (PDMS) substrates for improved mouse embryonic stem cell (ESC) pluripotency maintenance and cardiac differentiation. *Biomater Sci*. 2017;5(6):1156-1173. doi:10.1039/c7bm00266a
170. Xue P, Li Q, Li Y, et al. Surface modification of poly(dimethylsiloxane) with polydopamine and hyaluronic acid to enhance hemocompatibility for potential applications in medical implants or devices. *ACS Appl Mater Interfaces*. 2017;9(39):33632-33644. doi:10.1021/acsnm.7b10260
171. Van De Stolpe A, Den Toonder J. Workshop meeting report organ-on-chips: human disease models. *Lab Chip*. 2013;13(18):3449-3470. doi:10.1039/c3lc50248a
172. Ko E, Yang K, Shin J, Cho SW. Polydopamine-assisted osteoinductive peptide immobilization of polymer scaffolds for enhanced bone regeneration by human adipose-derived stem cells. *Biomacromolecules*. 2013;14(9):3202-3213. doi:10.1021/bm4008343
173. Taskin MB, Xu R, Gregersen H, Nygaard JV, Besenbacher F, Chen M. Three-dimensional polydopamine functionalized coiled microfibrous scaffolds enhance human mesenchymal stem cells colonization and mild myofibroblastic differentiation. *ACS Appl Mater Interfaces*. 2016;8(25):15864-15873. doi:10.1021/acsnm.6b02994
174. Sun CJ, Srivastava A, Reifert JR, Waite JH. Halogenated DOPA in a marine adhesive protein. *J Adhes Dent*. 2009;85(2-3):126-138. doi:10.1080/00218460902782188
175. Proudfoot GM, Ritchie IM. A cyclic voltammetric study of some 4-substituted Benzene-1, 2-diols. *Aust J Chem*. 1983;36(5):885-894. doi:10.1071/CH9830885
176. Cencer M, Murley M, Liu Y, Lee BP. Effect of nitro-functionalization on the cross-linking and bioadhesion of biomimetic adhesive moiety. *Biomacromolecules*. 2015;16(1):404-410. doi:10.1021/bm5016333
177. Ding X, Vegesna GK, Meng H, Winter A, Lee BP. Nitro-group functionalization of dopamine and its contribution to the viscoelastic properties of catechol-containing nanocomposite hydrogels. *Macromol Chem Phys*. 2015;216(10):1109-1119. doi:10.1002/macp.201500010
178. Amstad E, Gehring AU, Fischer H, et al. Influence of electronegative substituents on the binding affinity of catechol-derived anchors to Fe₃O₄ nanoparticles. *J Phys Chem C*. 2011;115(3):683-691. doi:10.1021/jp1109306
179. Amstad E, Gillich T, Bilecka I, Textor M, Reimhult E. Ultrastable iron oxide nanoparticle colloidal suspensions using dispersants with catechol-derived anchor groups. *Nano Lett*. 2009;9(12):4042-4048. doi:10.1021/nl902212q
180. Anderson J, Lin M-H, Privette C, et al. Wireless magnetoelastic sensors for tracking degradation profiles of nitrodopamine-modified poly(ethylene glycol). *SciJET*. 2015;4(80):200638556.
181. Ejima H, Richardson JJ, Liang K, et al. One-step assembly of coordination complexes for versatile film and particle. *Engineering*. 2013;341:154-157. doi:10.1126/science.1237265
182. Guo J, Sun H, Alt K, et al. Boronate-phenolic network capsules with dual response to acidic pH and cis-diols. *Adv Healthc Mater*. 2015;4(12):1796-1801. doi:10.1002/adhm.201500332

183. Kocaalişkan I, Talan I, Terzi I. Antimicrobial activity of catechol and pyrogallol as allelochemicals. *Z Naturforsch C J Biosci.* 2006;61(9-10):639-642. doi:10.1515/znc-2006-9-1004
184. Zhan K, Ejima H, Yoshie N. Antioxidant and adsorption properties of bioinspired phenolic polymers: a comparative study of catechol and gallol. *ACS Sustain Chem Eng.* 2016;4(7):3857-3863. doi:10.1021/acssuschemeng.6b00626
185. Thavasi V, Leong LP, Bettens RPA. Investigation of the influence of hydroxy groups on the radical scavenging ability of polyphenols. *J Phys Chem A.* 2006;110(14):4918-4923. doi:10.1021/jp057315r
186. Taylor S, Ross M, Waite JH. Novel 3,4-di- and 3,4,5-trihydroxyphenylalanine-containing polypeptides from the blood cells of the ascidians *Ascidia ceratodes* and *Molgula manhattanensis*. *Arch Biochem Biophys.* 1995;324:228-240.
187. Zhan K, Kim C, Sung K, Ejima H, Yoshie N. Tunicate-inspired gallol polymers for underwater adhesive: a comparative study of catechol and gallol. *Biomacromolecules.* 2017;18:2959-2966. doi:10.1021/acsbio.7b00921
188. Barrett DG, Fullenkamp DE, He L, Holten-Andersen N, Lee KYC, Messersmith PB. pH-based regulation of hydrogel mechanical properties through mussel-inspired chemistry and processing. *Adv Funct Mater.* 2013;23(9):1111-1119. doi:10.1002/adfm.201201922
189. Ohman H, Vahlquist A. In vivo studies concerning a pH gradient in human stratum corneum and upper epidermis. *Acta Derm Venereol.* 1994;74(5):375-379.
190. Soller B, Micheh RH, Coen J, Parikh B, Chu L, Hsi C. Feasibility of non-invasive measurement of tissue pH using near-infrared reflectance spectroscopy. *J Clin Monit.* 1996;12(5):387-395. doi:10.1007/BF02077636
191. Soller BR, Khan T, Favreau J, Hsi C, Puyana JC, Heard SO. Investigation of muscle pH as an indicator of liver pH and injury from hemorrhagic shock. *J Surg Res.* 2003;114(2):195-201. doi:10.1016/S0022-4804(03)00251-8
192. Dhandayuthapani B, Yoshida Y, Maekawa T, Kumar DS. Polymeric scaffolds in tissue engineering application: a review. *Int J Polym Sci.* 2011;2011:1-19. doi:10.1155/2011/290602
193. Shoichet MS. Polymer scaffolds for biomaterials applications. *Macromolecules.* 2010;43(2):581-591. doi:10.1021/ma901530r
194. Ge L, Li Q, Huang Y, et al. Polydopamine-coated paper-stack nanofibrous membranes enhancing adipose stem cells' adhesion and osteogenic differentiation. *J Mater Chem B.* 2014;2:6917-6923. doi:10.1039/c4tb00570h
195. Pacelli S, Paolicelli P, Petralito S, et al. Investigating the role of polydopamine to modulate stem cell adhesion and proliferation on gellan gum-based hydrogels. *ACS Appl Bio Mater.* 2020;3:945-951. doi:10.1021/acsbm.9b00989
196. Razavi M, Hu S, Thakor AS. A collagen based cryogel bioscaffold coated with nanostructured polydopamine as a platform for mesenchymal stem cell therapy. *J Biomed Mater Res A.* 2018;106(8):2213-2228. doi:10.1002/jbm.a.36428
197. An J, Teoh JEM, Suntornnond R, Chua CK. Design and 3D printing of scaffolds and tissues. *Engineering.* 2015;1(2):261-268. doi:10.15302/J-ENG-2015061
198. Puertas-Bartolomé M, Vázquez-Lasa B, Román JS. Bioactive and bioadhesive catechol conjugated polymers for tissue regeneration. *Polymers (Basel).* 2018;10:768. doi:10.3390/polym10070768
199. Teixeira BN, Aprile P, Mendonça RH, Kelly DJ, Thiré R. Evaluation of bone marrow stem cell response to PLA scaffolds manufactured by 3D printing and coated with polydopamine and type I collagen. *J Biomed Mater Res B Appl Biomater.* 2019;107(1):37-49. doi:10.1002/jbm.b.34093
200. Spaans S, Fransen PPKH, Ippel BD, et al. Supramolecular surface functionalization: via catechols for the improvement of cell-material interactions. *Biomater Sci.* 2017;5(8):1541-1548. doi:10.1039/c7bm00407a
201. Ma H, Luo J, Sun Z, et al. 3D printing of biomaterials with mussel-inspired nanostructures for tumor therapy and tissue regeneration. *Biomaterials.* 2016;111:138-148. doi:10.1016/j.biomaterials.2016.10.005
202. Yang Y, Zhang Y, Chai R, Gu Z. Designs of biomaterials and microenvironments for Neuroengineering. *Neural Plast.* 2018;2018:1-10. doi:10.1155/2018/1021969
203. Boni R, Ali A, Shavandi A, Clarkson AN. Current and novel polymeric biomaterials for neural tissue engineering. *J Biomed Sci.* 2018;25:90. doi:10.1186/s12929-018-0491-8
204. Orive G, Anitua E, Pedraz JL, Emerich DF. Biomaterials for promoting brain protection, repair and regeneration. *Nat Rev Neurosci.* 2009;10:682-692. doi:10.1038/nrn2685
205. Forssell M, Fedder GK. Parylene neural probe with embedded CMOS multiplexing amplifier. *Annu Int Conf IEEE Eng Med Biol Soc.* 2018;2018:3374-3377. doi:10.1109/EMBC.2018.8512938
206. Zhao Z, Kim E, Luo H, Zhang J, Xu Y. Flexible deep brain neural probes based on a Parylene tube structure. *J Micromech Microeng.* 2018;28(1):015012. doi:10.1088/1361-6439/aa9d61
207. Kang K, Choi IS, Nam Y. A biofunctionalization scheme for neural interfaces using polydopamine polymer. *Biomaterials.* 2011;32(27):6374-6380. doi:10.1016/j.biomaterials.2011.05.028
208. Kang K, Lee S, Kim R, Choi IS, Nam Y. Electrochemically driven, electrode-addressable formation of functionalized polydopamine films for neural interfaces. *Angew Chem Int Ed.* 2012;51(52):13101-13104. doi:10.1002/anie.201207129
209. Green R, Abidian MR. Conducting polymers for neural prosthetic and neural Interface applications. *Adv Mater.* 2015;27:7620-7637. doi:10.1002/adma.201501810
210. Kim S, Jang LK, Park HS, Lee JY. Electrochemical deposition of conductive and adhesive polypyrrole-dopamine films. *Sci Rep.* 2016;6:30475. doi:10.1038/srep30475
211. Taskin MB, Xu R, Zhao H, et al. Poly(norepinephrine) as a functional bio-Interface for neuronal differentiation on electrospun fibers. *Phys Chem Chem Phys.* 2015;17(14):9446-9453. doi:10.1039/c5cp00413f
212. Wu M, Wang T, Wang Y, Wang H. Ultrafast bone-like apatite formation on bioactive tricalcium silicate cement using mussel-inspired polydopamine. *Ceram Int.* 2019;45(3):3033-3043. doi:10.1016/j.ceramint.2018.10.149
213. Xu M, Zhang Y, Zhai D, Chang J, Wu C. Mussel-inspired bioactive ceramics with improved bioactivity, cell proliferation, differentiation and bone-related gene expression of MC3T3 cells. *Biomater Sci.* 2013;1(9):933-941. doi:10.1039/c3bm60028a
214. Kim S, Park CB. Mussel-inspired transformation of CaCO₃ to bone minerals. *Biomaterials.* 2010;31(25):6628-6634. doi:10.1016/j.biomaterials.2010.05.004
215. Mi HY, Jing X, Thomsom JA, Turng LS. Promoting endothelial cell affinity and antithrombogenicity of polytetrafluoroethylene (PTFE) by mussel-inspired modification and RGD/heparin grafting. *J Mater Chem B.* 2018;6(21):3475-3485. doi:10.1039/c8tb00654g
216. Zhang W, Yang FK, Gaikwad R, Leonenko Z, Zhao B. Surface and tribological behaviors of the bioinspired polydopamine thin films under dry and wet conditions. *Biomacromolecules.* 2013;14(2):394-405. doi:10.1021/bm3015768
217. Han L, Jiang Y, Lv C, et al. Mussel-inspired hybrid coating functionalized porous hydroxyapatite scaffolds for bone tissue regeneration. *Colloids Surf B Biointerfaces.* 2019;179:470-478. doi:10.1016/j.colsurfb.2019.04.024
218. Khamrai M, Banerjee SL, Paul S, Ghosh AK, Sarkar P, Kundu PP. A mussel mimetic, bioadhesive, antimicrobial patch based on dopamine-modified bacterial cellulose/RGO/Ag NPs: A green approach toward wound-healing applications. *ACS Sustain Chem Eng.* 2019;7:12083-12097. doi:10.1021/acssuschemeng.9b01163

219. Xu M, Khan A, Wang T, et al. Mussel-inspired hydrogel with potent in vivo contact-active antimicrobial and wound healing promoting activities. *ACS Appl Bio Mater*. 2019;2:3329-3340. doi:10.1021/acsabm.9b00353
220. Caló E, Khutoryansky VV. Biomedical applications of hydrogels: a review of patents and commercial products. *Eur Polym J*. 2015;65:252-267. doi:10.1016/j.eurpolymj.2014.11.024
221. Koetting M, Peters JT, Steichen SD, Peppas NA. *Stimulus-Responsive Hydrogels: Theory, Modern Advances, and Applications*. Elsevier; 2015.
222. Balakrishnan B, Jayakrishnan A. Injectable hydrogels for biomedical applications. In: Nair LS, ed. *Injectable Hydrogels for Regenerative Engineering*. 2nd ed. books.google.com; 2015.
223. Lee Y, Chung HJ, Yeo S, et al. Thermo-sensitive, injectable, and tissue adhesive sol-gel transition hyaluronic acid/pluronic composite hydrogels prepared from bio-inspired catechol-thiol reaction. *Soft Matter*. 2010;6(5):977-983. doi:10.1039/b919944f
224. Li L, Yan B, Yang J, Chen L, Zeng H. Novel mussel-inspired injectable self-healing hydrogel with anti-biofouling property. *Adv Mater*. 2015;27(7):1294-1299. doi:10.1002/adma.201405166
225. Zheng LY, Shi JM, Chi YH. Tannic acid physically cross-linked responsive hydrogel. *Macromol Chem Phys*. 2018;219(19):1800234. doi:10.1002/macp.201800234
226. Davoudi Z, Rabiee M, Houshmand B, et al. Development of chitosan/gelatin/keratin composite containing hydrocortisone sodium succinate as a buccal mucoadhesive patch to treat desquamative gingivitis. *Drug Dev Ind Pharm*. 2018;44(1):40-55. doi:10.1080/03639045.2017.1371738
227. Yoo JS, Kim YJ, Kim SH, Choi SH. Study on genipin: a new alternative natural crosslinking agent for fixing heterograft tissue. *Korean J Thorac Cardiovasc Surg*. 2011;44(3):197-207. doi:10.5090/kjtcs.2011.44.3.197
228. Weiser TG, Haynes AB, Molina G, et al. Estimate of the global volume of surgery in 2012: an assessment supporting improved health outcomes. *Lancet*. 2015;385:S11. doi:10.1016/s0140-6736(15)60806-6
229. Rahimnejad M, Zhong W. Mussel-inspired hydrogel tissue adhesives for wound closure. *RSC Adv*. 2017;7(75):47380-47396. doi:10.1039/c7ra06743g
230. Bhagat V, Becker ML. Degradable adhesives for surgery and tissue engineering. *Biomacromolecules*. 2017;18(10):3009-3039. doi:10.1021/acs.biomac.7b00969
231. Vakalopoulos KA, Daams F, Wu Z, et al. Tissue adhesives in gastrointestinal anastomosis: a systematic review. *J Surg Res*. 2013;180(2):290-300. doi:10.1016/j.jss.2012.12.043
232. Mehdizadeh M, Yang J. Design strategies and applications of tissue bioadhesives. *Macromol Biosci*. 2013;13(3):271-288. doi:10.1002/mabi.201200332
233. Khoshmohabat H, Paydar S, Kazemi HM, Dalfardi B. Overview of agents used for emergency hemostasis. *Trauma Mon*. 2016;21(1):e26023. doi:10.5812/traumamon.26023
234. Shin M, Ryu JH, Kim K, et al. Hemostatic swabs containing polydopamine-like catecholamine chitosan-catechol for normal and coagulopathic animal models. *ACS Biomater Sci Eng*. 2018;4(7):2314-2318. doi:10.1021/acsbiomaterials.8b00451
235. Liu C, Yao W, Tian M, Wei J, Song Q, Qiao W. Mussel-inspired degradable antibacterial polydopamine/silica nanoparticle for rapid hemostasis. *Biomaterials*. 2018;179:83-95. doi:10.1016/j.biomaterials.2018.06.037
236. Ryu JH, Lee Y, Kong WH, Kim TG, Park TG, Lee H. Catechol-functionalized chitosan/pluronic hydrogels for tissue adhesives and hemostatic materials. *Biomacromolecules*. 2011;12(7):2653-2659. doi:10.1021/bm200464x
237. Sousa MP, Neto AI, Correia TR, et al. Bioinspired multilayer membranes as potential adhesive patches for skin wound healing. *Biomater Sci*. 2018;6(7):1962-1975. doi:10.1039/c8bm00319j
238. Chen T, Chen Y, Rehman HU, et al. Ultratough, self-healing, and tissue-adhesive hydrogel for wound dressing. *ACS Appl Mater Interfaces*. 2018;10(39):33523-33531. doi:10.1021/acsami.8b10064
239. Bai Z, Dan W, Yu G, et al. Tough and tissue-adhesive polyacrylamide/collagen hydrogel with dopamine-grafted oxidized sodium alginate as crosslinker for cutaneous wound healing. *RSC Adv*. 2018;8(73):42123-42132. doi:10.1039/c8ra07697a
240. Amato A, Migneco LM, Martinelli A, Pietrelli L, Piozzi A, Francolini I. Antimicrobial activity of catechol functionalized-chitosan versus *Staphylococcus epidermidis*. *Carbohydr Polym*. 2018;179:273-281. doi:10.1016/j.carbpol.2017.09.073
241. Han L, Zhang Y, Lu X, Wang K, Wang Z, Zhang H. Polydopamine nanoparticles modulating stimuli-responsive PNIPAM hydrogels with cell/tissue adhesiveness. *ACS Appl Mater Interfaces*. 2016;8(42):29088-29100. doi:10.1021/acsami.6b11043
242. Frykberg RG, Banks J. Challenges in the treatment of chronic wounds. *Adv Wound Care*. 2015;4(9):560-582. doi:10.1089/wound.2015.0635
243. Sen CK, Gordillo GM, Roy S, et al. Human skin wounds: a major and snowballing threat to public health and the economy. *Wound Repair Regen*. 2009;17:763-771. doi:10.1111/j.1524-475X.2009.00543.x
244. Roleira FMF, Tavares-Da-Silva EJ, Varela CL, et al. Plant derived and dietary phenolic antioxidants: anticancer properties. *Food Chem*. 2015;183:235-258. doi:10.1016/j.foodchem.2015.03.039
245. Van Zuijlen PPM, Ruurda JJB, Van Veen HA, et al. Collagen morphology in human skin and scar tissue: no adaptations in response to mechanical loading at joints. *Burns*. 2003;29(5):423-431. doi:10.1016/S0305-4179(03)00052-4
246. Jeon EY, Choi BH, Jung D, Hwang BH, Cha HJ. Natural healing-inspired collagen-targeting surgical protein glue for accelerated scarless skin regeneration. *Biomaterials*. 2017;134:154-165. doi:10.1016/j.biomaterials.2017.04.041
247. Peng B, Lai X, Chen L, et al. Scarless wound closure by a mussel-inspired poly(amidoamine) tissue adhesive with tunable degradability. *ACS Omega*. 2017;2(9):6053-6062. doi:10.1021/acsomega.7b01221
248. Wang Y, Beekman J, Hew J, et al. Burn injury: challenges and advances in burn wound healing, infection, pain and scarring. *Adv Drug Deliv Rev*. 2018;123:3-17. doi:10.1016/j.addr.2017.09.018
249. Park K. Controlled drug delivery systems: past forward and future back. *J Control Release*. 2014;190:3-8. doi:10.1016/j.jconrel.2014.03.054
250. Tayo LL. Stimuli-responsive nanocarriers for intracellular delivery. *Biophys Rev*. 2017;9(6):931-940. doi:10.1007/s12551-017-0341-z
251. Bawa P, Pillay V, Choonara YE, Du Toit LC. Stimuli-responsive polymers and their applications in drug delivery. *Biomed Mater*. 2009;4:022001. doi:10.1088/1748-6041/4/2/022001
252. Jiang J, Xie J, Ma B, Bartlett DE, Xu A, Wang CH. Mussel-inspired protein-mediated surface functionalization of electrospun nanofibers for pH-responsive drug delivery. *Acta Biomater*. 2014;10(3):1324-1332. doi:10.1016/j.actbio.2013.11.012
253. Cui J, Yan Y, Such GK, et al. Immobilization and intracellular delivery of an anticancer drug using mussel-inspired Polydopamine capsules. *Biomacromolecules*. 2012;13(8):2225-2228. doi:10.1021/bm300835r
254. Shin YM, Jun I, Lim YM, Rhim T, Shin H. Bio-inspired immobilization of cell-adhesive ligands on electrospun Nanofibrous patches for cell delivery. *Macromol Mater Eng*. 2013;298(5):555-564. doi:10.1002/mame.201200217
255. Perez RA, Kim M, Kim TH, et al. Utilizing core-shell fibrous collagen-alginate hydrogel cell delivery system for bone tissue engineering. *Tissue Eng A*. 2014;20(1-2):103-114. doi:10.1089/ten.tea.2013.0198
256. Kim BJ, Cheong H, Hwang BH, Cha HJ. Mussel-inspired protein nanoparticles containing iron(III)-DOPA complexes for pH-

- responsive drug delivery. *Angew Chem Int Ed*. 2015;54(25):7318-7322. doi:10.1002/anie.201501748
257. Wu C, Zhang G, Xia T, et al. Bioinspired synthesis of polydopamine/ag nanocomposite particles with antibacterial activities. *Mater Sci Eng C*. 2015;55:155-165. doi:10.1016/j.msec.2015.05.032
258. Su L, Yu Y, Zhao Y, Liang F, Zhang X. Strong antibacterial polydopamine coatings prepared by a shaking-assisted method. *Sci Rep*. 2016;6:24420. doi:10.1038/srep24420
259. Cong Y, Xia T, Zou M, et al. Mussel-inspired polydopamine coating as a versatile platform for synthesizing polystyrene/Ag nanocomposite particles with enhanced antibacterial activities. *J Mater Chem B*. 2014;2(22):3450-3461. doi:10.1039/c4tb00460d
260. Kao C, Lin C, Chen Y, Yeh C, Fang H-Y, Shie M-Y. Poly (dopamine) coating of 3D printed poly (lactic acid) scaffolds for bone tissue engineering. *Mater Sci Eng C*. 2015;56:165-173.
261. Thakor AS, Gambhir SS. Nanooncology: the future of cancer diagnosis and therapy. *CA Cancer J Clin*. 2013;63(6):395-418. doi:10.3322/caac.21199
262. Poinard B, Neo SZY, Yeo ELL, Heng HPS, Neoh KG, Kah JCY. Polydopamine nanoparticles enhance drug release for combined photodynamic and photothermal therapy. *ACS Appl Mater Interfaces*. 2018;10(25):21125-21136. doi:10.1021/acsami.8b04799
263. Sun L, Li Q, Zhang L, Xu Z, Kang Y, Xue P. PEGylated polydopamine nanoparticles incorporated with indocyanine green and doxorubicin for magnetically guided multimodal cancer therapy triggered by near-infrared light. *ACS Appl Nano Mater*. 2018;1(1):325-336. doi:10.1021/acsnanm.7b00176
264. Chen C, Zhao S, Karnad A, Freeman JW. The biology and role of CD44 in cancer progression: therapeutic implications. *J Hematol Oncol*. 2018;11:64. doi:10.1186/s13045-018-0605-5
265. Kim JH, Moon MJ, Kim DY, Heo SH, Jeong YY. Hyaluronic acid-based nanomaterials for cancer therapy. *Polymers (Basel)*. 2018;10(10):1133. doi:10.3390/polym10101133
266. Kim SH, In I, Park SY. PH-responsive NIR-absorbing fluorescent polydopamine with hyaluronic acid for dual targeting and synergistic effects of photothermal and chemotherapy. *Biomacromolecules*. 2017;18(6):1825-1835. doi:10.1021/acs.biomac.7b00267
267. Liu Y, Ai K, Liu J, Deng M, He Y, Lu L. Dopamine-melanin colloidal nanospheres: an efficient near-infrared photothermal therapeutic agent for in vivo cancer therapy. *Adv Mater*. 2013;25(9):1353-1359. doi:10.1002/adma.201204683
268. Shao Q, Hu Z, Xu X, Yu L, Zhang D, Huang Y. Mussel-inspired immobilization of BN nanosheets onto poly(p-phenylene benzobisoxazole) fibers: multifunctional interface for photothermal self-healing. *Appl Surf Sci*. 2018;440:1159-1165. doi:10.1016/j.apsusc.2018.01.307
269. Talon I, Schneider A, Ball V, Hemmerle J. Polydopamine functionalization: a smart and efficient way to improve host responses to e-PTFE implants. *Front Chem*. 2019;7:482. doi:10.3389/fchem.2019.00482
270. Saxena AK. Surgical perspectives regarding application of biomaterials for the management of large congenital diaphragmatic hernia defects. *Pediatr Surg Int*. 2018;34:475-489. doi:10.1007/s00383-018-4253-1
271. Fuchs JR, Kaviani A, Oh JT, et al. Diaphragmatic reconstruction with autologous tendon engineered from mesenchymal amniocytes. *J Pediatr Surg*. 2004;39(6):834-838. doi:10.1016/j.jpedsurg.2004.02.014
272. Wang H, Lin C, Zhang X, Lin K, Wang X, Shen SG. Mussel-inspired polydopamine coating: a general strategy to enhance osteogenic differentiation and osseointegration for diverse implants. *ACS Appl Mater Interfaces*. 2019;11(7):7615-7625. doi:10.1021/acsami.8b21558
273. Han L, Lu X, Wang M, et al. A mussel-inspired conductive, self-adhesive, and self-healable tough hydrogel as cell stimulators and implantable bioelectronics. *Small*. 2017;13(2):1601916. doi:10.1002/smll.201601916
274. Han L, Liu K, Wang M, et al. Mussel-inspired adhesive and conductive hydrogel with long-lasting moisture and extreme temperature tolerance. *Adv Funct Mater*. 2018;28(3):1704195. doi:10.1002/adfm.201704195
275. Hammock ML, Chortos A, Tee BCK, Tok JBH, Bao Z. 25th anniversary article: the evolution of electronic skin (E-skin): a brief history, design considerations, and recent progress. *Adv Mater*. 2013;25(42):5997-6038. doi:10.1002/adma.201302240
276. Jing X, Mi HY, Lin YJ, Enriquez E, Peng XF, Turng LS. Highly stretchable and biocompatible strain sensors based on mussel-inspired super-adhesive self-healing hydrogels for human motion monitoring. *ACS Appl Mater Interfaces*. 2018;10(24):20897-20909. doi:10.1021/acsami.8b06475
277. Chen D, Pei Q. Electronic muscles and skins: a review of soft sensors and actuators. *Chem Rev*. 2017;117:11239-11268. doi:10.1021/acs.chemrev.7b00019
278. Liao M, Wan P, Wen J, et al. Wearable, healable, and adhesive epidermal sensors assembled from mussel-inspired conductive hybrid hydrogel framework. *Adv Funct Mater*. 2017;27(48):1703852. doi:10.1002/adfm.201703852
279. Zhu R, Sun Z, Li C, Ramakrishna S, Chiu K, He L. Electrical stimulation affects neural stem cell fate and function in vitro. *Exp Neurol*. 2019;319:112963. doi:10.1016/j.expneurol.2019.112963
280. Stewart RJ, Ransom TC, Hlady V. Natural underwater adhesives. *J Polym Sci B*. 2011;49:757-771. doi:10.1002/polb.22256
281. Siebert HM, Wilker JJ. Deriving commercial level adhesive performance from a bio-based mussel mimetic polymer. *ACS Sustain Chem Eng*. 2019;7(15):13315-13323. doi:10.1021/acssuschemeng.9b02547
282. Ninan L, Strohshine RL, Wilker JJ, Shi R. Adhesive strength and curing rate of marine mussel protein extracts on porcine small intestinal submucosa. *Acta Biomater*. 2007;3(5):687-694. doi:10.1016/j.actbio.2007.02.004
283. Lukács J, Präßler J, Gebhardt M, Elsner P. Adhesives and glues. In: John SM, Johansen JD, Rustemeyer T, Elsner P, Maibach HI, eds. *Kanerva's Occupational Dermatology*. Springer International Publishing; 2020:891-900. doi:10.1007/978-3-319-68617-2_59
284. Fan H, Wang J, Zhang Q, Jin Z. Tannic acid-based multifunctional hydrogels with facile adjustable adhesion and cohesion contributed by polyphenol supramolecular chemistry. *ACS Omega*. 2017;2(10):6668-6676. doi:10.1021/acsomega.7b01067
285. Clarke B. Normal bone anatomy and physiology. *Clin J Am Soc Nephrol*. 2008;3:S131-S139. doi:10.2215/CJN.04151206
286. Villa MM, Wang L, Huang J, Rowe DW, Wei M. Bone tissue engineering with a collagen-hydroxyapatite scaffold and culture expanded bone marrow stromal cells. *J Biomed Mater Res B Appl Biomater*. 2015;103(2):243-253. doi:10.1002/jbm.b.33225
287. Al-Munajjed AA, Plunkett NA, Gleeson JP, et al. Development of a biomimetic collagen-hydroxyapatite scaffold for bone tissue engineering using a SBF immersion technique. *J Biomed Mater Res B Appl Biomater*. 2009;90B:584-591. doi:10.1002/jbm.b.31320
288. De Jonge LT, Leeuwenburgh SCG, Wolke JGC, Jansen JA. Organic-inorganic surface modifications for titanium implant surfaces. *Pharm Res*. 2008;25:2357-2369. doi:10.1007/s11095-008-9617-0
289. Duan K, Wang R. Surface modifications of bone implants through wet chemistry. *J Mater Chem*. 2006;16(24):2309-2321. doi:10.1039/b517634d
290. Li LH, Kim HW, Lee SH, Kong YM, Kim HE. Biocompatibility of titanium implants modified by microarc oxidation and hydroxyapatite coating. *J Biomed Mater Res A*. 2005;73A:48-54. doi:10.1002/jbm.a.30244
291. Surmenev RA, Surmeneva MA, Ivanova AA. Significance of calcium phosphate coatings for the enhancement of new bone

- osteogenesis—a review. *Acta Biomater.* 2014;10(2):557-579. doi:10.1016/j.actbio.2013.10.036
292. Kokubo T, Takadama H. How useful is SBF in predicting in vivo bone bioactivity? *Biomaterials.* 2006;27(15):2907-2915. doi:10.1016/j.biomaterials.2006.01.017
293. Yue K, Trujillo-de Santiago G, Alvarez MM, Tamayol A, Annabi N, Khademhosseini A. Synthesis, properties, and biomedical applications of gelatin Methacryloyl (GelMA) hydrogels. *Biomaterials.* 2015; 73:254-271. doi:10.1016/j.biomaterials.2015.08.045
294. Walmsley GG, McArdle A, Tevlin R, et al. Nanotechnology in bone tissue engineering. *Nanomed Nanotechnol Biol Med.* 2015;11(5): 1253-1263. doi:10.1016/j.nano.2015.02.013
295. Kim K, Fisher JP. Nanoparticle technology in bone tissue engineering. *J Drug Target.* 2007;15(4):241-252. doi:10.1080/10611860701289818
296. Dubey N, Bentini R, Islam I, Cao T, Castro Neto AH, Rosa V. Graphene: a versatile carbon-based material for bone tissue engineering. *Stem Cells International.* 2015;2015:1-12. doi:10.1155/2015/804213
297. Saravanan S, Chawla A, Vairamani M, Sastry TP, Subramanian KS, Selvamurugan N. Scaffolds containing chitosan, gelatin and graphene oxide for bone tissue regeneration in vitro and in vivo. *Int J Biol Macromol.* 2017;104:1975-1985. doi:10.1016/j.ijbiomac.2017.01.034
298. Nishida E, Miyaji H, Takita H, et al. Graphene oxide coating facilitates the bioactivity of scaffold material for tissue engineering. *Jpn J Appl Phys.* 2014;53:06JD04. doi:10.7567/JJAP.53.06JD04
299. Servatan M, Ghadiri M, Damanabi AT, et al. Zeolite-based catalysts for exergy efficiency enhancement: the insights gained from nanotechnology. *Mater Today Proc.* 2018;5(7):15868-15876. doi:10.1016/j.matpr.2018.05.086
300. Shojaie S, Rostamian M, Samadi A, et al. Electrospun electroactive nanofibers of gelatin-oligoaniline/poly (vinyl alcohol) templates for architecting of cardiac tissue with on-demand drug release. *Polym Adv Technol.* 2019;30(6):1473-1483. doi:10.1002/pat.4579
301. Chen YW, Shen YF, Ho CC, et al. Osteogenic and angiogenic potentials of the cell-laden hydrogel/mussel-inspired calcium silicate complex hierarchical porous scaffold fabricated by 3D bioprinting. *Mater Sci Eng C.* 2018;91:679-687. doi:10.1016/j.msec.2018.06.005
302. Gan D, Xu T, Xing W, et al. Mussel-inspired dopamine oligomer intercalated tough and resilient gelatin methacryloyl (GelMA) hydrogels for cartilage regeneration. *J Mater Chem B.* 2019;7(10):1716-1725. doi:10.1039/c8tb01664j
303. Henrotin Y, Mathy M, Sanchez C, Lambert C. Chondroitin sulfate in the treatment of osteoarthritis: from in vitro studies to clinical recommendations. *Ther Adv Musculoskelet Dis.* 2010;2:335-348. doi:10.1177/1759720X10383076
304. Jerosch J. Effects of glucosamine and chondroitin sulfate on cartilage metabolism in OA: outlook on other nutrient partners especially Omega-3 fatty acids. *Int J Rheumatol.* 2011;2011:1-17. doi:10.1155/2011/969012
305. Han L, Wang M, Li P, et al. Mussel-inspired tissue-adhesive hydrogel based on the polydopamine-chondroitin sulfate complex for growth-factor-free cartilage regeneration. *ACS Appl Mater Interfaces.* 2018;10(33):28015-28026. doi:10.1021/acsami.8b05314
306. Wang C, Liu Y, Fan Y, Li X. The use of bioactive peptides to modify materials for bone tissue repair. *Regen Biomater.* 2017;4(3):191-206. doi:10.1093/rb/rbx011
307. Lee SB, González-Cabezas C, Kim KM, Kim KN, Kuroda K. Catechol-functionalized synthetic polymer as a dental adhesive to contaminated dentin surface for a composite restoration. *Biomacromolecules.* 2015;16(8):2265-2275. doi:10.1021/acs.biomac.5b00451
308. Moszner N, Salz U, Zimmermann J. Chemical aspects of self-etching enamel-dentin adhesives: a systematic review. *Dent Mater.* 2005; 21(10):895-910. doi:10.1016/j.dental.2005.05.001
309. Wang Z, Zeng J, Tan G, et al. Incorporating catechol into electroactive polypyrrole nanowires on titanium to promote hydroxyapatite formation. *Bioact Mater.* 2018;3(1):74-79. doi:10.1016/j.bioactmat.2017.05.006
310. Lee SJ, Kim ME, Nah H, et al. Vascular endothelial growth factor immobilized on mussel-inspired three-dimensional bilayered scaffold for artificial vascular graft application: in vitro and in vivo evaluations. *J Colloid Interface Sci.* 2019;537:333-344. doi:10.1016/j.jcis.2018.11.039
311. Lee YB, Shin YM, Lee JH, et al. Polydopamine-mediated immobilization of multiple bioactive molecules for the development of functional vascular graft materials. *Biomaterials.* 2012;33(33):8343-8352. doi:10.1016/j.biomaterials.2012.08.011
312. Bombeiro AL, BHM L, Bonfanti AP, ALR O. Improved mouse sciatic nerve regeneration following lymphocyte cell therapy. *Mol Immunol.* 2020;121:81-91. doi:10.1016/j.molimm.2020.03.003
313. Chen CC, Yu J, Ng HY, et al. The physicochemical properties of decellularized extracellular matrix-coated 3D printed poly(ϵ -caprolactone) nerve conduits for promoting Schwann cells proliferation and differentiation. *Materials (Basel).* 2018;11:1665. doi:10.3390/ma11091665
314. Rijal G. The Decellularized extracellular matrix in regenerative medicine. *Regen Med.* 2017;12(5):475-477. doi:10.2217/rme-2017-0046
315. Elmashhady HH, Kraemer BA, Patel KH, Sell SA, Garg K. Decellularized extracellular matrices for tissue engineering applications. *Electrospinning.* 2017;1(1):87-99. doi:10.1515/esp-2017-0005
316. Qian Y, Zhao X, Han Q, Chen W, Li H, Yuan W. An integrated multi-layer 3D-fabrication of PDA/RGD coated graphene loaded PCL nanoscaffold for peripheral nerve restoration. *Nat Commun.* 2018; 9(1):323. doi:10.1038/s41467-017-02598-7
317. Chen MC, Sun YC, Chen YH. Electrically conductive nanofibers with highly oriented structures and their potential application in skeletal muscle tissue engineering. *Acta Biomater.* 2013;9:5562-5572. doi:10.1016/j.actbio.2012.10.024
318. Ku SH, Park CB. Combined effect of mussel-inspired surface modification and topographical cues on the behavior of skeletal myoblasts. *Adv Healthc Mater.* 2013;2:1445-1450. doi:10.1002/adhm.201300067
319. Liu X, Chen J, Qu C, et al. A mussel-inspired facile method to prepare multilayer-AgNP-loaded contact lens for early treatment of bacterial and fungal keratitis. *ACS Biomater Sci Eng.* 2018;4(5):1568-1579. doi:10.1021/acsbomaterials.7b00977
320. Lynge ME, van der Westen R, Postma A, Städler B. Polydopamine—a nature-inspired polymer coating for biomedical science. *Nanoscale.* 2011;3(12):4916-4928.
321. Li K, Tsoi JKH, Yiu CKY. The application of novel mussel-inspired compounds in dentistry. *Dent Mater.* 2021;99:103404.
322. Choi G-S, Kim SH, Seo HI, et al. A multicenter, prospective, randomized clinical trial of marine mussel-inspired adhesive hemostatic materials, InnoSEAL plus. *Ann Surg Treat Res.* 2021;101(5):299-305.
323. Aijaz S, Sheikh S, Pathan A. Combination of InnoSEAL plus TR band compared with TR band alone for radial artery outcomes in patients undergoing transradial coronary intervention (InnoSEAL-II): an open-label randomised controlled trial (protocol). *BMJ Open.* 2020; 10(12):e042101.

How to cite this article: Taghizadeh A, Taghizadeh M, Yazdi MK, et al. Mussel-inspired biomaterials: From chemistry to clinic. *Bioeng Transl Med.* 2022;7(3):e10385. doi:10.1002/btm2.10385