



Article

The Interplay of Biomimetics and Biomechatronics

Hartmut Witte

Group of Biomechatronics, Faculty of Mechanical Engineering, Technische Universität Ilmenau, Max-Planck-Ring 12, D-98693 Ilmenau, Germany; hartmut.witte@tu-ilmenau.de

Abstract: Biomechatronics is an engineering subject in which biomimetics as a method is one of its two supporting pillars: biology for engineering, or Bio4Eng. This is contrasted with biocompatible design, or Eng4Bio, examples of which are human-serving systems, such as exoskeletons, and biomedical engineering. The paper aims to illustrate that the research fields of biomimetics, biomechatronics, and biomedical engineering are not in competition but mutually supportive. The current attempts to place biomechatronics under the umbrella of biomimetics or biomedical engineering are therefore not expedient; they deprive the subject of its strength of combining Bio4Eng and Eng4Bio at any time in a task-related manner. In addition to research and development, however, the training of the specialists supporting the subjects must not be disregarded and is therefore described based on a proven design.

Keywords: biomimetics; biomechatronics; biology; engineering; interdisciplinarity; education



Citation: Witte, H. The Interplay of Biomimetics and Biomechatronics. *Biomimetics* **2022**, *7*, 96. <https://doi.org/10.3390/biomimetics7030096>

Academic Editor: Stanislav N. Gorb

Received: 15 June 2022

Accepted: 12 July 2022

Published: 21 July 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the author. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

1. Introduction

Beyond the debate whether the subject was initiated with the coining of the terms “biomimicry”, “biomimetics” or “bionics”, the supplementing of technological skills by using knowledge from the observation of nature is an old technique of mankind. Its formal application in science is often attributed to Leonardo da Vinci (1452–1519) and Matthew Baker (1530–1613) [1]. What concerns the definition of “biomimetics”, we refer to DIN-ISO 18458-2016 (Biomimetics—terminology, concepts and methodology) [2] and VDI 6220.1-2021 (Biomimetics—fundamentals, conception, and strategy) [3].

Biomechatronics, on the other hand, is a term that only became possible with the emergence of mechatronics and the release of the trademark claiming the term in 1982. It was successfully introduced by Hugh Herr at M.I.T. as an addition to the use of the term biomimetics for activities in the field between biology and mechatronic technology and has been successfully represented by him internationally for over 30 years, mostly by patents (cp. [4–49]). Brody, as early as in 2005, addressed biomechatronics to be one of the “10 emerging technologies” [50]. Is biomechatronics to be understood as a subfield of biomimetics? At a time of the rise of mechatronics, the term addressed the interaction of this discipline (rather than the entirety of engineering) with life sciences. From his own concern, Herr started with the aspect of mechatronics for medicine, thereby practically narrowing the term initially to biomechatronics as a subfield of biomedical engineering, and this is how it is still frequently perceived internationally today [51–53]. At the time of writing this article, Web of Science points to 6153 publications entitling “biomechatronics” and “biomedical engineering”. However, Herr based his work in medicine on biomimetics—at least a quarter of his publications we cite directly addresses biomimetics, mostly concerning his own work. This fact is widely ignored: there are only 10 findings in Web of Science for “biomimetics” and “biomechatronics”. Consequently, for the benefit of biomimetics, two equally important objectives of the subject biomechatronics have to be named: “engineering for biology” (Eng4Bio; e.g., for human-serving systems and in biomedical engineering) and “biology for engineering” (Bio4Eng, first dominated by biomimetics). Due to the successes in Eng4Bio, Bio4Eng increasingly had to cover aspects of biocompatibility in addition to biomimetics, and therefore, with advancing digitalization, Bio4Eng now also

includes aspects of human–machine interaction, especially ergonomics and usability. Since no international standard is available, as a working base we defined biomechatronics in the following way: “Biomechatronics is the development and improvement of mechatronic products and processes using biological and medical knowledge.” [54]. Thus, in contrast to biomimetics, it is primarily anchored in engineering. Since biomechatronics makes use of biomimetics, which is the largest part of Bio4Eng beneath human–machine interaction, it is a sibling of biomimetics, but not restricted to it [55].

Since no internationally accepted definition of biomedical engineering is available, we refer to the widely used definition of Michigan Technological University, “Biomedical engineering is the application of the principles and problem-solving techniques of engineering to biology and medicine. This is evident throughout healthcare, from diagnosis and analysis to treatment and recovery, and has entered the public conscience through the proliferation of implantable medical devices, such as pacemakers and artificial hips, to more futuristic technologies such as stem cell engineering and the 3-D printing of biological organs.” [56], which illustrates that responsibility is claimed for biology and medicine, but applications are directed to human biology with the focus on medicine

Figure 1 illustrates our perception of the field graphically. Additionally, in order to reliably represent the integrative character of biomechatronics in all of the given fields, the concept of the “biomechatronic system” is helpful [57].




Figure 1. Activities of biomechatronics in relation to the related scientific fields (dashed circle). BMTR: biomechatronics; BME: biomedical engineering; HMI: human–machine interaction; Asterisk *: engineering for biology (“E4B”).

Biomimetics and biomechatronics are therefore two overlapping and thus complementary scientific fields. In the following, some aspects of the exchange and cooperation between the disciplines will be discussed.

2. Material and Methods

2.1. Problem Description

Recently, the term biomechatronics has become fashionable in general. Both in publications [58,59] and in job advertisements for professorships, there is a reversal of system and system components: “biomechatronics in biomedical engineering”, “biomechatronics in bionics”, and, in extreme detail, “biomechatronics for measurement systems in the biomedical sciences”, illustrating a current trend to cannibalize biomechatronics by other scientific fields. Now, the scientific game of segregation of new from old scientific fields is an established basis of scientific progress (for example, physiology first spun off from anatomy; from the latter physiological chemistry, and from the latter molecular biology), and the appropriation of innovative developments by large disciplines is part of the standard repertoire of academic institutions. However, that is not the point here. The subject matter of a discipline is defined by what its practitioners do: “Biomechatronics is what biomechatronics engineers do.” Furthermore, “pars pro toto” (a part taken for the whole) and “totum pro parte” (the whole taken for a part) are rhetorical figures at first, but they can have huge effects. Building on 20 years of our own academic representation of the subject of biomechatronics in research and teaching, we must point out what a loss the detachment from Herr’s idea of the equal status as well as simultaneity of Bio4Eng and Eng4Bio would be for technical progress. The author is free to argue here: as an engineer and physician with many years of experience in biology (functional morphology), he does not have to take sides with any of the components of biomechatronics; in particular, regarding biomimetics, as a co-founder of the German biomimetics competence network BioKoN, he also may be allowed to make critical statements towards his own community.

2.2. The Role of Biomimetics in Biomechatronics

In engineering science, we consider biomimetics quite pragmatically as a method, without therefore questioning the scientific claim of the subject so named. In practice, it is rather normal to actively realize the part of technical biology in biomimetics itself together with biologists, because for which technical requirements do biologists have prepared biological principles at hand in the sense of “technological pull”? The way of the “biology push” is more probable and thus often the implementation of a biological insight for the development of products. In this context, one must be aware of the fact that technical advancement in biomimetics is strongly dependent on the current topics in the life sciences, and those partly are driven by the available analysis technologies (which nowadays often are embodied by biomechatronic systems).

For the expansion of the “technology pull” approach, consideration of the “soft skills” component is indispensable. Biologists, physicians, and engineers are trained differently, learn different ways of thinking, as well as have different methods and terminologies. Most future professionals may still vacillate between biology and medicine as a course of study at school, but the decision will rarely be between life or engineering sciences. We are all shaped since childhood with respect to our preferences for science. Thus, working effectively in truly interdisciplinary fields, such as biomimetics and biomechatronics, requires a willingness to engage with other subjects, and the mindsets of the people practicing them, in more than a superficial way. In biomimetics, for all the initial enthusiasm for interdisciplinary collaboration, the honeymoon phase easily turns into that of resignation if this insight is missing. Therefore, life and engineering scientists need to be actively introduced to each other and to each other’s ways of thinking and terminologies. Acquiring this empowerment is a core element of higher education biomimetics.

2.3. Differences between Biomimetics and Biomechanics

In biomechanics, the problem is twofold: potential partners for technical developments come primarily from biology and medicine—two major subjects, two technical languages. It is therefore clear that biomechanics can only be realized in a team, ideally embedded in an environment of biology, medicine, and technology. In education, only a few universities can offer this environment; industry has more diverse opportunities here through the suitable location of company parts.

Figure 1 shows how biomechanics can be realized under these boundary conditions or (to use a biological term) “environmental” conditions. Due to the indispensability of human-compatible design of products in the product field of human-serving systems, including those for biomedical technology, interaction with occupational sciences is necessary as the fourth pillar of work. Biomechanics does not live as a niche subject between the other subjects but integrates parts of them in the entire field. The dashed circle in Figure 1 can be compared to the search area of a bee swarm, the main areas of nectar collection change regularly depending on supply and demand. Own daughter colonies with frequent contacts are found close to biology (bionics) and medicine (biomechanics in biomedical engineering) due to good location factors. The biological metaphors in the description of a technical science may illustrate that biomechanical engineers by no means claim to be “specialists for everything”, but saprophytically cooperate with specialists from other disciplines.


Examples of our own biomechanical work are given in Figure 2. “Bio4Eng” provides examples from biorobotics, which for biomimetic realization of function need mechatronics. “Eng4Bio” shows examples of human-serving systems and measurement setups. Due to the present focus of biomedical engineering on the aspects of human biology and medicine, we created a chance to be contacted by biological and biomedical scientists for mechatronic tool building and supporting experiments, and in Figure 1 the corresponding area is marked by an asterisk representing “engineering for biology” (E4B).

3. Results

3.1. Education in Biomechanics

For student training in biomechanics, such examples naturally form the backbone of an engineering course. Since 2002, three training concepts have been implemented. For four years, the diploma course in mechatronics ran over 3 years of specialization, with the clear premise that the graduates would be accepted by industry without restriction as fully fledged engineers. This successful phase was ended by the fact that with the introduction of the “Bologna” ECTS system with bachelor’s and master’s degrees, only 1.5 years were realized for the master’s degree program—too little for a solid education. Consequently, the biomechanics education started already in the bachelor’s program and extended over another 1.5 years, together again forming 3 years. However, the advantage of longer learning with more intensive penetration of the subject matter proved to be no longer feasible, since part of the audience of the bachelor’s program left the university after graduation, and new students were admitted to the master’s program. The prior knowledge of the students was therefore very different, and part of the propaedeutics from the bachelor’s program had to be repeated in the master’s program. This situation, which was unsatisfactory for all concerned, was remedied by extending the master’s program to two years and increasing the amount of time per year spent on specialization.

Bio4Eng



Eng4Bio



Figure 2. Examples of biomechatronic development. In reading order, please find for Bio4Eng the climbing robot *RatNic* (coop. Tetra GmbH Imenau, granted by the German Ministry of Education and Research BMBF) [60]; the window-cleaning robot *MatBot*; the adhesive gripper *TaCare*; the bird-like robot *eNandu* (coop. FSU Jena, Gentle Robotics); the swimming robots *CSnake* and *Urmele*; the small wheg robot *T-Whex*. For Eng4Bio: the walker *eRolli*; the modular exoskeleton *Leviaktor* (coop. FSU Jena, HS Aalen, Gottinger, BM innovations, LSK, granted by German Ministry of Education and Research BMBF), the figure is provided by Gottinger; fixateur externe instrument for measurement of fragment motions in DoF 6 (coop. RU Bochum) [61]; the system view and module of the System for Automated Cell Cultivation and Analysis (SACCA; granted by the Carl-Zeiss Stiftung); a dendrometer; a sensor for gripping forces DoF 6, 20 × 25 mm [62]; and a Personalized Miniaturized Dosimeter (PMD; granted by BGN Mannheim Erfurt) [63].

Figure 3 illustrates how biomechatronics now is taught in the master's program in five modules. Accompanying this, there is a larger module over 1 year for a (bio) mechatronic design project (workload of 480 h).




Figure 3. Overlay on Figure 1: Superimposed are the modules of the master's study programs in which the associated content is taught. "A"—Anatomy and Physiology; "B"—Bio-oriented Methods in Engineering; "C"—Basics of Biomedical Engineering; "D"—Human-Serving Systems; "E"—Biomechatronics. Asterisk *: engineering for biology ("E4B").

The basics of medicine are provided in the module "Anatomy and Physiology" ("A" in Figure 3, workload 150 h). Biomimetics is the focus of the module "Bio-oriented Methods in Engineering" ("B", 150 h). In addition to a smaller theory part (20 h), a biomimetic design project is realized in group work (60 h). At the same time, the students practice working with agile methods. The remaining 70 h of the module are devoted to biomechanics, the methods of which are already used during the biomimetic design project. The learning experience of this project flows back into the biomechatronic design project. The module "Basics of Biomedical Engineering" ("C", 150 h) is offered by our colleagues in Germany's oldest (founded in 1954) Institute of Biomedical Engineering and Informatics. The module "Human-Serving Systems" ("D", 150 h) introduces the basic principles of human-machine interaction. Those are the pre-requisites for the "core" module "Biomechatronics" ("E", 150 h).

3.2. Intensification of Cooperation between Biomimetics and Biomechatronics for Mutual Benefit

Beneath personal interest, the question remains as to what should motivate biologists to contribute to technology. In Germany, biomimetics has experienced a surge in development for about a decade, with massive public funding for joint projects between biology and technology under the label "Bionics", with an estimated EUR 50 million invested. As a result, biomechatronics has been able to make great progress in biorobotics (cp. Figure 2). In the USA, DARPA promoted biomimetic developments with greater perseverance, and in the People's Republic of China, investments in this postulated future field are growing steadily. Biologists have been able to conduct basic research on this basis, which could no longer be adequately financed from normal research funding. However, how can the motivation to cooperate with technology be maintained if the extrinsic motivation is removed by funding the objects of intrinsic motivation? For biomechatronics, the answer is simple: biol-

ogy has great need for experimental setups of the latest technology—the natural partners and suppliers of this technology are biomechatronics engineers. The small gap between biomimetics, biology, and biomedical engineering (asterisk in Figure 1) is surprisingly not yet occupied by any established terminus (cp. [58,59]. Our proposal is “engineering for biology” (quite different from the term biomedical engineering, which at present does not really cover the development of devices for the whole field of life sciences—leaving a wide-open gap). In this field, biomechatronics can offer biology and biomimetics a win–win situation in return for the benefit of mechatronic product development in collaboration.

4. Conclusions

Increased collaboration between biomimetics, biomedical engineering, and biomechatronics is of benefit to all involved in the interaction of life sciences and engineering. Mutual appropriation and demarcation cause friction losses and harm the development of all subjects.

Funding: This research received no external funding, and the publication was supported by the Open Access Publication Fund of the Technische Universität Ilmenau.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: Not applicable.

Acknowledgments: We acknowledge support for the publication costs by the Open Access Publication Fund of the Technische Universität Ilmenau. In the past 20 years, many people have worked on the development of biomechatronics in the sense as introduced by Hugh Herr, and projects have been funded by several institutions. Our thanks therefore go to the large group of people who have worked together with great commitment, including all our students now living the idea of biomechatronics worldwide. Specifically, I would like to thank the two most important partners in Germany in the development of concepts of what biomechatronics may be: Cornelius Schilling at Ilmenau, as my scientific partner in biology, and Axel Schneider, who founded the second German academic location of biomechatronics in Bielefeld 10 years ago and is successfully expanding it.

Conflicts of Interest: The author declares no conflict of interest.

References

1. BLOKON—Geschichte der Bionik. Available online: <https://www.biokon.de/bionik/geschichte/> (accessed on 9 July 2022).
2. International Standardization Organisation. *DIN ISO 18458:2016-08. Biomimetics—Terminology, Concepts and Methodology*, 8th ed.; Beuth Verlag GmbH: Berlin, Germany, 2015.
3. Verein Deutscher Ingenieure. *VDI 6220 Blatt 1, Bionik. Grundlagen, Konzeption und Strategie = Biomimetics: Fundamentals, Conception, and Strategy*; VDI-Richtlinien; Beuth Verlag GmbH: Berlin, Germany, 2021.
4. Herr, H.M. Crutch with Elbow and Shank Springs. U.S. Patent 19940257285 19940609, 9 June 1994.
5. Herr, H. Variable-Mechanical-Impedance Artificial Legs. U.S. Patent 20030613499 20030703, 3 July 2003.
6. Herr, H. Exoskeletons and orthoses: Classification, design challenges and future directions. *J. Neuroeng. Rehabil.* **2009**, *6*, 21. [[CrossRef](#)] [[PubMed](#)]
7. Herr, H. Welcome to the bionic dawn. *NEW Sci.* **2015**, *227*, 24–25.
8. Herr, H.M. Mechanisms and Methods for a Mechanical Interface between a Wearable Device and a Human Body Segment. WO Patent 2015US47442 20150828, 28 August 2015.
9. Herr, H.M.; Au, S.K.; Dilworth, P.; Paluska, D.J. Artificial Ankle-Foot System with Spring, Variable-Damping, and Series-Elastic Actuator Components. U.S. Patent 20060495140 20060729, 29 July 2006.
10. Herr, H.; Blaya, J.; Pratt, G.A. Active Ankle Foot Orthosis. U.S. Patent 20030671329 20030925, 25 September 2003.
11. Herr, H.M.; Carney, M.E.; Rogers, E.A.; Du, L.W. Neural Efferent and Afferent Control of Spring Equilibrium, Damping, and Power in Backdrivable and Non-Backdrivable Series-Elastic Actuators Comprising Variable Series Stiffness Mechanisms. U.S. Patent 201916661483 20191023, 23 October 2019.
12. Herr, H.; Carty, M.J. The Agonist-antagonist Myoneural Interface. *Tech. Orthop.* **2021**, *36*, 337–344. [[CrossRef](#)] [[PubMed](#)]
13. Herr, H.M.; Casler, R.J.; Han, Z.; Barnhart, C.; Girzon, G.; Garlow, D. Controlling Torque in a Prosthesis or Orthosis. CN Patent 20118023930 20110404, 4 April 2011.
14. Herr, H.M.; Casler, R. Implementing a Stand-up Sequence Using a Lower-Extremity Prosthesis or Orthosis. CN Patent 20108048597 20100831, 31 August 2010.

15. Herr, H.M.; Casler, R.; Nook, C.M.; Margolin, A.S.; Size, K.J.; Kowalczyk, M.T.; Spaller, R.W.; Thompson, G.K.; Dalrymple, T.M.; Kessler, S.S.; et al. Hybrid Terrain-Adaptive Lower-Extremity Systems. U.S. Patent 20090552013 20090901, 1 September 2009.
16. Herr, H.M.; Clites, T.; Maimon, B.; Zorzos, A.; Carty, M.J.; Duval, J.F.; Srinivasan, S.S. Method and System for Providing Proprioceptive Feedback and Functionality Mitigating Limb Pathology. U.S. Patent 201716068531 20170106, 6 January 2017.
17. Herr, H.; Dennis, R.G. A swimming robot actuated by living muscle tissue. *J. Neuroeng. Rehabil.* **2004**, *1*, 6. [[CrossRef](#)] [[PubMed](#)]
18. Herr, H.M.; Elliott, G.; Marecki, A.; Briner, H. Elastic Element Exoskeleton and Method of Using Same. U.S. Patent 201313774774 20130222, 22 February 2013.
19. Herr, H.M.; Endo, K.; Krishnaswamy, P.; Markowitz, J.; Eilenberg, M.F.; Wang, J. Neuromuscular Model-Based Sensing and Control Paradigm for a Robotic Leg. U.S. Patent 201313865840 20130418, 18 April 2013.
20. Herr, H.M.; Gamow, R.I. Shoe and Foot Prosthesis with Bending Beam Spring Structures. U.S. Patent 19940346087 19941129, 29 November 1994.
21. Herr, H.M.; Geyer, H.; Eilenberg, M.F. Model-Based Neuromechanical Controller for a Robotic Leg. U.S. Patent 20100698128 20100201, 1 February 2010.
22. Herr, H.M.; Grabowski, A.M. Bionic ankle-foot prosthesis normalizes walking gait for persons with leg amputation. *Proc. R. Soc. B-Biol. Sci.* **2012**, *279*, 457–464. [[CrossRef](#)] [[PubMed](#)]
23. Herr, H.M.; Handford, M.L.; Williams, C.C.; Carney, M.E.; Levine, D.V. Computer-Controlled Ankle-Foot Prosthesis with Series J-Spring Actuation. U.S. Patent 202117455884 20211119, 19 November 2021.
24. Herr, H.M.; Hofmann, A.G.; Popovic, M.B. Biomimetic Motion and Balance Controllers for Use in Prosthetics, Orthotics and Robotics. U.S. Patent 20060499853 20060804, 4 August 2006.
25. Herr, H.M.; Huang, G.T.; McMahan, T.A. A model of scale effects in mammalian quadrupedal running. *J. Exp. Biol.* **2002**, *205*, 959–967. [[CrossRef](#)] [[PubMed](#)]
26. Herr, H.M.; Kuan, J.Y. Robotic System for Simulating a Wearable Device and Method of Use. U.S. Patent 201213722246 20121220, 20 December 2012.
27. Herr, H.M.; Moerman, K.M.; Sengeh, D.M. Method and System for Designing a Biomechanical Interface Contacting a Biological Body Segment. U.S. Patent 201716069837 20170112, 12 January 2017.
28. Herr, H.M.; Martinez, V.E.C.; Weber, J.A. Powered Artificial Knee with Agonist-Antagonist Actuation. CN Patent 20108015207 20100201, 1 February 2010.
29. Herr, H.M.; Marecki, A.; Sengeh, D.M. Variable Impedance Mechanical Interface. U.S. Patent 201313836835 20130315, 15 March 2013.
30. Herr, H.M.; Moerman, K.M.; Solav, D.; Ranger, B.J.; Steinmeyer, R.; Ku, S.L.; Dagdeviren, C.; Carney, M.; Prieto, G.G.A.; Zhang, X.; et al. Quantitative Design and Manufacturing Framework for a Biomechanical Interface Contacting a Biological Body Segment. U.S. Patent 201916969142 20190212, 12 February 2019.
31. Herr, H.M.; Mooney, L.M.; Rouse, E.J.; Kuan, J.Y. Optimal Design of a Lower Limb Exoskeleton or Orthosis. WO Patent 2014US70636 20141216, 16 December 2014.
32. Herr, H.M.; Paluska, D.J.; Dilworth, P. Artificial Human Limbs and Joints Employing Actuators, Springs, and Variable-Damper Elements. U.S. Patent 20060395448 20060331, 31 March 2006.
33. Herr, H.M.; Petron, A. Physiological Measurement Device or Wearable Device Interface Simulator and Method of Use. U.S. Patent 201213715441 20121214, 14 December 2012.
34. Herr, H.; Popovic, M. Angular momentum in human walking. *J. Exp. Biol.* **2008**, *211*, 467–481. [[CrossRef](#)] [[PubMed](#)]
35. Herr, H.M.; Riso, R.R.; Song, K.W.; Casler, R.J., Jr.; Carty, M.J. Peripheral Neural Interface via Nerve Regeneration to Distal Tissues. U.S. Patent 201414520766 20141022, 22 October 2014.
36. Herr, H.; Rogers, E. Leaf Spring with High Resolution Stiffness Control. WO Patent 2021US49526 20210908, 8 September 2021.
37. Herr, H.; Seyfarth, A.; Geyer, H. Speed-Adaptive Control Scheme for Legged Running Robots. U.S. Patent 20030750573 20031231, 31 December 2003.
38. Herr, H.; Song, H.; Srinivasan, S. Mechanoneural Interfaces for Prosthetic Control. WO Patent 2021US14355 20210121, 21 January 2021.
39. Herr, H.; Stolyarov, R.; Mooney, L.; Taylor, C.; Carney, M. Kinetic Sensing, Signal Generation, and Pattern Recognition for Control of Autonomous Wearable Leg Devices. WO Patent 2017US60710 20171108, 8 November 2017.
40. Herr, H.M.; Taylor, C.; Clites, T. Method for Neuromechanical and Neuroelectromagnetic Mitigation of Limb Pathology. U.S. Patent 201816754351 20181009, 9 October 2018.
41. Herr, H.; Taylor, C.; Yeon, S.; Nawrot, M. Magnetomicrometric Advances in Robotic Control. WO Patent 2021US56092 20211021, 21 October 2021.
42. Herr, H.M.; Walsh, C.; Paluska, D.J.; Valiente, A.; Pasch, K.; Grand, W. Exoskeletons for Running and Walking. U.S. Patent 20060600291 20061115, 15 November 2006.
43. Herr, H.M.; Weber, J.A.; Au, S.K.; Deffenbaugh, B.W.; Magnusson, L.H.; Hoffman, A.G.; Aisen, B.B.; Hofmann, A.G. Powered Ankle-Foot Prosthesis. U.S. Patent 20080157727 20080612, 12 June 2008.
44. Herr, H.M.; Weber, J.A.; Casler, R.J., Jr. Biomimetic Joint Actuators. WO Patent 2012US28774 20120312, 12 March 2012.
45. Herr, H.M.; Wilkenfeld, A.; Bleck, O. Speed-Adaptive and Patient-Adaptive Prosthetic Knee. U.S. Patent 20010823931 20010329, 29 March 2001.
46. Herr, H.M.; Williams, C.; Barnhart, C.E.; Han, Z.; Rohrs, C.E.; Casler, R.J., Jr. Biomimetic Transfemoral Prosthesis. WO Patent 2012US63395 20121102, 2 November 2012.

47. Herr, H.; Yeon, S. Electromyography Sensor. WO Patent 2020US54904 20201009, 9 October 2020.
48. Herr, H.M.; Weber, J.A.; Casler, R. Transdermal Optogenetic Peripheral Nerve Stimulation. U.S. Patent 20090552028 20090901, 1 September 2009.
49. Herr, H.M.; Han, Z.; Barnhart, C.E.; Casler, R. Prosthetic, Orthetic or Exoskeleton Devise. WO Patent 2013US45356 20130612, 12 June 2013.
50. Brody, H. 10 Emerging Technologies. *Technol. Rev.* **2005**, *108*, 33–46.
51. Garza-Ulloa, J. Chapter 1—Introduction to biomechatronics/biomedical engineering//Introduction to biomechatronics/biomedical engineering. In *Applied Biomechatronics Using Mathematical Models*; Elsevier: Amsterdam, The Netherlands; pp. 1–51.
52. Liu, P.X.; Gu, J. Introduction: Advances of Biorobotics and Biomechatronics. *Int. J. Robot. Autom.* **2007**, *22*, 100.
53. Brooker, G.M. *Introduction to Biomechatronics*; Brooker, G.M., Ed.; Institution of Engineering and Technology: Stevenage, UK, 2012; pp. 1–8.
54. Witte, H.; Lutherdt, S.; Schilling, C. Biomechatronics: How much biology does the engineer need? In Proceedings of the 2004 IEEE International Conference on Control Applications, Taipei, Taiwan, 2–4 September 2004; FrA-K-8. p. 6.
55. Witte, H.; Fremerey, M.; Weyrich, S.; Mampel, J.; Fischheiter, L.; Voges, D.; Zimmermann, K.; Schilling, C. Biomechatronics is not just biomimetics. In RoMoCo '13: Workshop Proceedings, Proceedings of the 9th International Workshop on Robot Motion and Control, Wasowo, Poland, 3–5 July 2013; IEEE: Piscataway, NJ, USA, 2013; pp. 74–79.
56. *What Is Biomedical Engineering?* Michigan Technological University: Houghton, MI, USA, 2021; Available online: <https://www.mtu.edu/biomedical/department/what-is/> (accessed on 9 July 2022).
57. Witte, H. The Concept of Biomechatronic Systems as a Means to Support the Development of Biosensors. *IJBSBE* **2017**, *2*, 114–115. [[CrossRef](#)]
58. Friedrich, O.; Haug, M.; Reischl, B.; Pröhl, G.; Kiriaev, L.; Head, S.I.; Reid, M.B. Single muscle fibre biomechanics and biomechatronics—The challenges, the pitfalls and the future. *Int. J. Biochem. Cell Biol.* **2019**, *114*, 105563. Available online: <https://www.sciencedirect.com/science/article/pii/S1357272519301347> (accessed on 14 June 2022). [[CrossRef](#)] [[PubMed](#)]
59. Haug, M.; Reischl, B.; Pröhl, G.; Pollmann, C.; Buckert, T.; Keidel, C.; Schürmann, S.; Hock, M.; Rupitsch, S.; Heckel, M.; et al. The MyoRobot: A novel automated biomechatronics system to assess voltage/Ca²⁺ biosensors and active/passive biomechanics in muscle and biomaterials. *Biosens. Bioelectron.* **2018**, *102*, 589–599. [[CrossRef](#)] [[PubMed](#)]
60. Mampel, J.; Andrada, E.; Witte, H.; Trommer, C.; Schweitzer, M.; Karguth, A.; Schmidt, A.; Fischer, M.S. Mechanical design of a climbing robot based on biomechanical analyses. In *Emerging Trends in Mobil Robotics*; World Scientific: Singapore; pp. 367–374.
61. Witte, H.; Recknagel, S.; Kaufmann, C.; Hegelmaier, C.; Kozuschek, W.; Preuschoft, H. In Vivo-Messung der Relativbewegungen von Fragmenten gebrochener Langknochen. *Biomed. Eng.* **1995**, *40*, 365–366. [[CrossRef](#)]
62. Jiménez López, O.E. *Development of Biomechatronic Devices for Measurement of Wrenches Occurring in Animal and Human Prehension*; Berichte aus der Biomechatronik 9; Technische Universität Ilmenau/Universitätsbibliothek; Universitätsverlag Ilmenau: Ilmenau, Germany, 2014.
63. Müller, A. *Selbstreferenzierendes Personalisiertes Miniaturisiertes Dosimeter (PMD) zur Bestimmung Individueller Belastungs-Beanspruchungs-Beziehungen*; Berichte aus der Biomechatronik 4Ilmenau; Technische Universität Ilmenau/Universitätsbibliothek; Universitätsverlag Ilmenau: Ilmenau, Germany, 2009.