

# BMJ Open Systematic review protocol: an assessment of the post-approval challenges of autologous CAR-T therapy delivery

Ching Lam,<sup>1</sup> Edward Meinert,<sup>1</sup> Celine-Lea Halioua-Haubold,<sup>2</sup> Alison Carter,<sup>2</sup> Aidong Yang,<sup>1</sup> David Brindley,<sup>2</sup> Zhanfeng Cui<sup>1</sup>

**To cite:** Lam C, Meinert E, Halioua-Haubold C-L, *et al*. Systematic review protocol: an assessment of the post-approval challenges of autologous CAR-T therapy delivery. *BMJ Open* 2019;**9**:e026172. doi:10.1136/bmjopen-2018-026172

► Prepublication history and additional material is published online only. To view please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2018-026172>).

Received 21 August 2018  
Revised 22 February 2019  
Accepted 5 June 2019



© Author(s) (or their employer(s)) 2019. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

<sup>1</sup>Department of Engineering Sciences, University of Oxford, Oxford, UK

<sup>2</sup>Healthcare Translation Research Group, Department of Paediatrics, University of Oxford, Oxford, UK

<sup>3</sup>Digital Global Health Unit, Department of Primary Care and Public Health, Imperial College London, London

## Correspondence to

EUR ING Dr Edward Meinert; [e.meinert14@imperial.ac.uk](mailto:e.meinert14@imperial.ac.uk), [edward.meinert@paediatrics.ox.ac.uk](mailto:edward.meinert@paediatrics.ox.ac.uk)

## ABSTRACT

**Introduction** Following recent regulatory approvals of two chimeric antigen receptor T-cell (CAR-T) therapies, the field now faces a number of post-approval challenges. These challenges are in some respects defined and, in others, uncertain due to the nascence of the field. At present, information pertaining to such post-approval challenges are scattered in various previous reviews or raised in singular papers reporting experience in working with the therapy. This systematic review is designed to evaluate and summarise the post-approval challenges for robust delivery of CAR-T therapies to inform future work on the optimisation of CAR-T delivery to patients.

**Methods and analysis** We will search Medline, EMBASE (OvidSP), BIOSIS & Web of Science, Cochrane Library, ICER database, NICE Evidence Search, CEA Registry, WHOLIS WHO Library and Scopus for studies published between 2014 and the present. In addition, a Google search for grey literature such as bioprocess blog posts, opinion pieces, press releases and listed companies involved in CAR-T development annual reports will be conducted. Two authors will independently screen the titles and abstracts identified from the search and accept or reject the studies according to the study inclusion criteria and any discrepancies will be discussed and resolved. The quality of the selected literature will be assessed using the Critical Appraisal Skills Programme (CASP) Systematic Review checklist and grey literature will be assessed using the Authority, Accuracy, Coverage, Objectivity, Date, Significance (AACODS) checklist. Data from eligible publications will be categorised using a flowchart and extracted using a data abstraction form. Qualitative and quantitative analysis of the post-approval challenges of CAR-T therapies will be conducted based on the results attained.

**Ethics and dissemination** The executed study will be published in a peer-reviewed journal in accordance with Preferred Reporting Items for Systematic Reviews and Meta-Analyses guidelines. The findings from this review will be used to inform the development of an optimisation model for robust delivery of CAR-T therapies using a systems engineering approach.

**Trial registration number** CRD42018109756.

## BACKGROUND

Since the first reports of successes of using chimeric antigen receptor T-cell (CAR-T) to

## Strengths and limitations of this study

- Only two approved products in 2017 make for relatively short-term and limited experiences with post-approval challenges.
- Annual reports of listed companies are not peer-reviewed but strictly regulated by relevant stock exchange.
- Only publicly listed companies that disclose their perceived risks are considered in this review hence there may be bias to larger companies' perspectives.
- Limiting to studies only of the English language may cause bias in the grey literature search. However, as both products have only been approved in English-speaking countries, the bias is relatively less significant.

treat advanced leukaemia in 2011,<sup>1,2</sup> the field has grown expansively with over 400 trials listed on ClinicalTrials.gov as of February 2018. The year 2017 saw the approvals of two of such therapies, Kymriah (Novartis, Basel, Switzerland) for the treatment of patients up to 25 years of age with B-cell relapsed/refractory acute lymphoblastic leukaemia (ALL)<sup>3</sup> and Yescarta (Kite, acquired by Gilead) for treatment of adult patients with relapsed or refractory large B-cell lymphoma.<sup>4</sup> The regulatory framework currently can allow rapid approval of CAR-T for niche indications through various acceleration schemes, but regulatory approval is at the beginning of another array of challenges facing companies.

In the case of Kymriah, the therapy was granted orphan designation, rare paediatric disease designation, fast track designation and breakthrough therapy designation which was awarded only around 1 month after initial submission. **Figure 1** shows the development and regulatory timeline of Kymriah. Breakthrough therapy designation allowed biological licensing application (BLA) data to be



**Figure 1** Development and approval timeline for Kymriah (in blue: clinical trial related milestones; in red: regulatory related milestones). ALL, acute lymphoblastic leukaemia; CAR, chimeric antigen receptor; UPenn, University of Pennsylvania.

submitted as it was accumulated, instead of in a single bolus on completion of pivotal clinical trials as part of a BLA as usually required by conventional Food and Drug Administration approval pathways and hence allow faster regulatory approval. In this case study, the regulatory process was accelerated from the conventional 10 month

average from date of initial BLA submission to just 6 months.

With regulatory approval, there are still plenty of challenges that hinder patients from receiving these life-saving treatments and companies from providing them in a robust manner. A retrospective review on commercialised cell therapy products conducted by Dodson<sup>5</sup> categorised the translational challenges of cell therapies into pre-market, post-market and manufacturing challenges that start pre-market and continue into the post-market phase. Table 1 provides a summary of the challenges as mentioned in various previous reviews.

'Pre-market challenges' covers challenges incurred in preclinical and clinical research up until market approval. Various prior studies have looked into the clinical development of CAR-T. Liu *et al* summarised the target antigen, indications, CAR and vectors chosen for registered clinical trials in China.<sup>6</sup> While the study provides useful insights on the distribution and trends in CAR-T clinical trials in China, it did not critically appraise the safety and efficacy of CAR-T treatments nor did it address the state of development of the CAR-T industry. Pettitt *et al* systematically and qualitatively assessed the CAR-T clinical trial landscape, providing insights on the cell source and type, CAR, indication, number of participants, adverse events and outcomes, safety and efficacy of CAR-T treatments.<sup>7</sup> Hartmann *et al* summarised the drivers in CAR-T clinical trial from target choice to administration and toxicity and efficacy as well as the regulatory hurdles associated to clinical translation of CAR-T cells.<sup>8</sup> These reviews reiterate the clinical importance of CAR-T as an effective anti-cancer treatment mainly for haematological malignancies and reiterated the importance of post-approval surveillance for long-term safety and efficacy.

'Post-market challenges' include establishing reimbursement models and encouraging clinical adoption,<sup>5</sup> as well as institutional challenges surrounding the delivery of the therapy<sup>9</sup> and long-term safety.<sup>10</sup> A quantitative review published recently conducted a multi-stakeholder and multi-national assessment focused on the barriers to the adoption of cell therapies, but not specific to CAR-T.<sup>11</sup> Specific to CAR-T, Mcguirk *et al*<sup>9</sup> discussed the institutional challenges from cell extraction (leukapheresis) to administration of the therapy and postoperative management and monitoring from their experience at the University of Kansas Medical Centre with Novartis' CTL019 (Kymriah). A well-trained multi-disciplinary team and associated infrastructure presents itself as a constraint to successful and timely delivery of CAR-T.

'Manufacturing challenges' for CAR-T therapies are very well researched and reviewed.<sup>12-14</sup> Levine *et al*<sup>13</sup> details the UPenn and Novartis approach to manufacturing of CAR-T. Vormittag *et al*<sup>12</sup> reviewed the manufacturing technologies used in published clinical trials and summarised the commonly used equipment and manufacturing routes. Robust supply of all raw materials and consumables is important for the overall supply chain robustness. Brindley *et al*<sup>15</sup> mentioned the limitation of

**Table 1** Table showing the challenges in the commercialisation of CAR-T therapies, table structure as adapted from Dodson

Pre-market	Post-market
<ul style="list-style-type: none"> <li>- Product development Technical considerations (eg, cell source, CAR construct, costimulatory domain)<sup>6 7</sup></li> <li>- Manufacturing practicability<sup>7</sup></li> <li>- CAR-T cell quality and persistence<sup>7</sup></li> <li>- Clinical trials Clinical trial approaches<sup>7</sup></li> <li>- Enrolment and patient management<sup>7</sup></li> </ul> <p>a. Safety, efficacy and adverse event management<sup>7</sup></p>	<ul style="list-style-type: none"> <li>a. Long-term safety uncertainties<sup>10</sup> <ul style="list-style-type: none"> <li>- Institutional preparation Training and education of care team and patients<sup>9</sup> and clinical haematologists<sup>24</sup></li> <li>- Emergency department and intensive care unit<sup>9</sup></li> <li>- Side effects management<sup>9</sup></li> </ul> </li> <li>b. Reimbursement<sup>11 25</sup></li> <li>c. Clinical adoption<sup>11</sup></li> <li>d. Regulatory compliance, eg post-approval process changes<sup>26</sup></li> </ul>
<p>Manufacturing</p> <ul style="list-style-type: none"> <li>a. Manufacturing technologies<sup>12-14</sup></li> <li>b. Manufacturing models<sup>27 28</sup></li> <li>c. Supply chain</li> <li>d. Raw material supply (eg, serum,<sup>15</sup> viral vectors<sup>16</sup>)</li> <li>e. Capacity planning decisions (ie, partnership, in-house, outsource)</li> </ul>	

CAR-T, chimeric antigen receptor T-cell.

availability of serum in 2012 and viral vectors supplies are strained according to MacRae 2018.<sup>16</sup>

Public-private partnership and contracts signed for patents etc were reviewed by Bubela *et al* 2017<sup>17</sup>. The review was focused mostly on private-public partnerships, evaluating the collaborative research, technology licensing and some service agreements between companies and academic centres. However, as the products get commercialised, collaborations are slowly shifting towards company-to-company agreements for services such as contract manufacturing.

As products are getting past regulatory approval, more emphasis should be put on addressing post-approval challenges to allow for successful commercialisation. A comprehensive investigation into the challenges (eg, raw material supply pain points, supply chain, institutional challenges) for the delivery of autologous CAR-T can provide new insights into the overall process robustness from collection to post-administration of the therapy (ie, the process's ability to deliver successfully the therapy under varying conditions<sup>18</sup>).

### Objectives

This systematic review aims to identify: (1) Key post-approval challenges of CAR-T therapies addressed in published literature and (2) Risks and concerns relating to delivery of CAR-T from the perspective of suppliers. These are critical in better understanding the constraints in the current delivery routine and identify the optimisation targets for future work on improving the robustness of delivery of CAR-T therapies through a systems engineering approach.

### Key research questions

1. Primary research questions: What are the post-approval challenges for delivery of CAR-T therapies? What are the main concerns of CAR-T suppliers?

2. Secondary question: What has to be optimised and what are the constraints in robust delivery of CAR-T therapies?

### METHODS AND ANALYSIS

This systematic review will be conducted following the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines (online supplementary appendix 1).<sup>19</sup>

### Eligibility criteria

Table 2 shows the inclusion and exclusion criteria for this study. As the field is moving at a very fast pace, only English publications published within the last 5 years are included in this study. The earliest approval for CAR-T

**Table 2** Inclusion and exclusion criteria for the study

Inclusion criteria	Exclusion criteria
<ul style="list-style-type: none"> <li>▶ Published within the last 5 years</li> <li>▶ English language publications</li> <li>▶ CAR-T related</li> <li>▶ Identified experiences in product supply chain, delivery and clinical use</li> <li>▶ Identified challenges in product supply chain, delivery and clinical use</li> </ul>	<ul style="list-style-type: none"> <li>▶ Non-English language publications</li> <li>▶ Papers with exclusive focus on CAR-T basic research</li> <li>▶ Clinical trials studies</li> <li>▶ Technical papers with exclusive focus on bioprocess and manufacturing</li> <li>▶ Papers that focus on pre-approval challenges such as regulatory approval hurdles</li> <li>▶ Competing interests – sponsored by manufacturer</li> </ul>

CAR-T, chimeric antigen receptor T-cell.

**Table 3** Themes and search term development

Theme	Search term/string: ((CAR-T) OR chimeric antigen receptor) AND+following keywords
Tissue procurement	collection OR acquisition, *apheresis, variability
Material acquisition	Bioequivalence, consistency, comparability
Facility operation	demand, scale, capacity, outsourcing, *centralised
Production	GMP, schedul*, quality control, personnel
Distribution	Packaging, distribution, logistics, traceability
Patient administration	Institutional, long term safety, clinician

is in August 2017, hence publications dating from long before this date are unlikely to be relevant. Only papers that look into post-approval commercialisation challenges – supply chain, delivery and clinical use – are included in order to omit irrelevant and generic challenges.

Early research papers on cellular level interactions and biology and clinical trials are considerations important for regulatory approval, hence irrelevant for post-approval challenges and hence excluded to ensure relevance.

Due to the nature of this study which looks at the post-approval challenges, a topic mostly discussed in industry and less so in academia, grey literature is an important source of the latest trends and updated information. To avoid bias in the grey literature search, sources sponsored by manufacturers and suppliers will be excluded.

### Search strategy

The following databases will be searched, and publications published between 1 January 2014 to present will be assessed: Medline, EMBASE (OvidSP), BIOSIS & Web of Science, Cochrane Library, ICER database, NICE Evidence Search, CEA Registry, WHOLIS WHO Library and Scopus. In addition, a Google search for grey literature such as bioprocess blog posts, opinion pieces, press releases and listed companies involved in CAR-T development annual reports will be conducted. Search terms in [table 3](#) are developed around the CAR-T process from collection to delivery. The themes are designed according to the roadmap for cost-of-goods planning in cell therapy proposed by Lipsitz *et al.*<sup>20</sup>

In addition to the above search strings, to understand the post-marketing challenges of the two approved products that have been reported, the search as stipulated in [table 4](#), which is limited to literature found between the approval date and present, will be conducted.

### Study selection

Two independent reviewers will conduct the literature search according to this protocol. The manuscript title

**Table 4** Custom date range for approved products

Product	Custom date range
(Kymriah OR tisagenlecleucel)	1 Sep 2017 – present
(Yescarta OR axicabtagene ciloleucel)	19 Oct 2017 – present

and abstracts will be screened, and eligibility determined independently by each reviewer. Valid studies will be assessed for their quality before any extraction of information. Any discrepancies that arise between the reviewers will be discussed until consensus is reached.

### Quality assessment and risk of bias

Two reviewers will independently check each article to minimise bias using the Collaboration's risk of bias tool as described in the Cochrane Handbook for Systematic Review of Interventions.<sup>21</sup> All selected articles will be judged for their quality based on the Critical Appraisal Skills Programme (CASP) systematic review checklist<sup>22</sup> and the quality of any grey literature will be further assessed using the Authority, Accuracy, Coverage, Objectivity, Date, Significance (AACODS) checklist to grade the literature and ensure acceptable quality.<sup>23</sup> The AACODS checklist was specifically designed by Tyndall for evaluation and critical appraisal of grey literature and due to the potential inclusion of grey literature produced by government, business and industry, the checklist is especially relevant for this systematic review.


### Data extraction

Eligible sources will subsequently be reviewed in detail and key relevant challenges will be extracted and categorised into nine domains from the post-market and manufacturing challenges in [table 1](#):

1. Manufacturing (technologies and models).
2. Supply chain.
3. Raw material supply.
4. Capacity planning decisions.
5. Long-term safety uncertainties.
6. Institutional preparations.
7. Reimbursement.
8. Clinical adoption.
9. Regulatory compliance.

### Synthesis

The identified challenges are then classified into (1) constraint, (2) optimisation target and (3) risk. [Figure 2](#) shows the method of categorisation of the challenges identified and the data to extract if available. To provide some illustrative examples, shelf-life of the product can be identified as a constraint, and the product must be administered to patient within  $x$  hours after formulation (range and limit); batch failure can be identified as a risk with  $x\%$  risk of occurrence and consequence of batch loss; utilisation rate of resources such as personnel, equipment and cleanroom space can



**Figure 2** Schematic showing the categorisation and data extraction method.

be identified as a potential optimisation target to allow the overall system to become more resource-efficient.

The data will be categorised and extracted and recorded into a predesigned Excel database by each reviewer independently. Any discrepancies will be discussed until consensus is reached. This data will lay the basis for the formulation of a problem statement for future optimisation tools. Further to the data extraction, due to the heterogenous nature of the results from the preliminary analysis, a comprehensive review of the identified challenges will be qualitatively analysed to generate a narrative analysis of the post-approval challenges encountered by CAR-T commercialisation so far. If the results permit, a quantitative analysis will be conducted.

### Ethics and dissemination

Due to the use of the publicly available, published data, this study will not require an ethical approval. The executed study conducted later in the year will be published in a peer-reviewed journal in accordance with PRISMA guidelines. Any deviations in the execution shall be noted in the subsequent systematic review publication. The findings from this review will be used to inform the development of an optimisation model for robust delivery of CAR-T therapies using a systems engineering approach.

**Acknowledgements** David Williams and Brock Reeve provided review and commentary on the paper themes. We would also like to thank the Bodleian Radcliffe Science Library librarian, Alessandra Vetrugno and Bodleian Health Care Library librarian, Nia Roberts for their guidance in reviewing the search strategy proposed in this protocol.

**Contributors** CL conceptualised and wrote the manuscript. EM provided systematic review expertise and assisted in the development of the protocol methodology. AY provided valuable systems engineering expertise for the development of the methods and amendments for clarity. CLHH, DAB, ARC and ZFC

edited for relevance and clarity and are the senior guarantying authors. All authors approved the final manuscript. All authors read and approved the final manuscript. All authors completed the ICMJE uniform disclosure form at [www.icmje.org/coi\\_disclosure.pdf](http://www.icmje.org/coi_disclosure.pdf). There are no relevant conflicts of interest, financial or other types of relationships that may influence the manuscript declared by authors. Authors do not have any patents and are not associated to any conditions or circumstances that may lead to conflicts of interest.

**Funding** CL is funded by the CRMI-Oxford Technology Centre Studentship. CLHH is supported by the SENS Research Foundation & Centre for Advancement of Sustainable Medicines (SRF-CASMI) Alliance to CLHH. EM is supported by the Sir David Cooksey Fellowship at the University of Oxford. DB gratefully acknowledges personal funding from the Oxford National Institute for Health Research Biomedical Research Centre (BRC). DB is additionally supported by the Saïd Foundation and the SENS Research Foundation.

**Competing interests** None declared.

**Patient consent for publication** Not required.

**Provenance and peer review** Not commissioned; externally peer reviewed.

**Open access** This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

### REFERENCES

1. Kalos M, Levine BL, Porter DL, *et al*. T cells with chimeric antigen receptors have potent antitumor effects and can establish memory in patients with advanced leukemia. *Sci Transl Med* 2011;3:95ra73.
2. Porter DL, Levine BL, Kalos M, *et al*. Chimeric antigen receptor-modified T cells in chronic lymphoid leukemia. *N Engl J Med* 2011;365:725–33.
3. Novartis. Novartis receives first ever FDA approval for a CAR-T cell therapy, Kymriah(TM) (CTL019), for children and young adults with B-cell ALL that is refractory or has relapsed at least twice | Novartis. 2017. Available at <https://www.novartis.com/news/media-releases/novartis-receives-first-ever-fda-approval-car-t-cell-therapy-kymriah-tm-ctl019> (Accessed 2 Apr 2018).
4. Gilead. Kite's Yescarta™ (Axicabtagene Ciloleucel) Becomes First CAR T Therapy Approved by the FDA for the Treatment of Adult Patients With Relapsed or Refractory Large B-Cell Lymphoma After Two or More Lines of Systemic Therapy. 2017:1–6.

5. Dodson BP, Levine AD. Challenges in the translation and commercialization of cell therapies. *BMC Biotechnol* 2015;15:70.
6. Liu B, Song Y, Liu D. Clinical trials of CAR-T cells in China. *J Hematol Oncol* 2017;10:1–10.
7. Pettitt D, Arshad Z, Smith J, et al. CAR-T Cells: A Systematic Review and Mixed Methods Analysis of the Clinical Trial Landscape. *Mol Ther* 2018;26:342–53.
8. Hartmann J, Schüßler-Lenz M, Bondanza A, et al. Clinical development of CAR T cells—challenges and opportunities in translating innovative treatment concepts. *EMBO Mol. Med* 2017;9:e201607485.
9. Mcguirk J, et al. Building blocks for institutional preparation of CTL019 delivery. 2017.
10. Zheng PP, Kros JM, Li J. Approved CAR T cell therapies: ice bucket challenges on glaring safety risks and long-term impacts. *Drug Discov Today* 2018;23.
11. Davies BM, Smith J, Rikabi S, et al. A quantitative, multi-national and multi-stakeholder assessment of barriers to the adoption of cell therapies. *J Tissue Eng* 2017;8:204173141772441.
12. Vormittag P, Gunn R, Ghorashian S. & Veraitch, F. S. A guide to manufacturing CAR T cell therapies. *Curr. Opin. Biotechnol* 2018;53:164–81.
13. Levine BL, Miskin J, Wonnacott K, et al. Global Manufacturing of CAR T Cell Therapy. *Mol Ther Methods Clin Dev* 2017;4:92–101.
14. Kaiser AD, Assenmacher M, Schröder B, et al. Towards a commercial process for the manufacture of genetically modified T cells for therapy. *Cancer Gene Ther* 2015;22:72–8.
15. Brindley DA, Davie NL, Culme-Seymour EJ, et al. Peak serum: implications of serum supply for cell therapy manufacturing. *Regen Med* 2012;7:7–13.
16. MacRae M. Virus Shortage for Cell Therapies Creates Engineering Opp. 2018. Available at <https://aabme.asme.org/posts/virus-shortage-for-cell-therapies-creates-engineering-opportunity> (Accessed 2 Apr 2018).
17. Bubela T, Bonter K, Lachance S, et al. More Haste, Less Speed: Could Public-Private Partnerships Advance Cellular Immunotherapies? *Front Med* 2017;4:134.
18. Vieira GE, Lemos R. Understanding supply chain robustness. *2009 IEEE/INFORMS Int Conf Serv Oper Logist Informatics, SOLI* 2009:157–62.
19. Liberati A, Altman DG, Tetzlaff J, et al. The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate health care interventions: explanation and elaboration. *PLoS Med* 2009;6.
20. Lipsitz YY, Milligan WD, Fitzpatrick I, et al. A roadmap for cost-of-goods planning to guide economic production of cell therapy products. *Cytotherapy* 2017;19.
21. Higgins JP, Altman DG, Gøtzsche PC, et al. The Cochrane Collaboration's tool for assessing risk of bias in randomised trials. *BMJ* 2011;343:d5928.
22. Critical Appraisal Skills Program. CASP Systematic Review Checklist. (2018).
23. Tyndall J. AACODS Checklist. 2010.
24. Lowdell MW, Thomas A. The expanding role of the clinical haematologist in the new world of advanced therapy medicinal products. *Br J Haematol* 2017;176:9–15.
25. Malik NN, Durdy MB. Commercialisation of CAR T-cell therapies: business model spectrum. *Drug Discov Today* 2017;22:1–4.
26. Williams DJ, Archer R, Archibald P, et al. Comparability: manufacturing, characterization and controls, report of a UK Regenerative Medicine Platform Pluripotent Stem Cell Platform Workshop, Trinity Hall, Cambridge, 14–15 September 2015. *Regen Med* 2016;11:483–92.
27. Harrison RP, Ruck S, Medcalf N, et al. Decentralized manufacturing of cell and gene therapies: Overcoming challenges and identifying opportunities. *Cytotherapy* 2017;19:1140–51.
28. Medcalf N. Centralized or decentralized manufacturing ? Key business model considerations for cell therapies. *Cell Gene Ther. Insights* 2016;2:95–109.