



Cite this: *RSC Adv.*, 2018, 8, 21644

Preparation of MoS₂-based polydopamine-modified core-shell nanocomposites with elevated adsorption performances

Shuxin Sun,^{ab} Tifeng Jiao,^{ID} *^{ab} Ruirui Xing,^{bc} Jinghong Li,^b Jingxin Zhou,^b Lexin Zhang^{*b} and Qiuming Peng^a

New molybdenum disulfide (MoS₂)-based core-shell nanocomposite materials were successfully prepared through the self-assembly of mussel-inspired chemistry. Characterization by Fourier transform infrared, thermogravimetric analysis, scanning electron microscope and transmission electron microscopy revealed that the surface of the flaked MoS₂ was homogeneously coated with a thin layer of polydopamine (PDA). Dye adsorption performances of the synthesized MoS₂-PDA nanocomposites were investigated at different pH values and reaction times. Compared with pure MoS₂ nanosheets, the obtained core-shell nanocomposites showed elevated adsorption performances and high stability, indicating their potential applications in wastewater treatment and composite materials.

Received 6th April 2018
Accepted 4th June 2018

DOI: 10.1039/c8ra02964d

rsc.li/rsc-advances

1. Introduction

Over the past several decades, graphene has been attracting a great deal of attention due to the unusual properties associated with its ultrathin structure.¹⁻⁷ Among other two-dimensional layer materials,⁸⁻¹¹ molybdenum disulfide (MoS₂) is one of the most attractive and has a similar structure to graphite.¹²⁻¹⁶ MoS₂ has a sandwich structure consisting of two layers of sulfur atoms and a middle layer of molybdenum atoms, which are bonded by van der Waals forces.¹⁷⁻²⁰ MoS₂ nanosheets have many excellent physical and chemical properties, and demonstrate important applications in sensors,²¹⁻²⁴ optoelectronic devices,^{25,26} catalysis^{27,28} and other fields.²⁹ In addition, MoS₂ nanocomposites have attracted wide study in the field of polymer nanocomposites.³⁰⁻³³ For example, Li *et al.* investigated polyethylene glycol (PEG)-modified MoS₂ surfaces,³⁴ and the obtained products showed good removal efficiency toward some dyes.

In recent years, mussel-inspired chemistry has become a hot research topic in materials science, chemistry and other fields.³⁵⁻³⁷ In the marine environment, mussels can secrete proteins through their feet, which have excellent adhesion and good biocompatibility. Dopamine, as an imitation mussel-protein material, has strong adhesion properties through

a complex self-assembly process to form a polydopamine (PDA) coating with various functions.³⁸ The formed PDA layer can be used to modify the surface of inorganic and organic materials, so it demonstrates wide prospects for application in the fields of separation membranes, adsorbent materials, biomedical materials, biological binders and so on.³⁹⁻⁴² Now core-shell materials have shown great potential applications in biology, electricity, catalysis and so on.⁴³⁻⁴⁶ For example, Zhao *et al.* synthesized core-shell diamond-based nanocomposites, exhibiting high activity and high catalytic performance.⁴⁷ Although the catalytic performance of prepared composite materials may seem ideal, there are still some deficiencies, such as high cost and harsh operating conditions. Thus, mussel-inspired chemistry has the advantages of mild reaction conditions, a wide range of applications and diverse functions, *etc.* On the other hand, core-shell nanocomposites have unique structural characteristics, integrating the properties of both internal and external materials.

In this work, we used PDA to modify the surface of MoS₂ nanosheets to synthesize core-shell nanocomposites. The as-prepared composites were characterized by a series of morphological and spectral characterization techniques. The results showed that we had successfully prepared MoS₂-PDA polymeric materials. The obtained MoS₂-PDA composites were used as adsorbents for the removal of methylene blue and Safranin T, and they showed enhanced adsorption ability.

2. Materials and methods

2.1 Materials

Molybdenum disulfide (MoS₂, 99.9%) nanosheets were obtained from Huajing Powdery Material Science and

^aState Key Laboratory of Metastable Materials Science and Technology, Yanshan University, Qinhuangdao 066004, China. E-mail: tfjiao@ysu.edu.cn

^bHebei Key Laboratory of Applied Chemistry, School of Environmental and Chemical Engineering, Yanshan University, Qinhuangdao 066004, China. E-mail: zhanglexin@ysu.edu.cn

^cState Key Laboratory of Biochemical Engineering, Institute of Process Engineering, Chinese Academy of Sciences, Beijing 100190, P. R. China



Technological Co., Ltd. (Hunan, China). Hydroxyphenethylamine hydrochloride (dopamine, 98%) and tris(hydroxymethyl)aminomethane hydrochloride (Tris-HCl, 99%) were purchased from Aladdin Chemicals and Alfa Aesar Chemicals (Shanghai, China). Methylene blue (MB) and Safranin T (ST) were obtained from Tianjin KaiTong Chemical Reagent and Sinopharm Chemical Reagent Co., Ltd. without further purification. Deionized (DI) water was used to prepare aqueous solutions in all experiments.

2.2 Fabrication of the MoS₂-PDA nanocomposites

The synthesis of core-shell MoS₂-PDA nanocomposite was undertaken according to the method given in previous literature.⁴⁸ Briefly, 300 mg of MoS₂ nanosheets were first dispersed in 100 mL of Tris buffer (10 mM, pH = 8.5) with sonication for 10 minutes, and then 200 mg of dopamine was added to the above solution with stirring. After stirring at room temperature in the dark for 12 h, 24 h, and 48 h, the obtained composite products were washed several times with water and ethanol, respectively, then centrifuged at 6000 rpm for 10 min. Finally, the products were freeze-dried for 2–3 days for the next experiments.

2.3 Adsorption performance test

In order to investigate the dye adsorption performances of MoS₂ nanosheets and MoS₂-PDA nanocomposites, we selected MB and ST as model dyes to complete the experiment. 10 mg of MoS₂ nanosheets and 10 mg of the prepared MoS₂-PDA nanocomposites were added to 100 mL of MB solution (8 mg L⁻¹) and ST solution (30 mg L⁻¹), respectively. After different adsorption time intervals, the samples were centrifuged and the supernatant analyzed by a UV-Vis spectrophotometer (664 nm for MB; 530 nm for ST). In addition, we also studied the effect of MoS₂ and MoS₂-PDA on MB adsorption with different initial solution pH values. The pH of the initial solution was adjusted to values of 2–11 by adding diluted aqueous HCl solution or NaOH solution.²⁰ All experiments were carried out at room temperature under dark conditions. The amount of adsorbed dye per unit mass of adsorbent q_t (mg g⁻¹) at time t (min) is calculated from the following formula:

$$q_t = \frac{(C_0 - C_t)V}{m} \quad (1)$$

where C_0 is the initial concentration of the adsorption solution (mg L⁻¹), C_t is the concentration of the adsorption solution at time t (mg L⁻¹), m is the total MoS₂ sample added (g), and V is the volume of the adsorption solution (L).

2.4 Characterization

The microstructures of the samples were obtained using a field-emission scanning electron microscope (SEM) (S-4800II, Hitachi, Japan) equipped with an energy dispersive X-ray spectroscope (EDS) and a transmission electron microscope (TEM) (HT7700, Hitachi High-Technologies Corporation, Japan) with an accelerating voltage of 20 kV. Thermogravimetric analysis (TGA) was performed by a NETZSCH STA 409 PC Luxx

simultaneous thermal analyzer (Netzsch Instruments Manufacturing Co, Ltd, Germany). BET measurements (NOVA 4200-P, US) were taken to characterize the specific surface areas and pore diameter distribution. Fourier transform infrared (FTIR) spectra were accomplished on a Thermo Nexus 470 FT-IR spectrometer (KBr disk). X-ray photoelectron spectroscopy (XPS) was performed using a Bragg diffraction setup (SMART LAB, Rigaku, Japan) with an Al K α X-ray source. The adsorption experiments were monitored using a Shimadzu UV2550 spectrophotometer. All experimental processes were undertaken in a beaker under dark conditions. The synthesized composite materials were completely dewatered using an FD-1C-50 freeze dryer (Beijing Boli Experimental Instruments Co., Ltd., China). All aqueous solutions were prepared with water purified in a double-stage Millipore Milli-Q Plus purification system.

3. Results and discussion

3.1 Characterization of nanocomposites

Firstly, Fig. 1 shows the entire experimental process, including the preparation of MoS₂-PDA and the adsorption experiments of the obtained nanocomposites. First, MoS₂-PDA nanocomposites were obtained by modification of MoS₂ nanosheets with a PDA layer in Tris buffer solution and dried by centrifugation. Then two model dyes (MB and ST) were used to evaluate the adsorption capacity of the prepared composite materials.

The nanostructures of the obtained materials were investigated by SEM and TEM, as shown in Fig. 2. Obviously, compared with the original MoS₂ (Fig. 2a), with an increase in modification time, the layer thickness of PDA coated on the MoS₂ surface increased and showed a tendency to aggregate together, as shown in Fig. 2b–d. In addition, Fig. 2e represents the TEM image of the MoS₂-PDA composite with a modification time of 48 h, which was named MoS₂-PDA-48. In the TEM image, it was obvious that the outer edge of the MoS₂ nanosheets demonstrated some ultra-thin layer structures, which indicated that the PDA layer had been successfully anchored on the surface of the MoS₂ nanosheets. Moreover, the typical XRD pattern of MoS₂ (the inset image of Fig. 2a) and the EDX pattern of MoS₂-PDA-48 (Fig. 2f) also provided obvious characteristics and suggested the above speculations.

In addition, the thermal stability of MoS₂ and the obtained MoS₂-PDA composites were characterized and are shown in Fig. 3. According to the TG curves, MoS₂ showed a low mass loss




Fig. 1 Schematic illustration of the fabrication of MoS₂-PDA composites by mussel-inspired chemistry.




Fig. 2 SEM and TEM images of as-prepared materials: (a) SEM image and inserted XRD data of MoS₂; (b–d) SEM images of core–shell MoS₂–PDA composites after different modification times (12, 24, and 48 h); (e) and (f) TEM image and EDX spectra of MoS₂–PDA-48.




Fig. 3 TG curves of MoS₂ nanosheets and the obtained MoS₂–PDA nanocomposites.




Fig. 4 (a) Adsorption–desorption isotherms and (b) pore size distribution of MoS₂ and the MoS₂–PDA-48 nanocomposite.

Table 1 Physical data of MoS₂ and the MoS₂–PDA-48 nanocomposite

Sample	Specific surface area (m ² g ⁻¹)	Average pore diameter (nm)	Pore volume (cm ³ g ⁻¹)
MoS ₂	25.83	19.62	0.127
MoS ₂ –PDA-48	30.57	22.84	0.175




Fig. 5 IR spectra of MoS₂ and the MoS₂–PDA-48 composite.

(about 7.9%) from room temperature to 600 °C, which indicated good thermal stability. The mass losses of the MoS₂–PDA composites took the values of 15.8%, 17.4%, and 28.6% with different modification times (12 h, 24 h, and 48 h, respectively). The obtained results indicated that the PDA layer had been successfully coated onto the MoS₂ surface and the amount of PDA component in the composites increased with an increase in modification time.

In order to study the microstructure characteristics of MoS₂ and MoS₂–PDA-48, Fig. 4a shows the BET measurements using N₂ adsorption–desorption isotherms. The adsorption–desorption isotherms of both MoS₂ and MoS₂–PDA-48 belonged to type IV isotherms. The hysteresis loop of MoS₂ has an abrupt increase in the amount of adsorption at $P/P_0 = 0.6–0.95$, which





Fig. 6 (a) XPS survey spectra of MoS₂ and MoS₂–PDA-48; high resolution scans of different elements: (b) C 1s; (c) O 1s; (d) N 1s; (e) S 2p; (f) Mo 3d.

Table 2 Elemental contents (%) of MoS₂ and MoS₂-PDA-48 based on XPS analysis

Samples	Mo [at%]	S [at%]	C [at%]	O [at%]	N [at%]
MoS ₂	13.99	27.71	28.94	26.10	3.26
MoS ₂ -PDA-48	3.51	9.11	52.56	27.24	7.58

**Fig. 7** Adsorption kinetics curves of MB (a and b) and ST (c and d) onto MoS₂ nanosheets and prepared MoS₂-PDA nanocomposites with different reaction times.

is characteristic of a mesoporous material. For the MoS₂-PDA-48 nanocomposites, a hysteresis loop could be observed at pressure $P/P_0 = 0.8-0.95$ that indicated a mesoporous structure. The pore size distribution curves were obtained according to the BET method and are shown in Fig. 4b. The pore size distribution of MoS₂-PDA-48 showed a larger mesoporous size of 22.84 nm, compared to 19.62 nm for MoS₂. The data for BET surface area and total pore volume are listed in Table 1. The specific surface area of MoS₂-PDA-48 was calculated to be 30.57

$\text{m}^2 \text{g}^{-1}$, which was much larger than that of MoS₂ (25.83 $\text{m}^2 \text{g}^{-1}$). The higher specific surface area can increase the number of active sites on the surface of the MoS₂-PDA composite and enhance the chances of dye molecules anchoring at active sites, thus making adsorbents with better adsorption properties.

FT-IR spectra of MoS₂ and the MoS₂-PDA-48 composite are demonstrated in Fig. 5. The curve of MoS₂-PDA-48 shows a characteristic band at 3378 cm^{-1} , which could be ascribed to the stretch vibrations of -NH₂, -NH-, and -OH.⁴⁹⁻⁵⁵ The characteristic peak at 1607 cm^{-1} could be deduced as a C=C stretching vibration in the benzene ring. At the same time, the weak peaks around 1285 and 876 cm^{-1} could be assigned to C-OH stretching vibration from the catechol groups and C-O stretching, respectively, which indicate that the surface of MoS₂ was successfully modified by a PDA layer.⁵⁶⁻⁵⁹ In addition, the XPS analysis (Fig. 6) demonstrates the composition of MoS₂ and MoS₂-PDA-48. Fig. 6a demonstrates the characteristic peaks in the curve of the MoS₂-PDA-48 composite, such as Mo (3d), O (1s), C (1s), and N (1s). Additionally, the high resolution XPS spectra are shown in Fig. 6b-f. Compared with pure MoS₂, the relative intensity of C 1s of MoS₂-PDA-48 decreased and the O 1s peak increased significantly (Fig. 6b and c). In the meantime, it was clear that the relative intensity of the N 1s of MoS₂-PDA-48 at 400 eV increased obviously in Fig. 6d. In addition, as shown in Fig. 6e and f, the relative intensity of Mo 3d and S 2p in MoS₂-PDA-48 was significantly reduced compared with the MoS₂ nanosheets, which also indicates that the PDA layer was successfully coated onto the surface of the MoS₂ nanosheets. On the other hand, the relative elemental analysis data based on XPS analysis is shown in Table 2. The atom percentages of Mo and S in the table fell from 13.99% and 27.71% to 3.51% and 9.11%, respectively. At the same time, the atomic percentage of N in MoS₂-PDA-48 accounted for 7.58%, indicating successful PDA modification on the surface of the MoS₂ nanosheets.

3.2 Adsorption performances

In order to study the adsorption properties of the prepared MoS₂-PDA nanocomposites, two model dyes (MB and ST) were

Table 3 Kinetic parameters of the MoS₂ and MoS₂-PDA composites for MB and ST adsorption

MB	Pseudo-first-order model			Pseudo-second-order model		
	q_e (mg g^{-1})	R^2	k_1 (min^{-1})	q_e (mg g^{-1})	R^2	k_2 ($\text{g mg}^{-1} \text{min}^{-1}$)
MoS ₂	6.7309	0.9772	0.0208	8.0567	0.9340	0.0032
MoS ₂ -PDA-12	21.1223	0.9763	0.0181	27.2183	0.8321	6.46×10^{-4}
MoS ₂ -PDA-24	32.5736	0.9753	0.0212	38.2409	0.9372	7.33×10^{-4}
MoS ₂ -PDA-48	46.2684	0.9665	0.0389	54.9451	0.9801	8.84×10^{-4}
Safranin T	Pseudo-first-order model			Pseudo-second-order model		
	q_e (mg g^{-1})	R^2	k_1 (min^{-1})	q_e (mg g^{-1})	R^2	k_2 ($\text{g mg}^{-1} \text{min}^{-1}$)
MoS ₂	10.9608	0.9865	0.0077	13.1268	0.8101	6.52×10^{-4}
MoS ₂ -PDA-12	23.4885	0.9878	0.0251	26.2192	0.9231	5.18×10^{-4}
MoS ₂ -PDA-24	21.0367	0.9714	0.0127	27.7239	0.9845	0.0011
MoS ₂ -PDA-48	36.9899	0.9929	0.0959	38.610	0.9996	0.0063




Fig. 8 The effect of solution pH on MB adsorption by MoS₂-PDA-48 nanocomposites.




Fig. 9 Relative adsorption capacity of MoS₂-PDA-48 nanocomposite towards MB for different consecutive cycles.

used in this research work. The concentrations of residual dyes at different reaction time intervals were monitored at different absorbance wavelengths (664 nm for MB; 530 nm for ST). Fig. 7 shows the results of the adsorption kinetics of MoS₂ nanosheets and MoS₂-PDA nanocomposites for the removal of MB and ST. It can obviously be observed from Fig. 7a and c that the dye adsorption capacities of the MoS₂-PDA nanocomposites

increased markedly compared to pure MoS₂ in the equilibrium state, and the adsorption effect of MoS₂-PDA-48 was the best. The detailed kinetic parameters are shown in Table 3. It should be noted that PDA is a kind of hydrophilic and adhesive material. After PDA anchored onto the surface of the MoS₂ nanosheets, the core-shell nanostructures formed demonstrated a porous surface with a number of enhanced active sites to improve the adsorption performance of the composites.

In addition, the adsorption kinetic process can be described by classical kinetic models as follows:

The pseudo-first-order model can be represented by eqn (2):

$$\log(q_e - q_t) = \log q_e - \frac{k}{2.303} t \quad (2)$$

The pseudo-second-order model can be represented by eqn (3):

$$\frac{t}{q_t} = \frac{1}{kq_e^2} + \frac{t}{q_e} \quad (3)$$

where q_e is the equilibrium adsorption capacity, mg g⁻¹; q_t is the adsorption capacity at time t , mg g⁻¹; the k_1 and k_2 values are the kinetic rate constants. Kinetic results (Table 3) could be better characterized by a pseudo-first-order model with a correlation coefficient ($R^2 > 0.9665$) or a pseudo-second-order model with a correlation coefficient ($R^2 > 0.8101$). Comparing the above adsorption data, it could easily be observed that MoS₂-PDA-48 showed the best adsorption capacity, which could be related to the rich functional groups on the surface of PDA. And the ability to remove MB seemed higher than that for ST. In addition, the gradual increase in the maximum adsorption indicated that the experimental method used in this study is feasible.

Fig. 8 shows the effect of solution pH on the adsorption of MB to MoS₂-PDA-48. It can be seen that as the pH of the solution increased from 2 to 11, the adsorption capacity showed an increasing trend from 36.02 mg g⁻¹ to 55.32 mg g⁻¹. However, this process varied with different pH values. This difference can be presumed to be a result of the protonation of the functional groups on the nanocomposite surface as well as the π - π stacking and electrostatic interactions with the MB molecules.⁶⁰ In addition, in order to demonstrate the reuse of the obtained composites, 10 consecutive cycles were repeated using the same MoS₂-PDA-48 nanocomposite and fresh MB solution (Fig. 9). This showed that the adsorption capacity of the MoS₂-PDA-48 nanocomposite still retained a removal rate of 87.4% towards

Table 4 Comparison of MB adsorption capacities in the reported literature

Materials	Q _{max} (mg g ⁻¹)	Characteristics	Ref.
Carbon nanotubes	35	Simple process, environmentally friendly	61
GO/Fe ₃ O ₄ nanohybrids	32	Poor stability	62
PDA microspheres	90.7	High-efficiency, large adsorption capacity	63
Fe ₃ O ₄ @MnO ₂ core-shell nanocomposite	9.71	Weak adsorption capacity	64
PVDF/PDA membranes	172.3	Good regeneration ability	65
Fe ₃ O ₄ @graphene	45.27	Weak adsorption capacity	66
MoS ₂ -PDA	46.3	Eco-friendly preparation, good stability	This work

MB and reached 40.45 mg g^{-1} . Moreover, Table 4 lists the MB adsorptions of the relevant materials reported in the literature.^{61–66} In contrast, the present prepared MoS₂-PDA composite materials showed a larger adsorption capacity and eco-friendly preparation process, demonstrating wide application in wastewater treatment and self-assembled core-shell composite materials.

4. Conclusions

In summary, we have synthesized core-shell MoS₂-PDA nanocomposites simply by using mussel-inspired chemistry. A series of characterization techniques demonstrated that the PDA was successfully coated onto the surface of the MoS₂ nanosheets. The prepared MoS₂-PDA composites showed effective removal capacities towards two model dyes. The adsorption process was illustrated by pseudo-first-order and pseudo-second-order kinetic models. The present research work is expected to show potential applications in wastewater treatment and self-assembled core-shell composite materials.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

We greatly appreciate the financial supports of National Natural Science Foundation of China (No. 21473153 and 51771162), Support Program for the Top Young Talents of Hebei Province, China Postdoctoral Science Foundation (No. 2015M580214), Research Program of the College Science & Technology of Hebei Province (No. ZD2018091), and Scientific and Technological Research and Development Program of Qinhuangdao City (No. 201701B004).

Notes and references

- 1 A. K. Geim and K. S. Novoselov, *Nat. Mater.*, 2007, **6**, 183.
- 2 K. S. Novoselov, A. K. Geim, S. V. Morozov, D. Jiang, M. I. Katsnelson and I. V. Grigorieva, *Nature*, 2005, **438**, 197.
- 3 L. Yan, Y. B. Zheng, F. Zhao, S. Li, X. Gao, B. Xu, P. S. Weiss and Y. Zhao, *Chem. Soc. Rev.*, 2012, **41**, 97–114.
- 4 B. K. Kim, *EXPRESS Polym. Lett.*, 2012, **6**, 772.
- 5 B. H. Nguyen and V. H. Nguyen, *Adv. Nat. Sci.: Nanosci. Nanotechnol.*, 2016, **7**, 023002.
- 6 S. P. Lonkar, Y. S. Deshmukh and A. A. Abdala, *Nano Res.*, 2015, **8**, 1039–1074.
- 7 F. Perreault, D. F. A. Fonfeca and M. Elimelech, *Chem. Soc. Rev.*, 2015, **44**, 5861–5896.
- 8 J. H. Yu, H. R. Lee, S. S. Hong, D. Kong, H. W. Lee, H. Wang, F. Xiong, S. Wang and Y. Cui, *Nano Lett.*, 2015, **15**, 1031–1035.
- 9 V. W. Brar, A. R. Koltonow and J. Huang, *ACS Photonics*, 2017, **4**, 407–411.
- 10 M. K. Jana and C. N. R. Rao, *Philos. Trans. R. Soc., A*, 2016, **374**, 20150318.
- 11 M. Xu, T. Liang, M. Shi and H. Chen, *Chem. Rev.*, 2013, **113**, 3766–3798.
- 12 M. A. Lukowski, A. S. Daniel, F. Meng, A. Forticaux, L. Li and S. Jin, *J. Am. Chem. Soc.*, 2013, **135**, 10274–10277.
- 13 K. Kaasbjerg, K. S. Thygesen and K. W. Jacobsen, *Phys. Rev. B*, 2012, **85**, 115317.
- 14 G. Eda, T. Fujita, H. Yamaguchi, D. Voiry, M. Chen and M. Chhowalla, *ACS Nano*, 2012, **6**, 7311–7317.
- 15 D. Lembke, S. Bertolazzi and A. Kis, *Acc. Chem. Res.*, 2015, **48**, 100–110.
- 16 L. Zhou, B. He, Y. Yang and Y. He, *RSC Adv.*, 2014, **4**, 32570–32578.
- 17 G. Eda, H. Yamaguchi, D. Voiry, T. Fujita, M. Chen and M. Chhowalla, *Nano Lett.*, 2011, **11**, 5111–5116.
- 18 H. Li, Q. Zhang, C. C. R. Yap, B. K. Tay, T. H. T. Edwin and A. Olivier, *Adv. Funct. Mater.*, 2012, **22**, 1385–1390.
- 19 W. Qiao, S. Yan, X. Song, X. Zhang, X. He and W. Zhong, *Appl. Surf. Sci.*, 2015, **359**, 130–136.
- 20 Q. Huang, M. Liu, J. Chen, Q. Wan, J. Tian and L. Huang, *Appl. Surf. Sci.*, 2017, **419**, 35–44.
- 21 J. Z. Ou, A. F. Chrimes, Y. Wang, S. Tang, M. S. Strano and K. Kalantarzadeh, *Nano Lett.*, 2014, **14**, 857–863.
- 22 F. K. Perkins, A. L. Friedman, E. Cobas, P. M. Campbell, G. G. Jernigan and B. T. Jonker, *Nano Lett.*, 2013, **13**, 668–673.
- 23 C. Zhu, Z. Zeng, H. Li, F. Li, C. Fan and H. Zhang, *J. Am. Chem. Soc.*, 2013, **135**, 5998–6001.
- 24 B. Radisavljevic, A. Radenovic, J. Brivio, V. Giacometti and A. Kis, *Nat. Nanotechnol.*, 2011, **6**, 147.
- 25 A. Splendiani, L. Sun, Y. Zhang, T. Li, J. Kim and C. Y. Chim, *Nano Lett.*, 2010, **10**, 1271–1275.
- 26 D. Lembke, S. Bertolazzi and A. Kis, *Acc. Chem. Res.*, 2015, **48**, 100–110.
- 27 Z. Zhou, Y. Lin, P. Zhang, E. Ashalley, M. Shafa and H. Li, *Mater. Lett.*, 2014, **131**, 122–124.
- 28 X. Man, L. Yu, J. Sun and S. Li, *Funct. Mater. Lett.*, 2016, **9**, 1650065.
- 29 K. Maslana, *Przem. Chem.*, 2017, **96**, 689–691.
- 30 S. K. Kumar and R. Krishnamoorti, *Annu. Rev. Chem. Biomol. Eng.*, 2010, **1**, 37–58.
- 31 R. H. Gonçalves, R. Fiel, M. R. Soares, W. H. Schreiner, C. M. Silva and E. R. Leite, *Chemistry*, 2015, **21**, 15583–15588.
- 32 K. Pramoda, M. Kaur, U. Gupta and C. N. Rao, *Dalton Trans.*, 2016, **45**, 13810–13816.
- 33 X. Wang, W. Xing, X. Feng, L. Song and Y. Hu, *Polym. Rev.*, 2017, **57**, 440–466.
- 34 X. Qiao, F. Hu, D. Hou and D. Li, *Mater. Lett.*, 2016, **169**, 241–245.
- 35 H. Lee, S. M. Dellatore, W. M. Miller and P. B. Messersmith, *Science*, 2007, **318**, 426–430.
- 36 H. C. Yang, J. Luo, Y. Lv, P. Shen and Z. K. Xu, *J. Membr. Sci.*, 2015, **483**, 42–59.
- 37 X. Zhang, M. Liu, Y. Zhang, B. Yang, Y. Ji and L. Feng, *RSC Adv.*, 2012, **2**, 12153–12155.
- 38 H. Lee, N. F. Scherer and P. B. Messersmith, *Proc. Natl. Acad. Sci. U. S. A.*, 2006, **103**, 12999–13003.

- 39 M. Liu, G. Zeng, K. Wang, Q. Wan, L. Tao and X. Zhang, *Nanoscale*, 2016, **8**, 16819–16840.
- 40 Y. Liu, K. Ai and L. Lu, *Chem. Rev.*, 2014, **114**, 5057–5115.
- 41 D. E. Fullenkamp, J. G. Rivera, Y. K. Gong, K. H. Lau, L. He and R. Varshney, *Biomaterials*, 2012, **3**, 3783–3791.
- 42 C. Cheng, S. Nie, S. Li, H. Peng, H. Yang and L. Ma, *J. Mater. Chem. B*, 2013, **1**, 265–275.
- 43 D. Hou, H. Tao, X. Zhu and M. Li, *Appl. Surf. Sci.*, 2017, **419**, 580–585.
- 44 M. L. Wu, Y. Y. Li, R. Yue, X. D. Zhang and Y. M. Huang, *Sci. Rep.*, 2017, **7**, 42773.
- 45 M. Huang, X. L. Zhao, F. Li, W. Li, B. Zhang and Y. X. Zhang, *J. Mater. Chem. A*, 2015, **3**, 12852–12857.
- 46 R. Guo, T. F. Jiao, R. R. Xing, Y. Chen, W. C. Guo, J. X. Zhou, L. X. Zhang and Q. M. Peng, *Nanomaterials*, 2017, **7**, 317.
- 47 X. N. Zhao, T. F. Jiao, R. R. Xing, H. Huang, J. Hu, Y. Qu, J. X. Zhou, L. X. Zhang and Q. M. Peng, *RSC Adv.*, 2017, **7**, 49923–49930.
- 48 G. J. Zeng, M. Y. Liu, X. H. Liu, Q. Huang, D. Z. Xu, L. C. Mao, H. Y. Huang, F. J. Deng, X. Y. Zhang and Y. Wei, *Appl. Surf. Sci.*, 2016, **387**, 399–405.
- 49 R. Guo, T. Jiao, R. Li, Y. Chen, W. Guo, L. Zhang, J. Zhou, Q. Zhang and Q. Peng, *ACS Sustainable Chem. Eng.*, 2018, **6**, 1279–1288.
- 50 J. Zhou, Y. Liu, T. Jiao, R. Xing, Z. Yang, J. Fan, J. Liu, B. Li and Q. Peng, *Colloids Surf., A*, 2018, **538**, 7–13.
- 51 J. Song, R. Xing, T. Jiao, Q. Peng, C. Yuan, H. Möhwald and X. Yan, *ACS Appl. Mater. Interfaces*, 2018, **10**, 2368–2376.
- 52 Y. Liu, C. Hou, T. Jiao, J. Song, X. Zhang, R. Xing, J. Zhou, L. Zhang and Q. Peng, *Nanomaterials*, 2018, **8**, 35.
- 53 S. Huo, P. Duan, T. Jiao, Q. Peng and M. Liu, *Angew. Chem., Int. Ed.*, 2017, **56**, 12174–12178.
- 54 J. Zhou, F. Gao, T. Jiao, R. Xing, L. Zhang, Q. Zhang and Q. Peng, *Colloids Surf., A*, 2018, **545**, 60–67.
- 55 X. Luo, K. Ma, T. Jiao, R. Xing, L. Zhang, J. Zhou and B. Li, *Nanoscale Res. Lett.*, 2017, **12**, 99.
- 56 K. Li, T. Jiao, R. Xing, G. Zou, J. Zhou, L. Zhang and Q. Peng, *Sci. China Mater.*, 2018, **61**, 728–736.
- 57 R. Xing, T. Jiao, Y. Liu, K. Ma, Q. Zou, G. Ma and X. Yan, *Polymers*, 2016, **8**, 181.
- 58 R. Xing, K. Liu, T. Jiao, N. Zhang, K. Ma, R. Zhang, Q. Zou, G. Ma and X. Yan, *Adv. Mater.*, 2016, **28**, 3669–3676.
- 59 Y. Liu, K. Ma, T. Jiao, R. Xing, G. Shen and X. Yan, *Sci. Rep.*, 2017, **7**, 42978.
- 60 R. R. Xing, W. Wang, T. F. Jiao, K. Ma, Q. R. Zhang, W. Hong, H. Qiu, J. X. Zhou, L. X. Zhang and Q. M. Peng, *ACS Sustainable Chem. Eng.*, 2017, **5**, 4948–4956.
- 61 Y. J. Yao, F. F. Xu, M. Chen, Z. X. Xu and Z. W. Zhu, *Bioresour. Technol.*, 2010, **101**, 3040–3046.
- 62 T. F. Jiao, Y. Z. Liu, Y. T. Wu, Q. R. Zhang, X. H. Yan, F. M. Gao, A. J. P. Bauer, J. Z. Liu, T. Y. Zeng and B. B. Li, *Sci. Rep.*, 2015, **5**, 12451.
- 63 J. Fu, Z. Chen, M. Wang, S. Liu, J. Zhang and J. Zhang, *Chem. Eng. J.*, 2015, **259**, 53–61.
- 64 W. Wang, T. F. Jiao, Q. R. Zhang, X. N. Luo, J. Hu, Y. Chen, Q. M. Peng, X. Yan and B. B. Li, *RSC Adv.*, 2015, **5**, 56279–56285.
- 65 F. Ma, N. Zhang, X. Wei, J. Yang, Y. Wang and Z. Zhou, *J. Mater. Chem. A*, 2017, **5**, 14430–14443.
- 66 Y. Yao, S. Miao, S. Liu, L. P. Ma, H. Sun and S. Wang, *Chem. Eng. J.*, 2012, **184**, 326–332.