













BMJ Open Use of implementation science in tobacco control intervention studies in the USA between 2000 and 2020: a scoping review protocol

Rebecca Selove ¹, Sarah Neil-Sztramko ², Jennifer Leng ³, Philip D Walker ⁴, Ramzi George Salloum ⁵, Tamar Ginossar ⁶, Carolyn Heckman ⁷, Taneisha S Scheuermann ⁸, Todd Combs ⁹, Raquel Qualls-Hampton ¹⁰, Rebecca Armstrong ¹¹, Shellie Ellis ⁸

To cite: Selove R, Neil-Sztramko S, Leng J, *et al.* Use of implementation science in tobacco control intervention studies in the USA between 2000 and 2020: a scoping review protocol. *BMJ Open* 2020;**10**:e038617. doi:10.1136/bmjopen-2020-038617

► Prepublication history and additional material for this paper is available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2020-038617>).

Received 17 March 2020
Revised 24 August 2020
Accepted 29 September 2020



© Author(s) (or their employer(s)) 2020. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

For numbered affiliations see end of article.

Correspondence to
Dr Rebecca Selove;
rselove@tnstate.edu

Abstract

Introduction Despite continuing efforts to reduce tobacco use in the USA, decline in smoking rates have stalled and smoking remains a major contributor to preventable death. Implementation science could potentially improve uptake and impact of evidence-based tobacco control interventions; however, no previous studies have systematically examined how implementation science has been used in this field. Our scoping review will describe the use of implementation science in tobacco control in the USA, identify relevant gaps in research and suggest future directions for implementation science application to tobacco control.

Methods and analysis Our team, including a medical research librarian, will conduct a scoping review guided primarily by Arksey and O'Malley's methodology. We will search English language peer-reviewed literature published from 2000 to 31 December 2020 for terms synonymous with 'tobacco use', 'prevention', 'cessation' and 'implementation science'. The databases included in this search are MEDLINE (PubMed), Embase (Ovid), CINAHL (EBSCOhost), PsycINFO (ProQuest), ERIC (ProQuest) and the Cochrane Library (Wiley). We will include cohort and quasi-experimental studies, single-group experiments and randomised trials that report qualitative and/or quantitative data related to applying implementation science to the planning and/or delivery of interventions to prevent or decrease the use of tobacco products. Studies must target potential or active tobacco users, intervention providers such as educators or healthcare professionals, or US policy-makers. A minimum of two reviewers will independently examine each title and abstract for relevance, and each eligible full text for inclusion and analysis. Use of implementation science, demonstrated by explicit reference to implementation frameworks, strategies or outcomes, will be extracted from included studies and summarised.

Ethics and dissemination This study is exempt from ethics board approval. We will document the equity-orientation of included studies with the Preferred Reporting Items for Systematic Reviews and Meta-Analyses-Equity Extension checklist. Results will be submitted for conferences and peer-reviewed journals.

Strengths and limitations of this study

- This scoping review protocol describes the approach to an investigation of the explicit use of implementation science in planning and/or delivering tobacco control interventions in the USA to reduce the prevalence of preventable diseases and deaths.
- This proposed review focuses on databases that are widely used by investigators who could benefit from learning about the application of implementation science in tobacco control research programmes.
- The study is designed to capture a comprehensive range of tobacco control programmes.
- The reviewers developed a logic model depicting the intersection of tobacco control interventions and implementation science to support the relevance of this study for improving population health and reducing tobacco-related health disparities.
- A limitation of the proposed study is that it is restricted to interventions in the USA. Studies that may meet inclusion criteria except for this element will be identified and considered for a later review.

Trial registration number Open Science Framework Registry (6YRK8).

INTRODUCTION

Tobacco use is the leading preventable cause of mortality in the USA and is associated with a wide variety of poor health outcomes and health disparities.¹ Over the past 50 years, researchers and funding agencies have focused on developing and disseminating evidence-based programmes to prevent and reduce tobacco use and exposure to tobacco smoke.² Community-based programmes that coordinated with state and national policies have been identified as most effective for achieving public health goals of reducing tobacco use,² and clinical practice guidelines

have been developed to treat tobacco dependence among current tobacco users.³

Guidance regarding best practices for reducing tobacco use globally and in the USA has been available for decades. The WHO's Framework Convention on Tobacco Control,⁴ and the related MPOWER website,⁵ focus on national policies, including steps that reduce demand for tobacco products and exposure to second-hand smoke, and support cessation. Best practices for addressing tobacco use, provided by Centers for Disease Control and Protection (CDC)² include goals and strategies that are similar to those of the WHO. Similarly, an Institute of Medicine committee report related to smoking cessation in the military⁶ outlined best practices that included establishing tobacco-free spaces and supporting tobacco use cessation.

Although tobacco use in the USA has declined since the first surgeon general's report linking it to lung cancer and other diseases in 1964,¹ the decrease in cigarette use plateaued early in the last decade.⁷ Recent trends show that tobacco product use, including nicotine delivery via cigarette alternatives, is on the rise.⁸ Furthermore, observed declines in tobacco use have occurred disproportionately among populations with more education, better health status, skilled jobs and higher household incomes, increasing disparities in health outcomes.⁹

Lags in effective translation of evidence to practice are common across health-related conditions, and can be addressed by applying best practices in implementation science.¹⁰ Implementation science is the use of scientific methods in studying the uptake and integration of evidence-based interventions into routine practice in non-research environments to improve the quality and benefit of those interventions.^{11 12} This field examines facilitators and barriers to establishing and sustaining evidence-based programmes in particular contexts to achieve specific implementation outcomes.¹³ Implementation science offers enhanced understanding of ways implementation strategies (such as developing a formal plan for implementing an intervention, or providing ongoing consultation to those who deliver the intervention¹⁴) that can be tested and successfully applied in varied contexts to maximise successful intervention outcomes.¹⁵

Implementation science resources include, for example, theoretically informed frameworks and models,^{16 17} implementation strategies¹⁴ and measures of implementation processes and outcomes.^{18 19} The use of implementation science to enhance the impact of tobacco control programmes and policies has been identified as a priority for promoting prevention of tobacco use and cessation in the US population, especially among socioeconomically disadvantaged tobacco users.^{20 21}

Although implementation science is a young field, it has been applied across the cancer continuum.²² However, despite prioritisation of applying implementation science to improve public health, a review of ways in which implementation science has been used to plan and deliver tobacco control programmes and policies has

not been previously published. Rosen *et al*²³ examined 46 systematic reviews of tobacco control-related interventions and noted that variability in implementation quality limits reviewers' ability to interpret intervention effectiveness. A systematic review was conducted of studies that reported implementation strategies for a range of chronic disease prevention interventions, with control groups, and among the three studies that met their inclusion criteria, none focused on tobacco-related interventions.²⁴ A recent scoping review²⁵ described targeted populations and settings for tobacco control interventions, and found cessation interventions were the most common topics of systematic reviews. The authors suggested that the focus on cessation reflects an incomplete approach to tobacco control as recommended by the WHO.⁴ The authors indicated they plan to publish their observations regarding implementation challenges associated with cessation interventions.

A review of studies on smoking cessation interventions noted a failure to increase rates of tobacco cessation despite advances in pharmacotherapy and programmes demonstrated to be effective in research settings.²⁶ The authors noted a lack of conclusive research as to whether this is due to insufficient reach of effective interventions, reduced effectiveness when programmes are translated to community settings or populations of community smokers for whom available interventions are less effective. Surgeon General, David Satcher, described many effective interventions that have been developed for advancing tobacco control and said, 'The challenge to public health professionals, healthcare systems and other partners in our national prevention effort is to implement these proven approaches' (U.S. Department of Health and Human Services,¹ p12). This scoping review was undertaken to identify explicit use of implementation science across a comprehensive range of interventions as described by the WHO and the CDC² to gauge the awareness of this field's potential contributions for improving effective use of tobacco control interventions.

In our preliminary search for published reports of the use of implementation science in planning and delivering tobacco control interventions, we considered projects described in PROSPERO, the Joanna Briggs Institute (JBI) Database of Systematic Reviews and Implementation Reports, and scoping reviews registered in the Center for Open Science. We found no existing or ongoing scoping reviews on the use of implementation science in tobacco control intervention research. The initial search by our medical librarian team member identified approximately 4500 titles, and we noted that a significant number of studies were conducted completely outside of the USA. Studies that describe the explicit use of implementation science tools appeared rarely in the initial samples of articles we reviewed. We opted to consider studies across a comprehensive range of tobacco use interventions because the focus of our review is on the application of implementation science rather than specific types of interventions or goals. Our initial screening suggests




Figure 1 Logic model underlying tobacco control programme implementation scoping review.

that the number of studies that will qualify for inclusion will be manageable for data extraction and meaningful synthesis of the findings.

Describing the ways in which implementation science has been used in tobacco control interventions is essential to gain an understanding of the state of the field regarding the use of frameworks, models and strategies that can further reduce tobacco use rates and inequities. Thus, our goal is to examine peer-reviewed, published reports of tobacco control interventions in the USA to identify the use of implementation science in planning and/or delivering these interventions from 2000 through 31 December 2020. We developed a logic model to depict the rationale for this project, following the recommendations of Anderson *et al*²⁷ (figure 1).

This study will describe the nature of the use of implementation science frameworks and models, implementation strategies and measurement of implementation outcomes in research efforts to prevent tobacco use and second-hand smoke exposure and/or to promote smoking cessation. Results from this scoping review can be used to inform a research agenda for addressing gaps in, and advancing the application of implementation science in tobacco control to achieve greater impact, especially in addressing tobacco-related health disparities.²⁸

Review questions

The primary research question for this scoping review is: How has implementation science been used in planning and delivering tobacco control interventions in the USA from 2000 to 31 December 2020? Our focus will be on ways researchers investigated the use of implementation science to plan and deliver tobacco control interventions. The inclusion criteria listed in table 1 describe specific elements of implementation science that will qualify studies to be examined in this review. The study is designed to address the following questions:

- ▶ What aspects of implementation science (such as use of implementation science frameworks and models, implementation strategies, and measurement of implementation processes and outcomes) appear explicitly in reports of tobacco control intervention studies?
- ▶ What types of interventions (ie, public health interventions such as classroom-based prevention education, tobacco use policies and electronic prompts for providers, as well as programmes that target individuals and families such as group counselling and text messages to support smoking cessation) are associated with explicit use of implementation science?
- ▶ What intervention goals (as described in table 2) are associated with the use of implementation science?
- ▶ Given the kinds of interventions that the proposed study identifies that have been planned and delivered with the benefit of implementation science, where are there gaps in implementation research? Specifically, in considering the dimensions of comprehensive tobacco control offered by the WHO⁴ and the CDC,² are there kinds of interventions that less frequently used implementation science tools in planning and/or delivery, where less is known about how implementation factors affected behavioural and clinical outcomes?
- ▶ Have the number of peer-reviewed published studies explicitly using implementation science changed over the past 19 years?

METHODS

The process for this scoping review will follow the guidance provided in Arksey and O'Malley's²⁹ seminal paper, as well as the JBI^{30 31} and other expert recommendations.³² The steps are: (1) identify a research question; (2) identify relevant published studies; (3) select studies that will be included in the scoping review, using clearly

Table 1 Criteria for review of full texts for inclusion in study

Inclusion	Exclusion
<ul style="list-style-type: none"> ▶ Article was published between 2000 and 31 December 2020. ▶ Study was conducted inside of USA (may include other countries as well, as long as USA is named also). ▶ The implementation of a tobacco control intervention or programme was studied. <ol style="list-style-type: none"> 1. Implementation science was explicitly used. The authors described planned actions to promote human behaviour change in order to integrate tobacco control interventions into educational, community or clinical settings, 2. considered organisational constraints and facilitators that could affect uptake and delivery of the intervention, and 3. collected data regarding the processes and/or outcomes of their planned actions. 4. Data related to implementation science questions were collected and analysed. <p>Explicit use is further defined as reference to use of implementation science, knowledge translation or transfer, a specific implementation science framework or model, implementation strategies, assessment of implementation stages or implementation outcomes. Other elements may be included if they emerge in the course of the review.</p>	<ul style="list-style-type: none"> ▶ Completely outside of the USA ▶ Dissertation or thesis ▶ Essay or opinion piece ▶ Study protocol only ▶ Only describes guidelines ▶ Report of a conference presentation ▶ Book ▶ Does not describe implementation of a tobacco control intervention ▶ Analysis of secondary surveillance or cross-sectional data by authors not involved in delivering intervention ▶ No indication that implementation science elements were used

articulated inclusion and exclusion criteria; (4) extract data from each study to address the research questions and (5) summarise and disseminate the results of the data extraction and review process.

Patient and public involvement

No patient involvement was obtained in designing this scoping review protocol.

Search strategy

In consultation with our team's medical research librarian, and following JBI guidelines, a three-step search strategy will be used.³⁰ The first step, an initial pilot search, was performed in MEDLINE (PubMed) in 2017. Second, additional search terms were added on review of the initial results and input from subject experts. The databases to be included in this search are MEDLINE (PubMed), Embase (Ovid), CINAHL (EBSCOhost), PsycINFO (ProQuest), ERIC (ProQuest) and the Cochrane Library (Wiley). All searches are limited to English language and publication dates from 1 January 2000 to 31 December 2020. The MEDLINE (PubMed) search strategy is defined in [box 1](#). Full details for the search strategy are provided in the online supplemental appendix 1.

Study selection

All identified references will be uploaded into Covidence systematic review software (Veritas Health Innovation, Melbourne, Australia). Duplicate citations will be removed using the Covidence software. Each title and abstract will be reviewed for relevance by two of the study authors. At the title and abstract screening phase, studies that will be included must describe a tobacco control intervention

conducted in the USA, and be published between 2000 and 31 December 2020. Conflicts regarding inclusion for full-text review will be resolved by the senior author (RS) and through team discussion where necessary.

During the initial title and abstract screen, relevant systematic reviews will be identified for hand searching. For titles found through hand searches of systematic reviews that are not already in the original data set, the associated abstracts will be reviewed by two of the study authors using the same inclusion and exclusion criteria given in [table 1](#). Full texts will be retrieved for final eligibility screening using the inclusion and exclusion criteria presented below. Each full text will be reviewed for inclusion in the final study by two members of the study team, with conflicts resolved through team discussion. During full-text reviews, members of the study team will hand search for citations of related publications that might provide more complete descriptions of the tobacco control intervention. Titles and abstracts of publication identified by hand searches will be reviewed by two members of the study team as described above.

Inclusion criteria

We will use the population-concept-context framework described by the scoping review guidelines of the JBI³⁰ as one dimension of our inclusion criteria. Based on the variety of tobacco control interventions, we expect that populations represented in included studies will vary. Tobacco control interventions are designed to prevent use, as well as reduce primary and secondary exposure to tobacco. Thus, study populations can include non-smokers, combustible tobacco and smokeless tobacco

Table 2 Tobacco control programmes/interventions: goals, target audience and components

Programme/intervention components at two levels	Programme goals				
	Promote tobacco-free culture	Prevent initiation	Eliminate second-hand smoke exposure	Increase tobacco cessation	Eliminate disparities in tobacco use treatment
Public health interventions: society (government and industry); community (eg, healthcare providers, schools and educators, housing complexes and workplaces/retailers)					
Policy interventions	PH1	PH2	PH3	PH4	PH5
<ul style="list-style-type: none"> ▶ Tobacco use restrictions such as bans in restaurants, work places, parks and cars with child passengers ▶ Multiuse housing bans 					
Communication interventions	PH6	PH7	PH8	PH9	PH10
Mass media campaigns: Harms of tobacco use, Availability of state QuitLine counselling, <ul style="list-style-type: none"> ▶ Self-help programmes on radio, TV, web, blogs, billboards and leaflets Promoting access to tobacco cessation medications Education in schools, workplaces and public spaces					
Provider/teacher education	PH11	PH12	PH13	PH14	PH15
Training for physician, nurse, pharmacist, dentist and teacher Electronic/written prompts to check tobacco use status					
Tobacco screening/other intervention guideline	PH16	PH17	PH18	PH19	PH20
Individual interventions: family, individual adults, children and youth					
Communication interventions	I21	I22	I23	I24	I25
Text messages for quitting Web-based media literacy education					
Behavioural therapies and medication	I26	I27	I28	I29	I30
Brief advice from healthcare provider-3 or 5 A's Provider referral to QuitLine Multisession QuitLine counselling Face-to-face group and individual counselling Food and drug administration-approved medications and NRT App and web-based programmes					
Cessation programmes for special populations	I31	I32	I33	I34	I35
Homeless people, smokers with mental health and/or substance use disorders, cancer survivors, ethnic minorities and pregnant women					

NRT, nicotine replacement therapy.

users, and individuals exposed to second-hand smoke. These populations include persons of all races and ethnicities, and range in age from infants to older adults.^{9 33} Targets of tobacco control interventions include pregnant women, school children, parents, healthcare providers, smoking cessation counsellors, teachers, public health workers, policy makers, media stakeholders and proprietors of establishments that sell tobacco products

or regulate exposure to tobacco smoke. With regard to contexts, tobacco control interventions are delivered in a wide variety of settings, including healthcare providers' offices, hospitals, classrooms, daycare centres, after-school programmes, community centres, faith communities and more. Because of this diversity, we will not exclude studies based on participant characteristics or programme settings.

Box 1 Search strategy for MEDLINE (PubMed)

("Tobacco Products"(MeSH) OR "Tobacco Use"(MeSH) OR "Tobacco Smoke Pollution" (MeSH) OR "Smoking"(MeSH) OR tobacco (tiab) OR tobacco use (tiab) OR smoking (tiab) OR second handsecondhand smoke exposure (tiab) OR second handsecondhand smoke (tiab) OR tobacco use initiation (tiab) OR smoking initiation (tiab) OR "Tobacco Use Cessation"(MeSH) OR tobacco control (tw) OR "smoking cessation" (MeSH Terms) OR smoking cessation (tw)) AND ("Smoking Prevention"(MeSH) OR smoking prevention (tw) OR "Health Promotion" (MeSH) OR health promotion (tw) OR "Health Education" (MeSH) OR health education (tw) OR programprogramme (tw) OR programsprogrammes (tw) OR intervention (tw) OR interventions (tw) OR "Policy" (MeSH) OR "Smoke-Free Policy" (MeSH) OR "Social Control Policies" (MeSH) OR "Organizational Organisational Policy" (MeSH) OR "Public Policy" (MeSH) OR policy (tw) OR policies (tw) OR public policy (tw) OR health policy (tw)) AND (implementation science (tw) OR implementation(tw) OR "diffusion of innovation" (MeSH Terms) OR implementation frameworks (tw) OR implementation models (tw) OR implementation study (tw) OR translational research (tw) OR "translational medical research" (MeSH Terms) OR knowledge translation (tw)) AND (Clinical Trial (ptyp) OR Comparative Study (ptyp) OR Controlled Clinical Trial (ptyp) OR Evaluation Studies (ptyp) OR Observational Study (ptyp) OR RandomizedRandomised Controlled Trial (ptyp) OR "Qualitative Research" (MeSH) OR "Prospective Studies" (Mesh) OR "Cohort Studies" (MeSH) OR Meta-Analysis (ptyp) OR systematic (sb) OR evaluation studies (ptyp) OR evaluation studies (tw) OR clinical trial (tw) OR comparative study (tw) OR observational study (tw) OR qualitative research (tw) OR "programprogramme evaluation" (MeSH Terms) OR programprogramme evaluation (tw) OR hybrid design (tw) OR experimental (tw) OR mixed methods study (tw)) AND ("2000/01/01" (PDAT) : "2020/12/31" (PDAT)) AND English (lang)

This study will examine the intersection of two key concepts: tobacco control programmes and implementation science. For this study, tobacco control programmes or interventions are defined as activities that aim to achieve one or more of the following goals: (1) promote tobacco-free culture; (2) prevent initiation of tobacco use; (3) eliminate second-hand smoke exposure; (4) increase tobacco cessation; or (5) eliminate disparities in tobacco use treatment.^{4 6 34} Examples of such interventions include, but are not limited to, public health interventions (eg, taxation, mass media campaigns, tobacco use restrictions or policies relevant to tobacco retail environments) or individual-level interventions (eg, healthcare provider training, tailored communication interventions, pharmacotherapy or structured counselling).² We drew from the CDC's best practices for tobacco control,² the WHO's Framework Convention on Tobacco Control⁴ and the related MPOWER website,⁵ and an Institute of Medicine committee report related to smoking cessation in the military,⁶ to develop a matrix of tobacco control interventions presented in [table 2](#). We will use this matrix to categorise reports of interventions to address Objective 3, and will compare our results to those of Halas *et al*²⁵ who found that tobacco use cessation was the most common goal of studies they examined.

The inclusion criteria for use of implementation science were developed by reviewing seminal writings in the field, for example,^{10 13 14 17} and operational definitions reported in a scoping review of implementation science associated with nursing interventions in German-speaking countries.³⁵ We also asked five leading scholars in the implementation science field how they would determine if a study should be included in this scoping review. This led to identification of three broad elements for determining that implementation science was used: investigators (1) described planned actions to promote human behaviour change in order to integrate evidence-based tobacco control interventions into educational, community or clinical settings, (2) considered organisational constraints and facilitators that could affect uptake and delivery of the intervention, and (3) collected data regarding the processes and/or outcomes of their planned actions.

To address research question 1 (What aspects of implementation science appear in the studies?), the multidisciplinary scoping review team reviewed a sample of articles that would be considered for the scoping review, and identified two categories of implementation science use: tier 1 and tier 2. Tier 1 studies include elements that are explicitly labelled as implementation science, such as: use of a specific implementation science framework such as the Interactive Systems Framework,³⁶ or an implementation toolkit^{37 38} for planning adoption of an intervention; use of specific implementation strategies^{14 39} for enhancing delivery of an intervention; measuring stages of implementation^{40 41} during the process of delivering an intervention; or measurement of implementation outcomes as articulated by Proctor *et al*¹³ as part of evaluating an intervention.

Implementation outcomes of interest include, but are not limited to, rates of intervention adoption, acceptability to patients, feasibility, appropriateness, costs, fidelity, penetration and sustainability;¹³ or broader service outcomes assessing processes of care such as safety, timeliness, efficiency, effectiveness, equity or patient-centeredness.^{13 42} Provider acceptability, self-efficacy for delivering an intervention as well as satisfaction with outcomes of an intervention will also be considered as aspects of implementation science, among variables that may be associated with implementation outcomes⁴³ as listed previously. Multiple definitions and terminologies are used globally to convey the use of science to translate evidence-based research into practice,^{44 45} for example, knowledge translation and translation of research into practice, and investigators may use these terms to refer to such planned activities.^{38 46}

We anticipate that we will find peer-reviewed articles indicating that investigators assessed implementation facilitators and barriers,⁴³ such as attitudes of key stakeholders toward a proposed intervention, organisational capacity for accommodating a new intervention, or community readiness to adopt and implement a tobacco-related policy, without explicitly describing their work as

implementation science. We will tag these tier 2 articles for a separate review.

This review will include studies published between 2000 and 31 December 2020. We chose the year 2000 as it represents the beginning of ‘preparation’⁴⁷ for application of the resources of the emerging field, and the early stage of an era when implementation research and implementation science began expanding as a focus in the peer-reviewed literature.^{48 49} We will limit our review to studies conducted in the USA because policies, laws, regulations (eg, on advertising) and cultural norms related to tobacco vary widely across countries and regions of the world. This inclusion criteria reduces the heterogeneity of contextual factors, which are prime considerations for implementation science,⁴⁹ and enhances the feasibility of our undertaking. Studies conducted only outside the USA that may meet all other criteria for this scoping review will be identified for a future project.

Qualitative and quantitative empirical studies published in peer-reviewed journals will be eligible for inclusion. Study designs may include prospective cohort studies, natural experiments, quasi-experimental studies, single-group experiments and/or randomised controlled trials. Studies will be eligible if they report on primary data collection related to the process of implementing an intervention, whether or not they report evaluation of the effectiveness of the intervention. Dissertations, theses, reports of conference presentations, letters, guidelines, grey literature and books will be excluded, as we are limiting the review to publications that are more readily accessible to the broader scientific and practitioner community. As we are interested in articles in which use of implementation science is readily apparent to researchers and practitioners, we will not seek additional information from authors to investigate use of implementation science that is not reported in their published work.

Assessment of methodological quality

The purpose of this review is to identify how implementation science has been used across a wide range of study designs in tobacco control research. We do not plan to assess the methodological quality of the interventions themselves or provide a summary of what kind of interventions are effective. We plan to describe findings regarding the explicit application of implementation science including frameworks and models, strategies, assessment and measurement of implementation barriers and facilitators, stages and outcomes. Our critical appraisal will focus on uses and gaps of implementation science in included studies.³⁰

Extraction of results

Once full texts to be included in the scoping review have been identified, two members of the study team will independently extract study characteristics from each one using a structured data extraction form in Covidence. Elements to be extracted include: (a) characteristics of the population targeted by the intervention, including

sex, age, tobacco use status, ethnicities and roles (such as dentists or nurses, pregnant women and policy makers); (b) context in which the intervention is implemented, such as classroom, hospital, multiunit housing and county; (c) specific types and goals of interventions as categorised in [table 2](#), as well as if and how the authors described the evidence-base for the intervention; (d) what aspects of implementation science were used in the design, delivery and/or evaluation of the intervention, such as specific implementation frameworks or models, implementation strategies, or measurement of intervention processes or outcomes; and (e) contributions of implementation science to the study if identified by the study’s authors.

Discrepancies in extracted responses will be resolved through team discussion when necessary. The data extraction process will be trialled by the study team prior to execution to ensure consistency and relevance of fields before proceeding to full data extraction.

Data synthesis

Following data extraction, frequencies of study characteristics will be calculated where possible. In addition, the study team will conduct a narrative synthesis⁵⁰ of characteristics of populations, content and contexts in included studies. The purpose of this analytic approach is to tell a story about use of implementation science in tobacco control research in the USA, including description of patterns that may emerge, such as target audiences, intervention goals or settings associated with implementation science use, as well as the impact of its use. The critical reflection required in this process has the potential for generating hypotheses⁵⁰ regarding evolution of the use of implementation science in this field. A meta-analysis will not be conducted, as this will not be necessary to address the research question.

Potential implications of findings

Preliminary reviews of full text suggest that implementation science has not been used extensively in efforts to prevent and reduce tobacco use in the USA. We anticipate that the results of this scoping review will contribute to the knowledge base of implementation researchers in describing the extent and nature of implementation science application to public health and individual levels of tobacco control ([table 2](#)). This study will also provide investigators who implement tobacco control interventions across the range of goals described by the CDC and the WHO,⁴ with examples of studies that are informed by implementation science, as well as gaps in applications from this field. As the scoping review will include almost two decades of research, we anticipate that we will identify trends in implementation science use in tobacco control intervention research as the field has matured over time.

Ethics and dissemination

One goal of this study is to contribute to improvement in tobacco control interventions in reducing health disparities ([figure 1](#)). Efforts to promote effective tobacco control

reflect commitments to social justice⁵¹ and implementation science can substantially improve the outcomes of these efforts. We will document the equity-orientation of included studies with the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA)-Equity Extension checklist.⁵²

The findings from this study will be disseminated via peer-reviewed publications and conference presentations for audiences interested in tobacco control and implementation science. All results will be prepared in accordance with JBI guidelines³⁰ and checklists for PRISMA,⁵³ the Extension for Scoping Reviews (PRISMA-ScR)⁵² and equity reporting.⁵⁴ A PRISMA flow diagram⁵³ will indicate the numbers of articles identified in each search method, duplicates removed, and number of studies excluded and included, along with reasons for exclusion at the full-text review level. The main findings will be presented using tables and a narrative description that will detail the results in view of the objectives and research questions of the scoping review. A list of the included studies, along with their key characteristics, will be provided in the primary manuscript reporting the results of this review.

Author affiliations

¹Center for Prevention Research, Tennessee State University, Nashville, Tennessee, USA

²Faculty of Health Sciences, McMaster University, Hamilton, Ontario, Canada

³Immigrant Health and Cancer Disparities Center, Memorial Sloan Kettering Cancer Center, New York, NY, USA

⁴Eskind Biomedical Library, Vanderbilt University, Nashville, Tennessee, USA

⁵Health Outcomes & Biomedical Informatics, University of Florida College of Medicine, Gainesville, Florida, USA

⁶Communications & Journalism, University of New Mexico, Albuquerque, New Mexico, USA

⁷Division of Medicine, Rutgers Cancer Institute of New Jersey, New Brunswick, New Jersey, USA

⁸Population Health, University of Kansas School of Medicine, Lawrence, Kansas, USA

⁹Center for Public Health Systems Science, Washington University in Saint Louis, Saint Louis, Missouri, USA

¹⁰Meharry Medical College, Nashville, Tennessee, USA

¹¹Australian Institute of Family Studies, Melbourne, Victoria, Australia

Acknowledgements The authors would like to thank the following individuals who were consulted regarding the definition of use of implementation science developed for this paper: Sarah Birken, Ross Brownson, Anne Sales and Michel Wensing.

Contributorship statement All co-authors have participated via email, phone, or in-person in the development of the protocol for this project. RS conceptualised the initial project, coordinated the research team in developing the protocol, was lead author for the protocol manuscript, participated in writing, reviewing and editing the manuscript, and drafted the detailed response to reviewers. SN-S contributed to developing the protocol and protocol manuscript, and participated in writing, reviewing and editing the manuscript, provided consultation regarding the Covidence software used for data review, and provided suggestions regarding scoping review procedures. JL contributed to developing the protocol, writing, reviewing and editing the manuscript. PDW, an experienced medical research librarian, developed and conducted the literature search, writing, reviewing and editing the manuscript. RGS contributed to developing the protocol, writing, reviewing and editing the manuscript. TG contributed to developing the protocol, and writing, reviewing and editing the manuscript. CH contributed to developing the protocol, and writing, reviewing and editing the manuscript. TSS contributed to developing the protocol, writing, reviewing and editing the manuscript, and provided suggestions regarding scoping review procedures. TC contributed to developing the protocol, writing, reviewing and editing the manuscript, and provided suggestions regarding scoping review procedures. RQ-H contributed to developing table 2 and

the protocol. RA contributed to developing the protocol and protocol manuscript. SE contributed to developing the protocol, developed the first draft of the protocol manuscript, reviewed and edited it, and contributed to editing the detailed description of responses to reviewers.

Funding Support for this project came in part from the National Institutes of Health Mentored Training for Dissemination and Implementation Research in Cancer Program (MT-DIRC) (grant number 5R25CA171994), the US Department of Veterans Affairs and the Cancer Research Network. RS is supported by the National Cancer Institute through the Meharry-Vanderbilt-Tennessee State University Cancer Partnership (U54CA163066). JL is supported by the National Cancer Institute: Core Cancer Center Support Grant (P30CA008748). SE is supported by the National Institute of General Medical Sciences COBRE grant (P20GM130423). TSS is funded by a NIH/NIDA K01 (K01 DA040745).

Competing interests None declared.

Patient consent for publication Not required.

Provenance and peer review Not commissioned; externally peer-reviewed.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iDs

Rebecca Selove <http://orcid.org/0000-0003-2929-8763>

Sarah Neil-Sztramko <http://orcid.org/0000-0002-9600-3403>

Jennifer Leng <http://orcid.org/0000-0003-4925-2842>

Philip D Walker <http://orcid.org/0000-0002-1712-2886>

Ramzi George Salloum <http://orcid.org/0000-0002-8139-2418>

Tamar Ginossar <http://orcid.org/0000-0002-0136-6675>

Carolyn Heckman <http://orcid.org/0000-0003-1016-3965>

Taneisha S Scheuermann <http://orcid.org/0000-0001-9543-903X>

Todd Combs <http://orcid.org/0000-0003-1015-6589>

Raquel Qualls-Hampton <http://orcid.org/0000-0003-2401-4231>

Rebecca Armstrong <http://orcid.org/0000-0003-4146-7427>

Shellie Ellis <http://orcid.org/0000-0002-3599-0804>

REFERENCES

- 1 U.S. Department of Health and Human Services. *The health consequences of smoking- 50 years of progress. A report of the surgeon General*. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office of Smoking and Health, 2014.
- 2 Centers for Disease Control and Prevention. *Best practices for comprehensive tobacco control programs - 2014*. Atlanta, GA: Department of Health and Human Services, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2014.
- 3 Fiore M, Jaen C, Baker T, et al. *Treating tobacco use and dependence: 2008 update*. Rockville, MD: Department of Health and Human Services, Public Health Service, 2008.
- 4 WHO. *Who framework convention on tobacco control*. Geneva: WHO, 2005.
- 5 World Health Organization. Tobacco free initiative (TFI). tobacco free initiative (TFI). Available: <https://www.who.int/tobacco/mpower/publications/en/>
- 6 Institute of Medicine. *Combating tobacco use in military and veteran populations*. Washington, DC: National Academies Press, 2009.
- 7 Balogh E, Patlak M, Nass SJ. *Reducing tobacco-related cancer incidence and mortality: workshop summary*. Washington, DC: National academies press, 2013.

- 8 Kasza KA, Ambrose BK, Conway KP, *et al.* Tobacco-product use by adults and youths in the United States in 2013 and 2014. *N Engl J Med Overseas Ed* 2017;376:342–53.
- 9 Wang TW, Asman K, Gentzke AS, *et al.* Tobacco product use among adults — United States, 2017. *MMWR Morb Mortal Wkly Rep* 2018;67:1225–32.
- 10 Brownson RC, Colditz GA, Proctor EK, eds. *Dissemination and implementation research in health: translating science to practice*. New York: Oxford University Press, 2012.
- 11 Eccles MP, Mittman BS. Welcome to implementation science. *Implement Sci* 2006;1:1748–5908.
- 12 Nilsen P, Birken SA. *Handbook on implementation science*. Cheltenham UK: Edward Elgar Publishing, 2020.
- 13 Proctor E, Silmere H, Raghavan R, *et al.* Outcomes for implementation research: conceptual distinctions, measurement challenges, and research agenda. *Adm Policy Ment Health* 2011;38:65–76.
- 14 Powell BJ, Waltz TJ, Chinman MJ, *et al.* A refined compilation of implementation strategies: results from the expert recommendations for implementing change (ERIC) project. *Implement Sci* 2015;10:21.
- 15 Chilenski SM, Greenberg MT, Feinberg ME. Community readiness as a multidimensional construct. *J Community Psychol* 2007;35:347–65.
- 16 Bauer MS, Damschroder L, Hagedorn H, *et al.* An introduction to implementation science for the non-specialist. *BMC Psychol* 2015;3:32.
- 17 Tabak RG, Khoong EC, Chambers D, *et al.* Models in dissemination and implementation research: useful tools in public health services and systems research. *Front Public Health Serv Syst Res* 2013;2:8.
- 18 Gem: Grid-Enabled measures database. Available: <https://www.gem-beta.org/Public/Home.aspx>
- 19 Huijg JM, Gebhardt WA, Dusseldorp E, *et al.* Measuring determinants of implementation behavior: psychometric properties of a questionnaire based on the theoretical domains framework. *Implement Sci* 2014;9:33.
- 20 U.S. Department of Health and Human Services. . Improving smoking cessation in socioeconomically disadvantaged populations via scalable interventions (R01), 2016. Available: <https://grants.nih.gov/grants/guide/pa-files/par-16-202.html>
- 21 U.S. Department of Health and Human Services. U.S. tobacco control policies to reduce health disparities (R01 clinical trial optional), 2018. Available: <https://grants.nih.gov/grants/guide/pa-files/par-18-675.html>
- 22 Chambers D, Vinson C, Norton W, eds. *Advancing the science of implementation across the cancer continuum*. New York, NY: Oxford University Press, 2019.
- 23 Rosen LJ, Ben Noach M, Rosenberg E. Missing the forest (plot) for the trees? A critique of the systematic review in tobacco control. *BMC Med Res Methodol* 2010;10:34.
- 24 McFadyen T, Chai LK, Wyse R, *et al.* Strategies to improve the implementation of policies, practices or programmes in sporting organisations targeting poor diet, physical inactivity, obesity, risky alcohol use or tobacco use: a systematic review. *BMJ Open* 2018;8:e019151.
- 25 Halas G, Schultz ASH, Rothney J, *et al.* A scoping review of foci, trends, and gaps in reviews of tobacco control research. *Nicotine Tob Res* 2020;22:599–612.
- 26 Zhu S-H, Lee M, Zhuang Y-L, *et al.* Interventions to increase smoking cessation at the population level: how much progress has been made in the last two decades? *Tob Control* 2012;21:110–8.
- 27 Anderson LM, Petticrew M, Rehfuess E, *et al.* Using logic models to capture complexity in systematic reviews: logic models in systematic reviews. *Res Synth Methods* 2011;2:33–42.
- 28 Chinman M, Woodward EN, Curran GM, *et al.* Harnessing implementation science to increase the impact of health equity research. *Med Care* 2017;55:S16–23.
- 29 Arksey H, O'Malley L. Scoping studies: towards a methodological framework. *Int J Soc Res Methodol* 2005;8:19–32.
- 30 Joanna Briggs Institute. *Joanna Briggs Institute Reviewer's Manual*. Adelaide, AU: The Joanna Briggs Institute, 2015.
- 31 Khalil H, Peters M, Godfrey CM, *et al.* An evidence-based approach to scoping reviews. *Worldviews Evid Based Nurs* 2016;13:118–23.
- 32 Daudt HML, van Mossel C, Scott SJ. Enhancing the scoping study methodology: a large, inter-professional team's experience with Arksey and O'Malley's framework. *BMC Med Res Methodol* 2013;13:48.
- 33 Gentzke AS, Creamer M, Cullen KA, *et al.* Vital signs: tobacco product use among middle and high school students - United States, 2011-2018. *MMWR Morb Mortal Wkly Rep* 2019;68:157–64.
- 34 Best practices for comprehensive tobacco control programs: 2014. *Tob Control* 2014;144.
- 35 Hoben M, Berendonk C, Buscher I, *et al.* Scoping review of nursing-related dissemination and implementation research in German-speaking countries: mapping the field/scoping review zum stand Der pflegebezogenen Disseminations- und Implementierungsforschung in deutschsprachigen Ländern: eine Bestandsaufnahme. *Int J Health Prof* 2014;1:34–49.
- 36 Wandersman A, Duffy J, Flaspohler P, *et al.* Bridging the gap between prevention research and practice: the interactive systems framework for dissemination and implementation. *Am J Community Psychol* 2008;41:171–81.
- 37 Washington University in St. Louis. Dissemination and implementation at Washington University in St. Louis. D & I toolkits. Available: <https://sites.wustl.edu/wudandi/di-toolkits/>
- 38 Barac R, Stein S, Bruce B, *et al.* Scoping review of toolkits as a knowledge translation strategy in health. *BMC Med Inform Decis Mak* 2014;14:121.
- 39 Proctor EK, Powell BJ, McMillen JC. Implementation strategies: recommendations for specifying and reporting. *Implement Sci* 2013;8:139.
- 40 Meyers DC, Durlak JA, Wandersman A. The quality implementation framework: a synthesis of critical steps in the implementation process. *Am J Community Psychol* 2012;50:462–80.
- 41 Saldana L. The stages of implementation completion for evidence-based practice: protocol for a mixed methods study. *Implementation Sci* 2014;9:1.
- 42 Institute of Medicine (U.S), Committee on Quality of Health Care in America. *Crossing the quality chasm: a new health system for the 21st century*. Washington, DC: national Academy press, 2001. Available: <http://public.eblib.com/choice/publicfullrecord.aspx?p=3375215>
- 43 Damschroder LJ, Aron DC, Keith RE, *et al.* Fostering implementation of health services research findings into practice: a consolidated framework for advancing implementation science. *Implement Sci* 2009;4:50.
- 44 Rabin BA, Brownson RC. Developing the terminology for dissemination and implementation research. In: Brownson RC, Colditz GA, Proctor E, eds. *Dissemination and implementation research in health: translating science into practice*. New York, NY: Oxford university press, 2012: 23–51.
- 45 Sales A. *Implementation science: how can it support healthcare research? training in implementation: actionable research approaches (TIARA)*. Kansas City, KA, 2019.
- 46 Slaughter SE, Zimmermann GL, Nuspl M, *et al.* Classification schemes for knowledge translation interventions: a practical resource for researchers. *BMC Med Res Methodol* 2017;17:161.
- 47 Chambers D. *Forward. in: dissemination and implementation research in health: translating science into practice*. New York: Oxford University Press, 2012: vii–x.
- 48 Dearing JW, Kee K. Historical roots of dissemination and implementation science. In: Brownson RC, Colditz GA, Proctor EK, eds. *Dissemination and implementation research in health: translating science into practice*. New York: Oxford University Press, 2012: 55–71.
- 49 Kerner JF, Glasgow RE, Vinson CA. A history of the National Cancer Institute's support for implementation science across the cancer control continuum: Context counts. In: Chambers D, Vinson CA, Norton W, eds. *Advancing the science of implementation across the cancer continuum*. New York, NY: Oxford University Press, 2019.
- 50 Tricco AC, Soobiah C, Antony J, *et al.* A scoping review identifies multiple emerging knowledge synthesis methods, but few studies operationalize the method. *J Clin Epidemiol* 2016;73:19–28.
- 51 Borges LC, Menezes HZde, Souza IMLde. Dilemas na implementação da convenção-quadro para o controle do tabaco da organização mundial da saúde. *Cad. Saúde Pública* 2020;36:e00136919.
- 52 Tricco AC, Lillie E, Zarin W, *et al.* PRISMA extension for scoping reviews (PRISMA-ScR): checklist and explanation. *Ann Intern Med* 2018;169:467.
- 53 Moher D, Liberati A, Tetzlaff J, *et al.* Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *PLoS Med* 2009;6:6.
- 54 Welch V, Petticrew M, Tugwell P, *et al.* PRISMA-Equity 2012 extension: reporting guidelines for systematic reviews with a focus on health equity. *PLoS Med* 2012;9:e1001333.